

3. Butler, R. A., and Hill, D. W.: Estimation of volatile anaesthetics in tissues by gas chromatography, *Nature* 189: 488, 1961.
4. Chenoweth, M. D., Robertson, O. N., Erley, D. S., and Gollke, R.: Blood and tissue levels of ether, chloroform, halothane and methoxyflurane in dogs, *ANESTHESIOLOGY* 23: 101, 1962.
5. Butler, R. A., and Freeman, J.: Gas chromatography as a method for estimating concentrations of volatile anesthetics in blood, *Brit. J. Anaesth.* 34: 440, 1962.
6. Rutledge, C. O., Seifen, E., Alper, M. H., and Flacke, W.: Analysis of halothane in gas and blood by gas chromatography, *ANESTHESIOLOGY* 24: 862, 1963.
7. Jacobs, E. S.: The gas chromatographic determination of halopropane in blood, *Anesth. Analg.* 43: 177, 1964.
8. Wolfson, B., Ciccarelli, H. E., and Siker, E. S.: Gas chromatography using an internal standard for the estimation of methoxyflurane levels in blood, *Brit. J. Anaesth.* 38: 29, 1966.
9. Dyfverman, A., and Sjoevall, J.: Estimation of fluothane by gas chromatography, *Acta anaesth. Scand.* 6: 171, 1962.
10. Gadsden, R. H., McCord, W. M., and Woods, E. F.: Gas chromatographic determination of methoxyflurane in blood, *ANESTHESIOLOGY* 23: 831, 1962.
11. Noehren, T. H., and Cudmore, J. W.: Ethyl ether content in blood as determined by gas chromatography, *ANESTHESIOLOGY* 22: 519, 1961.
12. Hamilton, L. H.: Gas chromatography for respiratory and blood gas analysis, *Ann. N. Y. Acad. Sci.* 102: 15, 1962.
13. Galla, S. J., and Ottenstein, D. M.: Measurement of inert gases in blood by gas chromatography, *Ann. N. Y. Acad. Sci.* 102: 4, 1962.
14. Fabian, L. W., Bourgeois-Gavardin, M., and Stephen, C. R.: A method for determining vapor concentrations of volatile anesthetic drugs, *ANESTHESIOLOGY* 19: 51, 1958.
15. Purchase, I. F. H.: Estimation of halothane tensions in blood by gas chromatography, *Nature* 198: 895, 1963.
16. Yamamura, H., Wakasugi, B., Sato, S., and Takebe, Y.: Gas chromatographic analysis of inhalation anesthetics in whole blood by an equilibration method, *ANESTHESIOLOGY* 27: 311, 1966.
17. Parker, K. D., Fontan, C. R., Yee, J. L., and Kirk, P. L.: Gas chromatographic determination of ethyl alcohol in blood for medicolegal purposes, *Anal. Chem.* 34: 1234, 1962.
18. Lowe, H. L.: Flame ionization detection of volatile organic anesthetics in blood, gases and tissues, *ANESTHESIOLOGY* 25: 898, 1964.
19. Laasberg, L. H., and Etsten, B. E.: Gas chromatographic analysis of cyclopropane in whole blood, *ANESTHESIOLOGY* 26: 216, 1965.
20. Borgstedt, H. H., and Gillies, A. J.: Determination of the solubility of N₂O in water by gas chromatography, *ANESTHESIOLOGY* 26: 675, 1965.
21. Hara, N.: Molecular sieves—their properties and applications, *Chem. Industr.* 10: 63, 1957.
22. Yokota, T.: Gas chromatographic measurement of halothane in whole blood by "direct injection method," *Jap. J. Anesth.* 15: 1314, 1966.

Anesthesia

TRENDELENBERG POSITION To ascertain if the use of Trendelenberg's position (defined as 20 degrees or greater head down) contributed to serious complication or death during gynecologic surgery, a questionnaire was sent to 266 chiefs of service in this country as to frequency of use of the position, incidence of serious complications or death, and any additional comments. Of 240 replies, very few reported serious difficulty because of the position. Those who used it often reported few complications, and those who used it infrequently reported the largest incidence of serious complications (50 per cent). Serious complications included respiratory embarrassment, brachial plexus palsy (11 patients), cardiac failure, and air embolism. The author concluded that since a majority of the respondents used the position, since a minority reported serious complication, and since all complications except brachial palsy were insignificant, that objections of anesthesiologists to the position are invalid. (*Mengcr, W. E.: Trendelenburg's Position: Current Usage, Obstet. Gynec.* 29: 734 (May) 1967.) **ABSTRACTOR'S NOTE:** The conclusions from this retrospective study, obtained from a group with undoubted bias, are of questionable validity.