

- Personnel, American Society of Anesthesiologists. *ANESTHESIOLOGY* 41:321-340, 1974
2. Corbett TH, Cornell RG, Lieding K, et al: Incidence of cancer among Michigan nurse-anesthetists. *ANESTHESIOLOGY* 38:260-263, 1973
 3. Ames BN: The detection of chemical mutagens with enteric bacteria, *Chemical Mutagens: Principles and Methods for Their Detection*. Edited by Hollaender A. New York, Plenum Press, 1971, pp 267-282
 4. Cohen EN, Trudell JR, Edmunds H, et al: Urinary metabolites of halothane in man. *ANESTHESIOLOGY* 43:392-401, 1975
 5. McCann J, Simmon V, Streitwieser D, et al: Mutagenicity of chloroacetaldehyde, a possible metabolic product of 1,2-dichloroethane (ethylene dichloride), chloroethanol (ethylene chlorohydrin), vinyl chloride, and cyclophosphamide. *Proc Natl Acad Sci USA* 72:3190-3193, 1975
 6. Malling HV: Dimethylnitrosamine: Formation of mutagenic compounds by interaction with mouse liver microsomes. *Mutation Res* 13:425-429, 1971
 7. Knill-Jones RP, Moir DB, Rodrigues LV, et al: Anaesthetic practice and pregnancy: A controlled survey of women anaesthetists in the United Kingdom. *Lancet* 2:1326, 1972
 8. Vaisman AI: Working conditions in surgery and their effect on the health of anesthesiologists. *Eksp Khir Anesteziol* 3:44-49, 1967
 9. Corbett TH, Cornell RG, Endres JL, et al: Birth defects among children of nurse anesthetists. *ANESTHESIOLOGY* 41:341-344, 1974
 10. Leong BKJ, McFarland HN, Reese WH: Induction of lung adenomas by chronic inhalation of bis (chloromethyl) ether. *Arch Environ Health* 16:472-476, 1968
 11. Van Dusen BL, Goldschmidt BM, Katz C, et al: Alpha-haloethers: A new type of alkylating carcinogen. *Arch Environ Health* 16:472-476, 1968
 12. Corbett TH: Cancer and congenital anomalies associated with anesthesia. *Ann NY Acad Sci* 271:58-66, 1976
 13. Poirier LA, Stober GD, Shimkin MB: Bioassay of alkyl halides and nucleotide base analogs by pulmonary tumor response in strain A mice. *Cancer Res* 35:1411-1415, 1975
 14. Creech JL, Johnson MN: Angiosarcoma of the liver in the manufacture of polyvinyl chloride. *J Occup Med* 16:150-151, 1974
 15. Saffioti U: Memorandum of alert. *Natl Cancer Inst*, March 21, 1975
 16. Ames BN, Lee FD, Durston WE: An improved bacterial test system for the detection and classification of mutagens and carcinogens. *Proc Natl Acad Sci USA* 70:782-786, 1973
 17. Ames BN, Durston WE, Yamasaki E, et al: Carcinogens are mutagens: A simple test system combining liver homogenates for activation and bacteria for detection. *Proc Natl Acad Sci USA* 70:2281-2285, 1973
 18. Bartsch H, Malaveille C, Montesano R: Human rat and mouse liver-mediated mutagenicity of vinyl chloride in *S. typhimurium* strains. *Int J Cancer* 15:429-437, 1975
 19. McCann J, Choi E, Yamasaki E, et al: Detection of carcinogens as mutagens in the *Salmonella/microsome* test: Part I, Assay of 300 chemicals. *Proc Natl Acad Sci USA* 72:5135-5139, 1975
 20. Popper H, Czygan P, Greim H, et al: Mutagenicity of primary and secondary carcinogens altered by normal and induced hepatic microsomes. *Proc Soc Exp Biol Med* 142:727-729, 1973
 21. Czygan P, Greim H, Garro AJ, et al: Cytochrome P-450 content and the ability of liver microsomes from patients undergoing abdominal surgery to alter the mutagenicity of a primary and a secondary carcinogen. *J Natl Cancer Inst* 51:1761-1764, 1973
 22. Czygan P, Greim H, Garro AJ, et al: Microsomal metabolism of dimethylnitrosamine and the cytochrome P-450 dependency of its activation to a mutagen. *Cancer Res* 33:2983-2986, 1973
 23. Durston WE, Ames BN: A simple method for the detection of mutagens in urine: Studies with the carcinogen 2-acetylaminofluorene. *Proc Natl Acad Sci USA* 71:737-741, 1974
 24. Commoner B, Vithayathil AJ, Henry JI: Detection of metabolic carcinogen intermediates in urine of carcinogen-fed rats by means of bacterial mutagenesis. *Nature* 249:850-852, 1974

Erratum

The editorial by R. I. Mazze and B. A. Hitt, Methoxyflurane Metabolism (*ANESTHESIOLOGY* 41:369-371, 1976) inadvertently erred when commenting on the paper by L. Adler *et al.*, in the same issue. The editorial was based on the original copy of the paper by Adler *et al.*, which was sent to Drs. Mazze and Hitt rather than the revised copy that was published. Thus, the statement in the editorial that Adler *et al.* did not derive K_m values is in error. K_m values appear in table 2 of the Adler paper.