

experience of Rizk *et al.* may be explained in at least two ways. First, even known porphyrinogenic drugs such as the barbiturates do not always induce the clinical manifestations in asymptomatic patients who have acute intermittent porphyria. Second, the authors assume the diagnosis from the history of the patient. There was no biochemical or enzymatic confirmation of the diagnosis prior to or after the operation. It could be that the patient did not have acute intermittent porphyria but rather another form of porphyria, less sensitive to drugs.

EWA KOSTRZEWSKA, M.D.
ANITA GREGOR, PH.D.

DANUTA LIPINSKA, M.D.
*Research Laboratory and
Department of Anesthesiology
Institute of Haematology
Warsaw, Poland*

REFERENCE

1. Rizk SF, Jacobson JH, Silvey G: Ketamine as an induction agent for acute intermittent porphyria. *ANESTHESIOLOGY* 46:305-306, 1977

(Accepted for publication June 26, 1978.)

Anesthesiology
49:377-378, 1978

Hot Flashes in the Operating Room

To the Editor:—Vasomotor instability occurs in a large portion of the population. As many as 85 per cent of menopausal women may experience brief, periodic feelings of warmth in the face, neck, and upper thorax ("hot flashes") or more severe, sudden surges of heat involving the whole body with drenching sweats, often associated with feelings of weakness, anxiety, vertigo and nausea ("hot flashes").¹ Episodes commonly occur after meals, during exercise, or with emotional stress, but also develop during sleep. They may be as frequent as 20 times a day and can last for decades.² We observed a 52-year-old woman in whom a paroxysmal episode of facial flushing, profound sweating, tachycardia and hypotension developed during anesthesia and suddenly and spontaneously resolved after 8 min. There was no apparent precipitating factor. Postoperatively, the patient vividly described "hot flashes." Attempts to document vital signs during such episodes while the patient was awake were unsuccessful.

Unfortunately, there are few studies in the literature concerning the pathophysiology of "hot flashes." Temperature monitoring has documented that the digits and cheeks (where the flush occurs) warm as vasodilation occurs, while the remainder of the body that responds with marked sweating cools with evaporation. Internal body temperature decreases.³ Heart rate increases, occasionally with arrhythmias.^{3,4} Blood pressure increases are thought to occur, but probably the blood pressure responses are characterized by variability and instability.² No diagnostic, physiologic change that characterizes a "hot flash" results; the only

way to know one has occurred is the subjective description given by an awake patient. Thus, despite the resemblance of the intraoperative changes seen to the patient's menopausal symptoms, the occurrence of a "hot flash" during anesthesia must be purely speculative. Perhaps differential skin temperature monitoring would be useful.

The etiology of these episodes is obscure. Estrogen levels decrease and pituitary gonadotropin levels increase during the menopause. Yet other clinical conditions with similar hormonal changes are not associated with vasomotor instability.⁵ Furthermore, not all women have vasomotor symptoms after oophorectomy, and there is no difference between hormone levels in groups with and those without attacks.⁶ Although estrogens abolish symptoms of the menopause, so do other drugs and placebos.⁷ Because of the similarity to attacks seen with the carcinoid syndrome, serotonin levels and 5-hydroxyindoleacetic acid excretion have been measured, but have not revealed any abnormality.⁸ Evidence linking dopamine, norepinephrine and prostaglandins to the regulation of pituitary gonadotropins is accumulating, and the formation of catecholestrogens may modulate neuronal activity through specific binding sites in the brain.⁹

With the large number of menopausal women undergoing surgical procedures, it is unclear why intraoperative "hot flashes" have not been reported previously. Perhaps anesthetics influence the occurrence or manifestations, although it is more likely that cases have been attributed to "light" anesthesia, unknown "reflexes," or other causes. A preoperative assessment

of frequency and severity of "hot flashes" in susceptible patients (those more than 40 years old or having previously undergone oophorectomy or estrogen withdrawal) may alert the anesthesiologist to anticipate vasomotor instability.

MARK A. ROCKOFF, M.D.
Research Fellow
Department of Anesthesiology
University of California, San Diego
Veterans Administration Hospital
3350 La Jolla Village Drive
San Diego, California 92161

REFERENCES

1. McArthur JW: Diseases of the ovary, Harrison's Textbook of Internal Medicine. Eighth edition. Edited by Thorn GW, Adams RD, Braunwald E, et al. New York, McGraw-Hill, 1977, p 611
2. Lauritzen C: The female climacteric syndrome: Significance, problems, treatment. Acta Obstet Gynecol Scand 51 (suppl): 49-61, 1975
3. Molnar GW: Body temperature during menopausal hot flashes. J Appl Physiol 38:499-503, 1975
4. Botella-Llusa J (translated by Moscovic EA): Endocrinology of Women. Philadelphia, Saunders, W.B. 1973, p 869
5. Israel SL: Menstrual Disorders and Sterility. New York, Harper and Row, 1967, pp 390-400
6. Aksel S, Schronberg DW, Tyrey L, et al: Vasomotor symptoms, serum estrogen, and gonadotropin levels in surgical menopause. Am J Obstet Gynecol 126:165-169, 1976
7. Clayden JR, Bell JW, Pollard P: Menopausal flushings: Double-blind trial of a non-hormonal medication. Br Med J 1:409-412, 1974
8. Munsick RA: Serotonin and the menopausal flush. Am J Obstet Gynecol 78:147-151, 1959
9. Yen SSC: Regulation of the hypothalamic-pituitary-ovarian axis in women. J Reprod Fertil 51:181-191, 1977

(Accepted for publication June 28, 1978.)

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per-copy fee through the Copyright Clearance Center, Inc., P.O. Box 765, Schenectady, New York 12301, for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.