

.....

## **Cochlear and Brainstem Implants**

.....

# Advances in Oto-Rhino-Laryngology

Vol. 64

Series Editor

*W. Arnold* Munich

**KARGER**

.....

# Cochlear and Brainstem Implants

Volume Editor

*A.R. Møller* Dallas, Tex.

84 figures, 9 in color, and 4 tables, 2006

**KARGER**

Basel · Freiburg · Paris · London · New York ·  
Bangalore · Bangkok · Singapore · Tokyo · Sydney

.....

**Aage R. Møller**

School of Behavioral and Brain Sciences  
University of Texas at Dallas, GR 41  
PO Box 830688  
Richardson, TX 75083-0688 (USA)

Library of Congress Cataloging-in-Publication Data

Cochlear and brainstem implants / volume editor, A. Møller.  
p. ; cm. – (Advances in oto-rhino-laryngology, ISSN 0065-3071  
; v. 64)  
Includes bibliographical references and index.  
ISBN 3–8055–8157–2 (hard cover : alk. paper)  
1. Cochlear implants. I. Møller, Aage R. II. Series.  
[DNLN: 1. Auditory Brain Stem Implants. 2. Cochlear Implants.  
3. Auditory Brain Stem Implantation. 4. Cochlear Implantation.  
5. Hearing Loss–rehabilitation. 6. Hearing Loss–surgery.  
W1 AD701 v.64 2006 / WV 274 C6588 2006]  
RF305.C59 2006  
617.8'82–dc22

2006014158

Bibliographic Indices. This publication is listed in bibliographic services, including Current Contents® and Index Medicus.

Disclaimer. The statements, options and data contained in this publication are solely those of the individual authors and contributors and not of the publisher and the editor(s). The appearance of advertisements in the book is not a warranty, endorsement, or approval of the products or services advertised or of their effectiveness, quality or safety. The publisher and the editor(s) disclaim responsibility for any injury to persons or property resulting from any ideas, methods, instructions or products referred to in the content or advertisements.

Drug Dosage. The authors and the publisher have exerted every effort to ensure that drug selection and dosage set forth in this text are in accord with current recommendations and practice at the time of publication. However, in view of ongoing research, changes in government regulations, and the constant flow of information relating to drug therapy and drug reactions, the reader is urged to check the package insert for each drug for any change in indications and dosage and for added warnings and precautions. This is particularly important when the recommended agent is a new and/or infrequently employed drug.

All rights reserved. No part of this publication may be translated into other languages, reproduced or utilized in any form or by any means electronic or mechanical, including photocopying, recording, microcopying, or by any information storage and retrieval system, without permission in writing from the publisher.

© Copyright 2006 by S. Karger AG, P.O. Box, CH–4009 Basel (Switzerland)  
www.karger.com  
Printed in Switzerland on acid-free paper by Reinhardt Druck, Basel  
ISSN 0065–3071  
ISBN-10: 3–8055–8157–2  
ISBN-13: 978–8055–8157–8

.....

# Contents

## VII Introduction

### 1 History of Cochlear Implants and Auditory Brainstem Implants

Møller, A.R. (Dallas, Tex.)

Cochlear Implants

---

### 11 Surgical Aspects of Cochlear Implantation: Mechanisms of Insertional Trauma

Roland, P.S.; Wright, C.G. (Dallas, Tex.)

### 31 Histopathology of the Inner Ear Relevant to Cochlear Implantation

Nadol, J.B. Jr.; Eddington, D.K. (Boston, Mass.)

### 50 Factors Influencing Spoken Language Outcomes in Children following Early Cochlear Implantation

Geers, A.E. (Dallas, Tex.)

### 66 Central Auditory Development in Children with Cochlear Implants: Clinical Implications

Sharma, A. (Dallas, Tex.); Dorman, M.F. (Tempe, Ariz.)

### 89 Brain Plasticity under Cochlear Implant Stimulation

Kral, A. (Hamburg/Dallas, Tex.); Tillein, J. (Hamburg/Innsbruck)

### 109 Speech Processing in Vocoder-Centric Cochlear Implants

Loizou, P.C. (Dallas, Tex.)

Auditory Brainstem Implants

---

- 144 Auditory Brainstem Implants: Surgical Aspects**  
Fayad, J.N.; Otto, S.R.; Brackmann, D.E. (Los Angeles, Calif.)
- 154 A Guide to the Positioning of Brainstem Implants Using Intraoperative Electrical Auditory Brainstem Responses**  
Nevison, B. (Addlestone)
- 167 Auditory Outcomes in Tumor vs. Nontumor Patients Fitted with Auditory Brainstem Implants**  
Colletti, V. (Verona)

Physiological Basis for Cochlear and Auditory Brainstem Implants

---

- 186 Basis of Electrical Stimulation of the Cochlea and the Cochlear Nucleus**  
Shepherd, R.K. (East Melbourne); McCreery, D.B. (Pasadena, Calif.)
- 206 Physiological Basis for Cochlear and Auditory Brainstem Implants**  
Møller, A.R. (Dallas, Tex.)
- 224 Author Index**
- 225 Subject Index**

.....

## Introduction

Cochlear implants are now the most successful of all prostheses of the nervous system. Cochlear implants can provide good discrimination of speech and environmental sounds and some discrimination of music. Knowledge about the optimal time of implantation in children (sensitive periods) has improved the results of cochlear implants in children. Cochlear implants are used in individuals who are deaf or have severe hearing loss caused by loss of cochlear hair cells. Auditory brainstem implants (ABIs) provide stimulation of the cochlear nucleus and are used in individuals whose auditory nerves do not function. Until recently, ABIs were almost exclusively used in adults who had been operated on to remove bilateral vestibular schwannoma because of neurofibromatosis type 2. Used in such patients, ABIs have been less successful than cochlear implants in providing good speech discrimination. However, recently ABIs have been used in patients with other causes of auditory nerve dysfunction and in patients with deformed cochlea in whom it is not possible to perform cochlear implantation. In such individuals and in patients who have had their auditory nerve transected through head trauma and in children with congenital auditory nerve disorders (auditory nerve aplasia), ABIs provide similar speech discrimination as cochlear implants used in individuals with hearing loss of cochlear origin. This recent finding will undoubtedly widen the use of ABIs.

Cochlea implants activate the auditory nerve in the cochlea and thereby bypass sensory transduction in the inner hair cells, and more importantly, the complex function of the basilar membrane as a spectrum analyzer as well as that of the outer hair cells that provide automatic gain control. These functions were regarded to be fundamental for hearing. Frequency analysis performed by the basilar membrane was regarded to be the basis for auditory frequency discrimination that plays an important role in discrimination of sounds such as speech sounds.

When cochlear implants were first introduced, it was met with great disbelief that devices that bypassed the complex function of the cochlea could provide any useful hearing. While early cochlear implants using only one electrode did not provide speech discrimination in the way it is normally understood, the modern multi-electrode implants can provide good speech discrimination, although multi-electrode implants do not replicate the fine spectral analysis that normally occurs in the

cochlea. It was even more surprising that good speech discrimination could be achieved with cochlear implants that only provide information about the spectrum of sounds without coding the temporal information in the sound waves, which has been regarded to be of fundamental importance for speech discrimination.

The book provides the clinical and scientific basis for cochlear and brainstem implants. The function, implementation and use of such prostheses are the topics of individual papers in the book.

The first paper by Roland and Wright discusses surgical aspects of cochlear implants. It describes techniques of inserting the electrode array using different entry points to the cochlea. This paper also discusses implantation in patients with residual hearing. Nadol and Eddington discuss histopathological aspects related to cochlear implants. Geers explains the influence of cochlear implants on language development in children and the effect of the age at implantation.

Although cochlear implants have been in practical use for many years, there are many aspects that need to be clarified. One such aspect is the importance of neural plasticity, which is discussed in detail in two papers. Sharma and Dorman discuss the development of the auditory system and the role of expression of neural plasticity in children with cochlear implants, and Kral and Tillein discuss the basic principles of neural plasticity applied to the auditory system and the principles of sensitive periods. These authors explain the critical periods in children for achieving optimal results. Loizou provides a detailed description of processors and the algorithms used in modern cochlear implants using the principle of the channel vocoder.

The next three papers are devoted to ABIs. Fayad and co-authors explain the surgical aspects of ABIs in patients with neurofibromatosis type 2, and Nevison describes methods for intraoperative testing of ABIs. Colletti discusses results of the use of ABIs in patients with other causes of auditory nerve injuries than bilateral vestibular schwannoma.

Two papers concern physiological aspects of cochlear and auditory brainstem implants. Shepherd and McCreery describe the basis for electrical stimulation of neural tissue and Møller discusses the neurophysiologic basis for cochlear and brainstem implants.

## Acknowledgments

I thank S. Karger AG for making it possible to publish this book on the important topic of cochlear and brainstem implants. I want to thank Susanna Ludwig, Product Manager, and Elizabeth Anyawike, of the Production Team for their excellent work on this book. The Publisher and I also want to thank Advanced Bionics Corp. for the generous support that made it possible to reproduce some illustrations in color.

*Age R. Møller*, Volume Editor  
Dallas, May 2006