
Subject Index

- Acetylcholinesterase, nerve fiber
 - distribution 41
- ACTH, *see* Corticotropin
- Arachidonic acid, second messenger
 - signal 73
- Arginine vasopressin
 - biological activity 55, 74, 85
 - immunocyte
 - production 7
 - proteolytic processing 14
 - response to hypothalamic releasing factor 9
 - interferon- γ production effect 56–58, 70–73
 - production in various tissues 55, 56
 - receptor
 - affinity 85
 - antagonists 56, 57, 85
 - density 85
 - types 56, 85
 - second messenger signals 70–73
 - structure 56, 57
- Astrocytes
 - class II MHC
 - experimental allergic encephalitis
 - role 133
 - expression 130–133
 - regulation 133
 - development 108
 - functions
 - blood-brain barrier induction 111
 - cytokine secretion 111, 112
 - injury response 111
 - ion regulation 110
 - mechanical support of neurons 110
 - migrating neuron guidance 111
 - neurotransmitter transport 110, 111
- interferon- γ
 - effect
 - class II MHC expression 130, 131
 - cytokine synergism 133, 134
 - ICAM-1 production 133
 - signalling mechanism 131, 132
- interleukin-1
 - effects 126, 127
 - production 127
- interleukin-6
 - effects 139, 140
 - expression 139
 - gene regulation 140, 141
 - morphology 107, 108
 - proliferation in disease 116
 - specific antigens 109, 110
 - tumor necrosis factor
 - effects
 - correlation with experimental allergic encephalitis 137, 138
 - cytokine production 136
 - production 136, 137
 - types 108, 109
- B cells
 - function 123, 124
 - hormone induction by lipopolysaccharides 15
 - lineage 123
- Blood-brain barrier
 - central nervous system protection 106
 - structure 106
 - violation
 - immunocyte 106, 107, 117
 - interleukin-1 158
- Bone marrow, noradrenergic innervation 36, 37

- Brain lesions, immune response effects
29
- Calcitonin gene-related peptide
nerve fiber distribution 32, 33,
39-41
neurotransmitter in lymphoid organs
27
receptor 95
- Chorionic gonadotropin, lymphocyte
expression 5
induction 8
structure 5
- Corticotropin, *see also* Proopiomelanocortin
effect
antibody response 51, 52, 86
calcium flux 86, 87, 179, 180
cyclic AMP levels 86, 87, 179,
180
interferon- γ production 52, 53, 58
expression with endorphins 3, 4
function 1, 50, 51
induction 1, 3, 170
lymphocyte
biological activity 16, 17, 74
expression 4, 15
receptor
affinities 51, 86, 97
binding effects 86, 87
density 86, 174
releasing factor
induction
interleukin-1 10-12
interleukin-2 95
receptors 95
response to hypothalamic releasing
factor 9
structure 6
proopiomelanocortin as precursor
3, 13, 50
structure 1, 3, 4, 49, 50, 86
- Cytokines
immune response effects 141, 142
interactions complex 163, 164
nomenclature 154
properties 119
receptor affinities 119
- Dexamethasone, proopiomelanocortin
suppression 10
- Diacylglycerol, second messenger
signal 72
- Endorphins
effect
blocked by naloxone 53, 54
immune response 52-55, 175
interferon- γ production 55
endotoxin shock role 17, 18
enkephalin relationship 54, 55
expression with corticotropin 3, 4,
52
macrophage acetylation 14, 15
proopiomelanocortin as precursor
3, 13, 52
receptors
affinities 87, 97
lymphocyte 52, 87, 88, 174
neuronal opioid receptor similarities
88
specificity 87
structure 87, 88
structure 3, 4
- Follicle-stimulating hormone, lymphocyte
expression 5
structure 5
- Glial cells, *see* Astrocytes, Microglia,
Oligodendrocytes
- Growth hormone
aging role 67
biological activity 16, 66, 67, 74
lymphocyte
receptors 88, 89, 174
releasing factor
activity 6, 7
receptors 95, 98
response to hypothalamic releasing
factor 9, 12
spontaneous production of hormone
6, 15, 66, 89
structure 6, 66
- Gut-associated lymphoid tissue,
noradrenergic innervation
25, 28, 30, 40, 41

- Hydroxydopamine, antibody response effects 173
- Innervation, *see* Nervous system
- Inositol-1,4,5-trisphosphate, second messenger signal 71, 72
- Interferon- γ
effect
 arginine vasopressin 56–58, 70–73
 corticotropin 52, 53, 58
 endorphins 55
 glial cells
 effects 135
 expression
 class I MHC 129, 130
 class II MHC 129–133
 experimental allergic encephalitis role 134, 135
 function 122
 hormonal activity 162, 163
 receptor 122
 related to other interferons 162
 structure 122
 tumor necrosis factor synergism 133, 134
- Interleukin-1
 brain receptors 158
 central nervous system action 157, 158
 effect
 astrocytes 126, 127
 prostaglandin E induction 158
 experimental allergic encephalitis role 128
 function 120, 121, 155
 induction by corticotropin-releasing factor 10–12, 170
 neuroendocrine activity 155–157
 structure 120
 types 120, 155
- Interleukin-2
 function 121, 159
 hormonal activity 159
 induction by corticotropin-releasing hormone 95
 oligodendrocyte effects 128, 129
 prolactin induction 5, 69
 receptors 122, 159
 structure 121
- Interleukin-6
 function 121
 glial cell
 effects 139, 140
 gene regulation 140, 141
 hormonal activity 160, 161
 interleukin-1 activation 160, 161
 receptor 121
 structure 121
- Lipotropin, proopiomelanocortin as precursor 13
- Luteinizing hormone, lymphocyte
 expression 5
 releasing factor
 antagonists 96
 receptors 96, 98
 structure 6
 response to hypothalamic releasing factor 9, 12
 structure 5
- Lymph node, noradrenergic innervation 25, 27, 29, 39, 40
- Melanocyte-stimulating hormone
 proopiomelanocortin as precursor 13
 receptor 94, 95
- Microglia
 abnormal function in disease 117
 class II MHC expression 133
 development 115
 functions 115
 interleukin-1 production 126, 127
 markers 115
 morphology 114, 115
 tumor necrosis factor production 136, 137
- Nerve growth factor
 biological activity 89
 cytokine role in production 89
 lymphocyte receptors
 affinities 97
 density 89
 structure 89
- Nervous system
 central nervous system

- Nervous system (cont.)
 control of immune response 8, 29, 30
 disease
 cytokine presence 118
 immunocyte violation
 106, 107, 117
 lymphoid organ
 criteria for neurotransmission
 41, 42
 innervation 25-42
 neurotransmitters 25, 27, 28
 Neuropeptide tyrosine
 immunocyte
 production 7
 proteolytic processing 14
 response to hypothalamic releasing
 factor 9
 nerve fiber distribution 30, 32, 37,
 39, 40
 Newcastle disease virus, induction of
 proopiomelanocortin 13, 15, 50
 Norepinephrine
 nerve fiber distribution 32, 36, 37, 40
 neurotransmitter in lymphoid organs
 25
 Oligodendrocytes
 abnormal function in disease 116, 117
 development 112
 function 113
 glial growth promoting factor 125
 interleukin-2 effects 128, 129
 specific antigens 112, 113
 Opioid receptors
 affinities 90, 97
 classes 90
 endorphin receptor similarity 88
 structure 90
 Peptide
 hormones
 immunocyte 2, 3
 compared to pituitary peptide 18
 expression 1-7
 function 15-18
 second messenger signals 70-74
 immune system interaction evidence
 184, 185
 immunocyte receptor criteria 84, 85
 neurotransmitters
 immunocyte 2, 3
 expression 7, 8
 function 15-18
 lymphoid organ association
 25, 27, 28
 Pituitary gland, removal effects on
 immune system 171-173
 Prolactin
 aging role 68
 biological activity 68, 69, 74, 91
 lymphocyte
 accumulation in response to
 interleukin-2 5, 69
 expression 4, 5
 induction by concanavalin A 4
 interleukin-2 receptor induction 91
 receptors 174
 stimulation 68, 69
 receptor
 affinities 91
 ciclosporin effects 91
 signalling mechanism 180, 181
 structure 68, 69
 Proopiomelanocortin
 lymphocyte
 effect
 interleukin-1 10-12
 Newcastle disease virus 13, 15
 gene
 regulation 11
 structure 11
 translation 12
 induction blocked by dexa-
 methasone 10
 processing into various hormones
 13, 14
 precursor
 corticotropin 3, 13, 50
 β -endorphin 13, 50
 lipotropin 13
 melanocyte-stimulating hormone 13
 Somatostatin
 immunocyte
 production 7
 proteolytic processing 14

- response to hypothalamic releasing factor 9
 - suppression 70
 - receptors 70, 92
 - second messenger signals 73
 - structure 7, 70
 - tissue distribution 70
- Spleen, noradrenergic innervation** 25–27, 29, 37–39
- Stress, immune response effects** 29
- Substance P**
 - amyloid β -protein, reversal of effects 62
 - biological activity 60–62, 74, 92
 - chemotaxis stimulation 61, 62
 - distribution
 - nerve fiber 32, 33, 36, 37, 39–41
 - tissue 60
 - inflammation modulator 61
 - lymphocyte stimulation 61, 62
 - neurotransmitter in lymphoid organs 27
 - receptor
 - affinities 60, 92, 93, 97
 - binding region of substance P 60, 61
 - size 60, 93
 - structure 60
- Suppressin, biological activity** 8
- T cells**
 - activation pathway 176
 - function 123, 124
 - hormone induction 15
 - lineage 123, 176
 - neurohormone
 - amplification of message 182, 183
 - modulation of activity 177
 - one-signal model 178, 179
 - second messengers 177–183
 - two-signal model 178–181
 - receptor conformation 183, 184
- Thymus, noradrenergic innervation** 25, 26, 29, 30, 36, 37
- Thyrotropin**
 - immune response effects 59, 60
 - lymphocyte
 - biological activity 4
 - expression 4, 15, 16
 - receptors 59, 93, 174
 - releasing hormone 16
 - response to hypothalamic releasing factor 9, 12, 59
 - second messenger signals 93
 - structure 58, 59
- Tumor necrosis factor**
 - diabetes role 161
 - experimental allergic encephalitis role 138
 - functions 119, 120, 161
 - glial cell effects 135–137
 - hormonal activity 161
 - receptors 120
 - structure 119
- Tyrosine hydroxylase, nerve fiber**
 - distribution 25–35, 37–39
- Vasoactive intestinal peptide**
 - biological activity 62, 63, 74, 94
 - cytokine modulation 63
 - immune response inhibition 63, 64
 - immunocyte
 - interaction effects 64
 - production 7, 63
 - proteolytic processing 14
 - response to hypothalamic releasing factor 9
 - nerve fiber distribution 37, 39–41, 62
 - receptors
 - affinities 64, 94, 98
 - G protein modulation 65
 - size 65, 94
 - T cells 63
 - second messenger signals 73, 94
 - structure 7, 62