

Subject Index

- AD, *see* Alzheimer's disease
- ADC, *see* Apparent diffusion coefficient
- Alar ligaments 55
- Alzheimer's disease (AD), chronic traumatic encephalopathy similarities 25, 26
- Apparent diffusion coefficient (ADC), cerebrospinal fluid 43, 45
- Arnold-Chiari malformation 2
- Basal angle, skull base 6, 7
- Basion-opisthion line, *see* McRae's line
- CCJ, *see* Craniocervical junction
- CCS, *see* Cranial cervical syndrome
- CCSVI, *see* Chronic cerebrospinal venous insufficiency
- cDMX, *see* Cervical digital motion X-ray
- Cerebellar tonsils, *see* Tonsillar ectopia
- Cerebrospinal fluid (CSF)
 - chronic traumatic encephalopathy and MRI of flow 27–29
 - hydrocephalus
 - benign external hydrocephalus 34, 37
 - communicating hydrocephalus 33, 35
 - compensated hydrocephalus 36
 - normal pressure hydrocephalus 33, 35–41, 43–46
 - overview 33
 - Sylvian cisterns 38
 - tectal glioma 47
 - multiple sclerosis studies 75–78, 80, 82–90
 - proteins and autoimmunity 87
 - quantitative flow imaging 38, 40–43
 - venous flow correlation 70, 72
- Cervical digital motion X-ray (cDMX), cranial cervical syndrome findings 10–12, 16, 17
- Chamberlain's line 6, 7
- Chiari type malformations
 - Arnold-Chiari malformation 2
 - grading 2
 - type I malformation, *see* Tonsillar ectopia
- Chronic cerebrospinal venous insufficiency (CCSVI)
 - diagnosis 72
 - magnetic resonance angiography, *see* Magnetic resonance angiography
 - overview 67, 72
- Chronic traumatic encephalopathy (CTE)
 - Alzheimer's disease similarities 25, 26
 - cerebrospinal fluid flow 27–29
 - immunoexcitotoxicity 26–29
 - overview 24, 25
 - prospects for study 30
 - risk factors in football 25
- Clivoaxial angle 4
- Concussion
 - diagnosis 29, 30
 - management 30
- CpMRI, *see* Upright FONAR positional MRI
- Cranial cervical syndrome (CCS)
 - clinical features 18, 90
 - imaging studies
 - cerebellar tonsillar ectopia findings 13, 16, 18
 - cervical digital motion X-ray 10–12, 16, 17
 - clinical evaluation 10
 - diagnostic issues 16–18
 - patient selection 10
 - upright FONAR positional MRI 11, 12, 15–17, 90
 - pathophysiology 18, 19
 - postwhiplash headache 15, 16
 - surgery
 - demographics and clinical parameters 13–15
 - outcomes 16, 18
 - procedure 12, 13
 - radiological findings 15
- Craniocervical junction (CCJ)
 - anatomy and physiology 49–51
 - diagnostic imaging 60, 61
 - misalignments 51–58
 - pain generators 62, 63
- CSF, *see* Cerebrospinal fluid
- CTE, *see* Chronic traumatic encephalopathy
- Deep white matter ischemia (DWMI), hydrocephalus studies 37, 39, 41, 43–45
- DWMI, *see* Deep white matter ischemia

- FIESTA, cerebrospinal fluid imaging 45, 46
 FONAR, *see* Upright FONAR positional MRI
- Grabb-Oakes line 5
- Harris lines 5
 Headache, *see* Cranial cervical syndrome
 Hydrocephalus, *see* Cerebrospinal fluid
- ICP, *see* Intracranial pressure
 IGAT, *see* Image-guided atlas treatment
 IJV, *see* Internal jugular vein
 Image-guided atlas treatment (IGAT), craniocervical junction misalignment 59–61, 63–65
 ImPACT 30
 Internal jugular vein (IJV), magnetic resonance angiography 70, 71
 Intracranial pressure (ICP), multiple sclerosis 85, 88, 89
- Ligaments
 alar ligaments 55
 transverse ligaments 56
- Magnetic resonance angiography (MRA)
 chronic cerebrospinal venous insufficiency 67
 positional venous magnetic resonance angiography
 blood flow visualization 68
 cerebrospinal fluid flow correlation with venous flow 70
 internal jugular vein 70, 71
 technical considerations 68
 three-dimensional imaging 68, 69
- McGregor's line 6, 7
 McRae's line 3
- Microglia, activation in concussion and neurodegeneration 23, 26, 27
 Migraine, *see* Cranial cervical syndrome
 MRA, *see* Magnetic resonance angiography
 MS, *see* Multiple sclerosis
 Multiple sclerosis (MS)
 image-guided atlas treatment outcomes 60, 61
 intracranial pressure 85
 upright FONAR positional MRI studies
 cerebrospinal fluid flow 75–78, 80, 82–86, 88–90
 FLAIR images 85, 86, 88
 head trauma correlation 80
 image acquisition 75
 patient characteristics 79
- Neurofibrillary tangles (NFTs), chronic traumatic encephalopathy pathophysiology 26, 29
 NFTs, *see* Neurofibrillary tangles
- PCS, *see* Postconcussion syndrome
 Postconcussion syndrome (PCS)
 management 30
 overview 22, 23
 pathophysiology 23
 Posttraumatic stress disorder (PTSD)
 immunoexcitotoxicity 26, 27
 management 30
 overview 23, 24
 Power's ratio 5, 7
 PTSD, *see* Posttraumatic stress disorder
- Rectus capitis minor, fatty infiltration 53
- Sclerotic lesions, craniocervical junction misalignment 60, 61
 STEALTH, cranial cervical syndrome surgery 13 15, 16
 Sylvian cisterns, hydrocephalus 38
- Tau, chronic traumatic encephalopathy pathophysiology 26
- Tectal glioma, hydrocephalus 47
- Tonsillar ectopia
 diagnostic criteria 2, 3
 grading 2
 sagittal imaging 54
 tonsil station
 age and sex differences 4
 grading 4
 trauma association 3–7, 13, 16, 18, 58–60
 upright magnetic resonance imaging 1–7
 Transverse ligaments 56
- Upright FONAR positional MRI (CpMRI)
 cranial cervical syndrome findings 11, 12, 15–17, 90
 multiple sclerosis studies
 cerebrospinal fluid flow 75–78, 80, 82–86, 88–90
 FLAIR images 85, 86, 88
 head trauma correlation 80
 image acquisition 75
 patient characteristics 79
 supine position comparison of craniocervical junction imaging 1, 2
 tonsillar ectopia 3–7
 Upright magnetic resonance imaging, *see also* Upright FONAR positional MRI
- Vertebral artery
 cranial cervical syndrome pathophysiology 18, 19
 insufficiency from craniocervical junction misalignment 58
- Virchow-Robin spaces (VRS) 28
 VRS, *see* Virchow-Robin spaces
- Whiplash
 epidemiology 9s
 headache, *see* Cranial cervical syndrome