

Subject Index

- Adiponectin, breast milk composition and effects 141, 142
- Akt 4
- Allergic rhinitis, complementary feeding studies 77, 78
- AMSTAR 168
- ASB20123, treatment of short stature 7
- Asthma, complementary feeding studies 77, 78
- Atkins diet, *see* Ketogenic diet; Modified Atkins diet
- Atopic dermatitis, complementary feeding studies 77, 78
- BeMIM study 147, 148
- BIA, *see* Bioelectrical impedance analysis
- Bioelectrical impedance analysis (BIA), juvenile idiopathic arthritis nutritional status indicator 125, 126
- BMC, *see* Bone mineral content
- Bone
- antibiotics and osteoimmune cross talk in skeletal development 15, 16
 - celiac disease and bone health 122–124
 - growth
 - dairy effects 5
 - diet and insulin receptor mediation 4
 - milk oligosaccharide effects on bone
 - biology in undernutrition 5, 6
- Bone mineral content (BMC)
- dairy study in children 5
 - insulin resistance in adolescence effects 12, 13
- Breast milk
- carbohydrate intake and body composition in first year 140, 141
 - cognition studies
 - IQ at age five 97, 98
 - nutrition versus nursing effects 98, 99
 - excessive weight gain in exclusive breast feeding 139, 149
 - gestational diabetes and infant growth 145, 146
 - obesity studies of breastfeeding
 - bioactive components in overweight mothers and body composition effects 141, 142
 - body composition and bioactive components of milk 29
 - duration impact 26, 27
 - duration impact on early growth 144, 145
 - feeding practices and weight gain 138, 139
 - lipid profile in adolescence 27, 28
 - satiety factors in milk and weight at four months 30, 31
 - short-chain fatty acids and infant adiposity 142–144
 - UPBEAT analysis 146, 147
 - oligosaccharide effects on bone biology in undernutrition 5, 6
 - stunting
 - breastfeeding at 9–10 months of age 152
 - breastfeeding and body composition at 6 and 15 months 153
- Calprotectin, levels in feces and diet in Crohn's disease 116, 117
- CAPS, *see* Child Arthritis Prospective Study
- CD, *see* Crohn's disease
- CeD, *see* Celiac disease

- Celiac disease (CeD)
 - bone health study 122–124
 - gluten free diet and body composition 121, 122
- Cerebral palsy (CP), food intake, nutritional status and gastrointestinal symptoms 129–131
- CF, *see* Complementary feeding; Cystic fibrosis
- Child Arthritis Prospective Study (CAPS) 124, 125
- CNP, *see* C-type natriuretic peptide
- Cognition
 - breastfeeding studies
 - IQ at age five 97, 98
 - nutrition versus nursing effects 98, 99
 - copper status in pregnancy and cognition outcomes 112, 113
 - docosahexaenoic acid
 - DDT exposure and modification of cognition effects 108
 - pregnancy supplementation and cognition outcomes 109
 - fetal programming of brain development 104
 - fish consumption in preschool children 100–102
 - folate status and outcomes 105, 106
 - maternal iodine status
 - IQ of offspring 107, 108
 - language skills of offspring 106, 107
 - obesity and socioeconomic status impact 102, 103
 - preterm infant neurodevelopmental outcome of nutritional intervention 85, 86
 - selenium status in pregnancy and cognition outcomes 110, 111
 - vitamin D status in pregnancy and cognition outcomes 109, 110
- Colic, probiotics in prevention 73, 74
- Collagen II, R992C mutant 10
- Common mental disorder, *see* Maternal common mental disorder
- Complementary feeding (CF)
 - atopy studies 77, 78
 - baby-led weaning 151, 152
 - early introduction
 - infant sleep impact 79, 80
 - overweight childhood studies 148, 149
 - feeding practices and weight gain 138, 139, 149, 150
 - lipid-based nutrient supplements for malnutrition 163–165
 - stunting prevention in Zimbabwe 202, 203
- Copper, status in pregnancy and cognition outcomes 112, 113
- Cow's milk allergy, hydrolyzed rice protein formula 72, 73
- CP, *see* Cerebral palsy
- Crohn's disease (CD)
 - calprotectin levels in feces and diet 116, 117
 - diet replicating exclusive enteral nutrition 118, 119
 - exclusion diet and partial enteral nutrition induction of remission 117, 118
- C-type natriuretic peptide (CNP)
 - ASB20123 treatment of short stature 7
 - growth marker utilization 6, 7
 - knockout rat study of growth plate closure 8, 9
- Cystic fibrosis (CF)
 - early life growth patterns and pulmonary outcomes 127
 - growth study 10, 11
 - nutritional status and pulmonary outcomes 128, 129
- Dairy
 - effects on height and bone mineral content 5
 - malnutrition intervention 173–175
- DDT, exposure and polyunsaturated fatty acid modification of cognition effects 108
- Depression, *see* Maternal common mental disorder
- DHA, *see* Docosahexaenoic acid
- DHANI study 109
- DMD, *see* Duchenne muscular dystrophy
- DNA methylation, *see* Epigenetics
- Docosahexaenoic acid (DHA)
 - DDT exposure and modification of cognition effects 108
 - pregnancy supplementation and cognition outcomes 109
- Duchenne muscular dystrophy (DMD), glucocorticoid treatment and skeletal disproportion 14
- Eczema, complementary feeding studies 77, 78
- EED, *see* Environmental enteric dysfunction

- Environmental enteric dysfunction (EED)
 biomarkers and linear growth 199, 200
 water, sanitation, and hygiene
 interventions 206, 207
- Epigenetics
 birth weight and DNA methylation
 patterns 55–58
 extrauterine growth restriction in preterm
 infants 58, 59
 folic acid supplementation and ZFP57
 methylation 51, 52
 IGF-1 promoter methylation and fetal
 growth 54
 imprinted gene methylation and weight
 status 53, 54
 intrauterine undernutrition and liver
 energy metabolism programming 191,
 192
 low glycemic diet effects on offspring 52,
 53
 phthalalates and adiposity 59, 60
 undernutrition and DNA methylation
 patterns 50, 51
- Familial short stature (FSS), growth plate gene
 variants 16, 17
- Fat, high fat diet effect on fetal growth in
 rodents 190
- FINS-KIDS 101
- Fish, cognition effects in preschool
 children 100–102
- Folic acid
 maternal status and cognition
 outcomes 105
 prenatal air pollution modification 106
 supplementation and ZFP57
 methylation 51, 52
- Food allergy, complementary feeding
 studies 77, 78
- Formula
 composition and anthropometry at four
 years 147, 148
 composition and anthropometry at four
 years 67, 68
 early weight gain parameters 32, 33
 hydrolyzed rice protein for cow's milk
 allergy 72, 73
 iron fortification and developmental
 outcomes 65, 66
 palm oil recommendations 70, 71
 rapid weight gain feeding practices 137, 138
 soy-based formula and puberty onset 68,
 69
- Fruits and Vegetables Make the Marks study
 (FVMM) 35, 36
- FSS, *see* Familial short stature
- FVMM, *see* Fruits and Vegetables Make the
 Marks study
- Gastric residual volume (GRV), preterm
 infants 89–91
- Gastroschisis, infant growth pattern effects 13
- GDM, *see* Gestational diabetes mellitus
- Gestational diabetes mellitus (GDM)
 breastfeeding and infant growth 145, 146
 gestational weight gain restriction
 intervention effects on fetal growth 188,
 189
- Ghrelin, breast milk composition and
 effects 141, 142
- Gluten, *see* Celiac disease
- GRIP study 90
- Growing-up milk
 body composition effects 82, 83
 dietary patterns and nutrient intake
 effects 81
 vitamin D and iron status effects 80, 81
- GRV, *see* Gastric residual volume
- GUMLi study 80–83
- Gut microbiota
 antibiotics and osteoimmune cross talk in
 skeletal development 15, 16
 infants of obese mothers and non-alcoholic
 fatty liver disease susceptibility 44–46
 malnutrition
 ecogroup comparison with healthy
 children 177
 microbiota-directed complementary
 foods 178, 179
 short-chain fatty acid modulation 176
 pregnancy diet impact on infants 76, 77
 probiotic restoration in caesarean-born
 infants 75, 76
- Human milk fortifier, preterm infant study 87,
 88
- IDEFICS study 36, 37
- IGF-1, *see* Insulin-like growth factor-1
- Infant formula, *see* Formula
- Infection, enteropathogen infection and linear
 growth 198, 199

- Inflammatory bowel disease, *see* Crohn's disease
- Insulin, breast milk composition and effects 141, 142
- Insulin receptor, bone growth mediation with high-calorie diet 4
- Insulin resistance
bone mineral content in adolescence 12, 13
omega-3 fatty acid supplementation study in puberty 43, 44
- Insulin-like growth factor-1 (IGF-1)
cartilage-targeted therapy 17
promoter methylation and fetal growth 54
- Iodine, maternal status and cognition
IQ of offspring 107, 108
language skills of offspring 106, 107
- Iron, formula fortification and developmental outcomes 65, 66
- JIA, *see* Juvenile idiopathic arthritis
- Juvenile idiopathic arthritis (JIA)
growth patterns in early disease 124, 125
nutritional status indicators 125, 126
- Ketogenic diet, linear growth effects in children 18
- Lactoferrin, supplementation studies for stunting 153–155
- Leptin
breast milk composition and effects 141, 142
high-calorie diet effects 4
- Low-calorie sweeteners, obesity impact in children 39, 40
- Lysozyme, supplementation studies for stunting 153–155
- MAD, *see* Modified Atkins diet
- MAL-ED study 198, 199
- Malnutrition, *see also* Obesity; Stunting
adolescence
anthropometry studies 162
evaluation barriers 162, 163
animal-source food interventions 170–172
breast milk oligosaccharide effects on bone biology in undernutrition 5, 6
community-based supplementary feeding 168–170
dairy impact 173–175
genetics 161, 162
- gut microbiota
ecogroup comparison with healthy children 177
microbiota-directed complementary foods 178, 179
short-chain fatty acid modulation 176
- intrauterine undernutrition and liver energy metabolism programming 191, 192
- lipid-based nutrient supplements with complementary foods 163–165
ready-to-use therapeutic food for severe acute malnutrition 166–168
whey-containing supplements 172, 173
- Maternal common mental disorder, stunting association 196, 197
- Maternal nutrition
MOCEH study of vitamin C and fruits/vegetables 187, 188
obesity in offspring risks 24–26
Periconceptual Nutrition Score 184, 185
preconception nutrition and stunting risks 186, 187
systematic review of birth outcomes and dietary patterns before and during pregnancy 183, 184
Women First trial 185, 186, 207, 208
- MOCEH study 187, 188
- Modified Atkins diet (MAD), growth study in children 9
- Muscular dystrophy, *see* Duchenne muscular dystrophy
- NAFLD, *see* Non-alcoholic fatty liver disease
- NEC, *see* Necrotizing enterocolitis
- Necrotizing enterocolitis (NEC) 90
- Non-alcoholic fatty liver disease (NAFLD)
fructose intake study in overweight children 41, 42
gut microbiota in infants of obese mothers 44–46
obesity comorbidity in childhood 21, 22
- Obesity
breastfeeding studies
bioactive components in overweight mothers and body composition effects 141, 142
body composition and bioactive components of milk 29
duration impact 26, 27

- duration impact on early growth 144, 145
- lipid profile in adolescence 27, 28
- satiety factors in milk and weight at four months 30, 31
- short-chain fatty acids and infant adiposity 142–144
- UPBEAT analysis 146, 147
- childhood nutrition impact
 - fructose intake 41, 42
 - Fruits and Vegetables Make the Marks study 35, 36
 - German primary school study 34, 35
 - IDEFICS study 36, 37
 - low-calorie sweetened beverage impact 39, 40
 - omega-3 fatty acid supplementation study in puberty 43, 44
 - WHO European Childhood Obesity Surveillance Initiative 38, 39
- cognition impact 102, 103
- comorbidity in childhood 21, 22
- early nutrition and cardiometabolic disease risk 31, 32
- formula and early weight gain parameters 32, 33
- gluten free diet and body composition in celiac disease 121, 122
- maternal diet and offspring risks 24–26
- phthalalates, epigenetics, and adiposity 59, 60
- OEA, *see* Oleoylethanolamide
- Oleoylethanolamide (OEA) 30, 31
- Palmitoylethanolamide (PEA) 30, 31
- PEA, *see* Palmitoylethanolamide
- PENS, *see* Periconceptual Nutrition Score
- Periconceptual Nutrition Score (PENS) 184, 185
- Phase angle, juvenile idiopathic arthritis nutritional status indicator 125, 126
- Phthalalates, epigenetics and adiposity in adolescents 59, 60
- Pregnancy, *see* Maternal nutrition
- Preterm infant
 - extrauterine growth restriction and epigenetics 58, 59
 - feeding protocol 88
 - gastric residual volume 89–91
 - human milk fortifier study 87, 88
 - neurodevelopmental outcome of nutritional intervention 85, 86
 - protein intake and lung function 84, 85
- Probiotics
 - colic prevention 73, 74
 - gut microbiota restoration in caesarean-born infants 75, 76
- PROCOMIDA program 208, 209
- Ready-to-use therapeutic food (RUTF) 166–168
- RUTF, *see* Ready-to-use therapeutic food
- SEA, *see* Stearoylethanolamide
- SED, *see* Spondyloepiphseal dysplasia
- Selenium, status in pregnancy and cognition outcomes 110, 111
- SHINE 204–206
- Sleep, early complementary feeding impact in infants 79, 80
- Socioeconomic status
 - cognition impact 102–104
 - threshold for escape from childhood malnutrition 205, 206
- Spondyloepiphseal dysplasia (SED) 10
- Stearoylethanolamide (SEA) 30, 31
- Stunting
 - breastfeeding and body composition at 6 and 15 months 153
 - breastfeeding at 9–10 months of age and growth and development 152
 - economic impact
 - maternal psychosocial risk factors 201, 202
 - nutrition intervention 200, 201
 - enteropathogen infection and linear growth 198, 199
 - environmental enteric dysfunction
 - biomarkers and linear growth 199, 200
 - intrauterine undernutrition and liver energy metabolism programming 191, 192
 - lactoferrin and lysozyme supplementation studies 153–155
 - maternal common mental disorder association 196, 197
 - preconception nutrition and stunting risks 186, 187
 - wasting relationship 197, 198
 - water, sanitation, and hygiene
 - environmental enteric dysfunction study 206

- linear growth and diarrhea
 - outcomes 204, 205
 - socioeconomic study 205, 206
 - Zimbabwe impact study 202, 203
- UPBEAT study 146, 147
- Vitamin D
 - growing-up milk, vitamin D and iron status effects 80, 81
 - status in pregnancy and cognition outcomes 109, 110
- WASH, *see* Water, sanitation, and hygiene
- Wasting, stunting relationship 197, 198
- Water, sanitation, and hygiene (WASH)
 - critical review 209
 - environmental enteric dysfunction study 206
 - historical study of European populations 210
 - linear growth and diarrhea outcomes 204, 205
 - PROCOMIDA program 208, 209
 - socioeconomic study 205, 206
 - Zimbabwe impact study 202, 203
- Weaning, baby-led weaning 151, 152
- Whey, supplements for moderate acute malnutrition 172, 173
- Women First trial 185, 186, 207, 208
- ZFP57 51, 52

