

A Research Note

Simplified, Rapid Method to Measure Diameter of Bacteriophage Plaques¹

M. S. REDDY², G. W. REINBOLD³ and E. G. HAMMOND*

Department of Food Technology, Iowa State University, Ames, Iowa 50011

(Received for publication March 12, 1981)

ABSTRACT

A procedure is described for accurately determining the diameter of bacteriophage plaques down to .05 mm in diameter.

Different phage races may form plaques of different size and shape (2), and growth conditions also influence the diameter of bacteriophage plaques (4). Potter and Nelson (3) relied upon the number and size of plaques to judge the stimulatory or inhibitory effect of minerals on plaque formation by lactic streptococci bacteriophages.

The diameter of bacteriophage plaques can be measured roughly by using a ruler (1). This procedure is not considered accurate, however, and effective comparison between plaques formed under different conditions is difficult. With a ruler, reasonable measurement precision could be obtained only at the millimeter level. A preferred and more precise method of measuring plaques is by microscopy (1,3). Drawbacks of this method are: (a) the objective lens of the microscope sometimes touches the agar overlay and may disturb the contour of the plaque and cause error, (b) sometimes plaques are hard to view microscopically because of illumination problems, (c) unless the agar overlay is uniform, it is very difficult to obtain accurate plaque measurement, and (d) the method is tedious and time consuming especially when a number of plaques are to be measured.

MATERIALS AND METHODS

A simplified and dependable technique for measuring plaque size has been developed that used the appliances shown in Fig. 1. The upper left hand side of the figure shows a micrometer (Bausch and Lomb,




Figure 1. Apparatus used to measure the diameter of *S. thermophilus* bacteriophage plaques. Micrometer equipped with battery illumination device, divisor, and blotting paper.

Inc., Rochester, New York) which is equipped with a removable battery-powered illumination device. In the upper right-hand of the figure is a calibration disc which is calibrated in millimeters. The calibration disc is used to check the micrometer divisions. Below the micrometer and calibration disc is a divisor. The equipment is placed on white blotting paper.

The detailed procedure for determining plaque diameters is as follows: (a) the divisor is adjusted to the size of the plaque, (b) impressions are made on the underlying blotting paper by pressing gently with the divisor, (c) the micrometer is placed on the blotting paper in such a way that the impressions fall in the middle of the open area of the micrometer, (d) the magnified centers of the impressions are matched with the calibrated scale of the micrometer and the diameter is read directly to one-hundredth of a millimeter. For minimum error, diameters of ten contiguous plaques on duplicate plates are determined, and the diameter of the 20 plaques are averaged.

RESULTS AND DISCUSSION

With this procedure, plaque diameters of *Streptococcus thermophilus* bacteriophage were determined under various growth conditions, and excellent results

¹Journal Paper No. J-10192 of the Iowa Agriculture and Home Economics Experiment Station, Ames, Iowa, Project No. 2144.

²American Dairy-food Consultants, Inc. (ADC) 2460 South Broadway, Denver, Colorado 80210

³Research and Development, Leprino Foods Company, 1830 W. 38th Avenue, Denver, Colorado 80211.

were obtained throughout the investigation. Advantages of this method over others are (a) ease and simplicity, (b) diameters of plaques situated at the periphery of a plate are easily measured, (c) even if the agar overlay is irregular, error is minimal, and (d) rapidity.

The procedure described in this paper could also be used successfully to measure the size of bacterial colonies.

REFERENCES

1. Habel, K., and N. P. Salzman. 1969. Fundamental techniques in virology. Academic Press, New York and London.
2. Hayes, W. 1968. The genetics of bacteria and their viruses, 2nd ed. John Wiley and Sons, Inc., New York.
3. Potter, N. N., and F. E. Nelson. 1952. Effect of calcium on proliferation of lactic streptococcus bacteriophage. I. Studies on plaque formation with a modified plating technique. *J. Bacteriol.* 64:105-111.
4. Reddy, M. S., and G. W. Reinbold. 1972. Effect of various growth conditions on plaque formation by *Streptococcus thermophilus* bacteriophage. *J. Dairy Sci.* 55:664-665.

Durland et al., *con't. from p. 131*

REFERENCES

1. Acton, J. C. 1972. The effect of meat particle size on extractable protein, cooking loss and binding strength in chicken loaves. *J. Food Sci.* 37:240-243.
2. American Meat Science Association. 1978. Guidelines for cookery and sensory evaluation of meat. American Meat Science Association. Chicago, IL.
3. Anonymous. 1973. Facts, flakes and fabricated meats. Urschel Laboratories, Inc., Valparaiso, IN.
4. AOAC, 1970. Official methods of analysis, 11th ed. Assoc. Off. Agr. Chem., Washington, DC.
5. Belohlavy, R. G., and R. W. Mandigo. 1974. Influence of mixing time on chemical and physical properties of flaked, formed and sectioned meat. *Abstr. 66th Ann. Meet. Am. Soc. of Anim. Sci.*
6. Booren, A. M., R. W. Mandigo, D. G. Olson, and K. W. Tones. 1980. Effect of muscle type and mixing time on sectioned and formed beef steaks. *Abst. Cornell Meet. A.S.A.S.*
7. Chesney, M. S., R. W. Mandigo, and J. F. Campbell. 1978. Properties of restructured pork product as influenced by meat particle size, temperature and comminution method. *J. Food Sci.* 43:1535-1537.
8. Ferren, R. 1972. Flake-cutting. A guide to determine the formulation for the type of meat and poultry products you want. *Bull.* 691. Urschel Laboratories Inc., Valparaiso, IN.
9. Huffman, D. L. 1979. Engineered steaks and chops. *Proc. Recip. Meat Conf.* pp. 41-47.
10. Karmas, E. 1976. Patty-type products. In *Processed meat technology*, Corp., Park Ridge, NY. p. 279.
11. Mandigo, R. W. 1972. Fabricated pork--A new concept. *Nebraska Swine Report*, EC 72:219, p. 6.
12. Mandigo, R. W. 1975. Restructured meat. *Meat Ind. Res. Conf. American Meat Institute.* p. 43-50.
13. Pepper, F. H., and G. R. Schmidt. 1975. Effect of blending time, salt, phosphate and hot-boned beef on binding strength and cook yield of beef rolls. *J. Food Sci.* 40:227-230.
14. Popenhagen, G. R., R. W. Mandigo, K. R. Hansen, M. D. Chesney, and L. C. Mahoney. 1973. The effect of temperature, flake size and blending on flaked, formed and sectioned pork. *Abstr. 65th Ann. Meet. Am. Soc. Anim. Sci.*
15. Schnell, P. G., D. V. Vadehra, and R. C. Baker. 1970. Mechanism of binding chunks of meat. 1. Effect of physical and chemical treatments. *Can. Inst. Food Technol. J.* 3(2):44-47.
16. Seideman, S. C., L. S. Donnelly, N. M. Quenzer, and C. E. Shank. 1980. Fabricated meat characteristics. Report to South Dakota Beef Industry Council, 110 West Missouri, Pierre, SD.
17. Steel, R. G. D. and J. H. Torrie. 1960. Principles and procedures of statistics. McGraw-Hill Book Company, Inc. New York.
18. Vadehra, D. V., and R. C. Baker. 1970. The mechanism of heat initiated binding of poultry meat. *Food Technol.* 24:766-779.

Bassette et al., *con't. from p. 138*

REFERENCES

1. American Public Health Association. 1978. Standard methods for the examination of dairy products, 14th ed. A.P.H.A., Washington, D.C.
2. Bandler, D. K., and E. T. Wolff. 1979. Characterization and extent of hydrolytic rancidity in fresh and aged pasteurized milk. *J. Dairy Sci.* 62 (Suppl. 1):34.
3. Barnard, S. E. 1972. Importance of shelf-life for consumers of milk. *J. Dairy Sci.* 55:134-136.
4. Barnard, S. E. 1979. Quality and flavor of store purchased milk samples. *J. Dairy Sci.* 62 (Suppl. 1):34.
5. Bassette, R., S. Ozeris, and C. H. Whitnah. 1962. Gas chromatographic analysis of head space gas of dilute aqueous solutions. *Anal. Chem.* 34:1540-1543.
6. Bassette, R., and G. Ward. 1975. Measuring parts per billion of volatile materials in milk. *J. Dairy Sci.* 58:428-429.
7. Bassette, R. 1976. Effects of light on concentrations of some volatile materials in milk. *J. Milk Food Technol.* 39:10-12.
8. Bigalke, D. 1979. Milk quality, its effect on consumers. *Am. Dairy Rev.* 41(9):62-64.
9. Dimick, P. S. 1973. Effect of fluorescent light on the flavor and selected nutrients of homogenized milk held in conventional containers. *J. Milk Food Technol.* 36:383-387.
10. Forss, D. A. 1979. Review of the progress of Dairy Science: Mechanisms of formation of aroma compounds in milk and milk products. *J. Dairy Res.* 46:691-706.
11. Hoskin, J. C., and P. S. Dimick. 1979. Evaluation of fluorescent light on flavor and riboflavin content of milk held in gallon returnable containers. *J. Food Prot.* 42:105-109.
12. Ikurior, S. A. 1979. Chemical changes in refrigerated pasteurized and raw milk. *J. Dairy Sci.* 62 (Suppl. 1):62.
13. Ledford, R. A., G. F. Senyk, W. F. Shipe, D. K. Bandler, and E. T. Wolff. 1980. Bacteriological evaluation of fresh and aged market milk. *J. Dairy Sci.* 63 (Suppl. 1):43.
14. Milk Industry Foundation. 1980. *Milk Facts*. Washington, DC.
15. Shipe, W. F., G. F. Senyk, R. A. Ledford, D. K. Bandler, and E. T. Wolff. 1980. Flavor and chemical evaluations of fresh and aged market milk. *J. Dairy Sci.* 63 (Suppl. 1):43.
16. Udy, D. C. 1956. A rapid method for estimating total protein in milk. *Nature* 178:314-315.