

## SUBJECT INDEX

- A-B process
  - A-stage design 1270
  - assessment 1268
  - BOD types 1269
  - cost and economy 244, 245
  - efficiency 1269
  - effluent BOD 236
  - flow sheet 237
  - Krefeld plant 238-42
    - layout 239
    - operation results 246
  - operation data of plants 242
  - organic shock 241
  - pH shock 240
  - plant location and capacities 237
  - sludge volume index 242, 243
  - toxic shock 241, 242
  - wastewater treatment 235-46
- Acetic acid, fixed film removal 8, 9
- Acidification
  - environmental 1455, 1456
  - pH and  $LC_{50}$  1456
  - weak acid 1455
- Activated carbon
  - abrasion resistance assessment 1473
  - biodegradation 1051, 1052
  - biological enhancement 1056
  - economics 1029
  - filter, aerobic fluidized 1255
    - biological activity 1256, 1257
  - filtration, ozone enhancement 1055-68, 1341-3
    - oxygen demand 1063
  - pilot plant 1057-9
  - infrared regeneration 1029-42
    - temperature and residence time 1036
  - organic removal mechanisms 1043-54
    - microorganisms 1045, 1046
    - particle structure and temperature 1037, 1040
      - residence time 1038
  - phenol removal 1046-50
    - metabolic end products 1050, 1051
  - pore size distribution 1033
    - temperature and residence time 1039
- Activated sludge
  - Amsterdam 1491
  - biological nutrient removal, variables 223
  - clarifier, operating graph 497
  - flexible modelling 247-58, 1270-5
    - biodegradable 1270
  - flow pattern evaluation 1266
  - hydraulic transient process 1264, 1265
  - microbial kinetic constants 1275-9
  - mixing and detention time 197-208, 1263
  - nutrient removal 493-504
  - phosphorus location 93
  - process, structural diagram 1264
  - return cycle, field measurements 201
  - soluble BOD adsorption 1274
  - stagnant zones 1267
  - stock, microbial kinetics 264-6
  - sulfide oxidation 167-80
  - tanks, tracer input 204, 205
  - technological parameters 265
  - toxic organics 279-89
- Activated sludge process control 221-34
  - Amsterdam 1494
  - closure 234
  - equalization 221
    - algorithm 228, 229
  - in-line equalization tank 225
  - in-plant 221
  - load variable 226
  - outflow rate profile 227
  - problem identification 222

- strategy 229–34
  - development 224
  - implementation 231
  - response behaviour 233
  - testing 231–4
  - two-day simulation 232
- Aeration 259–311
- Aeration tanks 210
- Aerobic digester
  - observed and predicted responses 1477, 1478
  - requirements 1475
- Agricultural loading and lake eutrophication 1133–40, 1351, 1352
- Agricultural pollutants, optimization modelling 1425, 1426
- Agricultural wastes, plant treatment 781–90
- Agriculture, best management practices 1141–53
- Air stripping (volatilization), toxic pollutant removal 283–6
- Algae *see also* individual species
  - microscopic development 797–9
  - harvesting 800, 801
  - selective cultivation 791–802
- Algal-biomass
  - and anaerobic digestion 822–6
  - pilot plant 821
  - raceway system 826–9
    - effluent COD 828
    - mass balance 829
  - swine wastewater 819–31
- Algal growth potential test 1403–5
  - algal monitoring 1404
  - growth curve shape 1404, 1405
  - pretreatment 1403
  - test algae 1404
- Al<sub>2</sub>O<sub>3</sub> and heavy metal adsorption 1017–28
  - cation effects 1021–4
  - equilibrium constants 1024
  - ionic strength 1019
  - NTA adsorption 1024–6
  - temperature 1026
- Alum
  - liquid, production from sludge 541–50
  - recovery systems 1305, 1306
  - and sludge mass production 112–14
- Aluminium-anodizing sludges
  - aluminium concentration 547
  - alum reclamation 541, 542, 1304–6
  - chemical additives 547
  - description 545, 546
  - liquid alum production 541–50
  - plant description 543
  - product composition 548
- Ammonium
  - biofilm performance 41, 42
  - landfill leachate 486, 488, 489
  - mass balance notation 717
  - /metal ratio in sludges 584
  - point source sorption 718
  - sorption, Langmuir model 715
  - suspended solid sorption 713–18, 1321, 1322
  - pH 1322
- Ammonium hydroxide, floc-forming substance extraction 517–28
- Amsterdam
  - activated sludge processes 1491, 1492
  - biogas use 1493
  - energy production 1493
  - sludge processing 1492
  - wastewater treatment plants 1491–4
- Anaerobic–aerobic treatment
  - concentrated wastewater 1371–4
  - gas production 1373
  - inorganic leachate 1373
  - laboratory scale reactors 1372
  - municipal solid waste 1372
  - pilot plant 1374
  - two stages 1371
- Anaerobic digestion
  - carbon balance 1300
  - completely stirred reactors 1297
  - energy balances 1303
  - gas production 530–3
  - hydraulic detention time 1300
  - pilot plant scheme and data 533–5, 1298, 1302
  - sludge characteristics 536
  - suspended solid solubilization 1301
  - swine wastewater 822–31
    - data analysis 824
    - mass balance 823, 825, 826
    - oxygen values 826
    - sludge production 824
    - sludge volume index 825
  - thermal pretreatment 529–39, 1297–1304
- Anaerobic methanogenesis 143–54
- Anaerobic–oxic process
  - batch, changes 102
  - flow diagram 94
  - phosphorus compounds behaviour 98–100
- Anaerobic retention time, biological nutrient removal 83–5
- Anaerobic stage, biological phosphorus removal 69–80, 1248–50
  - detention time 1249
  - microbe growth 1250
  - parameters 1249
- Anaerobic treatment, fixed bed and stirred reactor 1377, 1378
- Analytical methods, organics 72
- Andelse Maas Basin
  - features 769, 770
  - map 770
- Annular flume 892, 917

- Anoxic-aerobic system  
 aerobic comparison 1475-7  
 bench scale unit 423  
 biological plant tests 424, 425  
 dilution ratios 425, 426  
 carbon adsorption column tests 428  
 coke wastewater treatment 421-32  
 column adsorption tests 427  
 component unit dimensions 429  
 cost 430, 431  
 load effect 427  
 observed and predicted responses  
 1477, 1478  
 requirements 1475
- Aquatic habitat analysis 879-90  
 bluegill 881-9  
 Kishwaukee river 888  
 nomograms 1331  
 Pecatonica river 888  
 procedures 881
- Aromatic compounds, enzymatic removal  
 273-8
- Arsenic, estuarine 1196
- Artificial wetlands  
 BOD effects 447, 448  
 hydraulic application rates 1294  
 nitrogen removal 445, 446  
 phosphate data 1295  
 pollutant elimination data 1431  
 Santee, California 445  
 suspended solids 447, 449  
 tertiary treatment 1429, 1430  
 wastewater treatment 443-50, 1294, 1295
- Ascaris* spp  
 autothermal aerobic digestion 569, 570  
 in stools and wastewater irrigation 436, 437
- Assimilable organic carbon 1055  
 activated carbon filtration 1065  
 reduction and ozonation 1063, 1064
- Autothermal aerobic digestion 564  
 aims 564  
 pathogens assessed 566, 567  
 pilot results 568, 569  
 plant scheme 567  
 polymer effects 571  
 sludge fermentation 571  
 sludge stabilization 565, 566
- Bacteria, coliform in drinking water 1318-20  
 Klep river 1319
- Bacterial leaching  
 conditions 578  
 factors affecting 577  
 and metal content of sludge 576, 580, 583  
 pH and cadmium solubilization 580  
 sludge characteristics 579, 583
- Bacteriophage  
 F specific RNA 645-55  
 enumeration 646-51  
 host range classification 646  
 MS2, groundwater 684-6  
*Salmonella* strains 647-51  
 WG49 648, 649  
 wastewater occurrence 651
- L. Balata, wind-induced resuspension 1332
- Barium chloride and uranium mining effluent  
 342, 343
- Bed shear stress 917
- Benthal deposits  
 comprehensive model 1335, 1336  
 deposit model 931, 932  
 gas production 933, 934, 938  
 loading effects 935-8  
 nutrient stabilization 929-40, 1334-6  
 profile comparison 935  
 state variable analogs 1336  
 temperature and organic loading 930  
 volatile acid utilization 933, 936, 937
- Bentonite, poliovirus interaction 676, 677
- Biodegradation, pollutant specific models  
 1280, 1281
- Biofilms *see also* fixed films  
 biomass flux 29-31  
 competition 27, 44  
 development model 356  
 growth rate conditions 36  
 heterotrophic 1469-72  
 microbial coexistence 34, 35  
 microbial reaction kinetics 31-3  
 microbial species distribution 28, 39, 40  
 performance 37, 38, 41, 42  
 and ammonium 41  
 steady state substrate flux 37
- Biological assessment of water quality  
 R. Geul 871  
 macroinvertebrates 867-78, 1328-31  
 methods 869, 876, 1328  
 reliability 1329, 1330
- Biological Monitoring Working Party (BMWP)  
 869  
 R. Geul tributaries 872  
 saprobic index 873-5  
 score 870
- Biological oxygen demand (BOD)  
 limiting factors 292  
 oxidation ditch 291-302
- Biophysical treatment system *see also* activated  
 carbon, biofilms  
 activated carbon 1339, 1340  
 advantages 1341  
 organic removal mechanisms 1043-54,  
 1339-41  
 PACT total 1340  
 process mechanisms 1045

- Bioregeneration 1044
- Brewery effluent, anaerobic treatment 1489, 1490
- Bromacil, photodecomposition 630, 631
- Bromine, drinking water disinfection 611–21
  
- Cadmium, sludge distribution 590–5
- Cadmium solubilization, factors affecting in sludge 580–2
- Calcium
  - Al<sub>2</sub>O<sub>3</sub>, heavy metal adsorption 1021–3
  - colloidal stability 707
  - equilibrium concentrations, sediment core 950
- Calcium phosphates
  - metastable zone 125
  - solubility products 134
  - supersaturation curves 124
- Capillary pollution 469
  - hysteresis effect 475, 476
  - oil propagation 470
- Carbon uptake
  - kinetics and macromixing 215–19
  - suspended aerobic biomass 209–19, 1267, 1268
- Carousels
  - aeration type 1387
  - oxygen capacity measurement 308–10
  - oxygen profile 308
  - primary sedimentation upgrading 1385, 1386, 1388
- Cementation 719–31
  - definition 719
  - galvanic cell transport 722
  - mechanism 720
  - migration limited kinetics 725
  - migration model 728, 729
  - oxidation-reduction process 727
  - potential current diagram 723–5
  - push-pull mechanisms 723
  - scheme 720, 721
- Chandler score 869, 876
- Chloride
  - freshwater basin prediction 1417–19
  - extreme scenarios 1419
  - landfill leachate 486
  - pollutogram 1362
- Chlorinated hydrocarbons
  - non-volatile, hazards 846
    - industrial waste 849, 850
  - volatile, hazards 846–9
    - industrial waste 849
  - treatment plant effluent 848
- Chlorinated phenols
  - formulae 1383
  - hazard list 847
  - soil samples 1382, 1384
- surface and groundwater 1384
- wood preservation 1381–4
- Chlorination
  - bacterial survival curves 660
  - chlorine concentration 661
  - experimental scheme 659
  - hepatitis B inactivation 657–64
- Chlorine dioxide 611
  - bromide removal 1313, 1314
  - chlorite formation 614, 615
  - halogenated organics 613
  - THM formation 618, 1314
  - water pretreatment 618–20
- Chlorite, chlorine oxidation 620
- 2-Chlorophenol, enzymatic oxidative coupling 275–7
- Chlorophyll *a*
  - eutrophic polder lake 737–42, 1322–4
  - iron dosing fluxes 778
- Cholera
  - environmental monitoring 438, 439
  - outbreak, Israel 1970 437, 438
  - serological survey 439
  - transmission and land use 433–42, 1292, 1293
- Chromium
  - activated alumina 1127, 1128
  - activated carbon removal 1126, 1127
  - filter sand granulometry 1131
  - flocculation 1125
  - hexavalent
    - drinking water removal 1121–32
    - reduction 1128
    - toxicity, factors affecting 1193
  - Mersey estuary 1365
  - pollution 1121, 1122
  - sludge distribution 590–5
  - stoichiometric iron 1129, 1130
- Clarifier
  - dynamics 1449
  - final, dynamic response 1449, 1450
  - step response 1450
  - type and settling nutrient removal 562
- Coagulation-flocculation process 1091
- Coagulation tests, COD removal 1348
- Coagulo-adsorption process modelling 1113–20
  - TOC adsorption isotherm 1119
  - verification 1118
- Coal gasification of wastewater
  - adsorptive capacity and biological activity 1257
  - characteristics 1254, 1258
  - treatment methods 1253
    - assessment 1260
- Coke plant wastewater
  - anoxic-aerobic system 421–32
  - characteristics 422
- Colloidal stability *see also* particle

- calcium and fulvic acid effects 706–9
- particle removal 710
- particles in lakes 701–12, 1320, 1321
- partition coefficient 709
- Competition, biofilms 27–44
- Complete mixed aeration tanks, oxygenation capacity 305
- Computer simulation oxidation ditch 298, 299
  - rotating biological contactor simultaneous processes 386–97
- Conductivity
  - chloride/potassium time series 838, 839
  - Hemeln/Weser 836
  - ion concentrations 833–41, 1327, 1328
  - regression models 839, 840
  - theory and application 834–9
- Conservation strategy, L. Naarden 1495–7
- Continuous stirred tank reactor 210, 211, 792
  - cell recycle 792
  - growth rate 216
  - organic carbon conversion 211, 212
- Copper
  - Al<sub>2</sub>O<sub>3</sub> adsorption 1019
  - rotating biological contactor 1441–3
  - sludge distribution 591–5
- Cost
  - EEC shellfish directive 1205, 1206
  - sludge irradiation 559, 560
- Crossflow-microscreening
  - alga harvest 800
  - algal cultivation 791–802
    - reliability 799, 800
  - algal system scheme 795
  - clogging 796, 797
  - selectivity determination 793, 794, 796
- Crystallization method
  - fluidized bed 133–42
    - cost 140
    - organic phosphorus 136, 137
    - ortho phosphorus 136, 137
    - plant scheme 141
  - nucleation 139
  - operational conditions 122–8
  - phosphorus removal 121–32, 133–42
    - cost 1252
    - factors affecting 1251–3
  - pilot plant 129–31
    - operating conditions 129
    - performance 130
- Cyanide
  - continuous river monitoring 956
    - mass load 960
  - degradation rates 961
  - model verification 963
- Daphnia* spp, environmental acidification 1456
- Denitrification
  - fixed film reactor 1–13, 42
  - fluidized bed
    - biomass 368, 370
    - biomass particle 370
    - modelling 367–83, 1290, 1291
    - nitrogen gas 1289, 1290
    - particle reduction 369, 370
    - sludge growth 369
  - limiting factors 292
  - rotating biological contactors 385–97
- Desalinated water characteristics 1433
  - mutagenicity 1435, 1436
  - potabilization 1433, 1434
  - required quality 1434
- Developing countries
  - water testing kit 1369, 1370
  - water treatment package 1367, 1368
- Dewaterability
  - ionizing radiation dose 1307
  - sludge 506
  - sludge characteristics 509, 510
- 2, 4–Dichlorophenol, effluent and sludge age 283, 285
- Disinfection *see also* ionizing radiation
  - agricultural use of sludge 575–86, 1309–11
  - autothermal aerobic digestion 563–73
  - bacterial leaching 576, 577
  - ozone bubble sizes 1081–90
- Dispersion coefficients 1013
  - dissolved oxygen 1014
- Drinking water *see also* desalinated
  - bromine removal 1313, 1314
  - disinfection 611–21
  - faecal coliform 1318–20
  - hexavalent chromium removal 1121–32
  - virus occurrence in treated 689–700, 1318
  - virus survey 693–6, 1319
    - accidental contamination 1319
- Duckweed *see Lemna* sp
- Eichornia crassipes* (water hyacinth)
  - agro-industrial waste treatment 781–90, 804
  - rubber effluent effects 786, 788
- Environmental Protection Agency
  - support activities 1409, 1410
  - water quality models 1407–10
- Environmental Quality Standards (EQS) 1187
  - 1188, 1357–9
  - annual average 1358
  - flow chart 1190
  - metals 1359
  - UK guidelines 1195
- Enzyme microcalorimetry
  - apparatus 857, 858
  - flow diagram 861
  - functional diagram 859

- organophosphate detection 855–65
- sensor 856, 857
- Enzymes
  - aromatic removal 273–8
  - 2-chlorophenol removal 275–7
- Erosion, cohesive sediments 891–901
  - initial rate 894
  - rapid and shear stress 895
- Estuary
  - chlorophyll *a* depth profiles 753
  - dispersion model 991–1000
    - five-segment 992, 993
    - freshwater input 998
    - R. Hawkesbury 995, 996
    - mathematics 994, 995
    - uses 999, 1000
  - dissolved oxygen budget 745–56
  - hydrodynamic model 749
  - Mesodinium* movement 752–5
  - suspended sediment behaviour
    - 915–27, 1334
  - tidal salt flux 1001–15
- Eutrophication
  - agricultural load 1133–40
    - phosphorus 1137
    - runoff 1138
  - Finnish lakes 1351, 1352
  - lake restoration 757–68
  - model 773–7
  - polder lake 733–43
- Fertilizer value, irradiated sludge 558, 559
- Field studies, race track aeration tanks 1266, 1267
- Filamentous organisms, Danish treatment plants 172
- Finland
  - agricultural land 1134, 1135
  - fertilizer use 1135
  - urban run-off 1175–85
- Fixed bed reactor
  - anaerobic wastewater treatment 1377, 1378
  - fatty acid production 1378
  - scheme 1379
- Fixed film biofilm reactor
  - denitrification kinetics 4, 5
  - equipment 3, 4, 18
  - glucose removal 19–25
  - kinetics 2, 3
    - parameters 47
  - load fluctuation and effluent 45–52
  - loading conditions 47
  - operation 19
  - organic effects on removal 15–25
  - organic removal 7, 8, 1241–5
  - particle addition 21, 22, 24
  - rate limiting component 9
  - scheme, experimental 17
  - soluble substrate removal 1–13, 19, 20
    - kinetic parameters 10
  - steady state results 50
    - ideal first order 51
  - substrate 17
  - temperature 23
  - weighted average effluent 48, 49
- Flocculant dose and sludge filterability 555
- Flocculation
  - chromium pollution removal 1124–6
  - kinetics 1096, 1097
  - rapid mixing effects 1091
  - sedimentation experiment 1092–4
  - tests, efficiency curves 1107
  - velocity gradient 1098
- Floc build-up curve and rapid mixing 1095
- Floc-formation
  - capacity 518–20
  - dialysed fractions 520, 521
  - fraction components 526
  - metallic ion effects 521–4
  - sludge fraction 520
  - supernatant fraction 524–7
- Floc-forming substances 517–28
  - sludge extraction and fractionation 518
- Floc loading and soluble BOD adsorbed 1273
- Floc size and coagulant dose 1092
- Flotation and membrane treatment
  - fish wastewater 1427
  - fruit and vegetable wastewater 1428
  - meat wastewater 1427
  - tanning industrial waste 1428
- Flow-induced resuspension 906, 913, 914
- Fluidized bed
  - cost 140
  - denitrification
    - bed height 378
    - design 379, 380
    - economics 381
    - modelling 367–83, 1290, 1291
    - particle size optimum 379
    - pilot plant scheme 372–6
    - process conditions 375
    - profile calculations 376
    - reaction 371
    - hydraulic testing 340, 341
  - industrial wastewater treatment 1487
  - nitrification dynamics 351–66
  - nitrification installation 357–9, 1288, 1289
    - operation 359
    - scheme 358
  - phenolic wastewater treatment 1437–9
  - phosphate removal by crystallization
    - 133–42
    - field tests 136–40
  - power dissipated 138
  - reactor model 352, 353
  - reactor scheme 135, 141

- substrate removal model 353–6
- two-stage biological 401
- uranium effluent 339
- Flushing
  - eutrophic lake 759
  - method 761, 762
- Fractionation
  - extraction time 594–6
  - sequential extraction of heavy metals 587–98
- Freshwater basin, Netherlands 1411–14
  - boundaries 1418
  - characteristics of future 1411
  - chloride prediction 1417–19
  - inflow rates 1413
  - micropollutant prediction 1415, 1416
    - calibration 1416
  - salt loads 1417
  - uncertainty analysis 1414
  - Fulvic acids 667, 668
  - colloidal stability 707, 708
  - particle deposition 709
  - poliovirus recovery 674, 675
- Gel chromatograms, sludges 538
- Gold mill effluent
  - ferricyanide breakthrough curve 318, 319
  - ion exchange tests 315, 316
    - batch 317
    - continuous flow 318
  - iron cyanide removal 313–24
  - test solutions 315
- Grand Forks Energy Technology Centre, wastewater organics 1259
- Granulometry, sand 1131
- Grassland
  - heavy metal uptake control 599–610
    - analysis 605–7
    - turf production 603
  - sludge application 603–5
- Groundwater oil pollution 467–76
- Groundwater, virus survival 681–7
  - MS2, temperature 684–6
  - water characteristics 683
- Haartbeestpoort Dam 1485
- R. Hawkesbury 995–1000
  - dispersion study data 996
  - map 997
- H-coal 144
  - culture methods 145, 146
  - ether extracted 150, 151
  - methane production 148, 150
  - phenol conversion inhibitor 1261
  - phenolics 147
  - preparation 144
  - reconstituted, methanogenesis, 151–3
  - substrate analysis 149
- Heavy metals
  - air dried and liquid sludge 589
  - Al<sub>2</sub>O<sub>3</sub> adsorption 1017–28
  - coal gasification wastewater 1254
  - distribution in sludges 590–5
  - grassland content 605–7, 1311–13
  - grassland uptake 599–610
    - soil analysis 602, 603
  - marine toxicity 1192
  - Mersey estuary 1365
  - reagent ratios 589
  - sewage sludge fractionation 587–98
    - recovery 596, 597
  - UK guidelines 604
- Helminth transmission and land use 433–42, 1292, 1293
- Hemeln/Weser; chloride and potassium time series 838, 839
- Hepatitis A inactivation by chlorination 657–64, 1317
- Heterotrophic biofilms
  - diffusion coefficient 1470, 1472
  - diffusion potential 1471
  - Donnan potentiation 1471
  - growth 1469
  - mass transfer 1469–72
- Horseradish peroxidase, 2-chlorophenol removal 273–8
- Horton–Strahler relationship 886
- Humic acids 667, 668
  - poliovirus recovery 673, 674
- Hydrogen sulphide formation from sulphate 183–96
- Hydrological simulation program 1409
- Hypertrophic impoundment 1485, 1486
  - model parameters 1486
  - predicted and observed values 1486
- Indicator organisms 1317
- Industrial wastewater *see also* individual industries
  - anaerobic fluidized bed 1487
  - characteristics 844
  - flotation and membrane treatment 1427, 1428
  - Netherlands 844, 845
  - quality modelling 953–66
  - treatment 313–50
- Infiltration bed 1483
- Infinite dilution test 1276
  - removal rate curves 1277
- Infrared
  - activated carbon regeneration 1029–42
  - furnace system 1030–3

- Ion concentrations and conductivity data
  - 833–41, 1327, 1328
  - pH 1328
- Ion exchange
  - alum recovery 1305
  - gold mine effluent removal 313–24
    - barren bleeds 320
    - exchange capacity tests 323
    - multicycling 322
    - regeneration 321, 322
    - tailings pond decant 321
- Ionizing radiation
  - cost 560
  - dose and dewaterability 1307
  - economics of treatment 559
  - filtration properties, sludge 555
  - mass load effects 554
  - oxygen uptake of sludge 557
  - Salmonella* spp effects 556
  - sludge properties 552–9
  - sludge treatment 551–62, 1307–9
    - flocculation effect 1308
  - sources 552
- Ions, metal and kaolin flocculation effects
  - 521–4
- Iowa river basin 1142
  - flow simulation 1146, 1147
  - hydrologic simulation 1143, 1144
  - nutrient simulation 1149, 1150
  - pesticide simulation 1148, 1149
  - sediment simulation 1146, 1148, 1150
  - segment boundaries 1144
  - watershed 1142, 1143
- Iron
  - dosing installation 771, 772
    - optimization 770, 777–9
  - landfill leachate 488, 489
    - and sludge mass production 112–14
  - water quality control 769–80, 1324, 1325
    - diatom agglomeration 1325
- Iron cyanide
  - gold mill effluent removal 313–24
    - ion exchange resin 314, 315
- Isosals and tide is estuary 1008
- Isovels, estuary 1007
- Israel, land use of wastewater 434
  
- Jerusalem, wastewater irrigation 435
  
- Kinetic constants of microbes in activated
  - sludge 259–72, 1275–9
    - culture handling 1275
    - data handling 1276
    - phenol response 1279
    - short term tests 1277
    - time dependent variations 1278
- Kinetics, bacterial growth 259
  - analyses 266–9
    - methods used 260–2
    - phenol 270
  - respirometer and infinite dilution
    - comparison 269–71
- L. Kinneret
  - chlorine dioxide effects 614
  - water quality characteristics 1314
  
- Lakes
  - particle colloidal stability 701–12
  - wind-induced resuspension 903–14, 1331–3
- Landfills
  - gas migration 483–5
  - instrumentation sites 479–81
    - installation 481
    - performance 482
  - leachate attenuation 486, 488, 489, 1295–7
  - leachate generation 485
  - leachate migration 485, 486
  - monitoring 477–92
  - site description 478, 479
  - temperature 483
  - total volatile acids 490
- Land use
  - health risks 1292, 1293
  - heavy metals, Amsterdam 1492, 1493
  - S. Africa, grasslands 601, 602, 1311–13
    - stock unit 1312
  - sludge disinfection 575–86
    - kinetics 1310
    - pretreatment 1310
  - Sweden 1293
  - toxic organics 1310
  - wastewater 433–91
    - peracetic acid 451–66
    - treatment need 440, 441
- Langbroek project 1156
  - location 1157
    - transect characteristics 1158
- Langmuir model 715, 716
- Leachate attenuation 477–92, 1295–7
  - assessment 478
  - haddock silt impermeability 1295
  - landfills 486, 488, 489
  - strata capacity 1296
- Lead
  - motorway runoff 1170–4
  - sludge distribution 590–5
  - urban washout 1184
- Lemna* spp (duckweed)
  - COD effect 811, 812
  - cold tolerance 804, 805
  - evapotranspiration losses 814, 815
  - features 805
  - nitrogen removal 809–11



- protein production 813
- protein from wastewater 803–17
- sampling 808
- species screening 809
- Lepomis macrochirus* (bluegill)
  - basin habitat analysis 885–9
  - habitat frequency data 884
  - habitat response curve 882
  - habitat suitability curves 881
  - seasonal habitat variability 884
- Lethality analysis, alachlor 1152
- Limfiord
  - bottom oxygen concentration 978
  - hydraulics 968
  - oxygen depletion sites 968
    - modelling 970–3
  - sampling, water quality 969, 970
- Lipids and sludge conditioning 512–14
- Liquid treatment
  - processor 638–40
  - subnetwork 636
- Lower Han River
  - characteristics 979, 980
  - dissolved oxygen, predicted and observed 984
    - sensitivity 985
  - map 981
  - water quality modelling 979–90, 1338, 1339
    - calibration 982, 983
  - sensitivity analysis 983–5
  - water quality monitoring 980, 981
  - water quality simulation 986–9
    - 2001 prediction 988
- Macromixing
  - biomass balance 1268
  - biomass organic carbon uptake 209–19, 1267, 1268
  - carbon uptake kinetics 215–18
  - mass loading rate 215
  - solids loss rate and factor 214
  - values and growth yields 213
- Magnesium, Al<sub>2</sub>O<sub>3</sub> heavy metal adsorption 1022–4
- Marine standards
  - application 1194–7
  - derivation, UK 1188, 1357
  - European Communities Directive 1187
  - exposure duration 1191
  - shellfish 1199–1209
- Mass balance equation 1002
- Mass flux theory 494–6
  - boundary condition 496
- Mass sludge flow and irradiation 554
- Mass transfer
  - heterotrophic biofilm 1469–72
  - mechanical resistance 1470
- Mersey estuary 1363–6
  - hydrography 1363
  - water quality 1363, 1364
- Mersey Metals Flux Surveys 1363
  - flux calculations 1364, 1365
- Mesodinium* spp, vertical movement 753–5
- Metabolic reaction classification 293
- Metal displacement *see* cementation
- Metal extraction
  - heat 1462
  - procedure 1463
  - soil 1461–3
  - solvents and contact time 1462
- Methanogenesis, anaerobic 143–54
  - effluent characteristics 146, 147
  - H-coal culture 144–6
  - phenolic coal conversion wastewater 1253–61
    - process performance 1256
- Methanol, fixed film removal 7, 8
- Methylene blue
  - algal destruction 628
  - coliform destruction 627
  - photooxidation sensitization 626, 627
- Microbes
  - activated sludge stock 264
  - biofilm distribution 28, 39, 40
  - cultivation methods 260–2
  - kinetic constants in activated sludge 259–72, 1275–9
  - multicomponent substrate 266
  - toxicant sensitivity 1445, 1446
- Microbial processes
  - growth rate 43
  - kinetics in biofilms 31, 32
- Micropollutants, freshwater basin prediction 1415, 1416
- Miroporous filter methods
  - filters 666
  - virus 665–79
  - water composition 667
- Mixing time
  - flocculation kinetics 1097
  - flocculation process 1091–1101
  - floc size 1093, 1099
- Model
  - benthal 929–40
    - deposit 931, 932
  - biodegradation/volatilization 286–8, 1280–2
  - biofilm development 356
  - coagulation-adsorption process 1113–20
  - coastal oxygen depletion 967–78
    - hydraulic model 970
    - oxygen model 971
  - cohesive sediment erosion 898–900
  - denitrification
    - derivation 368–72
    - fluidized beds 367–83

- optimization 377–9
- verification 372–6
- diffusion-advection 991
- dissolved oxygen 750, 751
- equilibrium biosorption 1284
- estuary 748–50, 923
  - current velocity 924
  - dispersion 991–1000
  - mud behaviour 922, 923, 925
  - suspended sediments 921, 922
  - water level 924
- eutrophication, MIDAS 773–7
- fine-grid, finite element 1320
- flexible
  - activated sludge 247–58, 1270–5
    - dead cell role 251
    - sets 248, 249
    - simplification 249, 250
  - behavioural 1271, 1272
  - detail 1274
  - flow rate 254
  - influent sinusoidal changes 252
  - operating data 1272, 1273
  - parameter fitting 255, 256
  - parameters 1275
  - selection 256–8
  - step change predictions 253
  - uses 1275
- fluidized bed 352, 353
  - substrate removal 353–6
- Gouy–Chapman 1020
- migration, cementation 728, 729
- multiple box approach 1337
- municipal wastewater 1314–17
- nitrification parameters 361, 362
- nonsteady state biofilm 47
- optimization, agricultural pollutants 1425, 1426
- phosphate sludge production 107, 108
- photosynthesis 751, 752
- pollutant specific 279–89, 1280–6
  - development 280, 281
  - factors considered 288, 289
  - Monod constants 281, 288, 1282
- primary production 975, 976
- rotating biological contactors 385–97, 1290–2
  - reaction rates 1291
- soluble substrate removal 2
- sulfide generation in sewers 185, 186
- tank-in-series 297
- toxic materials 954–8
  - verification 961
- water quality 953–90, 1407, 1410
  - and agriculture 1141–53
- Weibull 1445
- wind-induced resuspension 904
- Monitoring *see also* biological assessment
  - continuous, pollution 1104
  - river 956, 957
  - organophosphates 855–65
  - water quality control 769–80
- R. Monongahela
  - continuous monitoring 956, 957
  - data based kinetics 958–61
  - discharges 957, 958
- Motorway
  - French 1166, 1167
  - polluted run-off 1165–74, 1353–5
    - correlations 1170
  - run-off loads 1167–9
    - COD correlation 1169, 1170
    - hydrocarbon load 1354
    - sediment particle size 1172
    - and traffic 1171, 1353
  - Mud, estuary behaviour 915–27, 1334
    - model 925
  - Municipal wastewater
    - MITRE method 1315
    - surfactant profile 1451, 1452
    - synthesis modelling 1314–17
- Mutagenicity, Japanese coastal waters 1435, 1436
- L. Naarden
  - hydrological situation 1495–7
  - interdisciplinary management 1496
  - phosphate removal 1497
  - water supply 1495
- Nickel
  - algal assay 1446
  - sludge distribution 591–5
- Nitrate, cryptic reduction 417
- Nitrification
  - alkalinity effect 295
  - dynamics 360, 1288, 1289
    - simulation kinetics 363
  - fluidized bed dynamics 351–66
  - predenitrification and trace contaminant 399, 400
  - reaction rate kinetics 294
  - rotating biological contactors 385–96
    - denitrification, simultaneous 391–4
    - organic oxidation effect 388
- Nitrifier characteristics 411, 412
- Nitrifying rotating biological contactor 29
- Nitrite
  - biological treatment systems 409–19, 1292
    - acute loadings 416
    - solids 410
  - build and nitrification start-up 415
- Nitrobacter* sp
  - ammonia effects 414, 415
  - pH effects 413
  - stress conditions 412–15
- Nitrogen
  - agricultural load 1136, 1137

- eutrophic polder lake 737–42
- lake loading 760, 761
- Nitrogen removal
  - artificial wetlands 445, 446
  - Lemna* spp 809–11
  - limiting factors 292
  - oxidation ditch 291–302
  - Phoredox 87–90
- Nitrosomonas-Nitrobacter*, sequential activity 409, 410
- Non-mixing fluids, saturation curves 467–9
- Nutrient, water quality simulation 1149
- Nutrient removal, activated sludges settling 502
- Nutrient storage, rate equation 776
  
- Oil
  - column height 473–5
  - column in tube 470–2
  - groundwater pollution 467–76
  - layer in porous medium 472, 473
  - propagation scheme 473
  - relative potential 470, 473–5
- Organic pollutants
  - anaerobic biodegradability 1259
  - fixed film reactor removal 1241–5
    - influent glucose 1241, 1242
    - objectives 1243
    - sludge straining 1243, 1244
  - photooxidation 623–32
  - radiation time effects 626
  - treatment and removal 851
- Organophosphates, monitoring 855–65
  - cholinesterase inhibition 863
  - cholinesterase record 862
  - detection procedure 860–3
  - equipment 856
  - reaction 856
- Oscillatoria agardhii*
  - biovolume 767
  - bloom 757
  - dryweight, phosphorous and nitrogen 767, 768
- Oxidation, rotating biological contactors 395, 396, 1290–2
- Oxidation ditch 291–302
  - computed simulation 298, 299
  - delta response 298
  - Japan 291
  - mixing 297
  - nitrification and denitrification 295
  - results 300
  - retention time and water quality 300, 301
  - sludge growth and alkalinity 296, 302
- Oxygen capacity
  - accuracy of measurements 307
  - carousels 308–10
  - complete mixed aeration tanks 305
  - diffused air aeration 310, 311
  - Huizen measurements 306
  - measurement methods 307
  - plug flow aeration tanks 306–8, 1288
  - rotor aerators 310
  - steady state measurement 303–11, 1287, 1288
  - use 303
- Oxygen depletion
  - coastal waters 967–78, 1337, 1338
  - modelling 971–3
  - primary production 975, 976
  - sensitivity analysis 973–5
- Ozonation
  - disinfection set-up 1082, 1083
  - kinetics 1074, 1344, 1345
  - non-ionic surfactants 1069–80, 1343–8
    - biodegradability pattern 1078, 1079
    - influent concentration 1347
  - procedures and pH 1071
  - rate constants 1074–7
- Ozone
  - activated carbon filtration 1055–68, 1341–3
    - doses 1341, 1342
  - bubble sizes and gas flow 1083, 1084
    - and disinfection 1085, 1086
    - ozone utilization 1084–6
  - organic matter reduction 1065, 1342
  - solubility and bubble sizes 1081–90
  - TOC reduction 1062, 1342
  - treated bed volumes 1066
  - UV extinction 1062
  
- Palm oil mill effluent
  - characteristics 1570
  - extraction process 784
  - lagoon treatment 785
  - properties 782
  - sources 156
  - thermophilic anaerobic contact digestion 155–66
  - water hyacinth growth 783, 785–7
- Particles
  - collision frequency 703
  - stability factor 704
    - determination 705, 706
  - stability in water 701
  - size 702
- Particle sizer 1094–1100
- Peracetic acid
  - advantages 454–6
  - analysis and properties 454
  - application techniques 461, 462
  - disinfection mechanisms 460, 461
  - in-line sludge ingestion 463
  - land use of sewage 451–66

- plant growth 456
- Salmonella* survival 457–60
- Taenia* sp effect 457
- Pesticide, water quality simulation 1148, 1149
- Phenol
  - activated carbon removal 1046–54
  - continuous river monitoring 957
  - degradation rates 960
  - desorption-displacement 1049, 1050
  - effluent and sludge age 282
  - kinetic constant determination methods 270, 1279
- Phenolic wastewater treatment design 1439
  - bed height and liquid velocity 1439
  - fluidized bed 1437–9
    - design 1439
  - three phase flow-chart 1438
- Phoredox
  - ammonia removal 88
  - anaerobic retention time and performance 81–91
  - feed characteristics 85, 86
  - layout scheme 81, 82
  - nitrogen removal 87–90
  - performance parameters 86, 87
  - phosphate removal 85–7
  - sludge separation 90
- Phosphate
  - biotransformations 1460
  - equilibrium concentration sediment core 950
  - L. Grevelingen course 1460
  - iron dosing fluxes 778, 779
  - reduction and iron dosing 771, 772
  - sediment–water exchange 1459, 1460
    - factors affecting 1459
  - sludge production modelling 107–18
    - experimental 110, 111
- Phosphorous acid, equilibrium constants 134
- Phosphorus
  - activated sludge location 93–106
  - agricultural load 1136, 1137
  - changes assessment, aerobic 104
  - distribution and sludge types 96, 97
    - behaviour, anaerobic–oxic process 98–100
    - total phosphorus 98
  - domestic load 1134
  - eutrophic polder lake 737–42, 1322–4
  - fractionation, STS method 95
  - lake chlorophyll *a* 766
  - lake loading 760, 761
  - Phosphorus removal *see also* Phoredox
    - anaerobic stage 69–80, 1248–50
    - analysis methods 72
    - BOD effect 76
    - continuous feed 73
    - crystallization method 121–32, 1251–3
      - see also* crystallization
        - alkalinity effects 126–8
        - calcium effects 126–8
        - fluidized bed 133–42
        - seed crystals 125
- L. Naarden 1497
- Phoredox 81–91
  - polyphosphate role 93–106
  - precipitation, calcium–pH 123
  - scheme of biological 71
  - sludge composition 73–5
  - suspended solid effect 76
  - TOC uptake 76–9
- Photochemical reactor
  - effluent 629, 630
  - scheme 629
- Photooxidation
  - bromacil sensitization 630, 631
  - dye sensitized reactions 624
  - wastewater, organic pollutants 623–32
- Physico-chemical treatment 1103–12
  - control curves 1349
  - isoeffectiveness 1349, 1350
  - management assistance 1351
  - Servocontrol 1348–51
- Phytoplankton *see also* individual organisms
  - biovolume and composition 762–4
  - oxygen budget of estuary 745–56
- Piezometers 480, 481
- Plants, protein production of crops 865
- Plug flow aeration tanks, oxygenation capacity 306–8
- Pluviogram 1362
- Polder lake
  - eutrophication 733–43, 1322–4
  - morphometry 1323
  - nitrogen budgets 1323
- Poliovirus
  - adsorption and recovery 673
    - fulvic acid 674, 675
    - humic acid 674
    - bentonite 676, 677
- Polishing system 329
  - cost 330, 335, 336
- Pollutants, exposure of marine 1191, 1192
- Pollution
  - continuous measurement 1104
  - control, alternative measures 1479, 1480
  - evaluation, metals in soil 1461–3
  - hazardous substances 843–53
    - lists 846, 847
- Polychlorinated biphenyls 851, 852
- Polycyclic aromatic hydrocarbons 852
- Poly- $\beta$ -hydroxybutyrate 69–80
- Polymers
  - aerobically digested sludge 571
  - index, specific resistance data 508
  - index values 509
    - and sludge characteristics 511, 512

- sludge conditioning 507
- Polyphosphates
  - anaerobic-oxic changes 103
  - biological phosphorus removal 93, 106
  - molecular weights and phosphorus turnover 101
- Pre-denitrification
  - fluidized bed flowsheet 401
  - nitrification and trace elements 399-408
  - wastewater characteristics 402, 403
- Pressure vacuum lysimeter 480
- Proteins
  - production from wastewater 803-17
  - and sludge conditioning 512-14
- Psychrometers 480, 481
  
- Quiberon continuous pollution monitoring
  - 1105, 1106
  - assessment 1108-12
  
- Radium-226
  - treated tailings effluent 346-9
  - uranium effluent treatment 342, 343
- Rainbow trout and environmental acidification 1456
- Reclamation
  - data available 1454
  - process 1453, 1454
  - test results 1454
  - wastewater and sludge 1453, 1454
- Research needs 1233, 1234
  - funding 1234
- Respirogram evaluation 262-4
- Respirometer
  - bacterial growth kinetics 262
  - methods 1278
- Resuspension
  - flow-induced 906, 913, 914
  - model 904
  - parameter estimation 907
  - suspended solids 1333
  - water velocity and depth 904, 905
  - wave-induced theory 905, 906, 912
  - wind-induced, lake 903-14, 1331-3
    - precise analysis 1332
    - role 1331, 1332
- Reverse osmosis 325-36
  - waste dump rehabilitation 1401
- Rinse water reclamation 325-36
  - cost 330-2
  - make-up water 329
  - system 327-9
- Rotating biological contactors (RBC)
  - closed-type unit 392
  - computer simulation constants 390
  - copper effect 1441-3
    - organic load 1442
    - speed 1442
  - nitrification and denitrification 391-4
    - data 392
    - oxygen effect 392
  - organic oxidation and nitrification 386-90, 1290-2
    - soluble substrates 1291
  - partially submerged 386
  - processes model 385-97
  - small scale wastewater treatment 1482, 1483
  - starch, ammonia and dissolved oxygen 391
  - starch oxidant concentration 389
  - waste dump rehabilitation 1400
- Rubber industry
  - effluent properties 782, 783
    - water hyacinth effect 788
    - water hyacinth growth 786
  - processing 783
- Run-off *see also* urban, motorway
  - motorway 1165-74
  - water quality in ditches 1163, 1353-5
- Rural catchment area, surface water quality 1155-64
  
- Salinity, chromium toxicity 1193, 1194
- Salmonella* spp
  - epidemiology 453, 454
  - peracetic acid treatment 457-60
  - sludge irradiation 556
- Salt flux
  - components 1003
  - current phase shifts 1006
  - isovels 1007
  - longitudinal dispersion 1012, 1013
  - polluted estuary 1001-15
  - salt transport 1009-11
- Santa Gilla lagoon
  - chemistry 1423, 1424
  - features 1421
  - map 1423
  - microbiology 1422
  - morphology 1421
- Saprobic index and biological assessment 873-5
- Saturation curves 467-9
- Sediment core
  - analysis 942-4
  - chemical analysis 947
  - interstitial water sampling 944-6
  - phosphate and calcium transport 941-51, 1337, 1338
  - phosphate concentration and flux 948
  - pH and phosphate 947, 948
  - properties and sites 946

- Sediment corer 942
- Sediments
- concentration and shear stress 893
  - erosion of cohesive 891–901
    - simulation 898–900
  - particle size distribution 892, 897
  - shear stress and solid fraction 894
  - solid fraction distribution 896
- Sediment–water exchange fluxes 1459, 1460
- Semiconductor manufacture
- effluent treatment 325–336
    - cost summary 330
    - makeup water system 333, 334
  - waste treatment cost 336
- Servocontrol
- ClFeSO<sub>4</sub> addition 1168
  - reagent conditions 1103–12, 1348–51
    - objectives 1350
- Settling constants and sludge volume index 500
- Settling property constants 501
- Settling tanks, design of final 1395
- scheme 1397
  - solids profile and shape 1396
- Sewage
- microorganisms density 652
  - mineralization 1223–9
  - pollutant load and wastewater volume 1228–30
  - sedimentation 1223–31
  - synthetic 192
- Sewer capacity and diameter 1214
- Shellfish
- EEC directive 1199–1201
    - guide values 1202, 1203
    - imperative values 1202, 1203
    - implementation costs 1205, 1206
    - UK interpretation 1201, 1202
  - welsh beds 1204, 1205
- Siphon, air-regulated 1216, 1217
- Slime thickness and sulfate removal 195
- Sludge
- composition, Port Elizabeth 600, 601
  - conditioning
    - biochemical composition 505–15
    - and characteristics 509
    - dewaterability 506, 509
    - polymers 507
  - dry solids and organic matter 590
  - extraction and fractionation scheme 518
    - alum reclamation 544–6
  - mass production
    - alum 112–14
      - deterministic model 116, 117
      - dutch conditions 108, 109
      - factors influencing 111
      - iron 112–14
      - regression model 115, 116
      - USA conditions 109
    - alum 112–14
      - deterministic model 116, 117
      - dutch conditions 108, 109
      - factors influencing 111
      - iron 112–14
      - regression model 115, 116
      - USA conditions 109
    - regression model 115, 116
    - USA conditions 109
  - volumentric 115
  - metal content 519
  - properties and ionizing radiation 552–9
  - resuspension 1223–9
  - return, tracing response 1263, 1264
  - settling 493–504
    - constants 500
    - plants, South Africa 498
    - properties, measurement 497
  - specific filterability 553
  - stabilization 563–73
  - thermal conditioning 1375, 1376
  - treatment
    - autothermal aerobic digestion 563–73
    - ionizing radiation 551–62
    - processor 640, 642
    - process units 641
    - subnetwork 637
  - volume index
    - A-B process 242, 243
    - nutrient removal 498, 499
- Soil
- chlorinated phenols 1381–3
  - metal extraction 1461–3
  - and surface water quality 1352
- Solid flux theory 493
- Soluble substrates
- diffusion coefficients 11, 33
  - rate constants 12
  - reaction rates 11
- Spirodela polyrrhiza*
- COD and yield 812
  - evapotranspiration losses 815
  - protein production 813
- Steady state measurement, oxygenation capacity 303–11, 1287, 1288
- Stigeoclonium* sp, microscreen development 798, 799
- Stirred reactor
- fatty acid production 1378
  - scheme 1379
  - wastewater treatment 1377, 1378
- Storm overflows 1211–21
- air-regulated siphons 1216, 1221
  - fixed weir 1213
- Stormwater sampling
- Finland 1182
  - quality, regression models 1183
- Submarine outfall
- construction 1467
  - diffuser 1467
  - pipeline 1465
  - project 1465
  - scheme 1466
- Sulphate
- hydrogen sulphide conversion 183–96
  - inlet and tube length 193
  - removal in sewers 1262, 1263
  - removal and slime thickness 195

- slime generation 184
- slime penetration 188, 189
- Sulphide
  - oxidation, activated sludge 167–80
  - sewer generation kinetics 183–96, 1262, 1263
  - bacterial role 1263
  - liquid–culture interface 186, 187
  - rates 184, 185
  - tubular reactor scheme 191
  - sulphur granules in *Thiothrix* sp 170, 171
- Sulphur storage test 109
- Sunlight, organic pollutant photooxidation 623–32
- Surfactants
  - biodegradation 1078
  - cobaltothiocyanate identification 1346
  - mass transfer 1347
  - municipal wastewater profile 1451, 1452
  - non-ionic, ozonation 1069–80, 1343–8
    - characteristics 1070
    - kinetics 1343, 1344
    - organic-hydroxyl rate constants 1345
    - removal efficiency 1073
  - partition coefficient 1346
- Survival curves
  - chlorination 660, 661
  - ozone bubble sizes 1088, 1089
- Suspended sediments
  - ammonia sorption 1321, 1322
  - concentration variation 918
  - current velocity 926
  - estuary behaviour 915–27
  - floc and particle diameters 920
  - particle size distribution 916
  - tidal cycles and particle size 919
- Suspended solids
  - ammonia sorption 713–18
  - distribution, California 1447
  - fetch effects 908
  - flux and concentration 910
  - simulated and measured 908, 909
- Swine wastewater
  - algal treatment 819–31
  - anaerobic digestion 822–6
  - digested sludge analysis 830
  - groundwater contamination 1327
  - management system, Hawaii 820
- Synthesis modelling 633–44
  - subnetworks 636, 637
  - TREAT computer programme 642–4
  - Taenia saginata*
    - epidemiology 452, 453
    - peracetic acid effects 457
- Temperature
  - chromium toxicity 1193, 1194
  - and trickling filter performance 53–66, 1245–8
- Tertiary treatment, pollutant-elimination data 1431
- R. Test estuary
  - chlorophyll *a* 746, 747
  - map 746
  - oxygen production 748
- Thermal conditioning
  - laboratory scale 1375, 1376
  - sludge treatment 1375, 1376
  - thermal balance, heat requirement 1376
- Thermal pretreatment
  - anaerobic digestion efficiency 529–39, 1297–1304
  - effects on gas production 536, 537
  - energy balances 1303
  - gas production 531
  - performance comparison 1298
  - pilot plant data 533–5, 1298, 1302
  - recovery and net profits 1304
  - sludge characteristics 1299, 1300
  - volatile acids production 537
- Thermophilic anaerobic digestion 155–66
  - blockage and corrosion 165
  - microbiology 160, 161, 164
  - operation 158, 160
  - plam oil results 161–3
  - pilot plant scheme 158, 159
  - scum formation 163
- Thiobacillus ferrooxidans*, bacterial leaching 578, 579
- Thiothrix* spp
  - Danish plants 171
  - enrichment culture 169, 170, 172
  - filament forms 173
  - growth forms 174
  - lipid vacuoles 176
  - morphology and cytology 175, 176
  - sources 168, 169
  - sulphur granule storage 167–80
- Tjenkemeer
  - eutrophication 733–43
  - inflow–outflow data 734, 735
  - map 734
  - optical density 735, 736
  - phosphorus and nitrogen 737–42
- Toxicant, aquatic organisms sensitivity 1445, 1446
- Toxic materials models 954–8
  - aquatic systems 955
  - degradation equations 962
  - verification 961
- Toxic organics
  - air stripping 283–6
  - biodegradation 1280–2
  - complex interactions 1285
  - dual substance limitation 1281
  - dual substrate model 1286

- pollutant specific models 279–89, 1280–6
  - phenol fit 1285
  - sorption 1283, 1284
  - volatilization 1282, 1283
- Trace contaminant control
  - nitrification 399–408
  - organic, treated effluents 406
  - wastewater features 404, 405
- Tracer response curves 198
  - cumulative 206
  - effluent concentration determination 203
  - evaluation 201–3
  - Hannover tanks 204, 205
  - lithium 206
  - mixing, complete 200
  - plug flow 199
  - series tanks 200, 201
- Transport coefficients 941, 1337, 1338
- Treatment plant upgrading 1385–92
  - alternatives 1391, 1392
  - biological 1389, 1390
  - conclusions 1392
  - cost-effectiveness 1390, 1391
  - costs 1388
  - data 1393
  - effluent composition 1386, 1387
  - existing 1385
  - product 1391, 1392
  - system selection 1388, 1389
- Trent Biotic Index 869
- Trickling filter
  - BOD<sub>B</sub>/BOD<sub>A</sub> significance 57
    - and temperature 58, 59, 64
  - BOD removal and temperature 1246
  - clarifier efficiency 58–62
  - data analysis 56, 57
  - gravity settling 54
  - height, differential element 33
  - loadings 1247
  - plant efficiency 62–5
  - plant parameters 1247
  - plant performance 56
  - small scale wastewater treatment 1482, 1483
    - substrate concentration prediction 38
    - suspended solid removal 61, 62, 64
      - and temperature 64, 65
    - temperature and performance 53–66, 1245–8
- Turbidimeter
  - wastewater measurements 1105
- UASB reactor
  - brewery effluent 1489, 1490
  - design characteristics 1490
    - pilot plant 1489
- Ultrafiltration 325–36
- Upgrading, treatment plant 1385–92
- Uranium mining effluent 337–50
  - barium chloride 342
  - characteristics 339
  - fluidization velocities 340
  - mass balance 345
  - radium-226 removal 342–69
  - sources 337
  - treated tailings effluent 346–9
  - treatment objectives 338
- Urban run-off 1165–84
  - aerial particle deposition 1176, 1178
  - COD and suspended solids 1356
  - Finland 1175–85, 1355–7
    - importance 1337
  - intercity motorway 1165–74
  - pollutant washout 1182, 1184
  - quality and composition 1180, 1181
  - quantity 1177–82
- Urban storm water project
  - Finland 1176
  - quality parameters 1179
- Urban water project
  - analyses 1361, 1362
  - improvements 1361
  - Lelystad 1361, 1362
- L. Veluwe
  - flushing 759
  - management 760
  - map 758
  - phosphorus and nitrogen loading 760, 761
  - phosphorus and nitrogen patterns 764, 765
  - restoration 757–68
  - transparency and pH 764
  - wind-induced resuspension 1333
- Virology 645–98
- Virus *see also* hepatitis
  - enteric and water quality 665–79, 1317
    - humic acids 673
    - soluble organics 672
    - suspended solids 670, 671
      - evaluation techniques 1318
    - groundwater survival 681–7
    - isolated, drinking water 690, 691
    - soil survival 682
    - studies, Missouri and Michigan 696
    - survey, drinking water 692–6
    - treated drinking water 689–700
- Volatilization 1282, 1283
- Volgermeer polder 1399–1402
  - water quality 1400
- Volkerakmeer, map 1412



- Waste dump**  
biological treatment 1400, 1402  
rehabilitation 1399–1402  
reverse osmosis 1401, 1402
- Wastewater** *see also* industrial  
concentrated, treatment 1371–4  
contaminants and removal 404, 405  
hazardous substances 843–53  
hospital 653  
municipal modelling 633–44  
  process units 634  
nitrite in treatment systems 409–19  
and nitrogen load 1227  
phenolic coal 143–54  
poultry processing, microbes 653  
recycling by duckweed 803–17, 1325  
swine in tropics 819–31, 1326  
synthetic, composition 70  
treatment *see also* land use  
  Amsterdam 1491–4  
  artificial wetlands 443–50  
  nitrogen removal 445, 446  
  peracetic acid 451–66  
  photooxidation 623–32  
  small scale 1481–3  
  field studies 1483  
  systems evaluation 1482
- Water hyacinth** *see* *Eichornia crassipes*
- Water quality**  
assessment 1408  
biological assessment 267–927, 1328–31  
control and iron dosing 769–80, 1324, 1325  
description 772  
diurnal changes 131  
modelling 953–90, 1337, 1338  
  dispersion coefficients 1013, 1014  
  impacts 989  
  Lower Han River 979–90, 1338  
  multiple box 1337, 1338  
road salt 1163  
run-off effects 1163  
shellfish 1199–1209  
soil effects 1155–64, 1352, 1353  
  base flow 1160, 1161  
  data evaluation 1159  
  regression analysis 1162
- Water reclamation, semiconductor manufacture** 326
- Water resources planning and habitat analysis** 879–90
- Water testing kit, portable for developing countries** 1369, 1370
- Water treatment package, developing countries** 1367, 1368
- Wave-induced resuspension** 912, 913
- Wave-induced water velocity** 912
- Weirs**  
air-regulated siphon 1216, 1221  
automatically operated 1211–21  
  activation 1213, 1214  
efficiency 1218, 1219  
scheme 1213  
shutter, float-controlled 1215
- West Moravia River basin, pollution control** 1479, 1480
- Wood preservation** 1381–4
- Yields**  
irradiated sludge 559  
protein, crops and plants 805
- Zimpro treatment** 1311  
metal availability 1312
- Zinc**  
algal assays 1446  
motorway run-off 1170–4  
sludge distribution 590–5  
urban washout 1184
- Zoommeer, map** 1412