



THE OFFICIAL NEWSMAGAZINE OF THE AMERICAN ACADEMY OF PEDIATRICS

AAP News

Volume 31 • Number 8
August 2010
www.aapnews.org

AAP News Parent Plus

INFORMATION FROM YOUR PEDIATRICIAN

Hatch a commonsense approach to removal, treatment of head lice

A case of lice at home? Yikes! say most parents.

But the American Academy of Pediatrics offers this calming advice: Lice are neither a health hazard nor a sign of poor hygiene. Safe and effective treatments do exist. Here are additional suggestions:

Do

- Contact your pediatrician if you are unsure whether your child has head lice.
- Use an over-the-counter treatment, such as permethrin 1% or pyrethrins for an active lice infestation if there is no known resistance to these treatments in your community.
- Repeat permethrin 1% treatment nine days after the initial treatment.
- Read and adhere to the instructions accompanying any product or treatment.
- Contact your pediatrician if over-the-counter or prescription treatments are not effective.
- Keep lice in perspective — your child is neither sick nor in danger of illness.



Don't

- Treat your child without a firm diagnosis of head lice — even if a close friend or classmate has lice; doing so contributes to treatment resistance.
- Keep your child home from school because of nits or lice.
- Engage in monumental cleaning efforts to rid your home of lice. Time and effort are better focused on your child's head.

— Sheryl Cash

©2010 American Academy of Pediatrics. This information may be freely copied and distributed with proper attribution.