


# ANESTHESIOLOGY



Downloaded from [http://esa2.silverchair.com/anesthesiology/article-pdf/122/3/A23/368633/20150300\\_0-00005.pdf](http://esa2.silverchair.com/anesthesiology/article-pdf/122/3/A23/368633/20150300_0-00005.pdf) by guest on 27 January 2023

All data points were extracted directly from a recent multicenter, multinational study of disability-free survival after surgery,<sup>1</sup> defined as survival with a score of less than 25% on the World Health Organization Disability Assessment Schedule 2.0, or an increase of less than 8% compared with their preoperative assessment. MI = myocardial infarction.

Infographic created by Jonathan P. Wanderer, Vanderbilt University School of Medicine, and James P. Rathmell, Massachusetts General Hospital/Harvard Medical School. Illustration by Annemarie Johnson, Vivo Visuals. Dr. Wanderer is funded by the Foundation for Anesthesia Education and Research, Rochester, Minnesota. Address correspondence to Dr. Wanderer: [jon.wanderer@vanderbilt.edu](mailto:jon.wanderer@vanderbilt.edu)

1. Shulman MA, Myles PS, Chan MTV, McIlroy DR, Wallace S, Ponsford J: Measurement of disability-free survival after surgery. ANESTHESIOLOGY 2015; 122:524-36