

SUBJECT INDEX

- Adsorbent, for humic substances 55-60
- Adsorption,
organics removal 245-248
to particulates, in wastewater treatment plants
167-183
- Adsorptive capacity,
determination 55-60
of preformed flocs 55-60
- Aerobic biological filter 185-192
- Aggregate structure, study of 133-142
- Aggregation
kinetics, influence of organic acid 133-142
of microflocs, impairment by humus 103-112
processes 91-102
- Algae,
comparison between cultured and natural water
211-220
in model water 221-230
- Algal
cultivation media 211-220
exudates, effects on coagulation of humic
substances 123-132
removal 211-220
residence time, in model humic water 123-132
- Alum,
as coagulant 123-132, 261-264
as precipitation agent 193-199
humus removal 103-112
treatment of municipal wastewater 261-264
- Aluminium
chemistry as coagulant-flocculant 1-20
coagulants 21-35
coagulation 153-165, 185-192
experiments 143-152
hydroxide flocs 249-252
partially neutralized sulphate 123-132
residual concentrations 123-132
sulphate, as coagulant 221-230
- Amberlite
XAD 4 143-152
XAD 8 143-152
- Anabaena flosaquae*, in model water 221-230
- Anthracite sand filters 81-90
- Aquatic colloids 91-102
- Aqueous organics 1-20, 71-80
- Assimilable organic carbon 81-90
- Asterionella formosa*, in model water 221-230
- Biesbosch Water Storage Reservoirs 211-220
- Biological filter, aerobic 185-192
- Bleachery effluents 193-199
- Bridging, colloidal particles and organic
structures 91-102
- Cationic polyelectrolytes, coagulation-
flocculation 1-20
- Chemical
bonds, between metal hydroxides and organics
249-252
coagulation/flocculation 185-192
flocculation/precipitation 167-183
wastewater treatment, Jet Mixed Separator
201-209
- Chemistry of coagulants 21-35
- Chlorella vulgaris* 211-220
- Chlorinated
backwashing 81-90
organic substances, in pulp mill effluent
193-199
- Chlorination processes 143-152
- Chlorine bleachery effluents 193-199
- Clean filter efficiency 133-142
- Coagulant
demand 103-112
metal residuals, concentration after
preozonation 37-45
- Coagulants, chemistry 21-35
- Coagulation,
effects of organic matter 1-20
ferric chloride 113-121
/flocculation, kaolinite suspension with ferric
chloride 55-60
/flocculation, objectives 1-20
/flocculation of surface waters, use of
permanganate 47-54
/flocculation, of surface waters 143-152
/flocculation process evaluation 153-165
in drinking water treatment 21-35
mechanisms 1-20
of humic substances 123-132
organics removal 245-248
/sedimentation model 91-102
theory, classical predictions 91-102
with aluminium 1-20
with hydrolyzable metal salts 37-45
- Colloid
charge evaluation 221-230
organic matrix 91-102

- Colloidal particles, importance in pollutant distribution 91-102
- Colour
 after aluminium coagulation 153-165
 colloid removal evaluation, photometric technique 153-165
 of model humic water 123-132
- Coloured lignins 193-199
- Combined lime and alum treatment, municipal wastewater 261-264
- Diatom, slender type, settling 231-240
- Direct
 filtration,
 in-line 81-90
 process, algal removal 211-220
 particle separation, municipal wastewater 201-209
 sand filtration 61-70
- Disinfection byproducts 81-90
- Dissolved organic
 carbon 81-90, 143-152
 concentration 221-230
 matter, maximum removal conditions 113-121
- Dissolved organics
 removal 245-248
 effect of prechlorination 71-80
- Drinking water treatment, coagulation 21-35
- Dual
 media filters, anthracite/sand 81-90
 wavelength fluctuating light absorption 153-165, 257-260
- Electrostatic charge interactions 21-35
- Fast atom bombardment mass spectrometry (FABMS) 113-121
- Ferric
 chloride 113-121
 as coagulant 261-264
 hydroxide floccs 55-60
 sulphate, as coagulant 221-230, 261-264
- Fes, Morocco 241-244
- Filter efficiency, effect of fulvic acid 133-142
- Filtered water turbidity measurements 81-90
- Filtration performance assessed by
 filtered water turbidity 81-90
 organics in filtered waters 81-90
 unit filter run volumes 81-90
- Floc
 number concentration 221-230
 properties 1-20
 size
 distribution 221-230
 evaluation, direct technique 153-165
 with permanganate 47-54
 surface charge, decrease by ozonation 37-45
- Flocculation
 mechanisms 1-20
 system, on-line monitoring 153-165
- Fluctuating
 absorbance analysis 153-165
 light absorption 153-165, 257-260
- Fluidized pellet bed separator 185-192, 253-256
- Fractal dimensions, hematite aggregates 133-142
- Fulvic acid 21-35
 adsorbed 133-142
 fraction, dissolved organics removal 71-80
- Gel chromatography 185-192
- Global carbon cycle, humic substances 1-20
- Granular activated carbon/sand filters 81-90
- Head loss 61-70
- Hematite particles, aggregation-filtration 133-142
- Humic
 acid 21-35, 61-70
 fraction, dissolved organics removal 71-80
 substances 1-20, 71-80
 fractionated from surface waters 143-152
 influence on chemical wastewater treatment 103-112
 molecular weight distribution 113-121
 residual concentrations 123-132
- Hydrogen bridge type bonds 249-252
- Hydrophilic
 acids, fractionated from surface waters 143-152
 effects 21-35
 fraction, dissolved organics removal 71-80
- Hydrophilics, non-acid, fractionated from surface waters 143-152
- Hydrophobic
 acids, estimation of concentration in water 21-35
 substances, fractionated from surface waters 143-152
- Iron
 (III) hydroxide floccs 249-252
 coagulation diagrams,
 effect of ferric chloride dosage 113-121
 effect of pH 113-121
 oxy(hydroxo)phosphate particles 91-102
 oxyhydroxide floccs 133-142
 rich colloid particles, model for submicron colloidal behaviour 91-102
 salt flocculants 167-183
- Jet Mixed Separator, chemical wastewater treatment 201-209
- Lake Bret, small particle size range study 91-102
- Langmuir equation 55-60
- Large microorganisms, effects on flocculation process 12-20
- Lignins, bleachery effluents 193-199

- Lime,
 as coagulant 261-264
 as precipitation agent 193-199
 treatment of municipal wastewater 261-264
- Linear alkylbenzene sulfonate, influence on wastewater treatment 103-112
- Magnesium hydroxide, as precipitation agent 193-199
- Metal iron coagulant, new 221-230
- Microflocculation of algae, ozonation 21-35
- Micromembrane filter 185-192
- Microphotography 153-165
- Mineral particles, stability in water 21-35
- Mineralization, of organic matter by ozone 37-45
- Model
 humic water experiments 123-132
 waters, algae 221-230
- Molecular weight distribution, humic substances 113-121
- Monitoring, flocculation system 153-165
- Morocco, drinking water production 241-244
- Municipal wastewater
 contaminants 201-209
 lime and alum treatment 261-264
- Natural
 organic matter 21-35
 submicron particles 91-102
- Neutral fraction, dissolved organics removal 71-80
- New
 photometric dispersion analyser 257-260
 sewage treatment system 185-192
- Nitzschia* 231-240
- Nonchlorinating agents, change in bleaching processes 193-199
- Objectives, of coagulation-flocculation 1-20
- Octanol/water partition coefficients, trace organics 167-183
- Organic
 fractionation 71-80
 matrices 91-102
 matter removal 185-192
 physico-chemical processes 167-183
 preozonation 37-45
 particles, stability in water 21-35
 particulates 167-183
- Organics
 colloid stability 1-20
 removal,
 adsorption/coagulation 245-248
 effects of preozonation 81-90
 water quality research 1-20
- Oxidant application, filtration efficiency for algal removal 211-220
- Oxygen
 bleaching effluents 193-199
 transfer characteristics 167-183
- Ozonation,
 effects on water containing algae 21-35
 preliminary stage in water treatment 1-20
- Ozone, effect on filtration efficiency for algal removal 211-220
- Partially neutralized aluminium sulphate 123-132
- Particle
 destabilization, inhibition by humus 103-112
 size distributions 167-183
 stability 21-35
- Permanganate preoxidation 47-54
- Phosphate
 precipitation, effects of humus 103-112
 removal 185-192
- Photometric dispersion
 analyser, advances 257-260
 analysis, dual wavelength 153-165, 257-260
- Physico-chemical
 precipitation treatment 193-199
 processes, removal of organic matter 167-183
- Polyaluminium chloride (PAC), as primary coagulant 61-70, 221-230
 consumption, effects of permanganate 47-54
- Polyferric sulphate, as coagulant 221-230
- Potassium permanganate, effect on algal removal by filtration 211-220
- Powdered activated carbon 245-248
- Prechlorination processes 47-54, 71-80
- Preformed flocs 55-60
- Preozonation,
 effects on filtration performance 81-90
 longer filter runs 81-90
 of water supplies 21-35
 organic matter removal 37-45
- Primary coagulant, poly aluminium chloride 61-70
- Pulp mill effluents 193-199
- Raw water chemistry 21-35
- Residual colour evaluation, direct technique 153-165
- Rhine River, colloid particle size range study 91-102
- Rhodomonas minuta* 211-20
- Rotating Biological Contactor 201-209
- Scanning electron micrograph, diatom 231-240
- Scenedesmus quadricauda* 123-132
- Sebou River, Morocco 241-244
- Selenastrum capricornutum* 211-220
- Separation,
 effects of organic matter 1-20
 technique, pelletizer 253-256
- Settling velocity evaluation, direct technique 153-165
- Sewage treatment system, new 185-192
- Simulated natural surface water 61-70
- Slender type diatom 231-240

- Sludge dewatering, fluidized pellet bed process
253-256
- Soil erosion, problems for water treatment plants
241-244
- Solid liquid phase separation 245-248, 249-252
- Solids separation,
in wastewater treatment plants 167-183
performance evaluation 167-183
- Specific ultraviolet absorbance (SUVA) 21-35
- Stabilized floc formation, effect of ozone 37-45
- Stephanodiscus hantzschii* 211-220
- Steric interactions 21-35
- Stripping reactions, removal of organic matter by
ozone 37-45
- Surface water fractions 143-152
- Suspended
matter, impact on drinking water 241-244
particulates, characteristics in wastewater
167-183
- Suwannee River 113-121
- Synedra* 231-240
- Transmission electron micrograph, of colloid
organic matrix 91-102
- Trihalomethane formation potentials (THMFP)
113-121, 143-152
- Trihalomethanes, minimum formation conditions
113-121
- Turbidity
evaluation 221-230
reduction, with permanganate 47-54
removal, preozonation 37-45
- Ultrafiltration
of bleachery effluents 193-199
processes 143-152
- Unit filter run volumes 81-90
- Unozonated systems, organic matter removal
37-45
- Volatilization,
in wastewater treatment plants 167-183
of organic matter by ozone 37-45
- Water
quality research, organics 1-20
treatment plant operation, impact of soil
erosion 241-244
- West River Treatment Plant 81-90