

References

- 1 Peaucellier, A., "Note sur une question de geometrie de compas," *Nouvelles Annales de Mathématique*, Sér. II, T. III, p. 344, 1864; and Sér. II, T. XII, pp. 71-78, 1873.
- 2 Hart, H., "On Certain Conversions of Motion," *Messenger of Mathematics*, Vol. IV, p. 82, 1874.
- 3 Sylvester, J. J., "History of the Plagiograph," *Nature*, Vol. XII, pp. 214-216, 1875; Kempe, A. B., "How to Draw a Straight Line," *Nature*, Vol. XVI, Part II, pp. 86-89, 1877.
- 4 Burmester, L., "Lehrbuch der Kinematik," Leipzig, 1888, pp. 572-574, 1888.
- 5 Dijkstra, E. A., "Six-Bar Cognates of Watt's Form," ASME Paper No. 70-Mech-30.
- 6 Chen, F. Y., "On a Class of Spherical Linkages," ASME Paper No. 68-Mech-43, 1968.
- 7 Hartenberg, R. S., and Denavit, J., *Kinematic Synthesis of Linkages*, McGraw-Hill, New York, 1964, pp. 179-186.
- 8 Yates, R. C., *Curves and Their Properties*, J. W. Edwards, Ann Arbor, Mich., Rev., 1959, pp. 127-134.
- 9 Hiegel, J. E., *Design of Classical Straight-Line Mechanisms*, MS thesis, Georgia Institute of Technology, 1965.

DISCUSSION

Fan Y. Chen<sup>2</sup>

This is a remarkable discovery. A century has passed since the invention of the first mechanical inverter, and we are now aware of the two historical inversive mechanisms: The Peaucellier cell and contraparallelogram of the Hart cell are cognates of each other. As a consequence of this, a new class of straight-line mechanisms is being introduced. Aside from theoretical interest, cognates provide alternative linkages with different link sizes and configurations, force transmission characteristics, crank rotations, and fixed pivot locations to provide a variety of design choices.

The writer would like to point out that the crossed parallelogram of Hart can directly replace the Peaucellier cell without using the quadruplanar inverter of Sylvester and Kempe. In Fig. 18, the Peaucellier cell of the first kind<sup>3</sup> and the crossed parallelogram of Hart are presented superimposed upon each other. By using the same mechanism configurations and notations as those of the authors, the rhombus  $QK'PC''$  and the kite  $B_0K'QC''$  of the Peaucellier cell are shown in solid lines, the crossed parallelogram of Hart  $B^sCD^sK^s$  is shown in dashed lines, and  $B_0A_0$  and  $A_0'Q$  are the auxiliary links. The steps outlined below show how to obtain one from the other:

<sup>2</sup> Associate Professor of Mechanical Engineering, Ohio University, Athens, Ohio.

<sup>3</sup> There are two versions of Peaucellier cell. They differ only by the relative proportions of the link length.




Fig. 18

- 1 Starting from the given Peaucellier cell, draw  $CP$  in parallel to  $OC''$  and extend  $CP$  to  $D^s$  such that  $PD^s=CP=OC''$ .
- 2 Draw  $CO$  in parallel to  $PC''$  and extend  $CO$  to  $B^s$  such that  $OB^s=CO=PC''$ .
- 3 From point  $B^s$  draw a straight line  $B^s$  in parallel to  $OK'$  and extend it to point  $K^s$  such that  $QK^s=B^sQ=OK'$ .
- 4 Join  $K^sD^s$  to complete the construction of the crossed parallelogram of Hart.

Note that both mechanisms have the fixed centers  $B_0$  and  $A_0'$ , points  $P$ ,  $Q$ , and  $B_0$  are collinear, and the generating point  $E$  in common. Without difficulty, we can also show that the Peaucellier cell of the second kind is cognate to the inverter of Hart.

Furthermore, it is conceivable that all cognate mechanisms presented in the paper are extensible to become spherical mechanisms by means of stereographic projection and that some of the cognate mechanisms may be used to generate inverse-square law force (a property which the Peaucellier cells can be used to simulate, as has been shown by the discussor).<sup>4</sup>

<sup>4</sup> Chen, Fan Y., "On Kinematic and Force Analysis of Peaucellier's Linkage," ASME paper No. 70-Mech-47.