
7. References

1. Heller, A., Feldman, B., 2008, "Electrochemical glucose sensors and their applications in diabetes management," *Chemical Reviews*, **108**, pp. 2482–2505.
2. Tonyushkina, K., Nichols, J. H., 2009, "Glucose meters a review of technical challenges to obtaining accurate results," *Journal of Diabetes Science and Technology*, **3**, pp. 971–980.
3. Kondepati, V. R., Heise, H. M., 2007, "Recent progress in analytical instrumentation for glycemic control in diabetic and critically ill patients," *Analytical and Bioanalytical Chemistry*, **388**, pp. 545–563.
4. Oliver, N. S., Toumazou, C., Cass, A. E., Johnston, D. G., 2009, "Glucose sensors a review of current and emerging technology," *Diabetes Medicine*, **26**, pp. 197–210.
5. Queinnec, I., Destruhaut, C., Pourciel, J. B., Goma, G., 1992, "An effective automated glucose sensor for fermentation monitoring and control," *World Journal of Microbiology and Biotechnology*, **8**, pp. 7–13.
6. Brooks, S. L., Ashby, R. E., Turner, A. P. F., Calder, M. R., Clarke, D. J., 1987, "Development of an on-line glucose sensor for fermentation monitoring," *Biosensors*, **3**, pp. 45–56.
7. Tothill, I. E., Newman, J. D., White, S. F., Turner, A. P. F., 1997, "Monitoring of the glucose concentration during microbial fermentation using a novel mass-producible biosensor suitable for on-line use," *Enzyme and Microbial Technology*, **20**, pp. 590–596.
8. Lee, M.-C., Kabilan, S., Hussain, A., Yang, X., Blyth, J., Lowe, C. R., 2004, "Glucose-sensitive holographic sensors for monitoring bacterial growth," *Analytical Chemistry*, **76**, pp. 5748–5755.
9. Kimura, H., Takeyama, H., Komori, K., Yamamoto, T., Sakai, Y., Fujii, T., 2010, "Microfluidic device with integrated glucose sensor for cell-based assay in toxicology," *Journal of Robotics and Mechatronics*, **22**, pp. 594–600.
10. Pickup, J. C., Hussain, F., Evans, N. D., Rolinski, O. J., Birch, D. J., 2005, "Fluorescence-based glucose sensors," *Biosensors Bioelectronics*, **20**, pp. 2555–2565.
11. Park, S., Boo, H., Chung, T. D., 2006, "Electrochemical non-enzymatic glucose sensors," *Analytica Chimica Acta*, **556**, pp. 46–57.
12. Ernst, S., Hamann, C. H., Heitbaum, J., 1980, "Electrooxidation of glucose in phosphate buffer solutions kinetics and reaction mechanism," *Berichte der Bunsengesellschaft/Physical Chemistry Chemical Physics*, **84**, pp. 50–55.
13. Beden, B., Largeaud, F., Kokoh, K. B., Lamy, C., 1996, "Fourier transform infrared reflectance spectroscopic investigation of the electrocatalytic oxidation of glucose identification of reactive intermediates and reaction products," *Electrochimica Acta*, **41**, pp. 701–709.
14. Ernst, S., Heitbaum, J., Hamann, C. H., 1979, "The electrooxidation of glucose in phosphate buffer solutions part I. Reactivity and kinetics below 350 mV/RHE," *Journal of Electroanalytical Chemistry*, **100**, pp. 173–183.
15. Ivnitski, D., Branch, B., Atanassov, P., Aplett, C., 2006, "Glucose oxidase anode for biofuel cell based on direct electron transfer," *Electrochemical Communication*, **8**, pp. 1204–1210.

16. Hecht, H. J., Kalisz, H. M., Hendle, J., Schmid, R. D., Schomburg, D., 1993, "Crystal-structure of glucose-oxidase from aspergillus-niger refined at 2.3 angstrom resolution," *Journal of Molecular Biology*, **229**, pp. 153–172.
17. Wang, J., 2008, "Electrochemical glucose biosensors," *Chemical Reviews* **108**, pp. 814–825.
18. Henning, T., 2010, "Commercially available continuous glucose monitoring systems," *In vivo glucose sensing*, Cunningham, D. D., Stenzen, J. A., eds, John Wiley & Sons, Inc., Hoboken, New Jersey, pp. 113–156.
19. Clark, L. C., 1959, "Electrochemical device for chemical analysis," US Patent No. 2913386.
20. Gough, D. A., Kumosa, L. S., Routh, T. L., Lin, J. T., Lucisano, J. Y., 2010, "Function of an implanted tissue glucose sensor for more than 1 year in animals," *Science Translational Medicine*, **2**, pp. 42–53.
21. U. S. Food and Drugs Administration, 2009, "GDH-PQQ (glucose dehydrogenase pyrroloquinoline quinone) Glucose Monitoring Technology," <http://www.fda.gov/Safety/MedWatch/SafetyInformation/SafetyAlertsforHumanMedicalProducts/ucm177295.htm>.
22. Heller, A., 1990, "Electrical wiring of redox enzymes," *Accounts of Chemical Research*, **23**, pp. 128–134.
23. Heller, A., 1992, "Electrical connection of enzyme redox centers to electrodes," *The Journal of Physical Chemistry*, **96**, pp. 3579–3587.
24. Degani, Y., Heller, A., 1988, "Direct electrical communication between chemically modified enzymes and metal electrodes. 2. Methods for bonding electron-transfer relays to glucose oxidase and D-amino-acid oxidase," *Journal of American Chemical Society*, **110**, pp. 2615–2620.
25. Degani, Y., Heller, A., 1987, "Direct electrical communication between chemically modified enzymes and metal electrodes. I. Electron transfer from glucose oxidase to metal electrodes via electron relays, bound covalently to the enzyme," *The Journal of Physical Chemistry*, **91**, pp. 1285–1289.
26. Yehezkeli, O., Yan, Y. M., Baravik, I., Tel-Vered, R., Willner, I., 2009, "Integrated oligoaniline-cross-linked composites of Au nanoparticles/glucose oxidase electrodes a generic paradigm for electrically contacted enzyme systems," *Chemistry A European Journal*, **15**, pp. 2674–2679.
27. Yehezkeli, O., Ovits, O., Tel-Vered, R., Raichlin, S., Willner, I., 2010, "Reconstituted enzymes on electropolymerizable FAD-modified metallic nanoparticles functional units for the assembly of effectively "wired" enzyme electrodes," *Electroanalysis*, **22**, pp. 1817–1823.
28. Chaubey, A., Malhotra, B. D., 2002, "Mediated biosensors," *Biosensors Bioelectronics*, **17**, pp. 441–456.
29. Shen, Y. C., Davies, A. G., Linfield, E. H., Elsey, T. S., Taday, P. F., Arnone, D. D., 2003, "The use of Fourier-transform infrared spectroscopy for the quantitative determination of glucose concentration in whole blood," *Physics in Medicine and Biology*, **48**, pp. 2023–2032.
30. Nelson, L. A., McCann, J. C., Loepke, A. W., Wu, J., Ben Dor, B., Kurth, C. D., 2006, "Development and validation of a multiwavelength spatial

- domain near-infrared oximeter to detect cerebral hypoxia-ischemia," *Journal of Biomedical Optics*, **11**, pp. 064022.
31. Cameron, B. D., Anumula, H., 2006, "Development of a real-time corneal birefringence compensated glucose sensing polarimeter," *Diabetes Technology and Therapeutics*, **8**, pp. 156–164.
 32. Esenaliev, R. O., Larin, K. V., Larina, I. V., Motamedi, M., 2001, "Noninvasive monitoring of glucose concentration with optical coherence tomography," *Optics Letters*, **26**, pp. 992–994.
 33. Dieringer, J. A., McFarland, A. D., Shah, N. C., Stuart, D. A., Whitney, A. V., Yonzon, C. R., Young, M. A., Zhang, X., Van Duyne, R. P., 2006, "Surface enhanced Raman spectroscopy new materials, concepts, characterization tools, and applications," *Faraday Discuss*, **132**, pp. 9–26.
 34. Ashok, A., Nirmalkumar, A., Jeyashanthi, N., 2010, "A novel method for blood glucose measurement by noninvasive technique using laser," *International Journal of Biological and Medical Sciences*, **5**, pp. 58–64.
 35. Clarke, W. L., Cox, D., Gonder-Frederick, L. A., Carter, W., Pohl, S. L., 1987, "Evaluating clinical accuracy of systems for self-monitoring of blood glucose," *Diabetes Care*, **10**, pp. 622–628.
 36. Shah, N. C., Yuen, J. M., Lyandres, O., Glucksberg, M. R., Walsh, J. T., Van Duyne, R. P., 2010, "Surface-enhanced Raman spectroscopy for glucose sensing," *In vivo glucose sensing*, Cunningham, D. D., Stenken, J. A., eds, John Wiley & Sons, Inc., Hoboken, New Jersey, pp. 421–443.
 37. Weiss, R., Yegorchikov, Y., Shusterman, A., Raz, I., 2007, "Noninvasive continuous glucose monitoring using photoacoustic technology—results from the first 62 subjects," *Diabetes Technology and Therapeutics*, **9**, pp. 68–74.
 38. Pfutzner, A., Caduff, A., Larbig, M., Schrepfer, T., Forst, T., 2004, "Impact of posture and fixation technique on impedance spectroscopy used for continuous and noninvasive glucose monitoring," *Diabetes Technology and Therapeutics*, **6**, pp. 435–441.
 39. Sun, Y., Buck, H., Mallouk, T. E., 2001, "Combinatorial discovery of alloy electrocatalysts for amperometric glucose sensors," *Analytical Chemistry*, **73**, 1599–1604.
 40. Tominaga, M., Shimazoe, T., Nagashima, M., Kusuda, H., Kubo, A., Kuwahara, Y., Taniguchi, I., 2006, "Electrocatalytic oxidation of glucose at gold-silver alloy, silver and gold nanoparticles in an alkaline solution," *Journal of Electroanalytical Chemistry*, **590**, pp. 37–46.
 41. Casella, I. G., Gatta, M., Guascito, M. R., Cataldi, T. R. I., 1997, "Highly-dispersed copper microparticles on the active gold substrate as an amperometric sensor for glucose," *Analytica Chimica Acta*, **357**, pp. 63–71.
 42. Fang, B., Gu, A., Wang, G., Wang, W., Feng, Y., Zhang, C., Zhang, X., 2009, "Silver oxide nanowalls grown on Cu substrate as an enzymeless glucose sensor," *ACS Applied Materials and Interfaces*, **1**, pp. 2829–2834.
 43. Cherevko, S., Chung, C. H., 2010, "The porous CuO electrode fabricated by hydrogen bubble evolution and its application to highly sensitive non-enzymatic glucose detection," *Talanta*, **80**, pp. 1371–1377.

42 NANOMATERIALS IN GLUCOSE SENSING

44. Xu, Q., Zhao, Y., Xu, J. Z., Zhu, J.-J., 2006, "Preparation of functionalized copper nanoparticles and fabrication of a glucose sensor," *Sensors and Actuators B – Chemistry*, **114**, pp. 379–386.
45. Sakamoto, M., Takamura, K., 1982, "Catalytic oxidation of biological components on platinum electrodes modified by adsorbed metals anodic oxidation of glucose," *Bioelectrochemistry Bioenergetics*, **9**, pp. 571–582.
46. You, T., Niwa, O., Chen, Z., Hayashi, K., Tomita, M., Hirono, S., 2003, "An amperometric detector formed of highly dispersed Ni nanoparticles embedded in a graphite-like carbon film electrode for sugar determination," *Analytical Chemistry*, **75**, pp. 5191–5196.
47. Ye, J.-S., Wen, Y., De Zhang, W., Ming Gan, L., Xu, G. Q., Sheu, F.-S., 2004, "Nonenzymatic glucose detection using multi-walled carbon nanotube electrodes," *Electrochemical Communications*, **6**, pp. 66–70.
48. Jianxiong, W., Xiaowei, S., Xianpeng, C., Yu, L., Li, S., ShiSheng, X., 2007, "Nonenzymatic glucose sensor using freestanding single-wall carbon nanotube films," *Electrochemical and Solid State Letters*, **10**, pp. J58–J60.
49. Tan, C. K., Loh, K. P., John, T. T. L., 2008, "Direct amperometric detection of glucose on a multiple-branching carbon nanotube forest," *Analyst*, **133**, pp. 448–451.
50. Yang, J., Jiang, L. C., Zhang, W. D., Gunasekaran, S., 2010, "A highly sensitive non-enzymatic glucose sensor based on a simple two-step electrodeposition of cupric oxide (CuO) nanoparticles onto multi-walled carbon nanotube arrays," *Talanta*, **82**, pp. 25–33.
51. Jiang, L. C., Zhang, W. D., 2010, "A highly sensitive nonenzymatic glucose sensor based on CuO nanoparticles-modified carbon nanotube electrode," *Biosensors Bioelectronics*, **25**, pp. 1402–1407.
52. Kang, X., Mai, Z., Zou, X., Cai, P., Mo, J., 2007, "A sensitive nonenzymatic glucose sensor in alkaline media with a copper nanocluster/multiwall carbon nanotube-modified glassy carbon electrode," *Analytical Biochemistry*, **363**, pp. 143–150.
53. Zhu, H., Lu, X., Li, M., Shao, Y., Zhu, Z., 2009, "Nonenzymatic glucose voltammetric sensor based on gold nanoparticles/carbon nanotubes/ionic liquid nanocomposite," *Talanta*, **79**, pp. 1446–1453.
54. Rong, L.-Q., Yang, C., Qian, Q.-Y., Xia, X.-H., 2007, "Study of the nonenzymatic glucose sensor based on highly dispersed Pt nanoparticles supported on carbon nanotubes," *Talanta*, **72**, pp. 819–824.
55. Wang, Y., Zhang, D., Zhang, W., Gao, F., Wang, L., 2009, "A facile strategy for nonenzymatic glucose detection," *Analytical Biochemistry*, **385**, pp. 184–186.
56. Chen, J., Zhang, W.-D., Ye, J.-S., 2008, "Nonenzymatic electrochemical glucose sensor based on MnO₂/MWNTs nanocomposite," *Electrochemical Communications*, **10**, pp. 1268–1271.
57. Cui, H.-F., Ye, J.-S., Liu, X., Zhang, W.-D., Sheu, F.-S., 2006, "Pt–Pb alloy nanoparticle/carbon nanotube nanocomposite a strong electrocatalyst for glucose oxidation," *Nanotechnology*, **17**, pp. 2334–2339.
58. Chen, X. M., Lin, Z. J., Chen, D. J., Jia, T. T., Cai, Z. M., Wang, X. R., Chen, X., Chen, G. N., Oyama, M., 2010, "Nonenzymatic amperometric sensing

- of glucose by using palladium nanoparticles supported on functional carbon nanotubes," *Biosensors Bioelectronics*, **25**, pp. 1803–1808.
59. Liu, D., Luo, Q., Zhou, F., 2010, "Nonenzymatic glucose sensor based on gold-copper alloy nanoparticles on defect sites of carbon nanotubes by spontaneous reduction," *Synthetic Metals*, **160**, pp. 1745–1748.
 60. Zhang, Y., Xiao, X., Sun, Y., Shi, Y., Dai, H., Ni, P., Hu, J., Li, Z., Song, Y., Wang, L., 2013, "Electrochemical deposition of nickel nanoparticles on reduced graphene oxide film for nonenzymatic glucose sensing," *Electroanalysis*, **25**, pp. 959–966.
 61. Gao, H., Xiao, F., Ching, C. B., Duan, H., 2011, "One-step electrochemical synthesis of PtNi nanoparticle-graphene nanocomposites for nonenzymatic amperometric glucose detection," *ACS Applied Materials & Interfaces*, **3**, pp. 3049–3057.
 62. Zhang, Y., Wang, Y., Jia, J., Wang, J., 2012, "Nonenzymatic glucose sensor based on graphene oxide and electrospun NiO nanofibers," *Sensors and Actuators B Chemical*, **171–172**, pp. 580–587.
 63. Zhang, Y., Xu, F., Sun, Y., Shi, Y., Wen, Z., Li, Z., 2011, "Assembly of Ni(OH)₂ nanoplates on reduced graphene oxide a two dimensional nanocomposite for enzyme-free glucose sensing," *Journal of Materials Chemistry*, **21**, pp. 16949–16957.
 64. Dong, X.-C., Xu, H., Wang, X.-W., Huang, Y.-X., Chan-Park, M. B., Zhang, H., Wang, L.-H., Huang, W., Chen, P., 2012, "3D graphene-cobalt oxide electrode for high-performance supercapacitor and enzymeless glucose detection," *ACS Nano*, **6**, pp. 3206–3213.
 65. Park, S., Chung, T. D., Kim, H. C., 2003, "Nonenzymatic glucose detection using mesoporous platinum," *Analytical Chemistry*, **75**, pp. 3046–3049.
 66. Boo, H., Park, S., Ku, B., Kim, Y., Park, J. H., Kim, H. C., Chung, T. D., 2004, "Ionic strength-controlled virtual area of mesoporous platinum electrode," *Journal of American Chemical Society*, **126**, pp. 4524–4525.
 67. Shoji, E., Freund, M. S., 2001, "Potentiometric sensors based on the inductive effect on the pK(a) of poly(aniline) a nonenzymatic glucose sensor," *Journal of American Chemical Society*, **123**, pp. 3383–3384.
 68. Joo, S., Park, S., Chung, T. D., Kim, H. C., 2007, "Integration of a nanoporous platinum thin film into a microfluidic system for non-enzymatic electrochemical glucose sensing," *Analytical Science*, **23**, pp. 277–281.
 69. Ballerstadt, R., Polak, A., Beuhler, A., Frye, J., 2004, "In vitro long-term performance study of a near-infrared fluorescence affinity sensor for glucose monitoring," *Biosensors Bioelectronics*, **19**, pp. 905–914.
 70. Stein, E. W., Grant, P. S., Zhu, H., McShane, M. J., 2007, "Microscale enzymatic optical biosensors using mass transport limiting nanofilms. 1. Fabrication and characterization using glucose as a model analyte," *Analytical Chemistry*, **79**, pp. 1339–1348.
 71. Stein, E. W., Singh, S., McShane, M. J., 2008, "Microscale enzymatic optical biosensors using mass transport limiting nanofilms. 2. Response modulation by varying analyte transport properties," *Analytical Chemistry*, **80**, pp. 1408–1417.

44 NANOMATERIALS IN GLUCOSE SENSING

72. Chaudhary, A., Harma, H., Hanninen, P., McShane, M. J., Srivastava, R., 2011, "Glucose response of near-infrared alginate-based microsphere sensors under dynamic reversible conditions," *Diabetes Technology and Therapeutics*, **13**, pp. 827–835.
73. Chaudhary, A., Raina, M., Harma, H., Hanninen, P., McShane, M. J., Srivastava, R., 2009, "Evaluation of glucose sensitive affinity binding assay entrapped in fluorescent dissolved-core alginate microspheres," *Biotechnology Bioengineering*, **104**, pp. 1075–1085.
74. Chaudhary, A., Raina, M., McShane, M. J., Srivastava, R., 2009, "Dissolved core alginate microspheres as "smart-tattoo" glucose sensors," *Conference Proceedings of IEEE Engineering in Medicine and Biology Society*, **2009**, pp. 4098–4101.
75. Srivastava, R., Jayant, R. D., Chaudhary, A., McShane, M. J., 2011, "Smart tattoo" glucose biosensors and effect of coencapsulated anti-inflammatory agents," *Journal of Diabetes Science and Technology*, **5**, pp. 76–85.
76. Meadows, D. L., Schultz, J. S., 1993, "Design, manufacture and characterization of an optical fiber glucose affinity sensor based on an homogeneous fluorescence energy transfer assay system," *Analytica Chimica Acta*, **280**, pp. 21–30.
77. Marshall, A., Irvin, C., Barker, T., Sage, E., Hauch, K., Ratner B., 2004, "Biomaterials with tightly controlled pore size that promote vascular ingrowth," *Abstract of Papers American Chemical Society*, **45**, pp. 100–101.
78. Alexeev, V. L., Das, S., Finegold, D. N., Asher, S. A., 2004, "Photonic crystal glucose-sensing material for noninvasive monitoring of glucose in tear fluid," *Clinical Chemistry*, **50**, pp. 2353–2360.
79. Kabilan, S., Marshall, A. J., Sartain, F. K., Lee, M.-C., Hussain, A., Yang, X., Blyth, J., Karangu, N., James, K., Zeng, J., Smith, D., Domschke, A., Lowe, C. R., 2005, "Holographic glucose sensors," *Biosensors Bioelectronics*, **20**, pp. 1602–1610.
80. Pickup, J. C., Zhi, Z. L., Khan, F., Saxl, T., Birch, D. J., 2008, "Nanomedicine and its potential in diabetes research and practice," *Diabetes Metabolism Research and Reviews*, **24**, pp. 604–610.
81. Cordes, D. B., Gamsey, S., Singaram, B., 2006, "Fluorescent quantum dots with boronic acid substituted viologens to sense glucose in aqueous solution," *Angewandte Chemie International Edition*, **45**, pp. 3829–2832.
82. Tang, B., Cao, L., Xu, K., Zhuo, L., Ge, J., Li, Q., Yu, L., 2008, "A new nanobiosensor for glucose with high sensitivity and selectivity in serum based on fluorescence resonance energy transfer (FRET) between CdTe quantum dots and Au nanoparticles," *Chemistry*, **14**, pp. 3637–3644.
83. Clark, L. C. Jr., Lyons, C., 1962, "Electrode systems for continuous monitoring in cardiovascular surgery," *Annals of New York Academy of Science*, **102**, pp. 29–45.
84. Suzuki, H., Tamiya, E., Karube, I., 1988, "Fabrication of an oxygen-electrode using semiconductor technology," *Analytical Chemistry*, **60**, pp. 1078–1080.
85. Suzuki, H., Sugama, A., Kojima, N., Takei, F., Ikegami, K., 1991, "A miniature Clark-type oxygen-electrode using a polyelectrolyte and its application as a glucose sensor," *Biosensors Bioelectronics*, **6**, pp. 395–400.

86. Suzuki, H., Arakawa, H., Karube, I., 2001, "Fabrication of a sensing module using micromachined biosensors," *Biosensors Bioelectronics*, **16**, pp. 725–733.
87. Mitsubayashi, K., Wakabayashi, Y., Tanimoto, S., Murotomi, D., Endo, T., 2003, "Optical-transparent and flexible glucose sensor with ITO electrode," *Biosensors Bioelectronics*, **19**, pp. 67–71.
88. Wang, J., Lu, F., 1998, "Oxygen-rich oxidase enzyme electrodes for operation in oxygen-free solutions," *Journal of American Chemical Society*, **120**, pp. 1048–1050.
89. Wang, J., Mo, J. W., Li, S. F., Porter, J., 2001, "Comparison of oxygen-rich and mediator-based glucose-oxidase carbon-paste electrodes," *Analytica Chimica Acta*, **441**, pp. 183–189.
90. Gough, D. A., Lucisano, J. Y., Tse, P. H. S., 1985, "Two-dimensional enzyme electrode sensor for glucose," *Analytical Chemistry*, **57**, pp. 2351–2357.
91. Reach, G., Wilson, G. S., 1992, "Can continuous glucose monitoring be used for the treatment of diabetes," *Analytical Chemistry*, **64**, pp. A381–A386.
92. Armour, J. C., Lucisano, J. Y., McKean, B. D., Gough, D. A., 1990, "Application of chronic intravascular blood-glucose sensor in dogs," *Diabetes*, **39**, pp. 1519–1526.
93. Wang, J., Li, S., Mo, J.-W., Porter, J., Musameh, M. M., Dasgupta, P. K., 2002, "Oxygen-independent poly(dimethylsiloxane)-based carbon-paste glucose biosensors," *Biosensors Bioelectronics*, **17**, pp. 999–1003.
94. Schaffar, B. P. H., Wolfbeis, O. S., 1990, "A fast responding fibre optic glucose biosensor based on an oxygen optrode," *Biosensors Bioelectronics*, **5**, pp. 137–148.
95. Moreno-Bondi, M. C., Wolfbeis, O. S., Leiner, M. J. P., Schaffar, B. P. H., 1990, "Oxygen optrode for use in a fiber-optic glucose biosensor," *Analytical Chemistry*, **62**, pp. 2377–2380.
96. Rosenzweig, Z., Kopelman, R., 1996, "Analytical properties and sensor size effects of a micrometer-sized optical fiber glucose biosensor," *Analytical Chemistry*, **68**, pp. 1408–1413.
97. Li, L., Walt, D. R., 1995, "Dual-analyte fiber-optic sensor for the simultaneous and continuous measurement of glucose and oxygen," *Analytical Chemistry*, **67**, pp. 3746–3752.
98. Jacobs, C. B., Peairs, M. J., Venton, B. J., 2010, "Review carbon nanotube based electrochemical sensors for biomolecules," *Analytica Chimica Acta*, **662**, pp. 105–127.
99. Wang, J., Liu, J., Chen, L., Lu, F., 1994, "Highly selective membrane-free, mediator-free glucose biosensor," *Analytical Chemistry*, **66**, pp. 3600–3603.
100. Liu, J., Lu, F., Wang, J., 1999, "Metal-alloy-dispersed carbon-paste enzyme electrodes for amperometric biosensing of glucose," *Electrochemical Communications*, **1**, pp. 341–344.
101. Wang, J. J., Myung, N. V., Yun, M. H., Monbouquette, H. G., 2005, "Glucose oxidase entrapped in polypyrrole on high-surface-area Pt electrodes a model platform for sensitive electroenzymatic biosensors," *Journal of Electroanalytical Chemistry*, **575**, pp. 139–146.

46 NANOMATERIALS IN GLUCOSE SENSING

102. Elzanowska, H., Abu-Irhayem, E., Skrzynecka, B., Birss, V. I., 2004, "Hydrogen peroxide detection at electrochemically and sol-gel derived Ir oxide films," *Electroanalysis*, **16**, pp. 478–490.
103. Cox, J. A., Lewinski, K., 1993, "Flow-injection amperometric determination of hydrogen-peroxide by oxidation at an iridium oxide electrode," *Talanta*, **40**, pp. 1911–1915.
104. Rauh, R. D., Twardoch, U. M., Jones, G. S., Jones, R. B., 1999, "Iridium oxide vertical bar glucose oxidase biosensors and microprobes," Oyama, N., Birss, V., eds, *Proceedings of the Symposium on Molecular Functions of Electroactive Thin Films*, vol. **98**, Electrochemical Society Inc, Pennington, pp. 176–183.
105. Tatsuma, T., Watanabe, T., Watanabe, T., 1993, "Electrochemical characterization of polypyrrole bienzyme electrodes with glucose-oxidase and peroxidase," *Journal of Electroanalytical Chemistry*, **356**, pp. 245–253.
106. DeBenedetto, G. E., Palmisano, F., Zambonin, P. G., 1996, "One-step fabrication of a bienzyme glucose sensor based on glucose oxidase and peroxidase immobilized onto a poly(pyrrole) modified glassy carbon electrode," *Biosensors Bioelectronics*, **11**, pp. 1001–1008.
107. Ohara, T. J., Vreeke, M. S., Battaglini, F., Heller, A., 1993, "Bienzyme sensors based on electrically wired peroxidase," *Electroanalysis*, **5**, pp. 825–831.
108. Tian, F. M., Zhu, G. Y., 2002, "Bienzymatic amperometric biosensor for glucose based on polypyrrole/ceramic carbon as electrode material," *Analytica Chimica Acta*, **451**, pp. 251–258.
109. Elekes, O., Moscone, D., Venema, K., Korf, J., 1995, "Bienzyme reactor for electrochemical detection of low concentrations of uric-acid and glucose," *Clinica Chimica Acta*, **239**, pp. 153–165.
110. Mulchandani, A., Pan, S. T., 1999, "Ferrocene-conjugated m-phenylenediamine conducting polymer-incorporated peroxidase biosensors," *Analytical Biochemistry*, **267**, pp. 141–147.
111. Liu, H. Y., Ying, T. L., Sun, K., Li, H. H., Qi, D. Y., 1997, "Reagentless amperometric biosensors highly sensitive to hydrogen peroxide, glucose and lactose based on N-methyl phenazine methosulfate incorporated in a Nafion film as an electron transfer mediator between horseradish peroxidase and an electrode," *Analytica Chimica Acta*, **344**, pp. 187–199.
112. Shan, D., Cosnier, S., Mousty, C., 2003, "HRP wiring by redox active layered double hydroxides application to the mediated H₂O₂ detection," *Analytical Letters*, **36**, pp. 909–922.
113. Asberg, P., Innganas, O., 2003, "Hydrogels of a conducting conjugated polymer as 3-D enzyme electrode," *Biosensors Bioelectronics*, **19**, pp. 199–207.
114. Gamburgzev, S., Atanasov, P., Ghindilis, A. L., Wilkins, E., Kaisheva, A., Iliev, I., 1997, "Bifunctional hydrogen peroxide electrode as an amperometric transducer for biosensors," *Sensor and Actuators B – Chemistry*, **43**, pp. 70–77.
115. Gao, Z. Q., Binyamin, G., Kim, H. H., Barton, S. C., Zhang, Y. C., Heller, A., 2002, "Electrodeposition of redox polymers and co-electrodeposition of enzymes by coordinative crosslinking," *Angewandte Chemie International Edition*, **41**, pp. 810–813.
116. Kenausis, G., Chen, Q., Heller, A., 1997, "Electrochemical glucose and lactate sensors based on "wired" thermostable soybean peroxidase operating

- continuously and stably at 37 degrees C," *Analytical Chemistry*, **69**, pp. 1054–1060.
117. Calvo, E. J., Battaglini, F., Danilowicz, C., Wolosiuk, A., Otero, M., 2000, "Layer-by-layer electrostatic deposition of biomolecules on surfaces for molecular recognition, redox mediation and signal generation," *Faraday Discuss*, **116**, pp. 47–65.
 118. Solna, R., Dock, E., Christenson, A., Winther-Nielsen, M., Carlsson, C., Emneus, J., Ruzgas, T., Skladal, P., 2005, "Amperometric screen-printed biosensor arrays with co-immobilised oxidoreductases and cholinesterases," *Analytica Chimica Acta*, **528**, pp. 9–19.
 119. Karyakin, A. A., 2001, "Prussian blue and its analogue electrochemistry and analytical applications," *Electroanalysis*, **13**, pp. 813–819.
 120. Karyakin, A. A., Karyakina, E. E., Gorton, L., 1998, "The electrocatalytic activity of Prussian blue in hydrogen peroxide reduction studied using a wall-jet electrode with continuous flow," *J Electroanalytical Chemistry*, **456**, pp. 97–104.
 121. Zhang, X. J., Wang, J., Ogorevc, B., Spichiger, U. E., 1999, "Glucose nano-sensor based on Prussian-blue modified carbon-fiber cone nanoelectrode and an integrated reference electrode," *Electroanalysis*, **11**, pp. 945–949.
 122. O'Halloran, M. P., Pravda, M., Guilbault, G. G., 2001, "Prussian blue bulk modified screen-printed electrodes for H₂O₂ detection and for biosensors," *Talanta*, **55**, pp. 605–611.
 123. Wang, J., Rivas, G., Chicharro, M., 1996, "Iridium-dispersed carbon paste enzyme electrodes," *Electroanalysis*, **8**, pp. 434–437.
 124. Dodevska, T., Horozova, E., Dimcheva, N., 2006, "Electrocatalytic reduction of hydrogen peroxide on modified graphite electrodes: application to the development of glucose biosensors," *Analytical Bioanalytical Chemistry*, **386**, pp. 1413–1418.
 125. Yang, M. H., Jiang, J. H., Yang, Y. H., Chen, X. H., Shen, G. L., Yu, R. Q., 2006, "Carbon nanotube/cobalt hexacyanoferrate nanoparticle-biopolymer system for the fabrication of biosensors," *Biosensors Bioelectronics*, **21**, pp. 1791–1797.
 126. Hrapovic, S., Liu, Y. L., Male, K. B., Luong, J. H. T., 2004, "Electrochemical biosensing platforms using platinum nanoparticles and carbon nanotubes," *Analytical Chemistry*, **76**, pp. 1083–1088.
 127. Wang, J., Musameh, M., Lin, Y., 2003, "Solubilization of carbon nanotubes by Nafion toward the preparation of amperometric biosensors," *Journal of American Chemical Society*, **125**, pp. 2408–2409.
 128. Bharathi, S., Nogami, M., 2001, "A glucose biosensor based on electrodeposited biocomposites of gold nanoparticles and glucose oxidase enzyme," *Analyst*, **126**, pp. 1919–1922.
 129. Gu, T., Hasebe, Y., 2006, "DNA-Cu(II) poly(amine) complex membrane as novel catalytic layer for highly sensitive amperometric determination of hydrogen peroxide," *Biosensors Bioelectronics*, **21**, pp. 2121–2128.
 130. Zhu, Z., Song, W., Burugapalli, K., Moussy, F., Li, Y. L., Zhong, X. H., 2010, "Nano-yarn carbon nanotube fiber based enzymatic glucose biosensor," *Nanotechnology*, **21**, pp. 165501.

131. Abdel-Latif, M. S., Guilbault, G. G., 1988, "Fiber-optic sensor for the determination of glucose using micellar enhanced chemiluminescence of the peroxyoxalate reaction," *Analytical Chemistry*, **60**, pp. 2671–2674.
132. Seo, H.-I., Kim, C.-S., Sohn, B.-K., Yeow, T., Son, M.-T., Haskard, M., 1997, "ISFET glucose sensor based on a new principle using the electrolysis of hydrogen peroxide," *Sensor and Actuators B – Chemistry*, **40**, pp. 1–5.
133. Park, K.-Y., Choi, S.-B., Lee, M., Sohn, B.-K., Choi, S.-Y., 2002, "ISFET glucose sensor system with fast recovery characteristics by employing electrolysis," *Sensor and Actuators B – Chemistry*, **83**, pp. 90–97.
134. Lee, C.-H., Seo, H.-I., Lee, Y.-C., Cho, B.-W., Jeong, H., Sohn, B.-K., 2000, "All solid type ISFET glucose sensor with fast response and high sensitivity characteristics," *Sensor and Actuators B – Chemistry*, **64**, pp. 37–41.
135. Besteman, K., Lee, J. O., Wiertz, F. G. M., Heering, H. A., Dekker, C., 2003, "Enzyme-coated carbon nanotubes as single-molecule biosensors," *Nano Letters*, **3**, pp. 727–730.
136. Forzani, E. S., Zhang, H. Q., Nagahara, L. A., Amlani, I., Tsui, R., Tao, N. J., 2004, "A conducting polymer nanojunction sensor for glucose detection," *Nano Letters*, **4**, pp. 1785–1788.
137. Lee, D., Cui, T., 2010, "Low-cost, transparent, and flexible single-walled carbon nanotube nanocomposite based ion-sensitive field-effect transistors for pH/glucose sensing," *Biosensors Bioelectronics*, **25**, pp. 2259–2264.
138. Bahshi, L., Freeman, R., Gill, R., Willner, I., 2009, "Optical detection of glucose by means of metal nanoparticles or semiconductor quantum dots," *Small*, **5**, pp. 676–680.
139. Gill, R., Bahshi, L., Freeman, R., Willner, I., 2008, "Optical detection of glucose and acetylcholine esterase inhibitors by H₂O₂-sensitive CdSe/ZnS quantum dots," *Angewandte Chemie International Edition*, **47**, pp. 1676–1679.
140. Hu, M., Tian, J., Lu, H. T., Weng, L. X., Wang, L. H., 2010, "H₂O₂-sensitive quantum dots for the label-free detection of glucose," *Talanta*, **82**, pp. 997–1002.
141. Li, X., Zhou, Y., Zheng, Z., Yue, X., Dai, Z., Liu, S., Tang, Z., 2009, "Glucose biosensor based on nanocomposite films of CdTe quantum dots and glucose oxidase," *Langmuir*, **25**, pp. 6580–6586.
142. Duong, H. D., Rhee, J. I., 2007, "Use of CdSe/ZnS core-shell quantum dots as energy transfer donors in sensing glucose," *Talanta*, **73**, pp. 899–905.
143. Tanne, J., Schafer, D., Khalid, W., Parak, W. J., Lisdat, F., 2011, "Light-controlled bioelectrochemical sensor based on CdSe/ZnS quantum dots," *Analytical Chemistry*, **83**, pp. 7778–7785.
144. Wu, P., He, Y., Wang, H. F., Yan, X. P., 2010, "Conjugation of glucose oxidase onto Mn-doped ZnS quantum dots for phosphorescent sensing of glucose in biological fluids," *Analytical Chemistry*, **82**, pp. 1427–1433.
145. Kim, J. H., Lim, S. Y., Nam, D. H., Ryu, J., Ku, S. H., Park, C. B., 2011, "Self-assembled, photoluminescent peptide hydrogel as a versatile platform for enzyme-based optical biosensors," *Biosensors Bioelectronics*, **26**, pp. 1860–1865.

146. Liu, Q., Lu, X., Li, J., Yao, X., Li, J., 2007, "Direct electrochemistry of glucose oxidase and electrochemical biosensing of glucose on quantum dots/carbon nanotubes electrodes," *Biosensors Bioelectronics*, **22**, pp. 3203–3209.
147. Cass, A. E., Davis, G., Francis, G. D., Hill, H. A., Aston, W. J., Higgins, I. J., Plotkin, E. V., Scott, L. D., Turner, A. P., 1984, "Ferrocene-mediated enzyme electrode for amperometric determination of glucose," *Analytical Chemistry*, **56**, pp. 667–671.
148. Guiseppi-Elie, A., Lei, C. H., Baughman, R. H., 2002, "Direct electron transfer of glucose oxidase on carbon nanotubes," *Nanotechnology*, **13**, pp. 559–564.
149. Zhao, H.-Z., Sun, J.-J., Song, J., Yang, Q.-Z., 2010, "Direct electron transfer and conformational change of glucose oxidase on carbon nanotube-based electrodes," *Carbon*, **48**, pp. 1508–1514.
150. Ivnitski, D., Artyushkova, K., Rincon, R. A., Atanassov, P., Luckarift, H. R., Johnson, G. R., 2008, "Entrapment of enzymes and carbon nanotubes in biologically synthesized silica glucose oxidase-catalyzed direct electron transfer," *Small*, **4**, pp. 357–364.
151. Wu, X. E., Zhao, F., Varcoe, J. R., Thumser, A. E., Avignone-Rossa, C., Slade, R. C. T., 2009, "Direct electron transfer of glucose oxidase immobilized in an ionic liquid reconstituted cellulose-carbon nanotube matrix," *Bioelectrochemistry*, **77**, pp. 64–68.
152. Liu, X. Q., Shi, L. H., Niu, W. X., Li, H. J., Xu, G. B., 2008, "Amperometric glucose biosensor based on single-walled carbon nanohorns," *Biosensors Bioelectronics*, **23**, pp. 1887–1890.
153. Zou, Y. J., Xiang, C. L., Sun, L. X., Xu, F., 2008, "Glucose biosensor based on electrodeposition of platinum nanoparticles onto carbon nanotubes and immobilizing enzyme with chitosan-SiO₂ sol-gel," *Biosensors Bioelectronics*, **23**, pp. 1010–1016.
154. Shan, D., Zhang, J., Xue, H.-G., Ding, S.-N., Cosnier, S., 2010, "Colloidal laponite nanoparticles extended application in direct electrochemistry of glucose oxidase and reagentless glucose biosensing," *Biosensors Bioelectronics*, **25**, pp. 1427–1433.
155. Toi, V. V., Toan, N. B., Dang Khoa, T. Q., Lien Phuong, T. H., Lee, S., Choi, B., Hong, W., 2013, "Simple fabrication of exfoliated graphene/naion hybrid as glucose bio-sensor electrodes," *4th International Conference on Biomedical Engineering, Vietnam* **40**, pp. 54–56.
156. German, N., Ramanaviciene, A., Voronovic, J., Ramanavicius, A., 2010, "Glucose biosensor based on graphite electrodes modified with glucose oxidase and colloidal gold nanoparticles," *Microchimica Acta*, **168**, pp. 221–229.
157. Švancara, I., Vytrás, K., Kalcher, K., Walcarius, A., Wang, J., 2009, "Carbon paste electrodes in facts, numbers, and notes a review on the occasion of the 50-years jubilee of carbon paste in electrochemistry and electroanalysis," *Electroanalysis*, **21**, pp. 7–28.
158. Gunasingham, H., Tan, C. H., Seow, J. K. L., 1990, "Fiber-optic glucose sensor with electrochemical generation of indicator reagent," *Analytical Chemistry*, **62**, pp. 755–759.

159. Hill, H. A. O., 1984, "Assay techniques utilising specific binding agents," European Patent No. 84303090.
160. Willner, I., Heleg-Shabtai, V., Blonder, R., Katz, E., Tao, G., Buackmann, A. F., Heller, A., 1996, "Electrical wiring of glucose oxidase by reconstitution of FAD-modified monolayers assembled onto Au-electrodes," *Journal of American Chemical Society*, **118**, pp. 10321–10322.
161. Patolsky, F., Weizmann, Y., Willner, I., 2004, "Long-range electrical contacting of redox enzymes by SWCNT connectors," *Angewandte Chemie International Edition*, **43**, pp. 2113–2117.
162. Liu, J., Chou, A., Rahmat, W., Paddon-Row, M., Gooding, J., 2005, "Achieving direct electrical connection to glucose oxidase using aligned single walled carbon nanotube arrays," *Electroanalysis*, **17**, pp. 38–46.
163. Zheng, J., He, Y., Sheng, Q., Zhang, H., 2011, "DNA as a linker for biocatalytic deposition of Au nanoparticles on graphene and its application in glucose detection," *Journal of Materials Chemistry*, **21**, pp. 12873–12879.
164. Chen, Y., Li, Y., Sun, D., Tian, D., Zhang, J., Zhu, J.-J., 2011, "Fabrication of gold nanoparticles on bilayer graphene for glucose electrochemical biosensing," *Journal of Materials Chemistry*, **21**, pp. 7604–7611.
165. Zhou, K., Zhu, Y., Yang, X., Li, C., 2010, "Electrocatalytic oxidation of glucose by the glucose oxidase immobilized in graphene-Au-Nafion biocomposite," *Electroanalysis*, **22**, pp. 259–264.
166. Adiga, S. P., Jin, C., Curtiss, L. A., Monteiro-Riviere, N. A., Narayan, R. J., 2009, "Nanoporous membranes for medical and biological applications," *WIREs Nanomedicine Nanobiotechnology*, **B**, pp. 568–581.
167. Ulbricht, M., 2006, "Advanced functional polymer membranes," *Polymer*, **47**, pp. 2217–2262.
168. Langley, P. J., Hulliger, J., 1999, "Nanoporous and mesoporous organic structures new openings for materials research," *Chemical Society Reviews*, **28**, pp. 279–291.
169. Updike, S. J., Hicks, G. P., 1967, "The enzyme electrode," *Nature*, **214**, pp. 986–988.
170. Yu, B., Moussy, Y., Moussy, F., 2005, "Coil-type implantable glucose biosensor with excess enzyme loading," *Frontiers in Biosciences*, **10**, pp. 512–520.
171. Li, Q., Luo, G., Feng, J., Zhou, Q., Zhang, L., Zhu, Y., 2001, "Amperometric detection of glucose with glucose oxidase adsorbed on porous nanocrystalline TiO₂ film," *Electroanalysis*, **13**, pp. 413–416.
172. Singh, S. P., Arya, S. K., Pandey, P., Malhotra, B. D., Saha, S., Sreenivas, K., Gupta, V., 2007, "Cholesterol biosensor based on rf sputtered zinc oxide nanoporous thin film," *Applied Physics Letters*, **91**, pp. 063901.
173. Saha, S., Arya, S. K., Singh, S. P., Sreenivas, K., Malhotra, B. D., Gupta, V., 2009, "Nanoporous cerium oxide thin film for glucose biosensor," *Biosensors Bioelectronics*, **24**, pp. 2040–2045.
174. Saha, S., Arya, S. K., Singh, S. P., Sreenivas, K., Malhotra, B. D., Gupta, V., 2009, "Zinc oxide-potassium ferricyanide composite thin film matrix for biosensing applications," *Analytica Chimica Acta*, **653**, pp. 212–216.

175. Liu, H., Hu, N., 2007, "Study on direct electrochemistry of glucose oxidase stabilized by cross-linking and immobilized in silica nanoparticle films," *Electroanalysis*, **19**, pp. 884–892.
176. Malitesta, C., Palmisano, F., Torsi, L., Zambonin, P. G., 1990, "Glucose fast-response amperometric sensor based on glucose-oxidase immobilized in an electropolymerized poly(ortho-phenylenediamine) film," *Analytical Chemistry*, **62**, pp. 2735–2740.
177. Netchiporouk, L. I., Shram, N. F., Jaffrezic-Renault, N., Martelet, C., Cespeglio, R., 1996, "In vivo brain glucose measurements differential normal pulse voltammetry with enzyme-modified carbon fiber microelectrodes," *Analytical Chemistry*, **68**, pp. 4358–4364.
178. Cosnier, S., 1999, "Biomolecule immobilization on electrode surfaces by entrapment or attachment to electrochemically polymerized films. A review," *Biosensors Bioelectronics*, **14**, pp. 443–456.
179. Pandey, P. C., Upadhyay, S., Pathak, H. C., 1999, "A new glucose sensor based on encapsulated glucose oxidase within organically modified sol-gel glass," *Sensor and Actuators B - Chemistry*, **60**, pp. 83–89.
180. Tatsu, Y., Yamashita, K., Yamaguchi, M., Yamamura, S., Yamamoto, H., Yoshikawa, S., 1992, "Entrapment of glucose oxidase in silica gel by the sol-gel method and its application to glucose sensor," *Chemistry Letters*, **21**, pp. 1615–1618.
181. Ansari, A. A., Solanki, P. R., Malhotra, B. D., 2008, "Sol-gel derived nanostructured cerium oxide film for glucose sensor," *Applied Physics Letters*, **92**, pp. 263901–263903.
182. Yu, J., Liu, S., Ju, H., 2003, "Glucose sensor for flow injection analysis of serum glucose based on immobilization of glucose oxidase in titania sol-gel membrane," *Biosensors Bioelectronics*, **19**, pp. 401–409.
183. Zhao, W., Xu, J. J., Chen, H. Y., 2006, "Electrochemical biosensors based on layer-by-layer assemblies," *Electroanalysis*, **18**, pp. 1737–1748.
184. Hou, S. F., Yang, K. S., Fang, H. Q., Chen, H. Y., 1998, "Amperometric glucose enzyme electrode by immobilizing glucose oxidase in multilayers on self-assembled monolayers surface," *Talanta*, **47**, pp. 561–567.
185. Hou, S.-F., Fang, H.-Q., Chen, H.-Y., 1997, "An amperometric enzyme electrode for glucose using immobilized glucose oxidase in a ferrocene attached poly(4-vinylpyridine) multilayer film," *Analytical Letters*, **30**, pp. 1631–1641.
186. Calvo, E. J., Danilowicz, C., Wolosiuk, A., 2002, "Molecular "wiring" enzymes in organized nanostructures," *Journal of American Chemical Society*, **124**, pp. 2452–2453.
187. Hodak, J., Etchenique, R., Calvo, E. J., Singhal, K., Bartlett, P. N., 1997, "Layer-by-layer self-assembly of glucose oxidase with a poly(allylamine) ferrocene redox mediator," *Langmuir*, **13**, pp. 2708–2716.
188. Liu, J., Tian, S., Knoll, W., 2005, "Properties of polyaniline/carbon nanotube multilayer films in neutral solution and their application for stable low-potential detection of reduced \hat{I}^2 -nicotinamide adenine dinucleotide," *Langmuir*, **21**, pp. 5596–5599.

189. Hoshi, T., Anzai, J.-I., Osa, T., 1995, "Controlled deposition of glucose oxidase on platinum electrode based on an avidin/biotin system for the regulation of output current of glucose sensors," *Analytical Chemistry*, **67**, pp. 770–774.
190. Bourdillon, C., Demaille, C., Moiroux, J., Saveant, J.-M., 1994, "Step-by-step immunological construction of a fully active multilayer enzyme electrode," *Journal of American Chemical Society*, **116**, pp. 10328–10329.
191. Sirkar, K., Revzin, A., Pishko, M. V., 2000, "Glucose and lactate biosensors based on redox polymer/oxidoreductase nanocomposite thin films," *Analytical Chemistry*, **72**, pp. 2930–2936.
192. Wang, Z. G., Wano, Y., Xu, H., Li, G., Xu, Z. K., 2009, "Carbon nanotube-filled nanofibrous membranes electrospun from poly(acrylonitrile-co-acrylic acid) for glucose biosensor," *Journal of Physical Chemistry – C*, **113**, pp. 2955–2960.
193. Ren, G., Xu, X., Liu, Q., Cheng, J., Yuan, X., Wu, L., Wan, Y., 2006, "Electrospun poly(vinyl alcohol)/glucose oxidase biocomposite membranes for biosensor applications," *Reactive Functional Polymers*, **66**, pp. 1559–1564.
194. Doretto, L., Ferrara, D., Gattolin, P., Lora, S., Schiavon, F., Veronese, F. M., 1998, "PEG-modified glucose oxidase immobilized on a PVA cryogel membrane for amperometric biosensor applications," *Talanta*, **45**, pp. 891–898.
195. Manesh, K. M., Kim, H. T., Santhosh, P., Gopalan, A. I., Lee, K. P., 2008, "A novel glucose biosensor based on immobilization of glucose oxidase into multiwall carbon nanotubes-polyelectrolyte-loaded electrospun nanofibrous membrane," *Biosensors Bioelectronics*, **23**, pp. 771–779.
196. Liu, Y., Chen, J., Anh, N. T., Too, C. O., Misoška, V., Wallace, G. G., 2008, "Nanofiber mats from DNA, SWNTs, and poly(ethylene oxide) and their application in glucose biosensors," *Journal of Electrochemical Society*, **155**, pp. K100–K103.
197. Aussawasathien, D., Dong, J. H., Dai, L., 2005, "Electrospun polymer nanofiber sensors," *Synthetic Metals*, **154**, pp. 37–40.
198. Jia, W.-Z., Wang, K., Xia, X.-H., 2010, "Elimination of electrochemical interferences in glucose biosensors," *TrAC Trends Analytical Chemistry*, **29**, pp. 306–318.
199. Choi, S. H., Lee, S. D., Shin, J. H., Ha, J., Nam, H., Cha, G. S., 2002, "Amperometric biosensors employing an insoluble oxidant as an interference-removing agent," *Analytica Chimica Acta*, **461**, pp. 251–260.
200. Cui, G., Kim, S. J., Choi, S. H., Nam, H., Cha, G. S., Paeng, K.-J., 2000, "A disposable amperometric sensor screen printed on a nitrocellulose strip a glucose biosensor employing lead oxide as an interference-removing agent," *Analytical Chemistry*, **72**, pp. 1925–1929.
201. Xu, J.-J., Luo, X.-L., Du, Y., Chen, H.-Y., 2004, "Application of MnO₂ nanoparticles as an eliminator of ascorbate interference to amperometric glucose biosensors," *Electrochemical Communications*, **6**, pp. 1169–1173.
202. Sasso, S. V., Pierce, R. J., Walla, R., Yacynych, A. M., 1990, "Electropolymerized 1,2-diaminobenzene as a means to prevent interferences and fouling and to stabilize immobilized enzyme in electrochemical biosensors," *Analytical Chemistry*, **62**, pp. 1111–1117.

203. Palmisano, F., Centonze, D., Guerrieri, A., Zambonin, P. G., 1993, "An interference-free biosensor based on glucose-oxidase electrochemically immobilized in a nonconducting poly(pyrrole) film for continuous subcutaneous monitoring of glucose through microdialysis sampling," *Biosensors Bioelectronics*, **8**, pp. 393–399.
204. Lukachova, L. V., Kotenikova, E. A., D'Ottavi, D., Shkerin, E. A., Karyakina, E. E., Moscone, D., Palleschi, G., Curulli, A., Karyakin, A. A., 2002, "Electrosynthesis of poly-o-diaminobenzene on the Prussian blue modified electrodes for improvement of hydrogen peroxide transducer characteristics," *Bioelectrochemistry*, **55**, pp. 145–148.
205. Zhang, Z., Liu, H., Deng, J., 1996, "A glucose biosensor based on immobilization of glucose oxidase in electropolymerized o-aminophenol film on platinized glassy carbon electrode," *Analytical Chemistry*, **68**, pp. 1632–1638.
206. Chen, X., Matsumoto, N., Hu, Y., Wilson, G. S., 2002, "Electrochemically mediated electrodeposition/electropolymerization to yield a glucose microbiosensor with improved characteristics," *Analytical Chemistry*, **74**, pp. 368–372.
207. Murphy, L. J., 1998, "Reduction of interference response at a hydrogen peroxide detecting electrode using electropolymerized films of substituted naphthalenes," *Analytical Chemistry*, **70**, pp. 2928–2935.
208. Emr, S. A., Yacynych, A. M., 1995, "Use of polymer-films in amperometric biosensors," *Electroanalysis*, **7**, pp. 913–923.
209. Sternberg, R., Bindra, D. S., Wilson, G. S., Thevenot, D. R., 1988, "Covalent enzyme coupling on cellulose-acetate membranes for glucose sensor development," *Analytical Chemistry*, **60**, pp. 2781–2786.
210. Muguruma, H., Hiratsuka, A., Karube, I., 2000, "Thin-film glucose biosensor based on plasma-polymerized film a simple design for mass production," *Analytical Chemistry*, **72**, pp. 2671–2675.
211. Jung, S.-K., Wilson, G. S., 1996, "Polymeric mercaptosilane-modified platinum electrodes for elimination of interferants in glucose biosensors," *Analytical Chemistry*, **68**, pp. 591–596.
212. Moussy, F., Jakeway, S., Harrison, D. J., Rajotte, R. V., 1994, "In vitro and in vivo performance and lifetime of perfluorinated ionomer-coated glucose sensors after high-temperature curing," *Analytical Chemistry*, **66**, pp. 3882–3888.
213. Wang, J., Wu, H., 1993, "Permselective lipid poly(o-phenylenediamine) coatings for amperometric biosensing of glucose," *Analytica Chimica Acta*, **283**, pp. 683–688.
214. Zhang, Y. N., Hu, Y. B., Wilson, G. S., Moattisirat, D., Poitout, V., Reach, G., 1994, "Elimination of the acetaminophen interference in an implantable glucose sensor," *Analytical Chemistry*, **66**, pp. 1183–1188.
215. Vaidya, R., Atanasov, P., Wilkins, E., 1995, "Effect of interference on the performance of glucose enzyme electrodes using Nafion® coatings," *Medical Engineering Physics*, **17**, pp. 416–424.
216. Rodríguez, M., Rivas, G., 2004, "Assembly of glucose oxidase and different polyelectrolytes by means of electrostatic layer-by-layer adsorption on thiolated gold surface," *Electroanalysis*, **16**, pp. 1717–1722.

54 NANOMATERIALS IN GLUCOSE SENSING

217. Shults, M. C., Capelli, C. C., Updike, S. J., 1991, "Biological fluid measuring device," US Patent No. 4994167.
218. Updike, S. J., Shults, M., Ekman, B., 1982, "Implanting the glucose enzyme electrode: problems, progress, and alternative solutions," *Diabetes Care*, **5**, pp. 207–212.
219. Wang, N., Burugapalli, K., Song, W., Halls, J., Moussy, F., Zheng, Y., Ma, Y., Wu, Z., Li, K., 2013, "Tailored fibro-porous structure of electrospun polyurethane membranes, their size-dependent properties and trans-membrane glucose diffusion," *Journal of Membrane Science*, **427**, pp. 207–217.
220. Wang, N., Burugapalli, K., Song, W., Halls, J., Moussy, F., Ray, A., Zheng, Y., 2013, "Electrospun fibro-porous polyurethane coatings for implantable glucose biosensors," *Biomaterials*, **34**, pp. 888–901.
221. Matsumoto, T., Furusawa, M., Fujiwara, H., Matsumoto, Y., Ito, N., 1998, "A micro-planar amperometric glucose sensor unsusceptible to interference species," *Sensor and Actuators B – Chemistry*, **49**, pp. 68–72.
222. Ward, W. K., Jansen, L. B., Anderson, E., Reach, G., Klein, J.-C., Wilson, G. S., 2002, "A new amperometric glucose microsensor: in vitro and short-term in vivo evaluation," *Biosensors Bioelectronics*, **17**, pp. 181–189.
223. Linke, B., Kerner, W., Kiwit, M., Pishko, M., Heller, A., 1994, "Amperometric biosensor for in vivo glucose sensing based on glucose oxidase immobilized in a redox hydrogel," *Biosensors Bioelectronics*, **9**, pp. 151–158.
224. Matsumoto, T., Ohashi, A., Ito, N., Fujiwara, H., Matsumoto, T., 2001, "A long-term lifetime amperometric glucose sensor with a perfluorocarbon polymer coating," *Biosensors Bioelectronics*, **16**, pp. 271–276.
225. Reddy, S. M., Vadgama, P., 2002, "Entrapment of glucose oxidase in non-porous poly(vinyl chloride)," *Analytica Chimica Acta*, **461**, pp. 57–64.
226. Chung, T. D., 2002, "In vitro evaluation of the continuous monitoring glucose sensors with perfluorinated tetrafluoroethylene coatings," *Bulletin of Korean Chemical Society*, **24**, pp. 514–516.
227. Moussy, F., Harrison, D. J., Rajotte, R. V., 1994, "A miniaturized Nafion-based glucose sensor in vitro and in vivo evaluation in dogs," *International Journal of Artificial Organs*, **17**, pp. 88–94.
228. Mercado, R. C., Moussy, F., 1998, "In vitro and in vivo mineralization of Nafion membrane used for implantable glucose sensors," *Biosensors Bioelectronics*, **13**, pp. 133–145.
229. Brauker, J. H., Carr-Brendel, V., Tapsak, M. A., 2012, "Porous membranes for use with implantable devices," US Patent No. 8118877.
230. Madaras, M. B., Popescu, I. C., Ufer, S., Buck, R. P., 1996, "Microfabricated amperometric creatine and creatinine biosensors," *Analytica Chimica Acta*, **319**, pp. 335–345.
231. Trzebinski, J., Moniz, A. R.-B., Sharma, S., Burugapalli, K., Moussy, F., Cass, A. E. G., 2011, "Hydrogel membrane improves batch-to-batch reproducibility of an enzymatic glucose biosensor," *Electroanalysis*, **23**, pp. 2789–2795.
232. Yu, B., Long, N., Moussy, Y., Moussy, F., 2006, "A long-term flexible minimally-invasive implantable glucose biosensor based on an epoxy-enhanced polyurethane membrane," *Biosensors Bioelectronics*, **21**, pp. 2275–2282.

233. Yu, B., Moussy, Y., Moussy, F., 2005, "Lifetime improvement of glucose biosensor by epoxy-enhanced PVC membrane," *Electroanalysis*, **17**, pp. 1771–1779.
234. Uehara, H., Kakiage, M., Sekiya, M., Sakuma, D., Yamonobe, T., Takano, N., Barraud, A., Meurville, E., Rysler, P., 2009, "Size-selective diffusion in nanoporous but flexible membranes for glucose sensors," *ACS Nano*, **3**, pp. 924–932.
235. Chu, M., Kudo, H., Shirai, T., Miyajima, K., Saito, H., Morimoto, N., Yano, K., Iwasaki, Y., Akiyoshi, K., Mitsubayashi, K., 2009, "A soft and flexible biosensor using a phospholipid polymer for continuous glucose monitoring," *Biomedical Microdevices*, **11**, pp. 837–842.
236. Chen, C.-Y., Ishihara, K., Nakabayashi, N., Tamiya, E., Karube, I., 1999, "Multifunctional biocompatible membrane and its application to fabricate a miniaturized glucose sensor with potential for use in vivo," *Biomedical Microdevices*, **1**, pp. 155–166.
237. Moussy, F., Jakeway, S., Harrison, D. J., Rajotte, R. V., 1994, "In-vitro and in-vivo performance and lifetime of perfluorinated ionomer-coated glucose sensors after high-temperature curing," *Analytical Chemistry*, **66**, pp. 3882–3888.
238. Harrison, D. J., Turner, R. F., Baltés, H. P., 1988, "Characterization of perfluorosulfonic acid polymer coated enzyme electrodes and a miniaturized integrated potentiostat for glucose analysis in whole blood," *Analytical Chemistry*, **60**, pp. 2002–2007.
239. Bruck, S. D., 1974, *Blood Compatible Synthetic Polymers*. Charles, C. T., ed, Springfield, IL, pp. 94.
240. Valdes, T. I., Moussy, F., 1999, "A ferric chloride pre-treatment to prevent calcification of Nafion membrane used for implantable biosensors," *Biosensors Bioelectronics*, **14**, pp. 579–585.
241. Galeska, I., Chattopadhyay, D., Moussy, F., Papadimitrakopoulos, F., 2000, "Calcification-resistant Nafion/Fe³⁺ assemblies for implantable biosensors," *Biomacromolecules*, **1**, pp. 202–207.
242. Yu, B., Ju, Y., West, L., Moussy, Y., Moussy, F., 2007, "An investigation of long-term performance of minimally invasive glucose biosensors," *Diabetes Technology and Therapeutics*, **9**, pp. 265–275.
243. Mang, A., Pill, J., Gretz, N., Kranzlin, B., Buck, H., Schoemaker, M., Petrich, W., 2005, "Biocompatibility of an electrochemical sensor for continuous glucose monitoring in subcutaneous tissue," *Diabetes Technology and Therapeutics*, **7**, pp. 163–173.
244. Galeska, I., Hickey, T., Moussy, F., Kreutzer, D., Papadimitrakopoulos, F., 2001, "Characterization and biocompatibility studies of novel humic acids based films as membrane material for an implantable glucose sensor," *Biomacromolecules*, **2**, pp. 1249–1255.
245. Tipnis, R., Vaddiraju, S., Jain, F., Burgess, D. J., Papadimitrakopoulos, F., 2007, "Layer-by-layer assembled semipermeable membrane for amperometric glucose sensors," *Journal of Diabetes Science and Technology*, **1**, pp. 193–200.

56 NANOMATERIALS IN GLUCOSE SENSING

246. Wisniewski, N., Klitzman, B., Miller, B., Reichert, W. M., 2001, "Decreased analyte transport through implanted membranes differentiation of bio-fouling from tissue effects," *Journal of Biomedical Materials Research*, **57**, pp. 513–521.
247. Brauker, J. H., Shults, M. C., Tapsak, M. A., 2004, "Membrane for use with implantable devices," US Patent No. 6702857.
248. Wisniewski, N., Moussy, F., Reichert, W. M., 2000, "Characterization of implantable biosensor membrane biofouling," *Fresenius J Analytical Chemistry*, **366**, pp. 611–621.
249. Wisniewski, N., Reichert, M., 2000, "Methods for reducing biosensor membrane biofouling," *Colloids and Surfaces – B*, **18**, pp. 197–219.
250. Vaddiraju, S., Tomazos, I., Burgess, D. J., Jain, F. C., Papadimitrakopoulos, F., 2010, "Emerging synergy between nanotechnology and implantable biosensors a review," *Biosensors Bioelectronics*, **25**, pp. 1553–1565.
251. Tang, L., Wu, Y., Timmons, R. B., 1998, "Fibrinogen adsorption and host tissue responses to plasma functionalized surfaces," *Journal of Biomedical Materials Research*, **42**, pp. 156–163.
252. Barbosa, J. N., Madureira, P., Barbosa, M. A., Águas, A. P., 2006, "The influence of functional groups of self-assembled monolayers on fibrous capsule formation and cell recruitment," *Journal of Biomedical Materials Research*, **76A**, pp. 737–743.
253. Krishnan, S., Weinman, C. J., Ober, C. K., 2008, "Advances in polymers for anti-biofouling surfaces," *Journal of Materials Chemistry*, **18**, pp. 3405–3413.
254. Moussy, F., Harrison, D. J., O'Brien, D. W., Rajotte, R. V., 1993, "Performance of subcutaneously implanted needle-type glucose sensors employing a novel trilayer coating," *Analytical Chemistry*, **65**, pp. 2072–2077.
255. Yu, B., Wang, C., Ju, Y. M., West, L., Harmon, J., Moussy, Y., Moussy, F., 2008, "Use of hydrogel coating to improve the performance of implanted glucose sensors," *Biosensors Bioelectronics*, **23**, pp. 1278–1284.
256. Dungal, P., Long, N., Yu, B., Moussy, Y., Moussy, F., 2008, "Study of the effects of tissue reactions on the function of implanted glucose sensors," *Journal of Biomedical Materials Research*, **85A**, pp. 699–706.
257. Quinn, C. A., Connor, R. E., Heller, A., 1997, "Biocompatible, glucose-permeable hydrogel for in situ coating of implantable biosensors," *Biomaterials*, **18**, pp. 1665–1670.
258. McKinley, B. A., Wong, K. C., Janata, J., Jordan, W. S., Westenskow, D. R., 1981, "In vivo continuous monitoring of ionized calcium in dogs using ion sensitive field effect transistors," *Critical Care Medicine*, **9**, pp. 333–339.
259. Margules, G. S., Hunter, C. M., MacGregor, D. C., 1983, "Hydrogel based in vivo reference electrode catheter," *Medical & Biological Engineering & Computing*, **21**, pp. 1–8.
260. Shimada, K., Yano, M., Shibatani, K., Komoto, Y., Esashi, M., Matsuo, T., 1980, "Application of catheter-tip i.s.f.e.t. for continuous in vivo measurement," *Medical & Biological Engineering & Computing*, **18**, pp. 741–745.
261. Ishihara, K., Tanaka, S., Furukawa, N., Nakabayashi, N., Kurita, K., 1996, "Improved blood compatibility of segmented polyurethanes by polymeric additives having phospholipid polar groups. I. Molecular design of polymeric

- additives and their functions," *Journal of Biomedical Materials Research*, **32**, pp. 391–399.
262. Yang, Y., Zhang, S. F., Kingston, M. A., Jones, G., Wright, G., Spencer, S. A., 2000, "Glucose sensor with improved haemocompatibility," *Biosensors Bioelectronics*, **15**, pp. 221–227.
263. Ishihara, K., Nakabayashi, N., Nishida, K., Sakakida, M., Shichiri, M., 1994, "New biocompatible polymer. diagnostic biosensor polymers," *ACS Symposium Series*, **556**, pp. 194–210.
264. Praveen, S. S., Hanumantha, R., Belovich, J. M., Davis, B. L., 2003, "Novel hyaluronic acid coating for potential use in glucose sensor design," *Diabetes Technology and Therapeutics*, **5**, pp. 393–399.
265. Saha, K., Pollock, J. F., Schaffer, D. V., Healy, K. E., 2007, "Designing synthetic materials to control stem cell phenotype," *Current Opinion in Chemical Biology*, **11**, pp. 381–387.
266. Lopez, C. A., Fleischman, A. J., Roy, S., Desai, T. A., 2006, "Evaluation of silicon nanoporous membranes and ECM-based microenvironments on neurosecretory cells," *Biomaterials*, **27**, pp. 3075–3083.
267. Papat, K. C., Eltgroth, M., LaTempa, T. J., Grimes, C. A., Desai, T. A., 2007, "Decreased staphylococcus epidermis adhesion and increased osteoblast functionality on antibiotic-loaded titania nanotubes," *Biomaterials*, **28**, pp. 4880–4888.
268. Sahlin, H., Contreras, R., Gaskill, D. F., Bjursten, L. M., Frangos, J. A., 2006, "Anti-inflammatory properties of micropatterned titanium coatings," *Journal of Biomedical Materials Research*, **77A**, pp. 43–49.
269. Ainslie, K. M., Tao, S. L., Papat, K. C., Desai, T. A., "In vitro immunogenicity of silicon-based micro- and nanostructured surfaces," *ACS Nano*, 2008, **2**, pp. 1076.
270. Desai, T. A., Hansford, D. J., Leoni, L., Essenpreis, M., Ferrari, M., 2000, "Nanoporous anti-fouling silicon membranes for biosensor applications," *Biosensors Bioelectronics*, **15**, pp. 453–462.
271. Striemer, C. C., Gaborski, T. R., McGrath, J. L., Fauchet, P. M., 2007, "Charge- and size-based separation of macromolecules using ultrathin silicon membranes" *Nature*, **445**, pp. 749–753.
272. Narayan, R. J., Aggarwal, R., Wei, W., Jin, C., Monteiro-Riviere, N. A., Crombez, R., Shen, W., 2008, "Mechanical and biological properties of nanoporous carbon membranes," *Biomedical Materials*, **3**, pp. 034107.
273. Khun, N. W., Liu, E., Yang, G. C., Ma, W. G., Jiang, S. P., 2009, "Structure and corrosion behavior of platinum/ruthenium/nitrogen doped diamond-like carbon thin films," *Journal of Applied Physics*, **106**, pp. 13506–13515.
274. Maalouf, R., Chebib, H., Saikali, Y., Vittori, O., Sigaud, M., Garrelie, F., Donnet, C., Jaffrezic-Renault, N., 2007, "Characterization of different diamond-like carbon electrodes for biosensor design," *Talanta*, **72**, pp. 310–314.
275. Onuki, Y., Bhardwaj, U., Papadimitrakopoulos, F., Burgess, D. J., 2008, "A review of the biocompatibility of implantable devices current challenges to overcome foreign body response," *Journal of Diabetes Science and Technology*, **2**, pp. 1003–1015.

276. Brauker, J. H., Carr-Brendel, V. E., Martinson, L. A., Crudele, J., Johnston, W. D., Johnson, R. C., 1995, "Neovascularization of synthetic membranes directed by membrane microarchitecture," *Journal of Biomedical Materials Research*, **29**, pp. 1517–1524.
277. Koschwanetz, H. E., Yap, F. Y., Klitzman, B., Reichert, W. M., 2008, "In vitro and in vivo characterization of porous poly-L-lactic acid coatings for subcutaneously implanted glucose sensors," *Journal of Biomedical Materials Research*, **87**, pp. 792–807.
278. Sharkawy, A. A., Klitzman, B., Truskey, G. A., Reichert, W. M., 1997, "Engineering the tissue which encapsulates subcutaneous implants. I. Diffusion properties," *Journal of Biomedical Materials Research*, **37**, pp. 401–412.
279. Sharkawy, A. A., Klitzman, B., Truskey, G. A., Reichert, W. M., 1998, "Engineering the tissue which encapsulates subcutaneous implants. III. Effective tissue response times," *Journal of Biomedical Materials Research*, **40**, pp. 598–605.
280. Sharkawy, A. A., Klitzman, B., Truskey, G. A., Reichert, W. M., 1998, "Engineering the tissue which encapsulates subcutaneous implants. II. Plasma-tissue exchange properties," *Journal of Biomedical Materials Research*, **40**, pp. 586–597.
281. Ward, W. K., Slobodzian, E. P., Tiekotter, K. L., Wood, M. D., 2002, "The effect of microgeometry, implant thickness and polyurethane chemistry on the foreign body response to subcutaneous implants," *Biomaterials*, **23**, pp. 4185–4192.
282. Shults, M. C., Updike, S. J., Rhodes, R. K., Gilligan, B. J., Tapsak, M. A., 2005, "Device and method for determining analyte levels," US Patent No. 6862465.
283. Ju, Y. M., Yu, B., Koob, T. J., Moussy, Y., Moussy, F., 2008, "A novel porous collagen scaffold around an implantable biosensor for improving biocompatibility. I. In vitro/in vivo stability of the scaffold and in vitro sensitivity of the glucose sensor with scaffold," *Journal of Biomedical Materials Research*, **87A**, pp. 136–146.
284. Ju, Y. M., Yu, B., West, L., Moussy, Y., Moussy, F., 2010, "A novel porous collagen scaffold around an implantable biosensor for improving biocompatibility. II. Long-term in vitro/in vivo sensitivity characteristics of sensors with NDGA- or GA-crosslinked collagen scaffolds," *Journal of Biomedical Materials Research*, **92A**, pp. 650–658.
285. Sanders, J. E., Cassisi, D. V., Neumann, T., Gollledge, S. L., Zachariah, S. G., Ratner, B. D., Bale, S. D., 2003, "Relative influence of polymer fiber diameter and surface charge on fibrous capsule thickness and vessel density for single-fiber implants," *Journal of Biomedical Materials Research*, **65A**, pp. 462–467.
286. Burugapalli, K., Wang, N., Wijesuriya, S., Song, W., Moussy, F., 2012, "Electrospun membrane coated glucose biosensor – in vivo efficacy," *9th World Biomaterials Congress*, Chengdu, China.
287. "Diabetes Atlas", 2009, 4th edn, International Diabetes Federation, Brussels.
288. Malmberg, K., Ryden, L., Mellbin, L., 2010, "Managing cardiovascular risk in patients with type 2 diabetes – challenges and opportunities," *European Cardiology*, **6**, pp. 31–35.

289. Diabetes.org, "Diabetes-Prevalence", 2013, <http://www.diabetes.org.uk/Professionals/Publications-reports-and-resources/Reports-statistics-and-case-studies/Reports/Diabetes-prevalence-2012-March-2013/>.
290. Cash, K. J., Clark, H. A., 2010, "Nanosensors and nanomaterials for monitoring glucose in diabetes," *Trends in Molecular Medicine*, **16**, pp. 584–593.
291. Zenkl, G., Mayr, T., Klimant, I., 2008, "Sugar-responsive fluorescent nanospheres," *Macromolecular Bioscience*, **8**, pp. 146–152.
292. Zenkl, G., Klimant, I., 2009, "Fluorescent acrylamide nanoparticles for boric acid based sugar sensing from probes to sensors," *Microchimica Acta*, **166**, pp. 123–131.
293. Billingsley, K., Balaconis, M. K., Dubach, J. M., Zhang, N., Lim, E., Francis, K. P., Clark, H. A., 2010, "Fluorescent nano-optodes for glucose detection," *Analytical Chemistry*, **82**, pp. 3707–3713.
294. Saxl, T., Khan, F., Matthews, D. R., Zhi, Z. L., Rolinski, O., Ameer-Beg, S., Pickup, J., 2009, "Fluorescence lifetime spectroscopy and imaging of nano-engineered glucose sensor microcapsules based on glucose/galactose-binding protein," *Biosensors Bioelectronics*, **24**, pp. 3229–3234.
295. Chinnayelka, S., McShane, M. J., 2004, "Glucose-sensitive nanoassemblies comprising affinity-binding complexes trapped in fuzzy microshells," *Journal of Fluorescence*, **14**, pp. 585–595.
296. Chinnayelka, S., Zhu, H., McShane, M., 2008, "Near-infrared resonance energy transfer glucose biosensors in hybrid microcapsule carriers," *Journal of Sensors*, **2008**, 346016 pp. 1–11.
297. Scodeller, P., Flexer, V., Szamocki, R., Calvo, E. J., Tognalli, N., Troiani, H., Fainstein, A., 2008, "Wired-enzyme core-shell Au nanoparticle biosensor," *Journal of American Chemical Society*, **130**, pp. 12690–12697.
298. Lyandres, O., Yuen, J. M., Shah, N. C., Van Duyne, R. P., Walsh, J. T., Glucksberg, M. R., 2008, "Progress toward an in vivo surface-enhanced Raman spectroscopy glucose sensor," *Diabetes Technology and Therapeutics*, **10**, pp. 257–265.
299. Barone, P. W., Strano, M. S., 2009, "Single walled carbon nanotubes as reporters for the optical detection of glucose," *Journal of Diabetes Science and Technology*, **3**, pp. 242–252.
300. Barone, P. W., Yoon, H., Ortiz-Garcia, R., Zhang, J., Ahn, J. H., Kim, J. H., Strano, M. S., 2009, "Modulation of single-walled carbon nanotube photoluminescence by hydrogel swelling," *ACS Nano*, **3**, pp. 3869–3877.
301. Li, Y., Liu, X., Yuan, H., Xiao, D., 2009, "Glucose biosensor based on the room-temperature phosphorescence of TiO₂/SiO₂ nanocomposite," *Biosensors Bioelectronics*, **24**, pp. 3706–3710.
302. Tominaga, M., Shimazoe, T., Nagashima, M., Taniguchi, I., 2005, "Electrocatalytic oxidation of glucose at gold nanoparticle-modified carbon electrodes in alkaline and neutral solutions," *Electrochemical Communications*, **7**, pp. 189–193.
303. Holt-Hindle, P., Nigro, S., Asmussen, M., Chen, A., 2008, "Amperometric glucose sensor based on platinum-iridium nanomaterials," *Electrochemical Communications*, **10**, pp. 1438–1441.

