
References

- [1] Villanueva, R. D., Sousa, A. M. M., Gonçalves, M. P., Nilsson, M., and Hilliou, L., 2010, "Production and Properties of Agar from the Invasive Marine Alga, *Gracilaria vermiculophylla* (Gracilariales, Rhodophyta)," *Journal of Applied Phycology*, 22, pp. 211–220.
- [2] McHugh, D. J., 2003, "A Guide to the Seaweed Industry," *FAO fisheries technical paper*, No. 441, Rome, pp. 20–72.
- [3] Jeon, Y., Athukorala, Y., and Lee, J., 2005, "Characterization of Agarose Product from Agar Using DMSO," *Algae*, 20, pp. 61–67.
- [4] Saude, N., Chèze-Lange, H., Beunard, D., Dhulster, P., Guillochon, D., Cazé, A. M., Morcellet, M., and Junter, G. A., 2002, "Alginate Production by *Azotobacter vinelandii* in a Membrane Bioreactor," *Process Biochemistry*, 38, pp. 273–278.
- [5] Chawla, P. R., Ishwar, B., Bajaj, I. B., Survase, S. A., and Singhal, R. S., 2009, "Microbial Cellulose: Fermentative Production and Applications," *Food Technology and Biotechnology*, 47, pp. 107–124.
- [6] Nwe, N., Furuike, T., and Tamura, H., 2011, "Chitosan from Aquatic and Terrestrial Organisms and Microorganisms: Production, Properties and Applications," *Biodegradable Materials: Production, Properties and Applications*, B. M. Johnson, Z. E. Berkel, eds., Nova Science, Hauppauge, NY, Chapter 2, pp. 29–50.
- [7] Nwe, N., Furuike, T., and Tamura, H., 2011, "Chitin and Chitosan from Terrestrial Organisms," *Chitin, Chitosan, Oligosaccharides and Their Derivatives: Biological Activities and Applications*, S. K. Kim, ed., CRC press, Taylor & Francis Group, New York, pp. 3–10.
- [8] Nwe, N., Furuike, T., and Tamura, H., 2011, "Production, Properties and Applications of Fungal Cell Wall Polysaccharides: Chitosan and Glucan," *Advances in Polymer Science*, 244, pp. 187–208.
- [9] Nwe, N., Furuike, T., and Tamura, H., 2010, "Production of Fungal Chitosan by Enzymatic Method and Applications in Plant Tissue Culture and Tissue Engineering: 11 years of Our Progress, Present Situation and Future Prospects," *Biopolymers*, M. Elnashar, ed., Rijeka, SCIYO, pp. 135–162.
- [10] Nwe, N., Furuike, T., Osaka, I., Fujimori, H., Kawasaki, H., Arakawa, R., Tokura, S., Stevens, W. F., Kurozumi, S., Takamori, Y., Fukuda, M., and Tamura, H., 2011, "Laboratory Scale Production of ¹³C labeled Chitosan by Fungi *Absidia coerulea* and *Gongronella butleri* Grown in Solid Substrate and Submerged Fermentation," *Carbohydrate Polymers*, 84, pp. 743–750.
- [11] Nwe, N., Furuike, T., and Tamura, H., 2013, "Isolation and Characterization of Chitin and Chitosan as Potential Biomaterials," *Marine Biomaterials: Characterization, Isolation and Applications*, S. K. Kim, ed., CRC press, Taylor & Francis Group, New York, pp. 45–60.
- [12] Olukunle, O. J., and Olukunle, O. F., 2007, "Development of a Sustainable System for Cassava Starch Extraction," *Conference on International Agricultural Research for Development*, University of Göttingen, October 9–11.
- [13] Grote, J., 2008, "Biopolymer Materials Show Promise for Electronics and Photonics Applications," *Proc. SPIE*, DOI 10.1117/2.1200805.1082.
- [14] Prather, K. J., Sagar, S., Murphy, J., and Chartrain, M., 2003, "Industrial Scale Production of Plasmid DNA for Vaccine and Gene Therapy: Plasmid Design, Production, and Purification," *Enzyme and Microbial Technology*, 33, pp. 865–888.

- [15] Nwe, N., He, Q., Damrongwatanapokin, S., Du, Q., Manopo, I., Limlamthong, Y., Fenner, B. J., Spencer, L., and Kwang, J., 2006, "Expression of Hemagglutinin Protein from the Avian Influenza Virus H5N1 in a Baculovirus/insect Cell System Significantly Enhanced by Suspension Culture," *BMC Microbiology*, 6, p. 16.
- [16] Aye, K. N., Nwe, N., and Stevens, W. F., 2004, "Chitin Deacetylase Enzyme from *Rhizopus oryzae*," *Proceeding of 6th Asia Pacific Chitin and Chitosan Symposium*, May 23–26, Singapore, S4-1.
- [17] Pasupuleti, V. K., and Braun, S., 2010, "State of the Art Manufacturing of Protein Hydrolysates," V. K. Pasupuleti and A. L. Demain (eds.), *Protein Hydrolysates in Biotechnology*, Chapter 2, pp. 11–32.
- [18] Istini, S., Ohno, M., and Kusunose, H., 1994, "Methods of Analysis for Agar, Carrageenan and Alginate in Seaweed," *Bulletin of Marine Science and Fisheries*, Kochi Univ, 14, pp. 49–55.
- [19] Necas, J., and Bartosikova, L., 2013, "Carrageenan: A Review," *Veterinarni Medicina*, 58, pp. 187–205.
- [20] Eichhorn, S. J., Dufresne, A., Aranguren, M., Marcovich, N. E., Capadona, J. R., Rowan, S. J., Weder, C., Thielemans, W., Roman, M., Renneckar, S., Gindl, W., Veigel, S., Keckes, J., Yano, H., Abe, K., Nogi, M., Nakagaito, A. N., Mangalam, A., Simonsen, J., Benight, A. S., Bismarck, A., Berglund, L. A., and Peijs, T., 2010, "Review: Current International Research into Cellulose Nanofibres and Nanocomposites," *Journal of Materials Science*, 45, pp. 1–33.
- [21] Robyt, J. F., 2008, "Starch: Structure, Properties, Chemistry, and Enzymology," *Glycoscience*, pp. 1437–1472.
- [22] Watson, J. D., and Crick, F. H. C., 1953, "The Structure of DNA," *Cold Spring Harbor Symposia on Quantitative Biology*, 18, pp. 123–131.
- [23] Ramos, L. A., Morgado, D. L., Gessner, F., Frollini, E., and Seoud, O. A. E., 2011, "A Physical Organic Chemistry Approach to Dissolution of Cellulose: Effects of Cellulose Mercerization on Its Properties and on the Kinetics of Its Decrystallization," *Organic Chemistry in Argentina*, 7, pp. 416–425.
- [24] Swatloski, R. P., Spear, S. K., Holbrey, J. D., and Rogers, R. D., 2002, "Dissolution of Cellulose with Ionic Liquids," *Journal of American Chemical Society*, 124, pp. 4974–4975.
- [25] Olsson, C., and Westman, G., 2013, "Direct Dissolution of Cellulose: Background, Means and Applications," *Cellulose – Fundamental Aspects*, Chapter 6, pp. 143–178.
- [26] Lu, X., and Shen, X., 2011, "Solubility of Bacteria Cellulose in Zinc Chloride Aqueous Solutions," *Carbohydrate Polymers*, 86, pp. 239–244.
- [27] Costa, L. M. M., Olyveira, G. M., Basmaji, P., and Filho, L. X., 2012, "Nanopores Structure in Electrospun Bacterial Cellulose," *Journal of Biomaterials and Nanobiotechnology*, 3, pp. 92–96.
- [28] Biswas, A., Shogren, R. L., Stevenson, D. G., Willett, J. L., and Bhowmik, P. K., 2006, "Ionic Liquids as Solvents for Biopolymers: Acylation of Starch and Zein Protein," *Carbohydrate Polymers*, 66, pp. 546–550.
- [29] Zdanowicz, M., and Spychaj, T., 2011, "Ionic Liquids as Starch Plasticizers or Solvents," *Polimery*, 56, pp. 861–864.
- [30] Houen, G., Svaerke, C., and Barkholt, V., 1999, "The Solubilities of Denatured Proteins in Different Organic Solvents," *Acta Chemica Scandinavica*, 53, pp. 1122–1126.
- [31] Uzuhashi, Y., and Nishinari, K., 2003, "Physicochemical Properties of Agar and Its Utilization in Food and Related Industry," *Foods Food Ingredients J. Jpn*, 208, No. 10.

- [32] Rochas, C., and Lahaye, M., 1989, "Average Molecular Weight and Molecular Weight Distribution of Agarose and Agarose-type Polysaccharides," *Carbohydrate Polymers*, 10, pp. 289–298.
- [33] Parthiban, C., Parameswari, K., Saranya, C., Hemalatha, A., and Anantharaman, P., 2012, "Production of Sodium Alginate from Selected Seaweeds and Their Physiochemical and Biochemical Properties," *Asian Pacific Journal of Tropical Biomedicine*, pp. 1–4.
- [34] Chandumpa, A., Singhpibulporn, N., Faroongsarng, D., and Sornprasit, P., 2004, "Preparation and Physico-chemical Characterization of Chitin and Chitosan from the Pens of the Squid Species, *Loligo lessoniana* and *Loligo formosana*," *Carbohydrate Polymers*, 58, pp. 467–474.
- [35] Aprianita, A., Purwandari, U., Watson, B., and Vasiljevic, T., 2009, "Physico-chemical Properties of Flours and Starches from Selected Commercial Tubers Available in Australia," *International Food Research Journal*, 16, pp. 507–520.
- [36] Xie, Y., Yan, M., Yuan, S., Sun, S., and Huo, Q., 2013, "Effect of Microwave Treatment on the Physicochemical Properties of Potato Starch Granules," *Chemistry Central Journal*, 7, p. 113.
- [37] Millard, M. M., Dintzis, F. R., Willett, J. L., and Klavons, J. A., 1997, "Light-scattering Molecular Weights and Intrinsic Viscosities of Processed Waxy Maize Starches in 90% Dimethyl Sulfoxide and H₂O," *Carbohydrates*, 74, pp. 687–691.
- [38] Blin, N., and Stafford, D. W., 1976, "A General Method for Isolation of High Molecular Weight DNA from Eukaryotes," *Nucleic Acids Research*, 3, pp. 2303–2308.
- [39] Schmitz, O., Boison, G., Salzmann, H., Bothe, H., Schu, K., Wang, S., and Happe, T., 2002, "HoxE—A Subunit Specific for the Pentameric Bidirectional Hydrogenase Complex (HoxEFUYH) of Cyanobacteria," *Biochimica et Biophysica Acta*, 1554, pp. 66–74.
- [40] Tiyaboonchai, W., 2003, "Chitosan Nanoparticles: A Promising System for Drug Delivery," *Naresuan University Journal*, 11, pp. 51–66.
- [41] Moradhaseli, S., Mirakabadi, A. Z., Sarzaeem, A., Mohammadpour Dounighi, N., Soheily, S., and Borumand, M. R., 2013, "Preparation and Characterization of Sodium Alginate Nanoparticles Containing ICD-85 (Venom Derived Peptides)," *International Journal of Innovation and Applied Studies*, 4, No. 3 Nov., pp. 534–542.
- [42] Salamanca, A. E., Diebold, Y., Calonge, M., Garcíá-Vazquez, C., Callejo, S., Vila, A., and Alonso, M. J., 2006, "Chitosan Nanoparticles as a Potential Drug Delivery System for the Ocular Surface: Toxicity, Uptake Mechanism and in Vivo Tolerance," *Investigative Ophthalmology & Visual Science*, 47, pp. 1416–1425.
- [43] Rampino, A., Borgogna, M., Blasi, P., Bellich, B., and Cesàro, A., 2013, "Chitosan Nanoparticles: Preparation, Size Evolution and Stability," *International Journal of Pharmaceutics*, 455, pp. 219–228.
- [44] Tokatlian, T., and Segura, T., 2010, "siRNA Applications in Nanomedicine," *Nanomed Nanobiotechnol*, 2, pp. 305–315.
- [45] Malhotra, M., Tomaro-Duchesneau, C., Saha, S., and Prakash, S., 2013, "Systemic siRNA Delivery via Peptide-tagged Polymeric Nanoparticles, Targeting PLK1 Gene in a Mouse Xenograft Model of Colorectal Cancer," *International Journal of Biomaterials*, 2013, Article ID 252531, <http://dx.doi.org/10.1155/2013/252531>.
- [46] Tamura, H., Tsurata, Y., and Tokura, S., 2002, "Preparation of Chitosan-coated Alginate Filament," *Material Science and Engineering*, C20, pp. 143–147.

- [47] Tamura, H., Tsuruta, Y., Itoyama, K., Worakitkanchanakul, W., Rujiravanit, R., and Tokura, S., 2004, "Preparation of Chitosan Filament Applying New Coagulation System," *Carbohydrate Polymers*, 56, pp. 205–211.
- [48] Bhattarai, N., Edmondson, D., Veisoh, O., Matsen, F. A., and Zhang, M., 2005, "Electrospun Chitosan-based Nanofibers and Their Cellular Compatibility," *Biomaterials*, 26, pp. 6176–6184.
- [49] Nwe, N., Furuike, T., and Tamura, H., 2010, "Selection of a Biopolymer Based on Attachment, Morphology and Proliferation of Fibroblast NIH/3T3 Cells for the Development of a Biodegradable Tissue Regeneration Template: Alginate, Bacterial Cellulose and Gelatin," *Process Biochemistry*, 45, pp. 457–466.
- [50] Clasen, C., Wilhelms, T., and Kulicke, W. M., 2006, "Formation and Characterization of Chitosan Membranes," *Biomacromolecules*, 7, pp. 3210–3222.
- [51] Nwe, N., and Stevens, W. F., 2008, "Preparation and Characteristics of Chitosan Scaffolds for Tissue Engineering," In: *Recent Research in Biomedical Aspects of Chitin and Chitosan*, H. Tamura, ed., Research Signpost, ISBN 978-81-308-0254-1, India, pp. 57–68.
- [52] Nwe, N., and Stevens, W. F., 2008, "Production of Chitin and Chitosan and Their Applications in the Medical and Biological Sector," In: *Recent Research in Biomedical Aspects of Chitin and Chitosan*, H. Tamura, ed., Research Signpost, ISBN 978-81-308-0254-1, India, pp. 161–176.
- [53] Nwe, N., Furuike, T., and Tamura, H., 2009, "The Mechanical and Biological Properties of Chitosan Scaffolds for Tissue Regeneration Templates are Significantly Enhanced by Chitosan from *Gongronella butleri*," *Materials*, 2, pp. 374–398.
- [54] Katoh, K., Tanabe, T., and Yamauchi, K., 2004, "Novel Approach to Fabricate Keratin Sponge Scaffolds with Controlled Pore Size and Porosity," *Biomaterials*, 25, pp. 4255–4262.
- [55] Ghosh, S., Gutierrez, V., Fernández, C., Rodriguez-Perez, M. A., Viana, J. C., Reis, R. L., and Mano, J. F., 2008, "Dynamic Mechanical Behavior of Starch-based Scaffolds in Dry and Physiologically Simulated Conditions: Effect of Porosity and Pore Size," *Acta Biomaterialia*, 4, pp. 950–959.
- [56] Kasten, P., Beyen, I., Niemeyer, P., Luginbühl, R., Böhner, M., and Richter, W., 2008, "Porosity and Pore Size of beta-tricalcium Phosphate Scaffold can Influence Protein Production and Osteogenic Differentiation of Human Mesenchymal Stem Cells: An in Vitro and in Vivo Study," *Acta Biomaterialia*, 4, pp. 1904–1915.
- [57] Shi, X., Sitharaman, B., Pham, Q. P., Liang, F., Wu, K., Billups, W. E., Wilson, L. J., and Mikos, A. G., 2007, "Fabrication of Porous Ultra-short Single-walled Carbon Nanotube Nanocomposite Scaffolds for Bone Tissue Engineering," *Biomaterials*, 28, pp. 4078–4090.
- [58] Oh, S. H., Park, I. K., Kim, J. M., and Lee, J. H., 2007, "In Vitro and in Vivo Characteristics of PCL Scaffolds with Pore Size Gradient Fabricated by a Centrifugation Method," *Biomaterials*, 28, pp. 1664–1671.
- [59] Rhim, J. W., Hong, S. I., Park, H. M., and Ng, P. K. W., 2006, "Preparation and Characterization of Chitosan-based Nanocomposite Films with Antimicrobial Activity," *Journal of Agricultural and Food Chemistry*, 54, pp. 5814–5822.
- [60] Pandey, S., Goswami, G. K., and Nanda, K. K., 2012, "Green Synthesis of Biopolymer-silver Nanoparticle Nanocomposite: An Optical Sensor for Ammonia Detection," *International Journal of Biological Macromolecules*, 51, pp. 583–589.
- [61] Muthuswamy, E., Sree Ramadevi, S., Vasani, H. N., Garcia, C., Noé, L., and Verelst, M., 2007, "Highly Stable Ag Nanoparticles in Agar-agar Matrix as Inorganic-organic Hybrid," *Journal of Nanoparticle Research*, 9, pp. 561–567.

- [62] Ghosh, S., Kaushik, R., Nagalakshmi, K., Hoti, S. L., Menezes, G. A., Harish, B. N., and Vasani, H. N., 2010, "Antimicrobial Activity of Highly Stable Silver Nanoparticles Embedded in Agar-agar Matrix as a Thin Film," *Carbohydrate Research*, 345, pp. 2220–2227.
- [63] Sakai, S., Hashimoto, I., and Kawakami, K., 2008, "Production of Cell-enclosing Hollow-core Agarose Microcapsules via Jetting in Water-immiscible Liquid Paraffin and Formation of Embryoid Body-like Spherical Tissues from Mouse ES Cells Enclosed within These Microcapsules," *Biotechnology and Bioengineering*, 99, pp. 235–243.
- [64] Wang, N., and Wu, X. S., 1997, "Preparation and Characterization of Agarose Hydrogel Nanoparticles for Protein and Peptide Drug Delivery," *Pharmaceutical Development and Technology*, 2, pp. 135–142.
- [65] Asadi, A., 2013, "Streptomycin-loaded PLGA-alginate Nanoparticles: Preparation, Characterization, and Assessment," *Applied Nanoscience*, DOI 10.1007/s13204-013-0219-8.
- [66] Mahdavinia, G. R., and Zhalebaghy, R., 2012, "Removal Kinetic of Cationic Dye Using Poly (Sodium Acrylate)-Carrageenan/Na-Montmorillonite Nanocomposite Superabsorbents," *Journal of Materials and Environmental Science*, 3, pp. 895–906.
- [67] Ioelovich, M., 2008, "Cellulose as a Nanostructured Polymer," *Bioresources*, 3, pp. 1403–1418.
- [68] Pal, K., Banthia, A. K., and Majumdar, D. K., 2006, "Preparation of Transparent Starch Based Hydrogel Membrane with Potential Application as Wound Dressing," *Trends in Biomaterials and Artificial Organs*, 20, pp. 59–67.
- [69] Gaur, M. S., and Gaur, K., 2010, "Spontaneous Current Study in Wheat Starch Nano Powder," *Acta Physica Polonica A*, 117, pp. 945–948.
- [70] Chen, Z., Schols, H. A., and Voragen, A. G. J., 2003, "Starch Granule Size Strongly Determines Starch Noodle Processing and Noodle Quality," *Journal of Food Science*, 68, pp. 1584–1589.
- [71] Grommers, H. E., and van der Krogt, D. A., 2009, "Potato Starch: Production, Modifications and Uses," *Starch: Chemistry and Technology*, J. BeMiller, and R. Whistler, eds., Chapter 11, pp. 511–539.
- [72] Vasanthan, T., and Hoover, R., 2009, "Barley Starch: Production, Properties, Modification and Uses," *Starch: Chemistry and Technology*, J. BeMiller, and R. Whistler, eds., Chapter 16, pp. 601–628.
- [73] Lin, N., Huang, J., Chang, P. R., Anderson, D. P., and Yu, J., 2011, "Preparation, Modification, and Application of Starch Nanocrystals in Nanomaterials: A Review," *Journal of Nanomaterials*, 2011, Article ID 573687, doi:10.1155/2011/573687.
- [74] Salgado, A. J., Coutinho, O. P., and Reis, R. L., 2004, "Novel Starch-based Scaffolds for Bone Tissue Engineering: Cytotoxicity, Cell Culture, and Protein Expression," *Tissue Engineering*, 10, pp. 465–74.
- [75] Shi, Q., Tiera, M. J., Zhang, X., Dai, K., Benderdour, M., and Fernandes, J. C., 2011, "Chitosan-DNA/siRNA Nanoparticles for Gene Therapy," *Non-Viral Gene Therapy*, X. Yuan, ed., ISBN: 978-953-307-538-9, <http://www.intechopen.com/books/non-viral-genetherapy/chitosan-dna-sirna-nanoparticles-for-gene-therapy>.
- [76] Heuer-Jungemann, A., Harimech, P. K., Brown, T., and Kanaras, A. G., 2013, "Gold Nanoparticles and Fluorescently-labelled DNA as a Platform for Biological Sensing," *Nanoscale*, 5, pp. 9503–9510.
- [77] Lohcharoenkal, W., Wang, L., Chen, Y. C., and Rojanasakul, Y., 2014, "Protein Nanoparticles as Drug Delivery Carriers for Cancer Therapy," *BioMed Research International*, 2014, Article ID 180549, <http://dx.doi.org/10.1155/2014/180549>.

About the author

NITAR NWE, biochemist was born in Mawlamyine, Myanmar on 1971. She is daughter of Mr. Hla Pe and Mrs. Hla Thein. She received BSc in Chemistry with honours from Yangon University, Myanmar on 1995. She received MSc from Bioprocess Technology Program, School of Environment, Resources and Development, Asian Institute of Technology, Pathumthani, Thailand on 1997. She received PhD in Technical Science from Bioprocess Technology Program, School of Environment, Resources and Development, Asian Institute of Technology, Pathumthani, Thailand on 2002. From 1997 to 2004, she was as a Researcher in Bioprocess Technology Program, School of Environment, Resources and Development, Asian Institute of Technology, Pathumthani, Thailand. From 2004 to 2006, she was as a Research Officer in Temasek Life Science Laboratory, National University of Singapore, Singapore. From 2006 to 2010, she was as a Postdoctoral fellow in Faculty of Chemistry, Materials and Bioengineering, Kansai University, Osaka, Suita, Japan. From 2007 to 2009, she was a JSPS Postdoctoral Fellow, Japan Society for the Promotion of Science, Tokyo, Japan. From 2011–present, she is a Founder and Research Scientist of Dukkha Life Science Laboratory (under registration process), Thanlyin, Yangon, Myanmar. From 2012 to present, she is a Consultant in Shan Maw Myae Company, Yangon, Myanmar. From 2013 to 2014, she was a trainer and at present she is a Research Scientist in an Ecological Laboratory, Advancing Life and Regenerating Motherland, Yangon, Myanmar. Her research interest is production of biopolymers from natural resources and applications of biopolymers.

