
References

1. International Atomic Energy Agency, 2015, "Energy, Electricity and Nuclear Power Estimates for the Period up to 2050," Reference Data Series No. 1, 2015 Edition, IAEA, Vienna. <http://www-pub.iaea.org/books/IAEABooks/10939/Energy-Electricity-and-Nuclear-Power-Estimates-for-the-Period-up-to-2050-2015-Edition>
2. Nuclear Energy Institute, 2015, "Nuclear Energy: America's Low-Carbon Electricity Leader," Fact Sheet. Available at: <http://www.nei.org/Master-Document-Folder/Backgrounders/Fact-Sheets/Nuclear-Energy-America-s-Low-Carbon-Electricity-Le>
3. Kemeny, J. G. et al., 1979, "The Accident at Three Mile Island – The Need for Change: The Legacy of TMI," Report of the President's Commission, October. <http://www.threemileisland.org/downloads/188.pdf>
4. Henry, R. E., 2011, "*TMI-2: An Event in Accident Management for Light-Water-Moderated Reactors*," American Nuclear Society, La Grange Park, IL.
5. U.S. Nuclear Regulatory Commission, 2013, "Backgrounder on the Three Mile Island Accident," USNRC web site. <http://www.nrc.gov/reading-rm/doc-collections/fact-sheets/3mile-isle.pdf>
6. World Nuclear Association, 2012, "Three Mile Island Accident," WNA web site. <http://www.world-nuclear.org/information-library/safety-and-security/safety-of-plants/three-mile-island-accident.aspx>
7. International Nuclear Safety Advisory Group, 1992, "INSAG-7, The Chernobyl Accident: Updating of INSAG-1," Safety Series No. 75-INSAG-7, International Atomic Energy Agency, Vienna.
8. World Nuclear Association, 2016, "Chernobyl Accident 1986," WNA web site. <http://www.world-nuclear.org/information-library/safety-and-security/safety-of-plants/chernobyl-accident.aspx>
9. United States Government Accountability Office, 2015, "Technology Assessment: Nuclear Reactors: Status and Challenges in Development and Deployment of New Commercial Concepts," GAO-15-652. <http://www.gao.gov/products/GAO-15-652>

10. U.S. Nuclear Regulatory Commission, 2015, "The Pressurized Water Reactor (PWR)," USNRC web site. <http://www.nrc.gov/reading-rm/basic-ref/students/animated-pwr.html>
11. Tokyo Electric Power Company, Inc., 2012, "Fukushima Nuclear Accident Analysis Report," Japan.
12. International Atomic Energy Agency, 2015, "The Fukushima Daiichi Accident," Report by the Director General, Vienna.
13. World Nuclear Association, 2016, "Fukushima Accident," WNA web site. <http://www.world-nuclear.org/information-library/safety-and-security/safety-of-plants/fukushima-accident.aspx>
14. International Atomic Energy Agency, 2015, "Nuclear Power Reactors in the World," Reference Data Series No. 2, 2015 Edition, IAEA, Vienna.
15. Generation IV International Forum, 2014, "Technology Roadmap Update for Generation IV Nuclear Energy Systems," OECD Nuclear Energy Agency. <http://www.gen-4.org/>
16. U.S. Nuclear Regulatory Commission, 2015, "The Boiling Water Reactor (BWR)," USNRC web site. <http://www.nrc.gov/reading-rm/basic-ref/students/animated-bwr.html>
17. Garland, W.J. (Editor-in-Chief), 2014, *The Essential CANDU – A Textbook on the CANDU nuclear power plant technology*, University Network of Excellence in Nuclear Engineering (UNENE), ISBN 0-9730040. <https://www.unene.ca/education/candu-textbook/>
18. American Nuclear Society, 2015, "2015 Nuclear News Reference Special Section," *Nuclear News*, **58**, No. 3, pp. 39–72, March.
19. GE Energy, 2006, "The ABWR Plant General Description," Wilmington, NC.
20. International Atomic Energy Agency, 2004, "Status of advanced light water reactor designs," IAEA-TECDOC-1391, Vienna.
21. Schulz, T. L., 2006, "Westinghouse AP1000 advanced passive plant," *Nuclear Engineering and Design*, **236**, pp. 1547–1557.
22. Hinds, D., and Maslak, C., 2006, "Next-generation nuclear energy: The ESBWR," *Nuclear News*, **49**, no. 1, pp. 35–40.
23. GE Hitachi Nuclear Energy, 2011, "The ESBWR Plant General Description," Wilmington, NC.
24. Atomic Energy Canada Limited (AECL), 2007, "ACR-1000 Technical Summary," Mississauga, Ontario.

25. Marques, J. G., 2011, "Review of Generation-III/III+ Fission Reactors," Chapter 22 of *Nuclear Energy Encyclopedia: Science, Technology, and Applications*, First Edition, Edited by S. B. Krivit, J. H. Lehr, and T. B. Kingery, John Wiley & Sons, Inc.
26. Hewitt, G. F., and Collier, J. G., 2000, *Introduction to Nuclear Power*, Second Edition, Taylor & Francis, New York.
27. Triplett, B. S., Loewen, E. P., and Dooies, B. J., 2012, "PRISM: A Competitive Small Modular Sodium-cooled Reactor," *Nuclear Technology*, **178**, pp. 186–200.
28. U.S. Nuclear Regulatory Commission, "10 CFR 50.46 Acceptance criteria for emergency core cooling systems for light-water nuclear power reactors," (Last Reviewed/Updated December 2, 2015), <http://www.nrc.gov/reading-rm/doc-collections/cfr/part050/part050-0046.html>
29. Dittus, P. W., and Boelter, L. M. K., 1930, University of California (Berkeley) Publication Engineering, Vol. 2, No. 13, pp. 443–461. Also reprinted in *Int. Communication Heat Mass Transfer*, **12**, pp. 3–22, 1985.
30. Gnielinski, V., 1976, "New Equations for Heat and Mass Transfer in Turbulent Pipe and Channel Flow," *Int. Chemical Engineering*, **16**, No. 2, pp. 359–368.
31. Kays, W. M., and Crawford, M. E., 1993, *Convective Heat and Mass Transfer*, Third Edition, Chapter 14, McGraw-Hill, Inc., New York.
32. Agrawal, A. K., and Khatib-Rahbar, M., 1980, "Dynamic Simulation of LMFBR Systems," *Atomic Energy Review*, Vol. 18, No. 2, pp. 329–552, International Atomic Energy Agency, Vienna.
33. Buongiorno, J., 2010, "Notes on Two-phase Flow, Boiling Heat Transfer, and Boiling Crises in PWRs and BWRs," 22.06 Engineering of Nuclear Systems, MIT Department of Nuclear Science and Engineering, Cambridge, MA.
34. Collier, J. G., and Thome, J. R., 1994, *Convective Boiling and Condensation*, Third Edition, Chapters 2 to 9, Clarendon Press, Oxford, UK.
35. Saha, P., and Zuber, N., 1974, "Point of Net Vapor Generation and Vapor Void Fraction in Subcooled Boiling," Paper B4.7, *Proceedings of the 5th Int. Heat Transfer Conference*, Tokyo, Japan.

36. Chen, J. C., 1963, "A Correlation for Boiling Heat Transfer to Saturated Fluids in Convective Flow," ASME preprint 63-HT-34 presented at 6th National Heat Transfer Conference, Boston.
37. Zuber, N., Staub, F. W., Bijwaard, G., and Kroeger, P. G., 1967, "Steady State and Transient Void Fraction in Two-Phase Flow Systems – Final Report for the Program of Two-Phase Flow Investigation," GEAP-5417, Vol. 1, January.
38. Lahey, R. T., Jr., and Moody, F. J., 1993, *Thermal-Hydraulics of a Boiling Water Nuclear Reactor*, Second Edition, Chapters 4 and 5, American Nuclear Society, La Grange Park, Illinois.
39. Zuber, N., and Findlay, J. A., 1965, "Average Volumetric Concentration in Two-Phase Flow System," *ASME Journal of Heat Transfer*, **87**, p. 453.
40. Ishii, M., and Hibiki, T., 2006, *Thermo-Fluid Dynamics of Two-Phase Flow*, Chapter 14, Springer.
41. Hewitt, G. F., 1982, "Pressure Drop", Section 2.2 in *Handbook of Multiphase Systems*, Gad Hetsroni, Editor-in-Chief, Hemisphere Publishing Corp., and McGraw-Hill Book Company, New York.
42. Hewitt, G. F., 1982, "Burnout", Section 6.4 in *Handbook of Multiphase Systems*, Gad Hetsroni, Editor-in-Chief, Hemisphere Publishing Corp., and McGraw-Hill Book Company, New York.
43. Biasi, L., Clerici, G. C., Garribba, S., and Sara, R., 1967, "Studies on Burnout, Part 3," *Energia Nucleare*, **14**, No. 9, pp. 530–536.
44. Doroshchuk, V. E., Levitan, L. L., and Lantzman, F. P., 1975, "Investigation into Burnout in Uniformly Heated Tubes," ASME Publication 75-WA/HT-22.
45. Kirillov, P. L., Bobkov, V. P., Boltenko, E. A., Katan, I. B., Smogalev, I. P., and Vinogradov, V. N., 1991, "New CHF Table for Water in Round Tubes," *Atomic Energy*, **70**, pp. 18–28 (in Russian), Obninsk.
46. International Atomic Energy Agency, 2001, "Thermohydraulic relationships for advanced water cooled reactors," Chapter 3: A General CHF Prediction Method for Advanced Water Cooled Reactors, IAEA-TECDOC-1203, Vienna. http://www-pub.iaea.org/MTCD/Publications/PDF/te_1203_prn.pdf
47. Groeneveld, D. C., Shan, J. Q., Vasic, A. Z., Leung, L. K. H., Durmayaz, A., Yang, J., Cheng, S. C., and Tanase, A., 2007, "The 2006 CHF look-up table," *Nuclear Engineering and Design*, **237**, pp. 1909–1922.

48. Groeneveld, D. C., 2013, "The Critical Heat Flux Story," *Proceedings of the 15th Int. Topical Meeting on Nuclear Reactor Thermalhydraulics*, Paper NURETH15-IP4, Pisa, Italy.
49. General Electric Company, 1977, "General Electric BWR Thermal Analysis Basis (GETAB): Data, Correlation and Design Application," NEDO-10958-A, Class I.
50. Bertoletti, S., Gaspari, G. P., Lombardi, C., Peterlongo, G., Silvestri, M., and Tacconi, F. A., 1965, "Heat Transfer Crisis with Steam-Water Mixture," *Energia Nucleare*, **12**, No. 3, pp. 121–172.
51. Gaspari, G. P., Granzini, R., and Hassid, A., 1972, "Dryout Onset in Flow Stoppage, Depressurization, and Power Surge Transients," CISE paper presented at CREST Special Meeting on Emergency Core Cooling for Light Water Reactors, Munich, October 18–20.
52. Babcock & Wilcox Co., 1967, "Nonuniform Heat Generation Experimental Program," Final Report EURAEC 1846 (BAW-3238-13).
53. Tong, L. S., Currin, H. B., Larsen, P. S., and Smith, O. G., 1965, "Influence of Axially Nonuniform Heat Flux on DNB," AICHE Preprint 17, Eighth National Heat Transfer Conference, Los Angeles.
54. Smith, O. G., Tong, L. S., and Rohrer, W. M., 1965, "Burnout in Steam-Water Flows with Axially Nonuniform Heat Flux," ASME Paper 65-WA/HT-33.
55. Shiralkar, B. S., and Chu, K. H., 1992, "Recent Trends in Subchannel Analysis," *Proceedings of the International Seminar on Subchannel Analysis 1992 (ISSCA 92)*, Tokyo, October 30. Also published in *Subchannel Analysis in Nuclear Reactors*, H. Ninokata and M. Aritomi, Editors, The Institute of Applied Energy, Atomic Energy Society of Japan, pp. 115–140.
56. Chu, K. H., and Shiralkar, B. S., 1993, "Study of Spacer Effect on Critical Power by COBRAG Based on a Two-Fluid and Multi-Field Model," *Proceedings of Second International Seminar on Subchannel Analysis*, Paper No. 14, Electric Power Research Institute, EPRI TR-103188s, Palo Alto, CA.
57. Behamin, D., Persson, P., Hedberg, S., and Blomstrand, J., 2000, "Loop Studies Simulating – in Annular Geometry – The Influence of the Axial Power Distribution and the Number of Spacers on Dryout in 8×8 BWR Assemblies," Paper presented at 2nd

- Japanese-European Two-Phase Flow Group Meeting, University of Tsukuba, Japan, September 25–29.
58. Weisman, J., and Bowring, R. W., 1975, "Methods of Detailed Thermal and Hydraulic Analysis of Water-Cooled Reactors," *Nuclear Science and Engineering*, Vol. 57, pp. 255–276.
 59. Tong, L. S., and Weisman, J., 1979, "Subchannel Analysis," Appendix of *Boiling Heat Transfer and Two-Phase Flow* by L. S. Tong and Y. S. Tang, Second Edition, 1997, Taylor & Francis.
 60. Rowe, D. S., 1967, "Cross-Flow Mixing between Parallel Flow Channels during Boiling, Part I, COBRA – Computer Program for Coolant Boiling in Rod Arrays," BNWL-371 PT1, Pacific Northwest Laboratory, Richland, WA.
 61. Rowe, D. S., 1973, "COBRA-IIIC: A Digital Computer Program for Steady-State and Transient Thermal-Hydraulic Analysis of Rod Bundle Nuclear Fuel Elements," BNWL-1695, Pacific Northwest Laboratory, Richland, WA.
 62. Stewart, C. W. et al., 1977, "COBRA-IV: The Model and the Method," BNWL-2214, Pacific Northwest Laboratory, Richland, WA.
 63. George, T. L. et al., 1980, "COBRA-WC: A Version of COBRA for Single-Phase Multi-Assembly Thermal-Hydraulic Transient Analysis," PNL-3259, Pacific Northwest Laboratory, Richland, WA.
 64. Stewart, C. W. et al., 1989, "A Thermal-Hydraulic Code for Reactor Cores," Volume 1–3 (Revision 3), NP-2511-CCM-A, Electric Power Research Institute, Palo Alto, CA.
 65. Sung, Y. X., Schueren, P., and Meliksetian, A., 1999, "VIPRE-01 Modeling and Qualification for Pressurized Water Reactor Non-LOCA Thermal-Hydraulic Safety Analysis," Westinghouse Non-Proprietary Class 3 Report, WCAP-15306-NP-A, Pittsburgh, PA.
 66. Rowe, D. S., and Angle, C. W., 1969, "Cross-Flow Mixing between Parallel Flow Channels during Boiling, Part III, Effect of Spacers on Mixing between Two Channels," BNWL PT3, Pacific Northwest Laboratory, Richland, WA.
 67. Rogers, J. T., and Rosehart, R. G., 1972, "Mixing by Turbulent Interchange in Fuel Bundles. Correlations and Influences," ASME Paper 72-HT-53, Presented at the AIChE-ASME Heat Transfer Conference, Denver, CO, August 6–9.

68. Beus, S. G., 1971, "A Two-Phase Turbulent Mixing Model for Flow in Rod Bundles," WAPD-T-2438, Bettis Atomic Power Laboratory Report.
69. Lahey, R. T., Jr., Shiralkar, B. S., and Radcliffe, D. W., 1970, "Two-phase Flow and Heat Transfer in Multirod Geometries: Subchannel and Pressure Drop Measurements in a nine-rod bundle for Diabatic and Adiabatic Conditions," GEAP-13049, AEC Research and Development Program, March.
70. Lahey, R. T., Jr., Shiralkar, B. S., Radcliffe, D. W., and Polomik, E. E., 1972, "Out-of-Pile Subchannel Measurements in a Nine-rod Bundle for Water at 1000 psia," Reprinted from *Progress in Heat and Mass Transfer*, Vol. 6, pp. 345–362, Edited by G. Hetsroni, Pergamon Press, Oxford and New York.
71. Gonzalez-Santalo, J. M., 1971, "Two-Phase Flow Mixing in Rod Bundle Subchannels," Ph.D. Thesis, Mechanical Engineering Department, Massachusetts Institute of Technology, Cambridge, MA.
72. Gonzalez-Santalo, J. M., and Griffith, P., 1972, "Two-Phase Flow Mixing in Rod Bundle Subchannels," ASME Paper 72-WA/NE-19.
73. Levy, S., 1963, "Prediction of Two-Phase Pressure Drop and Density Distribution from Mixing Length Theory," *Journal of Heat Transfer*, Transaction of the ASME, pp. 137–150, May.
74. Faya, A., Wolf, L., and Todreas, N., 1979, "Development of a Method for BWR Subchannel Analysis," MIT Energy Laboratory Report No. MIT-EL 79-027, November.
75. Hwang, D-H., Yoo, Y-J., In, W-K., and Zee, S-Q., 2000, "Assessment of the Interchannel Mixing Model with a Subchannel Analysis Code for BWR and PWR Conditions," *Nuclear Engineering and Design*, Vol. 199, pp. 257–272.
76. Kelly, J. E., Kao, S. P., and Kazimi, M. S., 1981, "THERMIT-2: A Two-Fluid Model for Light Water Reactor Subchannel Transient Analysis, MIT Energy Laboratory Report No. MIT-EL-81-014, April.
77. Thurgood, M. J., Kelley, J. M., Guidotti, T. E., Kohrt, R. J., and Crowell, K. R., 1983, "COBRA/TRAC – A Thermal-Hydraulic Code for Transient Analysis of Nuclear Reactor Vessels and Primary Coolant Systems," NUREG/CR-3046, PNL-4385, Pacific Northwest Laboratory, Richland, WA.

78. Wheeler, C. L. et al., 1986, "COBRA-NC: A Thermal-Hydraulic Code for Transient Analysis of Nuclear Reactor Components," NUREG/CR-3262, PNL-5515, Pacific Northwest Laboratory, Richland, WA.
79. Ishii, M., 1977, "One-Dimensional Drift-Flux Model and Constitutive Equations for Relative Motion between Phases in Various Two-Phase Flow Regimes," Argonne National Laboratory Report ANL-77-47, October.
80. Andersen, J. G. M., Chu, K. H., and Shaug, J. C., 1983, "BWR Refill-Reflood Program, Task 4.7 – Model Development, Basic Models for the BWR Version of TRAC," NUREG/CR-2573, EPRI NP-2375, GEAP-22051, April.
81. Kazimi, M. S., and Kelly, J. E., 1983, "Formulation of a Two-Fluid Model for Mixing in LWR Bundles," Proceedings on Thermal-Hydraulics of Nuclear Reactors, Edited by Mati Merilo, Vol. 1, pp. 433-439, American Nuclear Society.
82. Hewitt, G. F., and Hall-Taylor, N. S., 1970, *Annular Two-Phase Flow*, Pergamon Press, New York.
83. Hewitt, G. F., and Whalley, P. B., 1989, "Vertical Annular Two Phase Flow," in *Multiphase Science and Technology*, Vol. 4, Edited by G. F. Hewitt, J. M. Delhaye, and N. Zuber, Hemisphere Publishing Corporation, New York.
84. Hewitt, G. F., and Govan, A. H., 1990, "Phenomenological Modelling of Non-Equilibrium Flows with Phase Change," *Int. Journal of Heat and Mass Transfer*, Vol. 33, No. 2, pp. 229–242.
85. Ishii, M., and Grolmes, M. A., 1975, "Inception Criteria for Droplet Entrainment in Two-Phase Concurrent Film Flow," *AICHE Journal*, Vol. 21, pp. 318–326.
86. Ishii, M., and Mishima, K., 1981, "Correlation for Liquid Entrainment in Annular Two-phase Flow of a Low Viscous Fluid," Argonne National Laboratory Report No. ANL/RAS/LWR 81-2.
87. Kataoka, I., Ishii, M., and Nakayama, A., 2000, "Entrainment and Deposition Rates of Droplets in Annular Two-phase Flow," *Int. Journal of Heat and Mass Transfer*, Vol. 43, pp. 1573–1589.
88. Sawant, P., Ishii, M., and Mori, M., 2008, "Droplet Entrainment Correlation in Vertical Upward Co-current Annular Two-phase Flow," *Nuclear Engineering and Design*, Vol. 238, pp. 1342–1352.

89. Wurtz, J., 1978, "An Experimental and Theoretical Investigation of Annular Steam-Water Flow in Tubes and Annuli at 30 to 90 bar," Riso National Laboratory Report No. 372, Denmark.
90. Sugawara, S., 1988, "Droplet Deposition and Entrainment Modelling based on the Three-Fluid Model," Paper presented at Third International Topical Meeting on Nuclear Power Plant Thermal Hydraulics and Operation, Seoul, Korea.
91. Sugawara, S., 1990, "Droplet Deposition and Entrainment Modelling based on the Three-Fluid Model," Nuclear Engineering and Design, Vol. 122, pp. 67–84.
92. Milashenko, V. I., Nigmatulin, B. I., Petukhov, V. V., and Trubkin, N. I., 1989, "Burnout and Distribution of Liquid in Evaporative Channels of Various Lengths," Int. Journal of Multiphase Flow, Vol. 15, No. 3, pp. 393–401.
93. Okawa, T., Kotani, A., and Kataoka, I., 2005, "Experiments for Liquid Phase Mass Transfer Rate in Annular Regime for a small Vertical Tube," Int. Journal of Heat and Mass Transfer, Vol. 48, pp. 585–598.
94. Okawa, T., and Kataoka, I., 2005, "Correlations for the Mass Transfer Rate of Droplets in Vertical Upward Annular Flow," Int. Journal of Heat and Mass Transfer, Vol. 48, pp. 4766–4778.
95. Adamsson, C., and Anglart, H., 2006, "Film Flow Measurements for High-pressure Diabatic Annular Flow in Tubes with Various Axial Power Distributions," Nuclear Engineering and Design, Vol. 236, pp. 2485–2493.
96. Secondi, F., Adamsson, C., and Le Corre, J.-M., 2009, "An Assessment of Entrainment Correlations for the Dryout Prediction in BWR Fuel Bundles," Paper N131078, 13th Int. Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-13), Kanazawa City, Japan.
97. Paleev, I. I., and Filippovich, B. S., 1966, "Phenomena of Liquid Transfer in Two-phase Dispersed Annular Flow," Int. Journal of Heat and Mass Transfer, Vol. 9, pp. 1089–1093.
98. Hizoum, B., Saha, P., Andersen, J. G. M., and Whitlow, K., 2011, "Droplet Entrainment and Deposition Rate Models for Determination of Boiling Transition in BWR Fuel Assembly," Paper No. NURETH14-387, 14th Int. Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-14), Toronto, Canada.

99. Gluck, M., 2007, "Sub-channel Analysis with F-COBRA-TF: Code Validation and Approaches to CHF Prediction," *Nuclear Engineering and Design*, Vol. 237, pp. 655–667.
100. Adamsson, C., and Le Corre, J-M, 2011, "Modelling and Validation of a Mechanistic Tool (MEFISTO) for the Prediction of Critical Power in BWR Fuel Assemblies," *Nuclear Engineering and Design*, Vol. 241, pp. 2843–2858.
101. Wallis, G. B., 1969, *One-Dimensional Two-Phase Flow*, McGraw-Hill Book Company, New York.
102. Oh, S., Hizoum, B., Saha, P., Dooies, B., Miranda, D., and Andersen, J. G. M., 2015, "Film-Droplet Split Correlation at the Onset of Annular-Mist Flow," Paper No. 13012, 16th Int. Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-16), Chicago, IL.
103. Saha, P., 2015, "Subchannel Analysis of Boiling Two-Phase Flow in Rod Bundles – Status and Challenges," Invited talk at the Special Session 'Celebrating Mujid Kazimi's Legacy: 40 years of Innovation in Nuclear Engineering', 16th Int. Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-16), Chicago, IL.
104. Neykov, B. et al., 2006, "NUPEC BWR Full-size Fine-mesh Bundle Test (BFBT) Benchmark, Volume 1: Specification," NEA/NSC/DOC (2005)5, NEA No. 6212, OECD.
105. Gluck, M., 2008, "Validation of the Sub-Channel Code F-COBRA-TF, Part II. Recalculation of Void Measurements," *Nuclear Engineering and Design*, **238**, pp. 2317–2327.
106. Adamsson, C., and Le Corre, J-M., 2014, "Transient Dryout Prediction using a Computationally Efficient Method for Sub-channel Film-flow Analysis," *Nuclear Engineering and Design*, **280**, pp. 316–325.
107. Ueda, T., and Isayama, Y., 1981, "Critical Heat Flux and Exit Film Flow Rate in a Flow Boiling System," *Int. Journal of Heat and Mass Transfer*, **24**, No. 7, pp. 1267–1276.
108. Chen, X. M., Andersen, J. G. M., Klebanov, L. A., and Anegawa, T., 1997, "A Transient Subchannel Analysis Method for BWR Fuel Bundle," *Proceedings of the Fifth International Topical Meeting on Nuclear Thermal Hydraulics, Operation & Safety*, Beijing.

109. Anglart, H., 2013, "Investigation of Local Dryout Condition in Forced Convection to Water at High Pressure in Uniformly and Non-Uniformly Heated Vertical Round Tubes and Annuli," Paper No. NURETH15-117, *Proc. 15th Int. Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-15)*, Pisa, Italy.
110. ANSI/ANS-5.1-2005, 2005, "Decay Heat Power in Light Water Reactors," American Nuclear Society, La Grange Park, IL.
111. Shwageraus, E., and Fridman, E., 2008, "Decay Power Calculation for Safety Analysis of Innovative Reactor Systems," *Proc. International Youth Nuclear Congress, IYNC08*, Interlaken, Switzerland, September 20–26.
112. Todreas, N. E., and Kazimi, M. S., 2012, *Nuclear Systems, Volume 1, Thermal Hydraulic Fundamentals*, 2nd ed., CRC Press, Taylor & Francis Group, Boca Raton, FL.
113. Catton, I., Wulff, W., Zuber, N., and Rohatgi, U. S., 2005, "Application of Fractional Scaling Analysis (FSA) to Loss of Coolant Accident (LOCA), Part 3: Component Level Scaling for Peak Cladding Temperature," *Proc. 11th Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics (NURETH-11)*, Paper 055, Avignon, France, Oct. 2–6.
114. U. S. Nuclear Regulatory Commission, "Pressurized Water Reactor (PWR) Systems," Reactor Concept Manual, USNRC Technical Training Center. <http://www.nrc.gov/reading-rm/basic-ref/students/for-educators/04.pdf>
115. U. S. Nuclear Regulatory Commission, "Boiling Water Reactor (BWR) Systems," Reactor Concept Manual, USNRC Technical Training Center. <http://www.nrc.gov/reading-rm/basic-ref/students/for-educators/03.pdf>
116. General Electric Company, 1980, "BWR/6 – General Description of a Boiling Water Reactor," Nuclear Energy Group, San Jose, CA.
117. Bajaj, S. S., and Gore, A. R., 2006, "The Indian PHWR," *Nuclear Engineering and Design*, **236**, pp. 701–722.
118. International Nuclear Safety Advisory Group (INSAG), 1999, "Basic Safety Principles for Nuclear Power Plants," 75-INSAG-3 Rev. 1, INSAG-12, STI/PUB/1082, IAEA, Vienna.
119. Twilley, R. C., Jr., 2004, "EPR Development – An Evolutionary Design Process," *Nuclear News*, pp. 26–30, April.

120. Leverenz, R., Gerhard, L., and Gobel, A, 2004, "The European Pressurized Water Reactor: A Safe and Competitive Solution for Future Energy Needs," *Proc. Int. Conference Nuclear Energy for New Europe*, Portoroz, Slovenia, Sept. 6–9.
121. Curca-Tivig, F., Ludwig, H., and Nicaise, N., 1998, "ECCS Improvements in the EPR Design Compared to the French N4 and the German Konvoi NPP," *Proc. 6th Int. Conference on Nuclear Engineering*, ICONE-6328, ASME, May 10–14.
122. Lee, S-S., Kim, S-H., and Suh, K-Y., 2009, "The Design Features of the Advanced Power Reactor 1400," *Nuclear Engineering and Technology*, **41**, No. 8, pp. 995–1004, October.
123. Chu, I-C., Song, C-H., Cho, B. H., and Park, J. K., 2008, "Development of Passive Flow Controlling Safety Injection Tank for APR1400," *Nuclear Engineering and Design*, **238**, pp. 200–206.
124. Agrawal, S. K., Chauhan, A., and Mishra, A., 2006, "The VVERs at Kudankulam," *Nuclear Engineering and Design*, **236**, pp. 812–835.
125. Berkovich, V. Y., Bykov, M. A., and Mokhov, V. A., 2013, "Evolution of VVER Thermohydraulic Design," *Proc. 15th Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics (NURETH-15)*, Paper NURETH15-IP3, Pisa, Italy, May 12–17.
126. Rosatom Overseas, 2016, "The VVER Today – Evolution/ Design /Safety," Moscow, Russia. http://www.rosatom.ru/en/resources/b6724a80447c36958cfface920d36ab1/brochure_the_vver_today.pdf
127. International Atomic Energy Agency, 2009, "Passive Safety Systems and Natural Circulation in Water Cooled Nuclear Power Plants," IAEA-TECDOC-1624, Vienna, November.
128. Stosic, Z. V., Brettschuh, W., and Stoll, U., 2008, "Boiling water reactor with innovative safety concept: The Generation III+ SWR-1000," *Nuclear Engineering and Design*, **238**, pp. 1863–1901.
129. International Atomic Energy Agency, 2014, "Advances in Small Modular Reactor Technology Developments," A Supplement to: IAEA Advanced Reactors Information System (ARIS), Vienna, https://www.iaea.org/NuclearPower/Downloadable/SMR/files/IAEA_SMR_Booklet_2014.pdf
130. International Atomic Energy Agency, 2012, "Status of Fast Reactor Research and Technology Development," IAEA-TECDOC-1691, Vienna.

131. Sinha, R. K., and Kakodkar, A., 2006, "Design and Development of the AHWR – The Indian Thorium Fuelled Innovative Nuclear Reactor," *Nuclear Engineering and Design*, **236**, pp. 683–700.
132. Alamgir, MD, Marquino, W., Yang, J., Saha, P., Fennern, L., and Colby, M., 2012, "ESBWR – Robust Design for Natural Circulation and Stability Performance Effectiveness," *Proc. ICAPP'12*, Paper 12445, Chicago, June 24–28.
133. Saha, P., 2011, "Scaling Methodology for Boiling Water Reactors," Chapter 2, GEH Report NEDO-33595, Revision 0, Class I (Non-proprietary), Wilmington, NC, October.
134. Barrett, A. J., and Marquino, W., 2012, "ESBWR Response to an Extended Blackout/Loss of All AC Power," *Proc. ICAPP' 12*, Paper 12361, Chicago, June 24–28.
135. Reyes, J. N., Jr., 2012, "NuScale Plant Safety in Response to Extreme Events," *Nuclear Technology*, **178**, pp. 153–163, May.
136. Doyle, J., Haley, B., Fachiol, C., Galyean, B., and Ingersoll, D. T., 2016, "Highly Reliable Nuclear Power for Mission-Critical Applications," *Proc. ICAPP 2016*, San Francisco, April 17–20.
137. U.S. Department of Energy, 1980, "U.S. Central Station Nuclear Electric Generating Units: Significant Milestones (Status as of January 1, 1980)," Report No. DOE/NE-0030/1(80), March.
138. Komanoff, C., 1981, "Sources of Nuclear Regulatory Requirements," *Nuclear Safety*, **22**, No. 4, July – August, pp. 435–448.
139. Yadigaroglu, G., 2013, "Thermal-Hydraulic Issues and Achievements – A Historical Perspective," *Proc. 15th Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics (NURETH-15)*, Paper NURETH15-IP7, Pisa, Italy, May 12–17.
140. Ergen, W. K. et al., 1967, "Emergency Core Cooling: Report of the Advisory Task Force on Power Reactor Emergency Cooling," USAEC Report TID-24226, October.
141. Yadigaroglu, G., and Lakehal, D., 2015, "Nuclear Safety and Thermal Hydraulics: Personal Thoughts and Some Recent Progress," Keynote Lecture 1, *Proc. 16th Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics (NURETH-16)*, Chicago, IL, August 30–September 4.
142. Sehgal, B. R., 2006, "Light Water Reactor (LWR) Safety," *Nuclear Engineering and Technology*, **38**, No. 8, pp. 697–732, December.

143. Porsching, T. A., Murphy, J. H., Redfield, J. A., and Davis, V. C., 1969, "FLASH-4: A Fully Implicit FORTRAN IV Program for the Digital Simulation of Transients in a Reactor Plant," WAPD-TM-840, March.
144. Moore, K. V., and Rettig, W. H., 1968, "RELAP2 – A Digital Program for Reactor Blowdown and Power Excursion Analysis," IDO-17263, March.
145. Moore, K. V., and Rettig, W. H., 1975, "RELAP4 – A Computer Program for Transient Thermal-hydraulic Analysis," ANCR-1127, Aerojet Nuclear Company, March.
146. Bajorek, S. M., 2015, "A Regulator's Perspective of the State-of-the-Art in Nuclear Thermal-Hydraulics," Keynote Lecture 9, *Proc. 16th Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics (NURETH-16)*, Chicago, IL, August 30–September 4.
147. Olson, D. J., 1972, "Semiscale Blowdown and Emergency Core Cooling (ECC) Project Test Report – Test 845 (ECC Injection)," ANCR-1014, Aerojet Nuclear Company, January.
148. Olson, D. J., 1972, "Semiscale Blowdown and Emergency Core Cooling (ECC) Project Test Report – Tests 848, 849, and 850 (ECC Injection)," ANCR-1036, Aerojet Nuclear Company, June.
149. U.S. Nuclear Regulatory Commission, "Appendix K to Part 50 – ECCS Evaluation Models," (Last Reviewed/Updated December 2, 2015), <http://www.nrc.gov/reading-rm/doc-collections/cfr/part050/part050-appk.html>
150. Lewis, H. W. et al., 1975, "Report to the American Physical Society by the Study Group on Light-Water Reactor Safety," *Reviews of Modern Physics*, 47, Suppl. No. 1.
151. U.S. Nuclear Regulatory Commission, 1975, "Reactor Safety Study – An Assessment of Accident Risks in U.S. Commercial Nuclear Power Plants," WASH-1400 (NUREG 75/014), October.
152. Reeder, D. L., 1978, "LOFT System and Test Description (5.5-FT Nuclear Core 1 LOCEs)," NUREG/CR-0247, TREE-1208, EG&G Idaho, Inc., July.
153. Reeder, D. L., and Berta, V. T., 1979, "The Loss-of-Fluid Test (LOFT) Facility," Paper presented at Intersociety Energy Conversion Conference, Boston, MA, August.
154. Solbrig, C. W., Linebarger, J. H., and Kaufman, N. C., 1980, "LOFT: A Nuclear Plant Providing Realistic Answers to PWR Licensing

- Issues," Paper presented at ANS Topical Meeting on Advances in Reactor Physics and Shielding, Sun Valley, ID, September.
155. Modro, S. M., Aksan, S. N., Berta, V. T., and Wahba, A. B., 1989, "Review of LOFT Large Break Experiments (OECD LOFT Project)," International Agreement Report NUREG/IA-0028, October. <http://www.nrc.gov/docs/ML0625/ML062570206.pdf>
 156. Burnette, G. W., Danielson, D. W., and Nilsson, K. A., 1973, "BWR Blowdown Heat Transfer Program – Task C-4 Report, Preliminary System Design Description of Two-Loop Test Apparatus, Rev. 1," GEAP-13276-1, AEC-GE Cooperative Research and Development Report, November.
 157. Letzring, W. J. (Editor), 1977, "BWR Blowdown/Emergency Core Cooling Program – Preliminary Facility Description Report for the BD/ECC1A Test Phase," GEAP-23592, NRC-2, NRC-EPRI-GE Cooperative Research and Development Report, December.
 158. Stephens, A. G. (Editor), 1984, "BWR Full Integral Simulation Test (FIST) Program Facility Description Report," NUREG/CR-2576, EPRI NP-2314, GEAP-22054, September.
 159. Barton, J. E., Schumacher, D. G., Findlay, J. A., and Caruso, S. C., 1981, "BWR Refill-Reflood Program – Task 4.4, 30° SSTF Description Document," NUREG/CR-2133, EPRI NP-1584, GEAP-24939, June.
 160. Damerell, P. S., and Simons, J. W. (Editors), 1993, "2D/3D Program Work Summary Report," International Agreement Report, NUREG/IA-0126, GRS-100, MPR-1345, June.
 161. Damerell, P. S., and Simons, J. W. (Editors), 1993, "Reactor Safety Issues Resolved by the 2D/3D Program," International Agreement Report, NUREG/IA-0127, GRS-101, MPR-1346, July.
 162. U.S. Nuclear Regulatory Commission, 1988, "Compendium of ECCS Research for Realistic LOCA Analysis – Final Report," NUREG-1230, December. <http://pbadupws.nrc.gov/docs/ML0534/ML053490333.pdf>
 163. Liles, D. R. et al., 1981, "TRAC-PD2: An Advanced Best-Estimate Computer Program for Pressurized Water Reactor Loss-of-Coolant Accident Analysis," Los Alamos National Laboratory, LA-8709-MS, NUREG/CR-2054, April.

164. Liles, D. R. et al., 1984, "TRAC-PF1: An Advanced Best-Estimate Computer Program for Pressurized Water Reactor Analysis," Los Alamos National Laboratory, LA-9944-MS, NUREG/CR-3567, February.
165. Liles, D. R. et al., 1986, "TRAC-PF1/MOD1: An Advanced Best-Estimate Computer Program for Pressurized Water Reactor Thermal-Hydraulic Analysis," Los Alamos National Laboratory, LA-10157-MS, NUREG/CR-3858, July.
166. Ransom, V. H. et al., 1985, "RELAP5/MOD2 Code Manual Volume 1: Code Structure, Systems Models and Solution Methods," Idaho National Engineering Laboratory, EGG-2396, NUREG/CR-4312, August.
167. Dimenna, R. A. et al., 1988, "RELAP5/MOD2 Models and Correlations," NUREG/CR-5194, EGG-2531, Idaho National Engineering Laboratory, August.
168. Spore, J. et al., 1981, "TRAC-BD1: An Advanced Best-Estimate Program for Boiling Water Reactor Loss-of-Coolant Analysis," NUREG/CR-2178, Idaho National Engineering Laboratory, October.
169. Taylor, D. D. et al., 1984, "TRAC-BD1/MOD1: An Advanced Best-Estimate Program for Boiling Water Reactor Transient Analysis," Volumes 1–4, NUREG/CR-3633, EGG-2294, Idaho National Engineering Laboratory, April.
170. Borkowski, J. A. et al., 1992, "TRAC-BF1/MOD1: An Advanced Best-Estimate Program for BWR Accident Analysis, NUREG/CR-4356, Idaho National Engineering Laboratory, August.
171. Boyack, B. et al., 1989, "Quantifying Reactor Safety Margins – Application of Code Scaling, Applicability, and Uncertainty Evaluation Methodology to a Large-Break, Loss-of-Coolant Accident," NUREG/CR-5249, EGG-2552, December. <http://www.nrc.gov/docs/ML0303/ML030380473.pdf>
172. Feldman, E. M., 1983, "OECD LOFT Project Experiment Specification Document – Cold Leg Large Break Experiment LP-02-6," OECD LOFT-T-3402, July.
173. Adams, J. P., Condie, K. G., and Batt, D. L., 1983, "Quick-Look Report on OECD LOFT Experiment LP-02-6," October.
174. Rohatgi, U. S., Yuelys-Miksis, C., and Saha, P., 1986, "Determination of Appendix K Conservatism for Large Break LOCA

- in a Westinghouse PWR Using TRAC-PD2/MOD1 Code,” NUREG/CR-4549, BNL-NUREG-51967, Brookhaven National Laboratory, April.
175. Rohatgi, U. S., Yuelys-Miksis, C., and Saha, P., 1987, “Determination of Appendix K Conservatism for Large Break LOCA in a Westinghouse Pressurized Water Reactors Using TRAC-PD2/MOD1,” *Nuclear Technology*, **76**, pp. 41–50, January.
 176. Findlay, J. A., 1982, “BWR Refill-Reflood Program Task 4.4 – CCFL/Refill System Effects Tests (30° Sector), Evaluation of Parallel Channel Phenomena,” NUREG/CR-2566, EPRI NP-2373, GEAP-22044, March.
 177. Thurgood, M. J., 1985, “COBRA-TF: A Three-Field Two-Fluid Model for the Simulation of Two-Phase Flow and Heat Transfer in Nuclear Reactor Components,” COBRA/TRAC and COBRA/TF Workshop, Pacific Northwest Laboratories, Richland, WA, June 10–12.
 178. Micaelli et al., 1987, “Numerical Methods Used for Thermal-hydraulics in the Reactor Safety Code CATHARE,” Proc. Int. Topical Meeting on Advances in Reactor Physics, Mathematics and Computation, Paris, France, April 27–30.
 179. Lavielle, G., 2004, “The CATHARE 2 V2.5 Code: Main Features, CATHARE-NEPTUNE international Seminar, Grenoble, France, May 10–12.
 180. Hanna, B. N., 1998, “CATHENA: A Thermal-hydraulic Code for CANDU Analysis,” *Nuclear Engineering and Design*, **180**, pp. 113–131.
 181. Jeong, J-J., Ha, K. S., Chung, B. D., and Lee, W. J., 1999, “A Multi-Dimensional Thermal-Hydraulic System Analysis Code, MARS 1.3.1,” *Journal of the Korean Nuclear Society*, **31**, No. 3, pp. 344–363, June.
 182. The RELAP5 Development Team, 1995, “RELAP5/MOD3 Code Manual,” NUREG/CR-5535, INEL-95/0174, Idaho National Engineering Laboratory, August.
 183. Rohatgi, U. S., and Saha, P., 1985, “Realistic ECCS Evaluation Methodology for Advanced LWRs,” Nuclear Safety Analysis Center Report NSAC-86, July.
 184. Rohatgi, U. S., Saha, P., and Chexal, V. K., 1987, “Considerations for Realistic Emergency Core Cooling System Evaluation

- Methodology for Light Water Reactors,” *Nuclear Technology*, **76**, pp. 11–26, January.
185. U.S. Nuclear Regulatory Commission, 1989, “Best-estimate Calculations of Emergency Core Cooling System Performance,” Regulatory Guide 1.157, May.
 186. Nguyen, S. B., and Young, M. Y., 1996, “Best-estimate Analysis of the Large Break Loss of Coolant Accident for Indian Point Unit 2 Nuclear Plant,” Westinghouse Non-proprietary Report WCAP-13837, Revision 1, December.
 187. Young, M. Y., Bajorek, S. M., Nissley, M. E., and Hochreiter, L. E., 1998, “Application of Code Scaling Applicability and Uncertainty Methodology to the Large Break Loss of Coolant,” *Nuclear Engineering and Design*, **186**, pp. 39–52.
 188. Martin, R. P., and O’Dell, L. D., 2005, “AREVA’s Realistic Large Break LOCA Analysis Methodology,” *Nuclear Engineering and Design*, **235**, pp. 1713–1725.
 189. Hofer, E., 1990, “The GRS Programme Package for Uncertainty and Sensitivity Analysis,” *Proceedings of the Seminar on Methods and Codes for Assessing the Off-site Consequences of Nuclear Accidents*, Volume 2, Report EUR 13013/2, Commission of the European Communities.
 190. Saha, P., Aksan, N., Andersen, J., Yan, J., Simoneau, J. P., Leung, L., Bertrand, F., Aoto, K., and Kamide, H., 2013, “Issues and Future Direction of Thermal-Hydraulic Research and Development in Nuclear Power Reactors,” *Nuclear Engineering and Design*, **264**, pp. 3–23.
 191. GE Hitachi Nuclear Energy, 2008, “TRACG Model Description,” Rev. 4, Licensing Topical Report NEDO-32176 (Non-proprietary), January.
 192. U.S. Nuclear Regulatory Commission, 2005, “Transient and Accident Analysis Methods,” Regulatory Guide 1.203, December.
 193. Sarikaya, B. et al., 2008, “TRACG Statistical Method for BWR Loss-of-Coolant Accident Analyses,” Paper 8394, Proceeding of ICAPP ’08, Anaheim, CA, June 8–12.
 194. Andersen, J. G. M., Heck, C. L., Klebanov, L. A., and Shiralkar, B. S., 2009, “Realistic Assessment of Break Size in Simulated BWR Loss-of-Coolant Accidents,” Paper N13P1251, *Proceeding of the 13th Int. Topical Meeting on Nuclear Reactor Thermal Hydraulics (NURETH-13)*, Kanazawa City, Japan, Sept. 27–Oct. 2.

195. Andersen, J. G. M., Casillas, J. L., and Shiralkar, B. S., 2006, "Application of Advanced Thermal Hydraulics TRACG Model to Preserve Operating Margins in BWRs at Extended Power Uprate Conditions," Paper 6212, *Proceedings of ICAPP '06*, Reno, NV, June 4–8.
196. Rohatgi, U. S., Cheng, H. S., Khan, H. J., Mallen, A. N., and Neymotin, L. Y., 1998, "RAMONA-4B: A Computer Code with Three-Dimensional Neutron Kinetics for BWR and SBWR System Transient – Models and Correlations," NUREG/CR-6359, Vol. 1, BNL-NUREG-52471, Brookhaven National Laboratory, March.
197. U.S. Nuclear Regulatory Commission, 2012, "TRACE V5.0 Theory Manual – Field Equations, Solution Methods, and Physical Models."
198. Kim, Y-S. et al., 2008, "Commissioning of the ATLAS Thermal-hydraulic Test Facility," *Annals of Nuclear Energy*, **35**, pp. 1791–1799.
199. Melikhov, O. I., 2016, "Thermo-Hydraulic Test Facility-Models of Water-Cooled Reactors (PSB-VVER)," http://www.erec.ru/catalog/psb-vver_en.pdf
200. Heralecky, P., 2014, "Post-Test Analysis of Upper Plenum 11% Break at PSB-VVER Facility using TRACE V5.0 and RELAP5/MOD3.3 Code," International Agreement Report NUREG/IA-0449, July.
201. Austregesilo, H. et al., 2006, "ATHLET Mod 2.1 Cycle A – Models and Methods," Gesellschaft für Anlagen – Und Reaktorsicherheit (GRS) mbH, GRS-P-1/Vol. 4, July.
202. Committee on the Safety of Nuclear Installations (CSNI), 1987, "CSNI Code Validation Matrix of Thermo-Hydraulic Codes for LWR LOCA and Transients," CSNI Report 132, OECD Nuclear Energy Agency, Paris, France, March.
203. Wolfert, K., and Brittain, I., 1988, "CSNI Validation Matrix for PWR and BWR Codes," *Nuclear Engineering and Design*, **108**, pp. 107–119.
204. Committee on the Safety of Nuclear Installations (CSNI), 2001, "Validation Matrix for the Assessment of Thermal-Hydraulic Codes for VVER LOCA and Transients," Report NEA/CSNI/R(2001)4, OECD Nuclear Energy Agency, June.

205. Reyes, J. N., Jr., Groome, G. T., Lafi, A. Y., Franz, S. C., Rusher, C., Strohecker, M., Wachs, D., Colpo, S., and Binney, S., 1999, "Final Report of NRC AP600 Research Conducted at Oregon State University," NUREG/CR-6641, July.
206. Ishii, M. et al., 1996, "Scientific Design of Purdue University Multi-Dimensional Integral Test Assembly (PUMA) for GE SBWR," NUREG/CR-6309, PU-NE 94/1, April.
207. Saha, P., Gamble, R. E., Shiralkar, B. S., and Fitch, J. R., 2009, "Applicability of Small-scale Integral Test Data to the 4500 MWt ESBWR Loss-of-Coolant Accident," *Nuclear Engineering and Design*, **239**, pp. 956–963.
208. Cheung, Y. K., Shiralkar, B. S., and Marquino, W., 2006, "Performance Analyses of ECCS and Containment Systems for the 4500MW ESBWR," *Proceedings of ICAPP '06*, Paper 6327, Reno, NV, June 4–8.
209. Kuhn, S. Z., Schrock, V. E., and Peterson, P. F., 1997, "An Investigation of Condensation from Steam-gas Mixtures Flowing Downward inside a Vertical Tube," *Nuclear Engineering and Design*, **177**, pp. 53–69.
210. Consortium for Advanced Simulation of LWRs (CASL), 2016, "A Project Summary," http://web.ornl.gov/sci/nsed/docs/CASL_Project_Summary.pdf (Accessed on June 22, 2016).
211. Ishii, M., and Kim, S., 2004, "Development of One-Group and Two-Group Interfacial Area Transport Equation," *Nuclear Science and Engineering*, **146**, No. 3, pp. 257–273, March.
212. Ishii, M., Kim, S., and Kelly, J., 2005, "Development of Interfacial Area Transport Equation," *Nuclear Engineering and Technology*, **37**, No. 6, pp. 525–536, December.
213. Ishii, M., and Hibiki, T., 2006, *Thermo-Fluid Dynamics of Two-Phase Flow*, Chapter 10, Springer.
214. Ishii, M., Kim, S., Sun, X., and Hibiki, T., 2009, "Interfacial Area Transport Equation and Implementation Into Two-Fluid Model," *Journal of Thermal Science and Engineering Applications*, ASME, **1**, Issue 1, July.
215. Kataoka, I., 2010, "Development of Research on Interfacial Area Transport," *Journal of Nuclear Science and Technology*, **47**, No. 1, pp. 1–19.

216. Ishii, M., 2011, "Development of Interfacial Area Transport Equation – Modeling and Experimental Benchmark," Plenary Lecture, NURETH14-636, *Proceedings of the 14th Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics* (NURETH-14), Toronto, Canada, Sept. 25–30.
217. Kataoka, I., Yoshida, K., Naitoh, M., Okada, H., and Morii, T., 2012, "Transport of Interfacial Area Concentration in Two-Phase Flow," in *Nuclear Reactors* (Edited by Prof. A. Mesquita), InTech.
218. Worosz, T. S., 2015, Interfacial Area Transport Equation for Bubbly to Cap-Bubbly Transition Flows, Ph.D. Thesis, The Pennsylvania State University.
219. Smith, B. L., Bestion, D., and Hassan, Y., (Guest Editors), 2010, Experiments and CFD Code Applications to Nuclear Reactor Safety (XCFD4NRS), *Nuclear Engineering and Design*, **240**.
220. Bestion, D., 2012, "Applicability of Two-phase CFD to Nuclear Reactor Thermalhydraulics and Elaboration of Best Practice Guidelines," *Nuclear Engineering and Design*, **253**, pp. 311–321.
221. Bestion, D., 2011, "Status and Perspective for a Multiscale Approach to Light Water Reactor Thermalhydraulic Simulation," Plenary Lecture, *Proceedings of the 14th Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics* (NURETH-14), Toronto, Canada, Sept. 25–30.
222. Banerjee, S., and Lakehal, D., 2013, "What Can We Expect from DNS & LES?" *Proc. 15th Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics* (NURETH-15), Paper NURETH15-IP5, Pisa, Italy, May 12–17.
223. Consortium for Advanced Simulation of LWRs (CASL), 2016, "Enabling Modeling and Simulation Technology for Nuclear Power," <http://www.casl.gov/about-casl.shtml> (Accessed on June 22, 2016)
224. Consortium for Advanced Simulation of LWRs (CASL), 2015, "CASL Tech Notes," **3**, Issue 1, October.
225. Salko, R. K., and Avramova, M. N., 2015, "COBRA-TF Subchannel Thermal-Hydraulic Code (CTF) Theory Manual," Rev. 0, CASL-U-2015-0054-000, Pennsylvania State University, March.
226. Clarno, K., Salko, B., Kochunas, B., and Palmtag, S., 2016, "Progress in Modeling BWRs for PCI Challenge Problem," CASL-U-2016-1088-000.

227. Zhao, J., Saha, P., and Kazimi, M. S., 2007, "Hot Channel Stability of Supercritical Water-Cooled Reactors - I: Steady State and Sliding Pressure Start-up," *Nuclear Technology*, **158**, pp. 158–173, May.
228. Zhao, J., Saha, P., and Kazimi, M. S., 2007, "Hot Channel Stability of Supercritical Water-Cooled Reactors – II: Effects of Water Rods Heating and Comparison with BWR Stability," *Nuclear Technology*, **158**, pp. 174–190, May.
229. Zhao, J., Saha, P., and Kazimi, M. S., 2008, "Core-Wide (In-Phase) Stability of Supercritical Water-Cooled Reactors – I: Sensitivity to Design and Operating Conditions," *Nuclear Technology*, **161**, pp. 108–123, February.
230. Zhao, J., Saha, P., and Kazimi, M. S., 2008, "Core-Wide (In-Phase) Stability of Supercritical Water-Cooled Reactors – II: Comparison with Boiling Water Reactors," *Nuclear Technology*, **161**, pp. 124–139, February.
231. Zhao, J., Saha, P., and Kazimi, M. S., 2008, "Coupled Neutronic and Thermal-Hydraulic Out-of-Phase Stability of Supercritical Water-Cooled Reactors," *Nuclear Technology*, **164**, pp. 20–33, October.
232. Desai, H., and Saha, P., 2009, "Thermal Hydraulics of Sodium Cooled Reactors," ANS Sodium Fast Reactor Workshop, Atlanta, GA, June 14.
233. Lee, J. I., Hejzlar, P., Saha, P., Stahle, P., Kazimi, M. S., and McEligot, D. M., 2008, "Deteriorated Turbulent Heat Transfer (DTHT) of Gas Up-flow in a Circular Tube: Experimental Data," *Int. Journal of Heat and Mass Transfer*, **51**, pp. 3259–3266.
234. Lee, J. I., Hejzlar, P., Saha, P., Kazimi, M. S., and McEligot, D. M., 2008, "Deteriorated Turbulent Heat Transfer (DTHT) of Gas Up-flow in a Circular Tube: Heat Transfer Correlations," *Int. Journal of Heat and Mass Transfer*, **51**, pp. 5318–5326.
235. Todreas, N. E., 2007, "Thermal Hydraulic Challenges in Fast Reactor Design," Keynote lecture KN10, *Proc. 12th Int. Topical Meeting on Nuclear Reactor Thermal-Hydraulics (NURETH-12)*, Pittsburgh, PA, Sept. 30–Oct. 4.
236. Gougar, H. D., Bari, R. A., Kim, T. K., Sowinski, T. E., and Worrall, A., 2015, "Assessment of the Technical Maturity of Generation IV Concepts for Test or Demonstration Reactor Application," Report INL/EXT-15-36427, Revision 2, Idaho National Laboratory, October.

Author biography



Dr. Pradip Saha has been a Principal Engineer at GE Hitachi Nuclear Energy (GEH [2005–present]), Wilmington, North Carolina, USA, since 2005. In 1974, he received his Ph.D. degree in Mechanical Engineering with specialization in Fluid and Thermal Sciences from Georgia Institute of Technology, Atlanta, USA. Since then he has been active in research and development of thermal hydraulics and safety of Boiling Water Reactor (BWR), Pressurized Water Reactor (PWR), Pressurized Heavy Water Reactor (PHWR), Supercritical Water-cooled Reactor (SCWR), Gas-cooled Reactor (GCR) and Sodium-cooled Fast Reactor (SFR) at various organizations including Massachusetts Institute of Technology (2003–2005), Flotherm Consultants Private Limited (in India) as the Founder and Managing Director (1986–2002), Brookhaven National Laboratory (1976–1985), and General Electric Company (1974–1976). His major accomplishments have been in the areas of two-phase flow in thermal non-equilibrium, density wave flow instabilities at subcritical and supercritical pressures, mixed convection heat transfer in gas-cooled reactors, reactor safety analysis code development, assessment and improvement, development of real-time engineering simulation software for PHWR, BWR scaling methodology, development of core power-feedwater temperature operating domain for ESBWR, improvement of BWR sub-channel analysis code and various aspects of GEH's SFR design PRISM.

Dr. Saha has authored more than 150 technical reports and papers, many published in reputed international journals. He is a Fellow of both American Society of Mechanical Engineers (ASME) and American Nuclear Society (ANS), and received Best Paper Award of ANS Thermal Hydraulic Division in 2008. He has lectured extensively at various academic institutions and professional society meetings, and mentored early-career engineers in USA and India.

Index

Page numbers followed by f and t indicate figures and tables, respectively.

A

ABWR, *see* Advanced Boiling Water Reactor (ABWR)
Active safety systems, 55–68
Generation II BWR, 58–60
Generation II PHWR, 60–61
Generation II PWR, 56–58
Generation III PWR and BWR, 61–68
Advanced Boiling Water Reactor (ABWR), 66–67
 core damage frequency (CDF) for, 67–68
ECCS, 66, 67, 67f
Advanced Power Reactor 1400 (APR-1400), 63, 64f
American Physical Society (APS), 83–84
AP1000, 69–72
 core damage frequency (CDF), 71–72
 passive core cooling system (PXS), 69, 70f
 PCCS, 70–71
 reactor coolant system (RCS), 69, 70f
APR-1400, *see* Advanced Power Reactor 1400 (APR-1400)
ARIES-P, 112
Asia, 1
ATHLET, 101
ATLAS, 100

Automatic depressurization system (ADS), 73
Auxiliary cooling system (ACS), 77, 78f

B

Babcock & Wilcox (B&W) PWR plants, 10
Best-estimate methodology, 85–103
 application to new reactors, 101–103
 consolidation (1991–present), 97–103
 development (1975–1990), 85–96
Blowdown period, 87
Boiling transition (BT), 23, 27–29, *see also* Critical heat flux (CHF)
Boiling water reactor (BWR), 6
 Generation II, 58–60
 Generation III, 61–68
 schematic, 9f
 steam generation, 9
Boric acid, 6

C

Canada, 96
CANada Deuterium Uranium (CANDU), 8, 10f
CASL, *see* Consortium for advanced simulation of LWRs (CASL)
CATHARE, 96
CATHENA, 96

CFD, *see* Computational fluid dynamics (CFD)

Chen correlation, 22

Chernobyl Unit 4 accident, 1

CHF, *see* Critical heat flux (CHF)

China, 1

Cladding, 5

COBRA-TF code, 96

COBRA/TRAC code, 96

Code scaling, applicability and uncertainty (CSAU), 90, 91f

Collier, J. G., 13

Computational fluid dynamics (CFD), 105–108

Consortium for advanced simulation of LWRs (CASL), 109–110

Coolant, 6

- compatibility, 14
- cost and availability, 15
- features of, 13–15
- figure of merit, 14, 14t
- high specific heat, 13
- high thermal conductivity, 13
- nuclear properties, 14
- pumping power, 13–14
- well-defined phase state, 14, 15

Core damage frequency (CDF), 61

- ABWR, 66–67
- AP1000, 70–71
- ESBWR, 74–75

Critical heat flux (CHF), 19, 20f

- enhancement of, 29–31
- higher-quality, 27–29
- lower-quality, 26–27
- ratio of, 31

Critical power, 31

Critical power ratio (CPR), 32–33

D

Decay heat, 7

Decay heat removal (DHR) system, 76–77, 77f

Departure from nucleate boiling (DNB), 19, 20f, *see also* Critical heat flux (CHF)

Depressurization valves (DPV), 73

Design basis accident (DBA), 82

Developed countries, 1

Dittus-Boelter correlation, 19

Doppler effect, 17

Drift flux, 24

Dryout, 23

E

ECC bypass/refill, 87

Electric Power Research Institute (EPRI), 86

Electricity generation, 1

- by fuel type, 3f
- nuclear share of, 1, 2f

Emergency core cooling systems (ECCS), 7, 81, *see also* Safety analysis; Safety systems

- cooling performance, 17–18
- ZIRLO cladding, 17

Energy Research and Development Agency (ERDA), *see* U.S. Department of Energy (USDOE)

Ergen report, 81

ESBWR, 71–74

- core damage frequency (CDF), 74

- core inlet velocity, 72–73
 natural circulation, 72, 72f
 station blackout (SBO) scenario, 73
 TRACG for, 102, 103
 European Pressurized Reactor, *see* Evolutionary Pressurized Reactor (EPR)
 Evolutionary Pressurized Reactor (EPR), 61–62, 62f
- F**
- Fast breeder reactors (FBR), 8
 Fast reactors, 4
 Fissile isotopes, 4–5
 France, 96
 Fukushima Daiichi reactors, Japan, 7
- G**
- Gas-cooled reactors, 8, 10
 GE Hitachi Nuclear Energy (GEH), 71
 Generation II reactor systems, 10
 BWR, 58–60
 PHWR, 60–61
 PWR, 56–58
 Generation III/III+ reactors, 10–11
 PWR and BWR, 61–68
 Generation IV International Forum (GIF), 11
 Generation IV reactors, 11–13
 safety analysis of, 110–113
 Global warming, 1
 Gravity driven cooling system (GDCS), 73, 74
- H**
- Hewitt, G. F., 13
 High-pressure injection system (HPIS), 56, 57
 Higher-quality critical heat flux (CHF), 27–29
 Hitachi, 66
- I**
- IAEA International Safety Advisory Group (INSAG), 61
 In-containment refueling water storage tank (IRWST), 69
 India, 1
 Integral effects tests (IET), 85–86
 Interfacial area transport equation (IATE), 103, 105
 Intermediate pressure injection system (IPIS), 56–57
 International Atomic Energy Agency (IAEA), 1
 Isolation condenser system (ICS), 72–74
- K**
- Korea, 96
 Korea Electric Power Corporation (KEPCO), 63
 Korean Optimized Power Reactor (OPR-1000), 63
 Kuhn-Schrock-Peterson (K-S-P) correlation, 103
- L**
- Large break loss-of-coolant accidents (LB-LOCA), 81, 82–83
 Large cold-leg break LOCA, 86–87

- Large Eddy Simulation (LES), 107
- LB-LOCA, *see* Large break
loss-of-coolant accidents
(LB-LOCA)
- Light water reactors (LWR), 4–5
- Light water SMR (LWSMR), 12
- Liquid metal cooled reactors, 19
- Loss-of-coolant accident (LOCA),
62, 63f, 82
ABWR, 67
AP1000, 69
ESBWR, 74
large break, 81, 82–83
small break, 67, 84, 88–89
- Loss-of-Fluid Test (LOFT), 85,
86f
- Loss-of-offsite power (LOOP),
62
- Low head safety injection (LHSI),
62
- Low Pressure Flooding (LPFL), 67
- Low-pressure injection system
(LPIS), 56, 57
- Lower-quality critical heat flux
(CHF), 26–27
- M**
- MARS, 96
- Moderator, 6
- Molten salt reactors (MSR), 19
- N**
- National Science Foundation
(NSF), 84
- Neutron-absorbing liquid, 6
- Nuclear fission, 3–7
- Nuclear power, 1
- Nuclear power plants, 1
- Nuclear reactors
basic principles of, 1, 3
classification, 7–13
fission and heat generation,
3–7
safety analysis, *see* Safety analysis
safety systems, *see* Safety systems
thermal hydraulics, *see* Thermal
hydraulics
- NuScale power module, 75–77
DHR system, 76–77, 77f
ECC system, 76, 77f
schematic, 77f
- P**
- Passive containment cooling sys-
tem (PCCS), 73, 74
- Passive core cooling system (PXS),
69
- Passive safety systems, 68–80
AP1000, 69–71
ESBWR, 71–74
for containment cooling and
pressure suppression, 68
for decay heat removal, 68
small modular reactors (SMR),
74–80
- PHWR, *see* Pressurized heavy
water reactor (PHWR)
- Plutonium-239, 3, 4, 5
- Prandtl number, 19
- Pressurized heavy water reactor
(PHWR), 5, 8
Generation II, 60–61
steam generation in, 10
subcooled boiling, 19, 20f
thermal crisis/CHF/DNB in,
19, 20f

- Pressurized water reactor (PWR),
 6, 7f
 Generation II, 56–58
 Generation III, 61–66
 large cold-leg break LOCA in,
 86–88
 subcooled boiling, 19, 20f
 thermal crisis/CHF/DNB in, 19,
 20f
 PRISM, 77–79
 nuclear steam supply system
 (NSSS), 78, 78f
 RVACS, 78, 79f, 112
 PSB, 100
 Purdue University, 101
 PWR, *see* Pressurized water
 reactor (PWR)
- R**
- Rasmussen, Norman, 84
 Ratio
 critical heat flux (CHF), 31
 critical power ratio (CPR), 32–33
 Reactor coolant system (RCS)
 AP1000, 69, 70f
 Generation II PWR, 56–57
 VVER-1000, 65–66, 65f
 Reactor core, 4–6
 Reactor Core Isolation Cooling
 (RCIC) system, 66
 Reactor Vessel Auxiliary Cooling
 System (RVACS), 78, 79f, 112
 Reflood period, 87–88
 Refueling water storage tank
 (RWST), 57, 58
 RELAP5, 96
 Reynolds Averaged Navier Stokes
 (RANS), 107
- Russia, 8
 RVACS, *see* Reactor Vessel
 Auxiliary Cooling System
 (RVACS)
 RWST, *see* Refueling water stor-
 age tank (RWST)
- S**
- Safety analysis, 81–113
 best-estimate methodology,
 85–103
 CASL, 109–110
 computational fluid dynamics,
 105–108
 conservative (pre-1975 method-
 ology), 82–85
 Generation IV reactors, 110–113
 interfacial area transport equa-
 tion, 103, 105
 methodology for future, 103–110
 Safety injection system (SIS), 61–63
 Safety injection tank (SIT), 63
 Safety relief valves (SRV), 73
 Safety systems
 active, 55–67
 Generation II BWR, 58–60
 Generation II PHWR, 60–61
 Generation II PWR, 56–58
 Generation III PWR and
 BWR, 61–67
 passive, 68–80
 AP1000, 69–71
 ESBWR, 71–74
 for containment cooling and
 pressure suppression, 68
 for decay heat removal, 68
 small modular reactors (SMR),
 74–80

Saha-Zuber correlation, 22
 SCWR, *see* Supercritical water-cooled reactor (SCWR)
 Separate effects tests (SET), 85
 Single-phase reactor core flow, 19
 Small break LOCA, 67, 84, 88–89
 Small modular reactors (SMR), 12–13, 12f
 passive safety systems, 75–80
 SMR, *see* Small modular reactors (SMR)
 Sodium-cooled fast reactors (SFR), 19
 Subchannel analysis, 34–53
 traditional approach, 34–42
 two-fluid three-field approach, 43–53
 Subcooled boiling, 19, 20f
 Supercritical water-cooled reactor (SCWR), 113

T

Thermal crisis, 19, 20f, *see also* Critical heat flux (CHF)
 Thermal hydraulics
 coolant, 13–15
 during abnormal/accident conditions, 16–18
 during normal operation, 15–16, 16t
 Thermal reactors, 3–4
 Thorium-232, 5
 Three Mile Island Unit 2 accident, 1, 7
 Tokyo Electric Power Company (TEPCO), 66
 Toshiba, 66
 TRAC, 96

Two-fluid three-field approach, 43–53
 Two-phase boiling core flow, 20–25
 pressure drop, 24–25
 void-quality relationship, 23–24

U

U.S. Atomic Energy Commission (USAEC), 81, 84
 U.S. Combustion Engineering System 80+ designs, 63
 U.S. Department of Energy (USDOE), 84–85, 113
 U.S. Nuclear Regulatory Commission (USNRC), 17, 84, 85
 Uranium-233, 5
 Uranium-235, 3, 4, 5
 Uranium-238, 4–5

V

Very-high-temperature reactor (VHTR), 11, 111, 113
 Virtual environment for reactor analysis (VERA), 109, 111f
 Vodo-Vodyanoi Energetichesky Reactor (VVER), 65–66, 65f

W

Weighted mean vapor drift velocity, 24
 Weighted mean vapor velocity, 24
 Westinghouse Electric Company, 69

Z

ZIRLO cladding, 17