

Index

a

- Absolute
 - entropy 37, 73, 475
 - temperature 34, 36, 37, 300
- Acceleration
 - angular 7, 8–10, 213
 - first-order 6
 - linear 8
 - radial 7
 - resultant 6–7
 - second-order 6
 - tangential 7
- Acoustic velocity, *see* Speed of sound
- Adiabatic
 - combustion 82
 - compression 24, 28, 35
 - expansion 25, 35, 320, 442
 - flame temperature 67, 69, 71–72, 89, 483
 - process 23, 34, 74, 415
- Aero engines 317, 376
- Air
 - angles 401
 - bleeding 322, 339, 358
 - composition 46
 - primary (in combustion chamber) 303
 - secondary (in combustion chamber) 303
 - specific heat at constant pressure 301, 330, 353, 371, 469
 - tertiary (combustion chamber) 303, 311
- Aircraft
 - engine 5
 - forward speed 328–329, 350–351, 370
 - gas turbines 311, 317
 - propeller load 433
 - propulsion 252, 430
- Air-fuel mixture 46, 53, 146, 168, 171, 179, 240, 303, 310, 380
- Air-fuel ratio
 - actual 46
 - overall 303
 - relative 46–47, 54, 71, 87, 169, 239, 305, 312, 379, 390
 - stoichiometric 46, 48, 52, 234
- Altitude
 - effect on performance of turbojet engines 336–337
 - effect on stagnation properties 321
- Angular momentum 10, 398, 405, 424
- Angular velocity 6, 10–11, 16, 191, 211, 213–214, 398
- Annular combustion chamber 303
- Applications industrial 302
- Axial displacement (turbine rotor) 5
- Axial-flow compressors 398–402
 - blading 399–400
 - degree of reaction 401
 - input power 400–401
 - performance characteristics 402–404
 - stage velocity diagram 400
- Axial-flow turbine 407–412
 - blade profile 413–414
 - choking 421–422
 - coefficients 419–420
 - degree of reaction 414–416
 - multi-stage output power 411–412
 - performance characteristics 420–422

Axial-flow turbine (*contd.*)
 stage output power 410–411
 stage efficiency 420
 utilisation factor (diagram efficiency)
 417–419
 velocity diagrams 407–409
 Axial turbine, *see* Axial-flow turbine

b

Bearing journal 204–206
 Bernoulli's equation 2, 14, 160, 162
 Blade(s)
 diffuser 405
 frictional losses 410, 413
 loading coefficient (stage) 419–420
 nozzle 407–408
 pitch 413
 profile 413–414
 edge thickness 413
 height 413
 twisted 414
 vortex theory 414
 width 413
 radial 406
 radial flow compressor 405–406
 radial flow turbine 422–424
 root 413
 rotor 400–401, 407–410
 speed 410–411
 stator 408
 tip 406, 413
 velocity ratio 418–419
 bmep, *see also* Brake, mean effective pressure
 definition 229–230
 units 230
 Bomb calorimeter 60
 Boy's calorimeter 65
 Brake
 efficiency 233
 mean effective pressure (bmep) 230,
 233–234, 241
 parameters 233–236
 power 233–235, 238–246
 specific fuel consumption (bsfc) 233,
 236–237, 240, 242–246

Brayton Cycle 119, 130–132, 255, 265, 270
 bsfc, *see* Brake specific fuel consumption
 Buckingham Pi Theorem 16–18
 Bulk modulus 12, 16
 Bypass
 air 340
 annular 339
 duct 347, 364–365
 Bypass ratio
 definition 340–341
 effect on
 propulsive efficiency 350–354
 sfc 354, 356
 specific thrust 353–357

c

Calorific value, *see* Heating value
 Carbon
 content in fuels 46, 52
 dioxide 37, 46, 54, 80, 105, 107, 255, 484
 monoxide 47, 54–55, 76, 169, 304, 484
 Carnot
 cycle 35–36
 efficiency 36
 engine 35–37
 principle 35
 Sadi 2, 35
 Carpet plots 112, 332, 380, *see also*
 Performance maps
 Celsius 23
 Centre of gravity 10
 Centre of mass 4, 8
 Centrifugal compressors, *see* Radial-flow
 compressor
 Characteristics
 CI engines 243–247
 SI engines 242–243
 Chemical and phase equilibrium 75–79
 Chemical reactions
 fuel having single chemical formula
 47–49
 fuel with known mass concentration of
 constituent elements 52–56
 multi-component gaseous fuel 49–52
 Choked nozzle 328, 336, 349, 442

- Choking
 - line 404
 - mass 442
 - in turbine inlet (stator) 421
 - in turbine rotor 421–422
- Circular motion
 - non-uniform 6
 - uniform 7
- Clearance volume 179, 190
- Coefficient of crankshaft imbalance 211
- Coefficient of molar change 56, 146, 165, 493
- Combustion
 - chamber 63, 164, 168–169, 240, 255, 274, 302, 306, 447, 457
 - correlations 483
 - effect of dissociation 313–314
 - efficiency 88, 311–312
 - engine (Internal) 31, 96, 235, 252
 - temperature 71, 83, 253, 306, 311–314, 379, 390, *see also* Adiabatic flame temperature
 - temperature charts 312
- Combustion process
 - diffusion phase 185
 - four-stroke engine 96, 156–157
 - rapid combustion phase 185
 - two-stroke engine 160
- Combustion products
 - equilibrium composition 81–87
 - frozen composition 81–82
 - thermodynamic properties 56–58
- Compressibility 12
- Compression-ignition (CI) engine 143, 161, 187
- Compression-ignition (CI) engine
 - performance
 - design-point 235–236
 - off-design 243–247
- Compression process parameters 144
- Compression ratio 101, 105–108, 113–114
- Compressor
 - axial flow 398
 - pressure ratio 18, 255, 278, 281, 317, 350, 449, 452–453
 - radial-flow (centrifugal) 404
 - running line(s) 438, 444
 - surge line 403–404, 407, 430
- Computer-aided engine simulation
 - computational fluid dynamics modelling 187
 - numerical engine modelling 187
- Concentration (composition)
 - equilibrium 82–87
 - frozen 81–82
 - mass 21, 52, 66–67
 - molar (mole) 21, 38
- Conservation of
 - angular momentum 10
 - energy 6, 26, 27
 - mass 13
- Constant-pressure
 - combustion cycle 99, 147
 - process 24, 119
- Constant-temperature, *see* Isothermal process
- Constant-volume
 - combustion cycle 99, 104, 147
 - process (isochoric process) 65, 72
- Continuity equation 13, 162, 366–367, 451
- Control volume 13–14, 26–27
- Converging nozzle 325, 340, 422, 438–439, 442
- Cooling
 - constant-pressure 130
 - degree 130, 133, 136–137
 - heat exchanger (intercooler) effectiveness 285–286, 293
 - process 130, 133, 136
- Coordinate system
 - Cartesian 6, 202, 204, 399, 407
 - p-V 36, 100, 124
 - T-s 36, 100, 124
- Couple
 - definition 8–10, 223
 - inertia 9
 - resistance 9–10
- Crankshaft imbalance 211
- Critical
 - pressure 326–327, 346, 368, 441–442, 444, 461

Critical (*contd.*)

- pressure ratio (nozzle) 29, 326–327, 346–347, 441, 448
 - temperature 326, 346, 367, 441
 - temperature ratio 326, 346, 367, 441
- Cube law 438
- Cumulative heat release 173–175, 179, 182–184
- Cycles (gas turbine engines)
- ideal
 - air-standard (reversible) 254
 - irreversible 274
 - practical 299
- Cycles (piston engines)
- fuel-air 143
 - ideal
 - forced-induction 119
 - natural-induction 99
 - practical 153
- Cylinder pressure 183–184, 187
- Cylinder volume (total volume) 190

d

- Dalton model of gas mixture 21
- Datum (reference) 26
- Degree of reaction
- axial-flow compressor 401
 - axial-flow turbine 407, 414–417, 420
- Density
- air 231, 318–319, 400
 - critical 326, 346, 368
 - gas (nozzle) 327, 347, 368, 440, 442, 461
- Design point calculations of aviation gas turbines
- simple turbojet engine 322
 - two-spool mixed-flow turbofan engine 357
 - two-spool unmixed-flow turbofan engine 337
- Design point calculations of industrial gas turbines
- single-shaft 376
 - two-shaft 387
- Design point calculations of piston engines 236

Diesel

- cycle 24–26, 96, 106, *see also*
 - Constant-pressure cycle
 - engine, *see* Compression-ignition (CI) engine
 - Rudolf 24, 97
- Diesel fuel 47, 176, 304
- Diffuser 31, 303, 320, 322, 338, 358, 360, 405, 424
- Dilution zone (combuster) 303
- Dimensional analysis 2, 15–16, 18, 29
- Dimensionless groups 16–17
- Dimensions 15–17
- Direct injection 164, 185–187, 240–241
- Displacement
- angular 11, 190, 221
 - linear 11
- Dissociation and equilibrium composition 80–81
- Dodecene ($C_{12}H_{24}$) 47, 308, 310–314, 484
- Dual cycle 108
- Dynamics 2, 4
- Dynamics of reciprocating mechanism
- crank pin wear diagram 204
 - engine speed fluctuations 211
 - engine torque 198, 211, 213, 215, 241
 - forces acting on crank pin 195
 - forces acting on crank shaft support 198
 - forces acting on piston pin 195
 - mass at crank pin 193–194
 - mass at piston pin 194
 - mass distribution scheme 193–194
 - moment of inertia 213, 215
 - moments acting on crank shaft support 198, 200, 205
 - polar diagram (crank pin) 201–203
 - resultant forces acting on the crank pin 201
 - resultant forces acting on the crank shaft bearing journals 204

e

- Efficiency
- Carnot 36
 - combustion 88, 312

- compressor isentropic 275, 278
- compressor polytropic 277
- fan 342, 361
- intake (diffuser) 322
- mechanical 233, 235, 237, 240, 299, 302, 344, 363, 387
- nozzle 325
- overall 278–279, 328, 349
- propulsive (propulsion) 328, 331–332, 335, 354
- thermal 103, 120, 282, 381, 384, 389, 497
- total-to-static 425
- turbine isentropic 280, 404, 421
- turbine polytropic 278–279
- volumetric 231, 235–237
- Ellipse law 449
- Endothermic reaction 80
- Energy
 - accumulated 26
 - conservation 6, 26, 27
 - gravimetric (potential) 14, 31, 32
 - heat 23, 33
 - internal 20, 22, 59–60, 145, 177, 471
 - kinetic 6, 10, 14, 26, 328, 349, 405
 - mechanical 14, 26, 398
 - thermal 164, 168
 - total 13, 389
- Energy equation, *see* First law of thermodynamics
 - applications
 - air compressor 32
 - diffuser 31
 - gas turbine 32
 - heating gas at constant pressure 33
 - nozzle 31
 - reciprocating ICE 31
 - general 14
 - non-flow 26
 - steady-flow 26
- Engine balancing
 - eight-cylinder engine 221
 - single-cylinder engine 215
 - two-cylinder inline engine 217
 - two-cylinder V-engine 218
- Engine performance characteristics
 - power 236–237
 - speed 236–237
- Engine performance parameters (ICE)
 - brake 233
 - indicated 228
- Engine processes
 - four-stroke engine
 - combustion and expansion 157
 - compression 157
 - exhaust 157
 - induction 155
 - two-stroke engine
 - combustion and expansion 160
 - compression 159
 - exhaust and induction 160
- Engines
 - classification 96–97
 - compression-ignition (CI) 143, 161, 187
 - diesel 108, 144, 148, 186, 239
 - direct injection 164, 185, 186–187, 240–241
 - four-stroke 96, 153
 - gas turbine 9, 66, 253, 317, 376
 - historical 96–97
 - indirect injection 164, 241
 - piston (reciprocating) 2, 4, 45, 153, 189
 - spark-ignition (SI) 96–97, 146
 - two-stroke 96, 157
- Enthalpy
 - correlations (combustion products) 67–68
 - definition 20
 - stagnation 28, 399
 - tables(combustion products) 469–476
- Enthalpy of formation
 - definition 61
 - reference state 469–476
 - table 484
- Enthalpy of reaction 63
- Entropy
 - absolute 37, 73, 475
 - change 34, 37–38, 73–75
 - definition 20, 34
 - specific 34
- Equation of state 23, 24, 37, 65, 81

Equilibrium constant
 backward 81
 definition 78
 of formation 78
 forward 77, 81
 tables 79, 477–482
 in terms of species concentration 81

Equivalence ratio 46, 71, 305, 311–312

Ethanol 47, 56, 66, 484

Euler's equation 14, 406, 410, 424

Excess air 47–50, 54, 146

Exhaust
 duct 281, 290, 294
 gases 5, 119, 123, 160, 163, 258, 422
 manifold 119, 164
 pressure loss 431
 valve 155–157

Exothermic reaction 45, 60, 64, 80

Expansion process parameters 148

Expansion ratio (volume ratio)
 at constant pressure 101
 ICE 97, 148
 turbine 315, 422, 444

f

Fahrenheit 37

Fan
 power absorbed 342
 power absorbed (root) 361
 power absorbed (tip) 365
 pressure ratio 350–351, 355, 357, 365
 root 361, 366, 369
 tip 365–366

First law of thermodynamics 26, 59, 100

Flame
 formation 303
 stabilization 303
 temperature (adiabatic) 67, 71–72, 89, 483
 tube 303

Flammability limits 304

Flight
 altitude 336
 Mach number 334–335
 speed 321, 322, 329, 334

Flow
 energy 26
 parameter 29, 421, 426, 455, 462
 sonic 326, 346, 367
 steady 26, 31, 63–64
 subsonic 327, 347, 368
 work (pressure work) 26

Flow rate
 cold stream 356
 gas stream 28, 319–320, 451

Flows through nozzle 31

Force
 gas 5, 195, 485
 moment of 8, 16
 pressure 5, 195–196

Four-stroke cycle
 combustion and expansion processes 157
 compression process 157
 definition 153
 exhaust process 157
 indicator diagrams 153–154, 167, 173, 183–184
 induction process 155
 p-V diagram 153–156
 p- ϕ diagram 153–154

Free turbine, *see* Power turbine

Frictional losses (piston engines) 230, 235, 240

Frictional mean effective pressure (fmep) 229, 230, 240–241, 495

Fuel(s)
 composition (tables) 46, 49, 52
 gaseous 49
 heating values (table) 66
 hydrocarbon 45, 47, 49, 56, 84, 303–304, 306, 308
 liquid 47, 52, 56, 65, 234–235, 309
 solid 52, 66–67

Fuel-air cycles
 combustion process
 constant-pressure 24, 88, 99, 147, 149, 160, 170, 306
 constant-volume 24, 60, 71–72, 99, 147, 165
 dual 114–115, 117, 127, 167

compression process 144
 cycle assumptions 143
 cycle comparison 150
 expansion process 148
 mean effective pressure 148
 Fuel injection (diesels) 97, 157, 164, 176, 185
 Fuel injection (SI engines) 168–169
 Fuel map
 CI engines 246
 SI engines 243–244
 Fundamental units 16–17

g

Gas constant 15–16, 23, 57, 329, 442
 Gas generator 274, 320, 324, 342, 435, 438,
 444, 451, 457
 Gas properties
 combustion products 56–58
 molar enthalpy (polynomial functions) 68
 ratio of specific heats 57, 301, 330, 353,
 371
 specific heats (polynomial functions) 58
 stagnation 28
 tables 469, 476
 Gas turbine applications 253
 Gas turbine cycles
 air-standard
 heat exchange 258
 heat exchange and intercooling 267
 heat exchange and reheat 265
 heat exchange, reheat, and intercooling
 268
 intercooling 263
 Joule/Brayton 254, 255
 reheat 260
 irreversible air-standard cycles
 heat exchange 284
 heat exchange and intercooling 292
 heat exchange and reheat 290
 heat exchange, reheat, and intercooling
 294
 intercooling 288
 reheat 287
 simple 280
 practical 299

Gasoline 13, 35, 46, 47, 52, 55, 56, 66, 304
 Generalised cycle (piston engine)
 assumptions 99
 characteristic points 102
 mean effective pressure 103
 thermal efficiency 103
 Generic
 axial turbine characteristics 420–422, 426
 CI engine 245–246
 off design charts 430, 436
 Gibbs function 76–78
 Gravimetric (mass) analysis 46, 51–52

h

Heat 19
 Heat capacity (specific heat)
 constant-pressure 57
 constant-volume 57
 molar 57
 Heat exchanger effectiveness 285, 268, 285,
 498
 Heat of combustion, *see* Enthalpy of reaction
 Heat release
 CI engines 184
 cumulative 174–175, 179, 182–184
 phases in CI engines 185–186
 rate of 173–175, 183–185
 SI engines 183
 Heat transfer coefficients 178, 182
 Heat utilization coefficient 165, 493
 Heating a gas
 at constant pressure 24
 at constant volume 24
 Heating value
 higher 65–66
 lower 65–66, 145, 165, 178, 233, 235
 Helmholtz function 76–77
 Hydrogen 37, 45, 47, 55

i

Ideal cycles for forced-induction engines
 cycle comparison 138
 supercharged cycles
 with intercooling 136
 without intercooling 126

Ideal cycles for forced-induction engines
(*contd.*)

- turbocharged cycles
 - constant-pressure turbine 119
 - constant-pressure turbine with intercooling 130
 - variable-pressure turbine 123
 - variable-pressure turbine with intercooling 133

Ideal cycles for natural-induction engines

- constant-pressure (Diesel) 106
- constant-volume (Otto) 104
- cycle comparison 114
- dual (pressure-limited) 108
- generalised 99

Ideal gas

- cycle 24–26
- equation 23
- mixture 21
- system 23

Ignition

- angle 176
- compression (CI) 54, 106, 108, 161
- delay (in CI engines) 176, 185
- homogeneous-charge compression 186
- spark (SI) 24, 54, 104, 160, 168, 228
- timing 157
- untimely 161

Imbalance (piston engine) 189, 211, 215

imep 229, 230, 301, *see also* Indicated parameters

Impeller

- radial 423–424
- single-sided 423

Independent variables 16–17, 308–309, 333

Indicated parameters

- efficiency 232
- mean effective pressure (imep) 232
- power 233
- specific fuel consumption (isfc) 232
- work 231

Indicator diagram 153, 228

Indirect injection 164, 241

Inlet (induction) manifold 162, 235–236

Internal energy

products (correlations) 61–62

products (tables) 471–472

reactants 59, 72

reaction 71, 73

specific 20

vaporisation 65

International standard atmosphere

density 318–319

pressure vs. altitude 318–319

speed of sound 318

temperature vs. altitude 318–319

International temperature scale 37

Irreversibility 34, 274, 280

Isentropic

flow 28

process 34, 136, 254, 274

isfc, *see also* Indicated parameters

definition 232

units 232

Isooctane 47, 89, *see also* Octane

Isothermal process 24, 35, 67

j

Jet

tube 338–339, 358–360, 364–365

velocity 339, 359, 368

Jet engine, *see* Turbojet engine

k

Kelvin

degrees 37

Lord 2, 36

Kerosene

gravimetric analysis 52, 66

higher heating value 66

lower heating value 66

Kinematic viscosity 13, 16

Kinematics 4, 153, 180, 189, 192

Kinematics of reciprocating mechanism

definition of terms 190

piston displacement 190–191

piston instantaneous acceleration 191

piston instantaneous speed 191

Kinetic energy 6, 10–11, 14, 26–27, 328, 349

Kinetics 4, 7–9

L

Law of degradation of energy 34, 39, *see also*

Law of thermodynamics, second law

Laws of thermodynamics

first law 26, 59, 100

second law 33–34, 74, 76

third law 37

zeroth law 36

Lean mixture 47, 82

Lenior, J. 2, 96

Limited pressure cycle, *see* Dual cycle

Linear

acceleration 8

displacement 11

momentum 10

motion 8

Linnecken correlation 422, 448, 459

Losses

compressor 322

diffuser 322

heat 32, 164, 177–178, 182, 365

mechanical 161, 230, 235, 302, 324, 451, 457

nozzle 322

pumping 153, 157, 161, 230, 240

turbine 322

m

Mach number 15

Mass

centre of 8

conservation of 13

distribution scheme (reciprocating mechanism) 194

fundamental dimension 15

molecular 15, 21, 23, 51, 56–57, 300

reciprocating 193, 195

rotating 193, 195, 213

Mass flow parameter

compressor 403–404, 407

compressor-turbine 421, 430

nozzle 441

physical interpretation 29

power turbine 436

relative 459, 462

turbine 421–422, 426

Mass fraction (concentration) 21, 57

Mean effective pressure

brake 229–230, 495

constant-pressure (Diesel cycle) 108

constant-volume (Otto cycle) 105

dual (pressure-limited) 110

frictional 229–230, 240–241, 495

generalised cycle 103

indicated 229–233, 241

supercharged cycles

with intercooling 138

without intercooling 129

turbocharged cycles

constant-pressure turbine 122

constant-pressure turbine with

intercooling 133

variable-pressure turbine 125

variable-pressure turbine with

intercooling 135

Mechanics

engineering 4

fluid 11

Methane 47, 49, 65–66, 75, 304, 306, 484

Methanol 47, 56, 66, 484

Mixer (mixing chamber)

cold inlet 358

computational procedure 365–367

hot inlet 358

shape 358

Mixture

lean 47, 82

rich 47, 82

stoichiometric 47, 82, 303, 314

Moisture content in fuel 66–67

Molar (mole)

amount 23, 54

change 49, 51, 54, 146, 165

concentration (fraction) 21, 38

enthalpy 67

mass 21

specific heat (heat capacity) 301

thermodynamic properties 57

Mole fraction, *see* Molar (mole),

concentration

Moment
 of force 8, 16
 of momentum 10
 tilting moment (engine) 198, 201, 215

Moment of inertia
 of engine rotating masses 213, 215
 parallel axis theorem 8
 radius of gyration 8
 rigid body 8

Momentum
 angular 10, 14, 405, 424
 linear 10
 total 10

Motion
 linear 8
 rotary (circular) 2, 6–7, 189

Multi-species composition of combustion
 products
 equilibrium composition
 eighteen species 84–87
 eleven species 83–84
 six species 83
 frozen composition 81–82

Multi-stage turbine 411–412

n

Natural gas 49–50, 144, 235

Nested loops (component matching) 429

Net thrust, *see* Thrust

Newtonian fluids 13

Newton's laws of motion 4–5

Nitrogen
 atmospheric 46
 in combustion products 53, 76
 in fuel (fuel bound) 49–50

Nitrogen oxides 304

NO formation
 effect of relative air-fuel ratio 85, 87
 in dissociation reactions 85, 87
 reaction equilibrium constant 85–86

Non-dimensional work (net specific output work)
 air-standard gas turbine cycles 256, 497
 irreversible gas turbine air-standard cycles 280, 498

Non-Newtonian fluids 13

Non-uniform circular motion
 acceleration 7
 velocity 6

Nozzle
 characteristics 429, 441
 efficiency (isentropic) 325
 equation 448
 loss coefficient 425
 pressure ratio 443–444, 458, 459
 temperature ratio 326, 346, 367

O

Octane 56, 66, 71, 82, 84, 87

Off-design performance of gas turbines
 component matching method
 single-shaft gas turbine 431
 turbojet engine 438
 two-shaft gas turbine 434
 thermos-gas-dynamic matching method
 single-shaft gas turbine 446
 turbojet engine 456
 two-shaft gas turbine 450

Off-design performance of piston engines
 load characteristics 241
 speed characteristics 240

Operating
 point (rated or nominal point) 236, 432, 438, 452, 455, 459
 range 186, 240, 245, 452, 459, 463

Operating line (on compressor map)
 constant-pitch propeller 434
 generator 434, 438
 propeller 438
 variable-pitch propeller 434

Optimum
 compression work (GT cycle) 263
 degree of reaction (axial compressor) 401
 fan pressure ratio 357
 position (lubricating hole for crank pin) 204
 velocity ratio (blade) 418

Otto cycle, *see* Constant-volume, (combustion) cycle

Oxygen 45–47, 52

p

- Partial pressure 22, 74, 79
- Particle
 - definition 4
 - kinetic energy 11
 - no-uniform circular motion 6–7
 - uniform circular motion 7
- Part-load performance, *see* Part throttle performance
- Part throttle performance 236–237
- Performance
 - mixed-flow turbofan engine 369
 - single-shaft gas turbine 379
 - turbojet engine 328
 - two-shaft gas turbine 390
 - unmixed-flow turbofan engine 350
- Performance maps
 - single-shaft gas turbine 381–382
 - turbofan engine (two-spool, unmixed-flow) 355
 - turbojet engine 328
 - two-shaft gas turbine 392, 394
- Petrol engine, *see* Spark ignition (SI) engine
- Piston
 - acceleration 191–193
 - displacement 189–192
 - forces 195
 - mass 193
 - pin 193
 - slap 5, 196
 - speed 191–192
- Piston-crank mechanism, *see* Reciprocating mechanism
- Polytropic
 - compression 148
 - index (exponent) 24, 143–144, 163, 167
 - process 24, 157
- Polytropic (small-stage) efficiency
 - compressor 277
 - turbine 278
- Ports (two-stroke engines) 158, 160
- Position
 - angular 6–7, 218
 - initial 6
- Potential energy 14, 31, 32
- Power
 - absorbed by the compressor 324, 343, 362, 377
 - absorbed by the fan 342, 361, 365
 - brake 234, 236
 - high-pressure turbine 343, 362
 - indicated 233
 - low-pressure turbine 344
 - mechanical 2, 6, 398, 451, 457
 - rotational 11
 - thrust 349
 - turbine 302, 315, 324, 377–378
 - useful 328
- Practical cycles (piston engines)
 - assumptions 160–162
 - compression-ignition cycle (CI)
 - combustion process 164
 - compression process 163
 - expansion process 166
 - induction process 162
 - mean effective pressure 167
 - computer-aided simulation 186
 - constant-pressure combustion cycle
 - combustion process 171
 - cycle comparison 172
 - expansion process 171
 - induction and compression processes 162–163
 - mean effective pressure 171
 - cycles based on combustion modelling
 - cycle calculation using Wiebe function 175–184
 - definition 173
 - Wiebe function 173–175
 - double Wiebe models 184–186
 - spark-ignition cycle
 - combustion process 168
 - expansion process 170
 - induction and compression processes 162–163
 - mean effective pressure 170
- Pressure
 - absolute 37
 - mean effective (mep) 103

- Pressure (*contd.*)
 stagnation (total) 28, 320, 399, 459
 static 399, 405, 408, 411–412
- Pressure losses
 combustion chamber 274, 281
 exhaust (exit) duct 274
 inlet (intake) duct 274
- Pressure ratio
 compressor 18, 255, 281, 329
 compressor-turbine 458, 463
 constant volume 101
 expansion (overall) 101
 fan 350, 355, 357, 365
 high-pressure turbine 343, 362
 intake 323, 342, 361, 364
 nozzle 444, 458, 459
 overall (turbofan engine) 343, 357, 362,
 369–370, 402
 power-turbine 421, 437, 451
 turbine 280, 314, 449, 454
- Pressure-volume diagram (forced induction)
 ideal cycles 119, 123, 126, 129, 133, 136
- Pressure-volume diagram (natural induction)
 ideal cycles 99, 104, 106, 108
 practical cycle 161, 168, 170–171
 pumping losses 154
- Process
 adiabatic 23, 34, 74, 415
 constant-pressure (isobaric) 24, 119
 definition 20
 heat only 23–24
 isentropic 34, 275–277, 323, 325, 345, 347
 isothermal (constant-temperature) 24
 polytropic 24, 157
- Products of complete combustion 53
- Products of incomplete combustion 54
- Propeller
 constant-pitch 433–434, 438
 load 433
 power 433
 variable-pitch 433–434
- Property definition 20
- Propulsion
 aircraft 252, 430
 marine 170, 387
- Propulsive
 efficiency 328, 349, 369
 thrust 322, 327, 346–347, 349, 368,
 444–445, 461
- Propane 47, 49, 66, 74–75, 304, 306, 484
- q**
- Quantity (amount)
 products 48, 50, 53–54
 reactants 48, 50, 53
 residual gases 165
- r**
- Ram
 effect 319, 340
 pressure ratio 443–444, 459
- Radial-flow compressor
 characteristics 406–407
 design 404–405
 velocity diagram 405
- Radial-flow turbine
 characteristics 426
 design 423–424
 velocity diagram 424
- Rankine 37
- Rated
 engine (performance) 236, 239–242
 fuel consumption 236, 240
 point (nominal) 236, 240, 243, 246, 433
 power 236, 240–241
 speed 10, 215, 236, 240, 493
 torque 236
- Rating (engine performance)
 CUNA 238
 DIN net 238
 SAE gross 238
- Ratio of hydrogen to carbon monoxide 55
- Ratio of specific heats
 equation for air 57–58
 equations for combustion products
 305–306
 profiles in gas turbine engines 330, 353,
 371
- Reactants 48, 50, 53, 59–64
- Reaction(s)

- chemical 35, 45, 47, 59, 61, 63, 73, 75, 77, 143, 160
 - combustion 3, 47, 52, 78, 169, 304
 - stoichiometric 83, 146
 - Reaction turbine, *see also* Axial turbine; Axial-flow turbine
 - 50% 402, 415–416, 420
 - multi-stage 411–412
 - two-stage 411–412
 - Reacting mixtures
 - entropy change 73–75
 - first law analysis 59
 - second law analysis 74
 - Reciprocating mechanism (piston-crank mechanism)
 - dynamics 193
 - engine balancing 215
 - kinematics 189
 - multi-cylinder engines 217
 - Rectilinear work and energy 5
 - Reference
 - pressure 65, 77, 79, 475, 477
 - state (temperature and pressure) 59, 72
 - temperature (thermodynamic properties) 38, 58–59, 61, 63–65, 67, 307, 471
 - Regenerative cycle, *see* Gas turbine cycles
 - Relative fuel-air ratio, *see* Equivalence ratio
 - Relative mass flow parameter 462
 - Residual gases
 - coefficient 163, 165, 178, 493
 - definition 161
 - quantity 163, 165
 - temperature 163, 493
 - Reversible
 - adiabatic compression 24, 28, 35
 - adiabatic expansion 25, 35, 320, 442
 - cycle 24–26, 36
 - engine 35
 - process 20, 34
 - Rigid body
 - angular momentum 10, 398, 405, 424
 - definition 4
 - rotating 7
 - Rotary motion 2, 6, 189
 - Rotation about a fixed axis 7
 - Rotor
 - blades 398–401, 407–409
 - loss coefficient 425
 - Rounding-off coefficient (engine cycles) 228, 493
- S**
- SAE Recommended Practice 339
 - Semi-dimensional (“non-dimensional”)parameters
 - mass flow 29, 421, 426, 455, 462
 - speed(rotational) 18, 29, 436, 438
 - thrust 444–445
 - sfc, *see* Specific fuel consumption
 - Shaft speed 403, 411, 429, 438
 - Similitude 15, 29
 - Sink (reservoir)
 - high-temperature 33–34
 - low-temperature 33–34, 36, 99
 - Sonic flow 326, 346, 367
 - Soot 187, 240
 - Spark ignition (SI) engine 24, 104, 160, 168, 228
 - Spark ignition (SI) engine performance
 - design-point 236
 - off-design 239
 - Specific
 - enthalpy 20
 - entropy 34
 - gravity 12
 - heat (capacity) 101
 - heat of air 301
 - heat ratio 301, 330, 353, 371
 - internal energy 20
 - thrust 331–336, 353–357, 371
 - volume 23, 181
 - work 497–498
 - Specific heat, *see also* Heat capacity (specific heat)
 - constant-pressure 57
 - constant-volume 57
 - correlations 57–58
 - ideal gas mixtures 57

- Specific heat, *see also* Heat capacity (specific heat) (*contd.*)
 profiles in gas turbine engines 330, 353, 371
 ratio 300–301
- Speed of sound 15, 28, 317–318
- Speed parameter
 compressor 421
 compressor-turbine 421
 physical interpretation 18, 29
 power turbine 421
 simple turbojet 421
 single shaft engine 421
- Stage
 axial compressor 399
 efficiency (turbine) 420
- Stagnation (total)
 enthalpy 28, 399
 pressure 28–29, 320–321, 399, 459
 temperature 28, 320–321, 411, 443
- Standard temperature 23, 71
- State of working fluid 20
- Stations numbering
 mixed-flow turbofan 358
 unmixed flow turbofan 339
- Stator blades 399–400, 407–408
- Stoichiometric
 air-fuel ratio
 on mass basis 48
 on volume basis 48
 combustion 75, 88
 mixture 47, 82, 303, 314
 reaction 83, 146
- Stoichiometry 45–47
- Stroke
 four-stroke (engine) 153
 two-stroke (engine) 157
- STOL (short take off and landing) 97, 252
- Subsonic flow 327, 347, 368
- Sulfur 45–46, 52, 55, 67
- Surge line 403–404, 407, 430, 434, 438, 444
- Surrogate fuels 47, 146, 308, 390
- Swept (displaced) volume 104–105, 160, 230–231, 235, 496
- Swirl vanes 303
- Symmetrical velocity diagram 401–402, 415, 417
- System
 closed 20
 definition 19
 open 20
 thermodynamic 19, 35
- t**
- Tangential
 acceleration 7
 velocity 6, 408, 414
- Temperature
 absolute 34, 36–37, 300
 profiles in gas turbine engines 330, 352, 371
 stagnation 28, 320–321, 411, 443
 static 28, 321
- TET, *see* Turbine entry temperature
- Theoretical air 74
- Thermal efficiency
 brake 233
 constant-pressure (Diesel) 106
 constant-volume (Otto) 104
 dual (pressure-limited) 109
 generalised 103
 indicated 232
 supercharged cycles
 with intercooling 137
 without intercooling 128
 turbocharged cycles
 constant-pressure turbine 121
 constant-pressure turbine with intercooling 132
 variable-pressure turbine 124
 variable-pressure turbine with intercooling 135
- Thermochemistry 3, 45
- Thermodynamic
 cycle 24–26, 153, 157, 191, 210
 system 19, 35
 temperature scale 36–37
- Thermodynamic properties
 air 57–58, 300–301
 combustion products

- correlations 61–62
 - tables 469, 476, 484
- composite 76
- Three-dimensional surface plot
 - CI engine power characteristics 245
 - combustion temperature 310
 - enthalpy of combustion products 309
 - SI engine load characteristics 243
 - single-shaft gas turbine performance 385
 - turbofan engine performance 356
 - turbojet engine performance 333
- Three-spool turbofan engine 339–340, 398
- Throttle
 - constant 236
 - full 230, 236–237, 239
 - part (partial) 230, 236–237
 - valve 168–169
- Thrust
 - momentum 327–328, 346, 368
 - net 446
 - power 349
 - pressure 327, 346, 368, 445
 - propulsive 322
 - specific 331–336, 353–357, 371
 - total 338–339, 349
- Torque
 - curve(s) 242
 - mean 208, 210–215
 - multi-cylinder 213
 - profile 210, 212
 - rated 236
 - relationships (equations) 198, 208, 211, 214–215, 241
- Torque uniformity factor 210
- Tropopause 318
- Turbine
 - axial flow 407
 - characteristics 421
 - high-pressure 338–340, 343, 358, 362
 - intermediate-pressure 340
 - low-pressure 338–340, 344, 363
 - pressure ratio 314, 378, 449
 - radial flow 422
- Turbine entry temperature 253, 302, 328, 333, 336, 351, 447, 455, 462
- Turbocharger 119, 123, 141, 423, 426
- Turbojet engine
 - combustion chamber 324
 - compressor 323
 - effect of altitude 336
 - effect of flight Mach number 334
 - intake 322
 - nozzle 325
 - performance efficiencies 328
 - performance maps 352
 - sonic flow 326
 - subsonic flow 327
 - turbine 324
- Two-spool mixed-flow turbofan engine
 - design point calculations of engine core
 - intake 361
 - fan 361
 - compressor 362
 - combustion chamber 362
 - compressor turbine (high-pressure turbine) 362
 - low-pressure turbine 363
 - design point calculations of bypass section
 - bypass duct 365
 - fan 365
 - intake 364
 - mixer 365
 - performance efficiencies 369
 - propelling nozzle 367
 - sonic flow 367
 - subsonic flow in hot nozzle 368
 - engine performance 369
- Two-spool unmixed-flow turbofan engine
 - design point calculations of core engine
 - bypass ratio 340
 - combustion chamber 343
 - compressor 342
 - fan 342
 - high-pressure turbine 343
 - hot nozzle 345
 - intake 341
 - low-pressure turbine 344
 - sonic flow in hot nozzle 346

Two-spool unmixed-flow turbofan engine
(*contd.*)

- subsonic flow in hot nozzle 347
- design point calculations of engine bypass section
- cold nozzle 347
- intake and fan 347
- performance efficiencies 349
- engine performance 350

Two-stroke cycle

- combustion and expansion processes 160
- compression process 159
- definition 157
- exhaust and induction processes 160

u

Unbalanced inertial forces 218, 222,
487–490

Unchoked nozzle 349, 441, 463

Uniform circular motion

- acceleration 7
- velocity 7

Universal gas constant 15, 23, 57, 146, 165,
306

v

Valve

- exhaust 155–157
- inlet 41, 155, 157, 160, 162, 168–169
- overlap 157, 161
- timing 153, 239

Vanes, *see also* Blade(s)

- converging 423
- diffuser 405
- diverging 405
- guide 399
- impeller 405–406, 423
- nozzle 405, 423
- radial 423

Vehicle

- off-road 246
- on-road 246

Velocity diagrams

- axial flow compressor 400, 402
- axial flow turbine 409

radial flow compressor 405

radial flow turbine 424

Viscosity

- dynamic 13, 16–17, 403
- kinematic 13, 16

Volume

- clearance 179, 190
- instantaneous 190
- ratio (at constant pressure) 101
- swep (displaced) 104, 160, 190, 230–231,
235, 496
- total 190

Volumetric efficiency

- effect of speed 239
- engine performance 234–235
- definition 231

Volute casing 405, 423–424

Von Ohain, Hans 252, 302

w

Whittle, Sir Frank 252, 302

Wiebe function

- combustion duration 174–175
- crank-angle resolved 174
- double 184–186
- shape factor 173–175, 183
- single 173–175
- time resolved 173

Wittenberg 422, 429, 446, 448, 455

Work

- brake 230, 233
- compression 24–25, 148, 263
- expansion 25, 148, 260–261
- force 5
- frictional 230
- indicated 151, 228, 230–231, 233
- mechanical 2, 6, 19, 32–34, 189, 231
- rectilinear 5
- rotational 10
- sign convention 25–26
- specific 497–498

Working substance 19

z

Zeroth law of thermodynamics 36