

References

1. ASHRAE (American Society of Heating, Refrigeration and Air-Conditioning), "ASHRAE Handbook", 2001.
2. Bernhard, G. and et al, "Measurements of Spectral Solar UV Irradiance in Tropical Australia", *J. of Geophysical Research*, V. 102, No. D7, 8719-8720, 1997.
3. Brode, H. L., "A Review of Nuclear Explosion Phenomena Pertinent to Protective Construction", 1964.
4. Cai, A. and et al, "Effects of Cell Phone Radiation on the Head", *Computer Aided Engineering: Applications to Biomedical Processes*, 2014.
5. Colorado State University, "Solar Irradiation Data: Fairbanks, Alaska", UV-B Monitoring and Research Program, 2019.
6. Duffie, J. A. and W. A. Beckman, "Solar Engineering of Thermal Processes", John Wiley & Sons, Inc., 1991.
7. Dumas, C. and G. S. Mittal, "Heat and Mass Transfer Properties of Pizza During Baking", *International Journal of Food Properties*, 2007.
8. FDA(Federal Drug Administration), "Criteria for Significant Risk Investigations of Magnetic Resonance Diagnostic Devices", fda.gov/media/71385, 2014.
9. Glasstone, S. and P. J. Dolan, "The Effects of Nuclear Weapons", US Dept. of Defense and US Dept. of Energy, Third Edition, 1977.
10. Health Physics Society, "Radiation Exposure from Medical Exams and Procedures", 2010.
11. ICNIRP(International Commission on Non-Ionizing Radiation Protection) Guidelines, "On Health Issues of Ultraviolet Tanning Appliances Used for Cosmetic Purposes", *Health Physics*, 84(1), 119-127, 2003.
12. ICNIRP(International Commission on Non-Ionizing Radiation Protection) Guidelines, "On Limits of Exposure to UV Radiation of Wavelengths Between 180 nm and 400 nm (Incoherent Optical Radiation)", *Health Physics*, 87(2), 171-186, 2004.
13. Incropera, F. P. and D. P. DeWitt, "Fundamentals of Heat and Mass Transfer", John Wiley & Sons, Inc, 1996.
14. International Energy Agency, [www.iea-ebc.org/Data/publications/EBC Annex 12 therma and solar](http://www.iea-ebc.org/Data/publications/EBCAnnex12thermaandsolar), 1987.
15. ISO/CIE Joint Standard, ""Global Solar Index" and "Erythema Action Spectrum and Standard Erythema Dose", ISO 17166, 1999.

16. Jakhрани, A. Q., "Estimation of Incident Solar Radiation on Tilted Surface by Different Empirical Models", International Journal of Scientific and Research Publications, V. 2, No. 12, 2012.
17. Klein, R. S. and et al, "Analysis of Compact Fluorescent Lights for Use by Patients with Photosensitive Conditions", Photochemistry and Photobiology, 10.1111, 2009.
18. Kodera, S. and et al, "Temperature Elevation in the Human Brain and Skin with Thermoregulation During Exposure to RF Energy", BioMedical Engineering, 2018.
19. Kreith, F., "Principles of Heat Transfer", International Textbook Company, 1965.
20. Lokmanhekim, M., "Procedure for Determining Heating and Cooling Loads for Computerizing Energy Calculations: Algorithms for Building Heat Transfer Subroutines", ASHRAE, 1971.
21. McKinley, A. F. and B. L. Diffey, "A Reference Action Spectrum for Ultraviolet Induced Erythema in Human Skin", Commission Internationale de l'Eclairage, 6(1), 17-22, 1999.
22. NASA, "Total Irradiance Monitor by NASA", <https://atmospheres.gsfc.nasa.gov/climate/?section=136>
23. NASA, "NASA Solar Systems", <https://solarsystem.nasa.gov>
24. NASA, "Surface Meteorology and Solar Energy: Methodology", [www.ceoe.udel.edu/File Library/Research/Wind](http://www.ceoe.udel.edu/File%20Library/Research/Wind), 2004.
25. NREL(National Renewable Energy Laboratory), "Solar Radiation Data Manual for Flat Plate and Concentrating Collectors", 1961-1990.
26. P. Tierney and et al, "Nine out of 10 Sunbeds in England Emit Ultraviolet Radiation Levels That Exceed Current Safety Limits", British Journal of Dermatology, 2012.
27. Paolo V. and et al, "Guide Protecting Workers from UV Radiation", International Commission on Non-Ionizing Radiation Protection in Collaboration with International Labor Organization and World Health Organization, 2007.
28. Pitchai, K. and et al, "Coupled Electromagnetic and Heat Transfer Model for Microwave Heating in Domestic Ovens", Journal of Food Engineering, 2012.
29. Struckmann, F., "Analysis of Flat Plate Solar Collector", Heat and Mass Transport, 2008.
30. Sutton, G. W. and A. Sherman, "Engineering Magnetohydrodynamics", McGraw-Hill, 1965.
31. WHO (World Health Organization), "Global Solar UV Index: A Practical Guide", WHO, 2002.
32. WHO(World Health Organization), "Electromagnetic Fields and Public Health: Mobile Phones", 2014.
33. Wiebelt, J. A., "Engineering Radiation Heat Transfer", Holt, Rinehart and Winson, Inc., 1966.

Index

A

- Absolute values, 65
 - of heat transfer modes, 197, 198
 - of minimum sensitivity value, 72, 75
 - radiation heat transfer, 179
 - of sensitivity, 81, 87, 177, 178, 184
 - for coated inner surfaces, 53, 54, 56
 - surface emissivity, 148
 - for uncoated inner surfaces, 53, 54, 56
- Active system, 113
- Actual average surface temperature, 11
- Air burst, 62, 63
- Air chamber environment, 150
- Air velocity, 126, 127, 131
- Algebraic equation, 35, 37
- American Society of Heating, Refrigeration and Air-Conditioning Engineers (ASHRAE), 113
- Aphelion, 10
- ASHRAE. *See* American Society of Heating, Refrigeration and Air-Conditioning Engineers
- Asymptote value, 154
- Atmospheric transmittance, 186

- August-Roche-Magnus formula, 135, 159

B

- Bake temperature
 - vs. time characteristics, 89
 - vs. time specifications, 89
- Base coat layer curing case, 97
- Big Bang theory, 165
- Biot number*, 143, 149, 151, 157
- Blackbody radiation, 9, 15, 18
 - Planck's spectral distribution function for, 62
 - vs. frequency, 23
- Blast wave for air bursts, 59

C

- Cell phones, 193–198
- Changing emissivity, 120
- Characteristic length, 151
- Clearness index, 104–108
 - values, 107–108
- Coated inner surfaces, 57
 - sensitivity for, 53–54, 56
- Coating material emissivity, 55, 56, 58
- Coffee vs. time, temperature of, 86, 87
- Collector efficiency, 115–120
- Communication satellites, 10

Conduction heat transfer, 133, 160
 resistance, 85, 86

Configuration factor, 35–36, 38,
 144, 176
 cross-sectional geometric
 for, 36
 using reciprocity
 expressions, 36

Conservation of energy, 90,
 193, 201

Constant emissivities, 51

Constant pressure vs. water
 temperature, 167

Constant solar radiation, 51

Constant value, 134

Convection heat transfer, 47, 123,
 133–135, 143, 194
 coefficient, 47, 91, 116, 117,
 124, 159, 194
 laminar forced, 89–99
 loss, 45

Convection mass transfer
 coefficient, 158

Cooling time
 errors, 31
 natural convection heat
 transfer vs., 31, 154
 sensitivity of, 31, 33, 155
 special steel plate, 31, 33
 and sphere ball, 152–153
 of spherical steel ball, 155

Cosmic microwave, 165

Coupled electromagnetic wave
 equations, 165

D

Declination angle, 105

Dielectric loss factor, 168
 degradation, 168, 169

Diffuse solar radiation, 106–109,
 114

Diffusion of thermal energy, 166

Digital cellular networks, 193

Direct beam extraterrestrial
 radiation, 187–188

Direct beam solar radiation, 106,
 107, 109, 114, 135

E

Earth
 atmosphere, 10, 13, 104
 gravitational acceleration, 28
 radiation power absorbed by, 14
 solar radiation on horizontal
 surface on, 104, 106
 surface temperature, 12
 UV radiation on, 69–75

EFF, 102

Electricity consumption demand,
 104

Electrocoating, 89

Electromagnetic radiation, 11,
 12, 35
 effects on human brain tissue,
 193–197
 energy, 195
 in medical diagnosis, 171–174

Electromagnetic waves, 9, 21,
 77, 83
 Doppler effect on, 199
 by magnetron, 165
 Maxwell's equations for,
 193
 radio frequency, 172
 reflected, 199

Elemental surface, 41

Emissive power in Watts, 27

Emissivity of surface, 27

Empirical model, 104, 105
Energy transfer modes, 136, 137
Environment
 for heavy clothed person, 131
 human body and, 123
 skin surface to, 124
 temperature, 44, 126–130, 195
Equilibrium temperatures, 189
Erbs model, 106
Erythral weighing
 function, 79
Evaporation rate, 134, 158
Explicit finite difference method,
 29, 160
Exposure energy, ultraviolet
 radiation, 77
External radiant heat transfer
 resistance, 144
Extraterrestrial solar radiation,
 104, 105, 107, 108, 111,
 185–189
Extreme UVI exposure, 72

F

Fairbanks maximum sensitivities,
 74, 75
Fairbanks solar irradiation data,
 72
Finite difference method, 86
Finite surface areas, 35
Fluorescent lamps, 77
 incandescent and, 80
 UVR exposure for, 78
Forced convection heat transfer
 coefficient, 48
Free stream air velocity, 91–93
 local heat transfer coefficient
 vs., 94, 95, 98
Frequency space, 21–23

G

Gamma rays, 171–173
Glass heat transfer
 for vertical double pane
 window, 47–58
Glazed flat plate solar radiation
 collector, 114, 115
Glazing gap, 49, 52
 with air, 52
 with argon, 54, 55
 with krypton, 55–57
 vertical double pane window, 56
Grashof number, 85, 86, 150, 159
Gravitational acceleration, 49
Gravitational constant, 160
Greenhouse effect
 atmospheric, 14
 human disturbance of, 13
Ground albedo, 106
Ground reflected solar
 radiation, 106

H

Heat energy, conversions solar
 radiation to, 113
Heat loss
 convection and radiation, 123
 sensible, 123–126, 128–131
 through clothing, 124
Heat transfer
 vs. baking time, 161, 162
 coefficient, 187
 average value of, 90
 center of glass overall, 52,
 58
 convection, 124
 forced convection, 48
 vs. free stream air velocity, 94

local forced convection, 93–95, 97
 natural convection, 48, 49, 114
 radiation. *See* Radiation
 heat transfer
 conduction, 133
 convection, 133–135, 143
 equations, 47
 evaporation, 133
 mechanisms, 133
 Hemispherical absorptivity, 136
 Hemispherical surface
 emissivity, 158
 High UVI exposure, 72
 Horizontal surfaces
 equilibrium temperatures on, 189
 under steady-state conditions, 186
 zenith angle for, 186
 Hottel-Whillier-Bliss equation, 114
 Human thermal comfort, 123–132
 without clothing, 127
 Hypothalamus, 123

I

Ideal thermal radiator, 9
 Incandescent lamps, 80
 Incident solar radiation, 48, 114, 133
 Independent variable, 115
 Infrared radiation heat transfer, 50, 51, 84, 144, 149
 baking pizza by, 157–164
 Infrared radiation loss, 133
 Insulating material, 113

Integration process, 69–70
 Interfacial crust contact
 temperature, 162–164
 Internal body temperature, 123
 International Organization for Standardization (ISO)
 9806:2017, 113
 Ionizing electromagnetic radiation, 171, 172
 natural resources of, 173
 typical effective, 174
 ISO Standard 17166, 69

K

Kinematic viscosity, 134, 135, 150
 to thermal diffusivity, 49

L

Laminar forced convection heat transfer, 89–99
 vehicle length averaged, 91–93
 Least equilibrium temperature, 189
 Linear function, 115
 Liquid oxygen, 175–179
 boiling point, 175
 change in time for, 184
 cryogenic spherical container, 175–176, 181
 freezing point of, 175
 heating times, 176
 time for, 183
 Local heat transfer coefficient, 93–95, 97
 vs. free stream air velocity, 98
 and vehicle length averaged heat transfer coefficient, 99

Low emissivity material, 52–54
Low UVI exposure, 72

M

Magnetic resonance imaging (MRI), 171–172
Mass transfer coefficient, 135, 159
Maximum exposure time
 sensitivity of, 78, 79, 81, 82
 vs. effective UVR exposures, 82
Maxwell's equations, 165, 166, 193
 for electromagnetic waves, 193
Medical diagnosis,
 electromagnetic radiation
 in, 171–174
Microwave radiation in cooking
 ovens, 165–169
 electromagnetic waves, 165
 heating time predictions in,
 166
Millisievert, 173
Moderate UVI exposure, 72
MRI. *See* Magnetic resonance
 imaging

N

Natural convection heat transfer,
 27, 32, 84–86
 coefficient, 48, 49, 114, 115,
 190, 191
 vs. cooling time, 31
 resistance approaches, 154
Natural resources of ionizing
 radiation, 173
Non-ionizing electromagnetic
 radiation, 171, 193
Normal distribution function,
 71, 72

Normalized thermal radiation
 power, 62, 63
Nuclear explosion, 59
 fireball, 62
 of thermal energy, 59
 thermal radiation fraction of, 63
 yield, 60, 64, 67
Nuclear fireball, 59
Nuclear medicine, 173
Numerical integration, 35
Nusselt number, 49, 134, 150

O

Operational variables, 99

P

Painted surface
 conservation of energy on, 90
 emissivity of, 90
 temperatures, 90, 93–95
 vehicle, 90
Passive system, 113
Percent emitted thermal radiation
 energy, 62, 63
Perihelion, 10
Photosphere, 9
Photovoltaic (PV) collector
 panels, 101–111
 in Anchorage, 103
 components on, 108, 111
 daily solar radiation on, 109–110
 efficiencies, 102
 electricity generation of, 101
 solar radiation on, 102–104
 total surface area of, 101
 yield, 102
Planck's spectral distribution
 function, 62

Planck's thermal radiation
 distribution function,
 15–17
 sensitivity of, 18–21
 Prandtl number, 90, 134, 150,
 159, 200
 Pressure wave, 59
 PV collector panels. *See*
 Photovoltaic collector
 panels

R

Radiant energy
 diffuse, 187
 fraction of, 144
 surface emission, 187
 Radiation heat transfer, 27, 32,
 47, 83, 123
 absolute values, 179
 coefficient, 48, 50, 88, 124,
 125, 143
 infrared, 50, 51, 84, 144, 149
 mode, 197
 resistance, 85, 179
 of spherical balls, 143
 under steady-state conditions,
 176, 182
 in unsteady state, 157–164
 value of, 183
 Radiation power, 10–13
 emissions, 16
 estimates of, 13
 Sun, 10, 16
 Radio frequency
 electromagnetic radiation,
 195
 electromagnetic waves, 172
 Radiotracers, 173
 Radio waves, 171

Rayleigh number, 28, 49, 150, 159
 Reciprocity expressions, 36
 view factor relationships
 with, 42
 Rectangular thermal radiation
 heater, 41
 Reflected electromagnetic
 waves, 199
 Renewable energy sources, 12
 Residual nuclear radiation, 59
 Reynolds number, 90, 134, 202

S

SAR. *See* Specific absorption
 ratio
 Saturation pressures, 159
 for water vapor, 135
 SED values. *See* Standard
 erythema dose values
 Sensible heat loss, 123–126,
 128–131
 vs. air velocity, 131
 with heavy clothing, 130
 sensitivity of, 128, 132
 Sensitivity
 absolute values of, 81, 87,
 177, 178, 184
 of brain tissue temperature,
 195–197
 of changing air mass flow
 rate, 201
 for coated inner surfaces,
 53–54, 56
 of coffee temperature, 87
 vs. silver coating
 emissivities, 87
 of collector efficiency, 119
 of cooling time, 31, 33, 155
 decrease, 67

- environment temperature, 127, 128, 130, 131
- of $F_{A2 \rightarrow dA1}$ to radiant heater height, 43, 44
- of glazing gap width, 53
- of heat loss, 137–141
- of maximum exposure time, 78, 79, 81, 82
- of maximum view factors, 46
- of sensible heat loss, 128, 132
- of thermal radiation, 18–21, 24–25
- of thermal radiation exposure, 65, 66
- of time
 - to sphere ball's radius, 147
 - to surface emissivity, 148
- of time to cool, 152
- for uncoated inner surfaces, 53–54, 56
- of UV index, 72–74
- Shape factors, 35
- Shock wave, 59
- Sievert (Sv), 173
- Silver coating emissivity, 86, 87
- 60 Watt incandescent lamp, 79
- Skin
 - electromagnetic conductivity for, 195
 - human, 81
 - temperature, 125
 - types, 80
- Solar constant, 10, 186
- Solar radiation
 - collector, 113, 114, 117
 - diffuse, 106–108
 - direct beam, 106, 107, 109
 - energy conversion, 101
 - extraterrestrial, 104–105, 107–108, 111
 - to heat energy conversions, 113
 - on horizontal surface on Earth, 104
 - incident, 48, 133
 - model, 110
 - optimization process, 101
 - on PV collector panel, 102–104
 - strikes, 47
 - to thermal energy, converting, 113–122
- Solar spectral irradiation data, 69, 71, 72
 - integration process, 78
 - vs. wavelength, 70
- Solar ultraviolet (UV) radiation, 69–75
 - exposure to, 75
 - irradiance measurement data, 70
- Sound waves, 171
- Special steel plates, 27–28
 - and environment, 28
 - surface temperature, 30, 32
 - thermal capacitance of, 28
- Specific absorption ratio (SAR), 172, 195, 197
- Spherical balls, 143–144
 - internal energy of, 144
 - and subscript, 150
 - surface emissivity, 156
 - temperature, 144, 146
 - vs. cooling times, 152
 - time dependent temperature, 151
- Spherical cryogenic container, 175
- Stainless steel bottle
 - inner bottle wall, 83, 84
 - outer bottle wall, 83, 84

- silver coated surface, 85
 - surface area, 84
 - thermal conductivities, 85
 - of thermos bottle, 84
 - wall thickness, 83
 - Standard erythema dose (SED)
 - values, 81
 - Standard MRI systems, 171
 - Steady-state conditions, 124, 182
 - heat transfer, 43–44, 47
 - horizontal surface under, 186
 - radiation heat transfer under, 176, 182
 - temperature, *vs.* time mapping, 89
 - Steel spherical balls, 149–156
 - Stefan-Boltzmann constant, 9, 15, 28, 35, 44, 50, 85, 124, 134, 144, 151, 158, 176, 194
 - Storing liquid oxygen, 181–184
 - Subscript, 150
 - Sun
 - emissivity, 79
 - photovoltaic collector panels, 101–111
 - radiation power, 10–11, 16, 22
 - surface temperature, 9
 - Surface emission radiation
 - energy, 187
 - Surface emissivity, 148, 155, 176–177, 183
 - Surface temperatures, 45
 - blackbody, 22
 - frequency space and, 22
 - function, 27
 - special steel plates, 30, 32
 - Sun, 9
 - total hemispherical emissivity
 - vs.*, 28, 30
 - vs.* wavelength, 15
 - wood bonfire, 18, 19
 - Swimming pools, energy balance
 - for, 133–141
- ## T
- Temperature
 - of coffee *vs.* time, 86, 87
 - environment, 126–129, 195
 - without clothing, 129, 130
 - for spherical ball, 147
 - vs.* time mapping, 89, 95, 99
 - Thermal energy, 113
 - balance, 123
 - of collector efficiency, 120, 121
 - converting solar radiation to, 113–122
 - diffusion of, 166
 - direct/indirect converter of, 113
 - nuclear explosion of, 59
 - Thermal infrared radiation, 11
 - Thermal radiation
 - configuration factor. *See* Configuration factor
 - distribution function, 14, 15
 - by blackbody, 17, 18
 - Planck, 15–17
 - sensitivities of, 18–21, 24–25
 - energy percent emitted, 62, 63
 - exposure, 63–65
 - heat transfer loss, 45
 - intensity of, 63

- low level exposures *vs.*
 - distance, 65
 - net exchange of, 35
- Thermal radiation heater
 - to elemental surface, 43
 - rectangular and vertical, 41
 - sensitivity of $F_{A2 \rightarrow dA1}$ to, 43
 - steady-state, 43–44
 - view factor, 42
- Thermal radiation power
 - blackbody, 62
 - emission of, 62
 - maximum value *vs.* nuclear explosion yield, 60–61
 - normalized, 62, 63
 - nuclear fireball, 59
 - standard measurement for, 59
- Thermophysical properties, 51
- Thermos bottle
 - heat transfer analysis, 86
 - heat transfer in, 83, 86
 - lid diameter of, 83
 - silver coated stainless steel surface, 85
 - stainless steel bodies of, 84
- Time averaged efficiency, 114, 115
- Time constant, 88
- Time mapping, temperature *vs.*, 89, 95, 99
- Time specifications, bake temperature *vs.*, 89
- Total emissive thermal radiation power, 62
- Total hemispherical emissivity
 - average, 27, 31–33
 - cooling temperatures, 29
 - steel surfaces, 27
 - vs.* surface temperature, 28, 30, 31
 - temperature dependent, 31, 33
 - Townsville data, 70
 - Transient energy balance, 28
 - Transient non-linear differential equation, 29
 - Transmissivity, 84
 - Transmittance, 63, 64
 - Tungsten's emissivity, 79
 - Two-phase flow systems, 199
- U**
 - Ultraviolet radiation (UVR)
 - on Earth, 69–75
 - weighting function for, 70
 - emission, 77
 - exposure energy, 77
 - measurements of exposure, 81
 - standard erythema dose values, 81
- Ultraviolet radiation index (UVI), 69, 78
 - exposure value, 72
 - vs.* time of day, 72–74
 - for Townsville, 71
 - values and protection requirements, 71
- Uncoated inner surfaces, 57
 - of panes, 58
 - sensitivity for, 53, 54, 56
- Unexposed white skin, 80
- Unsteady radiant heating, 143–145
- Unsteady state
 - cooling process, 149
 - coupled heat transfer energy equation in, 166
 - heat transfer equation, 157
 - radiation heat transfer in, 157–164
 - sphere cooling, 150

V

- Vacuum environment, infrared radiation in, 149
- Vehicle length averaged heat transfer coefficient, 91
 - primer coating layer of, 92
- Vertical double pane windows
 - central glazed portion, 52
 - glass heat transfer in, 47–58
 - glazing gap of, 56
 - inner surfaces of, 53
 - with uncoated inner surfaces, 54
 - upper curve, 52
- Vertical thermal radiation heater, 41
- View factors, 35, 42
 - reciprocity relationships, 42
- Visible region radiation spectrum, 12
- Volume of water, water boiling time *vs.*, 169

W

- Water-air interface, 135
- Water boiling time *vs.* volume of water, 169

Water density, 167

Water temperature

- constant pressure *vs.*, 167
- dielectric loss factor *vs.*, 168
- water density *vs.*, 167

Weighing functions, 70, 78

- erythema, 79

Wind velocity, 138

Wood bonfire

- radiant power, 22
- surface temperatures, 18, 19

World energy consumption, 101

World Health Organization, 69

- solar UV index, 82

X

X-rays radiation, 171–173

Y

- Yearly averaged daily solar radiation, 115
- Yellow dwarf star, 14

Z

Zero sensitivity, 56