

Index

References to figures are in italics

- AC impedance, 40, 86–88, 131, 176, 238, 283, 287, 304, 325, 364, 399, 415
- Action potential
- antidromic in olfactory bulb, 151, 173, 174, 175, 179, 180, 182, 184, 185, 186, 187, 191, 193, 196, 197, 198, 199, 200, 201, 202
 - antidromic in single motoneuron, 29, 110, 112, 113
 - dendritic, olfactory bulb, 173–202, 187
 - dendritic spines, 161, 423
 - extracellular biphasic transient, 112, 113
 - Hodgkin-Huxley model, 363, 365, 371, 373, 380
 - polynomial model, 178, 363, 372, 420
 - propagation delay, 365, 368, 369, 383, 387, 390, 391
 - propagation failure, 137, 179, 365, 368, 380, 383, 384, 386, 387, 389, 390, 391
 - propagation reflection, 365, 383, 384
 - propagation safety factor, 144, 145, 178, 188, 365
 - tapered core conductor, 363, 374–377, 384–389, 391–393
 - threshold, 137, 178, 184, 374, 377, 380, 391, 423
 - velocity, 188, 363, 365, 368–393
- Algorithm for branching input computation, 27, 34
- Alpha-motoneurons, 208
- Apical dendrites, 143, 215, 311–312, 415
- Arbitrary dendritic branching, 10, 46–49, 131, 289
- Asymmetric voltage decrement, 11, 305, 308
- Attenuation. *See* Electrotonic decrement
- Axon
- effect of diameter change and branching, 372–391
 - propagation velocity, 368–394
- Axonal compartments, olfactory bulb, 175, 177, 179, 185, 188, 189
- Boundary conditions
- branching, 389–393
 - killed-end, 43, 44, 46, 271, 275
 - sealed-end, 43, 44, 45, 249–277, 291, 294, 296, 365, 375–377
 - voltage clamped, 6, 74, 85, 86, 151, 178, 249–277, 296, 298
- Boundary value problem (BVP), 95, 96, 124, 125, 126, 131, 136, 253–277
- Branching dendritic tree
- arbitrary branching, 10, 46–49, 131, 289
 - idealized branching, 78, 117, 289
- Branch properties
- boundary conditions, 43–46, 375, 376, 287–326
 - diameter, 10, 27, 28, 132, 133, 144, 145, 363–393
 - electrotonic length (*see* Electronic length)
 - input conductance, 27, 43, 45, 46, 48, 49, 51, 52, 70, 74, 87, 207
- Cable equation
- solutions for finite length, 41–71, 253–277, 291–292, 363
- Cable theory, 10, 31, 117, 207, 212
- Capacitance of membrane. *See* Membrane capacitance
- Charge attenuation, 9, 283
- Chemical synapses, 37, 208, 213
- Chromatolysis, 55, 56, 60–62, 402
- Compartmental model, 4, 10, 15, 108, 115, 117–119, 125, 130, 131, 133–144, 150, 151, 175, 177, 186, 187, 188, 190, 190, 191, 201, 209, 212, 216, 401
- Computational dissection, 210, 227, 228, 240, 244
- Computational neuroscience, 4, 5, 6, 108, 117, 157
- Core conductor theory, 107, 374, 375
- Cortical geometry, 183, 184, 185, 201
- Dendrites, 10
- action potential propagation (*see* Action potential)
 - arbitrary branching, 10, 46–49, 131, 289
 - depolarization, 10, 11, 74, 75, 76, 86, 93, 99, 112, 119, 124, 137, 139, 140, 141, 144, 153, 168, 169, 179, 181, 184, 185, 192, 195–202, 208, 209, 216, 218, 288, 312–315, 365, 377, 390, 412, 419, 429, 431, 446
 - diameter, 10, 27, 28, 61, 62, 132, 133, 144, 145, 208, 219, 251, 310, 363–393
 - electrotonic length (*see* Electrotonic length)
 - equivalent cylinder (*see* Equivalent cylinder for tree)
 - excitable spines (*see* Dendritic spine, excitable)
 - input conductance (*see* Input conductance)
 - input resistance (*see* Input resistance)
 - passive spines, 286, 420–424
 - terminal boundary condition, 43, 44
- Dendritic
- cylinder, 43, 45, 76, 95, 131–133, 209, 249, 250, 251, 253, 370–383

Copyrighted Material

- Dendritic (cont.)
 delay, 11, 221
 dominance, 30, 66, 77–79, 83–89, 97, 124, 264
 termination, 28, 43, 181, 368
 tree, 4, 5, 25, 37, 45–71, 74, 108, 117, 130, 144, 149, 208, 290
- Dendritic spine
 action potentials, 423
 chain reaction, 424
 excitable, 156, 157, 284, 417–424, 446
 morphology, 11, 399–424
 parameter ranges, 410, 420–424
 passive, 117, 420–424
 plasticity, 12, 119, 399, 410, 412–424
 spine-stem resistance, 288, 398, 399, 400, 403, 410, 412–424
 synapse, 412–424
 synaptic amplification, 410, 420–424
 voltage attenuation, 11, 284, 412–424
- Dendritic to soma conductance ratio, 12, 13, 37, 52–54, 56–59, 64–67, 77, 211
- Dendrodendritic synaptic interactions, 10, 12, 14, 15, 108, 154, 155, 160–171, 173, 195–202
- Detection of dendritic conductances, 154, 209, 215, 218, 244
- Dimensionless variables, 127, 148, 178, 218, 219, 371, 372
- Dunedin, New Zealand, 6, 7, 9, 27, 31, 432, 441
- Eccles, John C., 6–9, 27–31, 39, 55, 61, 63, 65, 66, 74–78, 84–86, 90–93, 107, 108, 125, 133, 143, 149, 150, 151, 156, 208, 402, 429, 431–435, 441
- Electrical transmission, 208
- Electrophysiological
 data, 38, 54, 62, 107, 124, 180, 183, 210, 252
 properties, 107, 149
- Electrotonic
 decrement, 11, 43, 184–186, 188, 197, 235, 241, 244, 398
 distance, 4, 13, 28, 93, 132, 144, 210, 217, 226, 291, 292, 301, 311, 363, 374, 385
 effect on EPSP shape, 217
 length (L), 11, 107, 132, 133, 168, 179, 186, 187, 193, 202, 207, 211, 212, 215, 224, 226, 235, 238, 244, 249–277, 293, 309, 311, 312
- EPSP. *See* Excitatory postsynaptic potential
- Equalizing time constants, 250–277
- Equivalent circuit for membrane, 42, 125, 126, 178
- Equivalent cylinder for tree, 10, 131, 132, 133, 134, 136, 144, 152, 175, 179, 209, 216, 217, 282, 283, 287, 328, 290, 291, 308, 309, 363, 390
- Excitable dendritic spine. *See* Dendritic spine, excitable
- Excitable membrane models. *See* Action potential
- Excitatory postsynaptic potential (EPSP)
 attenuation, 230, 420–424
 computations, 420–424
 EPSP shape, 9, 209, 222, 236, 237, 244, 255, 284
 EPSP shape indices, 210, 244
- Extracellular potentials
 cortical geometry, 183–185, 201
 olfactory bulb, 14, 15, 149, 150, 173–202
 open or closed field, 183, 184
 potential divider effect, 14, 15, 16, 150, 151, 155, 179, 183–185, 189, 192–194, 202
 spinal cord motoneuron, 14, 110, 111, 112, 113 (*see also* Motoneuron, cat spinal)
- Field potentials, 14, 15, 105
 computed, 110, 111, 178–180, 184–194, 186, 187, 188, 190, 191, 192, 194
 olfactory bulb, 15, 149, 153, 173–202
- Geometric ratio (GR), 53, 364, 365, 389–391
- Graded synaptic interactions, 143, 169, 170
- Granule cell, olfactory bulb
 computations, 166, 169, 178, 179, 190–193
 model, 166, 169, 174, 192, 195, 196
 population, 166–169, 170, 171, 175–177, 193, 200–202
- Group Ia EPSPs, 31, 208, 209, 212, 213, 434
- Hodgkin-Huxley model, 15, 107, 102, 126, 144, 151, 177, 178, 363, 365, 371, 373, 380, 404
- Horseradish peroxidase, 211, 212
- Inhibitory pathway, reciprocal
 dendrodendritic, 16, 153–158, 160–171, 195, 196, 202
- Inhibitory postsynaptic potential (IPSP), 27, 86, 92, 160, 233, 243
- Inhibitory synapse
 distal dendritic location, 107, 117–119, 233, 234, 281, 402
 proximal location, 117–119, 140, 141, 402
 reversal potential, 402
 strategic location, 117–119, 140, 141, 170
- Input
 conductance, 27, 43, 45–49, 51, 52, 70, 74, 87, 207
 location, 107, 117, 118, 170, 207, 215, 216, 230, 236, 238, 243–245
 pattern, 117, 122, 124
 resistance, 10, 27, 28, 29, 43, 45–49, 51, 52, 70, 74, 87, 207
- Interactions, EPSP with hyperpolarization, 29, 74, 93, 94, 209, 215, 218, 234, 236, 237, 244
- Intracellular resistivity. *See* Resistivity, intracellular
- IPSP. *See* Inhibitory postsynaptic potential

- Isopotentiality, soma membrane, 9, 69, 94, 250, 269
- Killed-end boundary condition, 43, 44, 46, 271, 275
- Length constant (λ), 28, 41, 249, 374
- Local dendritic activity
 computation, 11, 166, 169, 178–180, 190–193, 201, 215, 216, 219–244
 dendrodendritic synaptic actions (*see* Dendrodendritic synaptic interactions)
 excitable dendritic spines (*see* Dendritic spine, excitable)
- Loss current, between compartments, 210, 219, 228, 229, 244
- Mathematical
 analytical solutions, 37, 67
 computations, 136–143, 174, 178–180, 184–193, 219, 384, 385, 388, 389, 390, 391, 393 (*see also* Granule cell, olfactory bulb, computations; Mitral cell, computations)
 formulation, 127–129, 134
 models, 39, 40, 107, 124–145, 177, 184, 202, 215, 216, 218, 371, 372
- Membrane
 active, 75, 107, 168, 177, 178, 186, 190, 197, 202, 363, 402, 404, 420–424
 passive, 74, 94, 101, 107, 110, 112, 131, 168, 177, 178, 184, 186, 190, 191, 197, 202, 255–277, 287, 293, 328, 363, 389, 404, 420–424
- Membrane capacitance, 9, 12, 34–36, 88, 89, 91, 97, 101, 102, 127, 176, 217, 219, 255–277
- Membrane resistivity, 9, 10, 12, 27, 28, 34–37, 39, 41–54, 64–70, 89, 91, 95, 97, 101, 102, 176, 255–277
- Membrane time constant, 9, 34–36, 74–102, 176
- Mitral cell
 compartmental model, 151, 166–169, 174, 175, 182, 185, 195
 computations, 166–169, 178–180, 184–190, 186, 187, 188, 190, 201
 experimental field potentials, 149–158, 173–202
 population, 166–169, 170, 171, 175–177, 180, 184, 188, 190, 201
- Motoneuron. *See also* Neuronal
 cable properties, 215
 cat spinal, 9, 14, 54–63, 74, 80, 110, 111, 112, 113, 208, 212, 215, 287, 308, 319
 compartmental model, 15, 39, 133–144
 human spinal, 54–61, 63
 pool, 8, 430, 432, 435, 436, 441–446
 population models, 8, 15, 39–71, 427, 432, 436, 438, 441–446
- Neuronal. *See also* Motoneuron
 input conductance (*see* Input, conductance)
 morphology, 37, 38, 54–60, 62–64
 population, 8, 15, 431, 432, 434, 441–446
 Nonlinear dendritic properties, 5, 117, 118, 119, 142, 144, 401, 402, 406, 420–424
 Nonlinear EPSP summation, 208, 231, 232, 244, 314
 Nonlinear membrane properties, 129, 130, 144, 178, 208
 Nonuniqueness, 207, 226
- Olfactory bulb
 computations, 151, 153, 155, 156, 174, 178–197 (*see also* Granule cell, olfactory bulb, computations; Mitral cell, computations)
 dendrodendritic pathway, 154, 155, 160–171, 195–202
 depth distribution of potentials, 187, 191–195, 192
 experimental field potentials, 173–202, 180, 181
 morphological layers, 173, 180, 190
 open field, 182, 183, 184
 potential divider effect, 15, 150, 179, 182, 183, 184, 185, 186, 189, 192–194, 202
 Optimal range, 417, 418
 Optimization. *See* Optimal range
- Passive membrane properties, 74–102
 Peeling of exponential decays, 249–277, 309
 Plastic changes in dendrites, 4, 119, 412–419, 420–424
- Point neuron, 3
- Postsynaptic conductance, 208
 Postsynaptic potential (PSP) shapes, 207, 209, 210, 254
- Potential. *See also* Action potential
 electrotonic, 288–326
 membrane, 28, 74–102, 208, 250–277
 postsynaptic, 160, 207, 209, 244
 resting membrane, 100, 125, 126, 128, 131, 218
 reversal, 402
- Probability distributions, 443, 444
- Reflex input-output relation, 429–446
- Resistance
 input (*see* Input resistance)
 spine-stem (*see* Dendritic spine, spine-stem resistance)
- Resistivity
 intracellular, 39, 132, 176, 177, 179, 255–277, 379, 391
 membrane (*see* Membrane resistivity)
- Response functions, 429, 432, 434
- Resting membrane properties, 41, 100
 Reversal potential, 402

- Rhythmic activity in olfactory bulb, 200, 202
- Sealed end boundary condition, 4, 6, 43, 44, 45, 249–277, 291, 375–376, 377
- Separation of variables, 40, 41, 256
- Shape index, 12, 211, 222
- EPSP shape, 208–210, 211, 212, 215, 220, 223, 244
- half-width, 207, 211, 212, 215, 219, 220, 221, 222, 223, 224, 225, 244, 376, 379, 383
- plot, 212, 223
- theoretical loci, 211, 212
- time to peak, 211, 212, 222, 223, 224, 225, 244
- Single branch terminal
- input resistance, 287–326
- response function, 328–358
- Soma
- compartment, 177, 178, 179, 185, 189, 212, 217, 220, 221, 230, 241
- isopotentiality, 9, 69, 94, 250, 269
- shunt, 250, 251
- voltage clamp, 210, 251
- voltage transient, 209
- Space constant. *See* Length constant
- Spatiotemporal pattern, 117, 118, 122, 124, 125, 126, 127, 130, 133, 135, 137, 139, 140, 143, 178, 216, 287
- discrimination, 124, 137–140
- input, 117, 118, 122
- Spine-stem resistance. *See also* Dendritic spine, spine-stem resistance
- operating range, 417, 418
- ratio to branch input resistance, 414
- Superposition method of solution, 135, 193, 201, 288, 289, 298, 299, 300, 301, 302
- Synaptic
- amplification, 420–424
- background activity, 10, 119, 209, 444
- conductance change, 10, 130
- efficacy, 11, 280, 420–424
- excitation, 11, 13, 15, 27, 30, 66, 75, 108, 118, 122, 123, 124, 126, 127–131, 136, 137, 151–171, 178, 191, 192, 195, 196, 198, 200, 215, 216, 218, 233, 234, 237, 243, 401, 429
- inhibition, 15, 27, 75, 108, 118, 122, 123, 126–131, 140, 141, 144, 153–171, 195, 197, 198, 199, 200, 215, 216, 218, 233, 234, 237, 243, 401, 429
- integration, 11, 151, 153, 155, 282, 402, 409, 420–424
- location, 13, 117–119, 208–210, 215, 220, 226, 233, 234, 243, 244, 245, 281, 288, 417, 420, 446
- nonlinearity, 5, 17, 117–119, 401, 402, 420–424
- plasticity, 4, 412–419, 420–424
- reversal potential, 402
- transients, 217, 219, 220, 238–243
- weights, 243, 398, 399, 400, 417–419
- Synaptic current
- residual phase, 29, 74, 76, 90, 91, 92, 93, 94
- time course, 11, 12, 28–31, 34–36, 74, 76, 86, 91, 92, 96, 99, 100, 101, 118, 181, 200, 201, 207, 212, 215, 216, 233, 243, 244, 429, 433
- Taper of diameter, theoretical formulation, 363, 374–377, 384–389, 391–393
- Three-halves power of diameter, 28, 37, 51, 131, 132, 133, 144, 145, 282, 290, 364
- Time constants
- equalizing, 250–257
- passive membrane, 29, 30, 34–36, 39, 41, 74–101, 127–131, 249–277
- peeling exponentials, 12, 249–277, 309
- system, 212, 273
- under voltage clamp, 251–277
- Time integral of transients, relation to steady state, 284
- Transient analysis, 238–243, 244
- Transmitter action, 16, 29, 91, 149, 169, 197
- Unit firing probability, 436, 437, 438
- Voltage
- asymmetry (nonreciprocity), 11, 305, 308
- attenuation along dendrites, 11, 143, 287, 288, 303–326, 328
- boundary conditions, 250–277, 296, 298
- clamp, 74, 85, 86, 151, 178, 249–277, 296, 298
- dependent conductances, 126, 130, 177, 252, 409, 410, 420, 431
- isopotentiality, 9, 69, 94, 250, 269
- transients, 9, 74–102, 187, 194, 249, 250, 328–358
- Voltage spread and equalization
- over cable length, 253–277
- over spherical surface, 9, 74–102