

# Index

*References to figures are in italics*

- AC impedance, 40, 86–88, 131, 176, 238, 283, 287, 304, 325, 364, 399, 415
- Action potential
- antidromic in olfactory bulb, 151, 173, 174, 175, 179, 180, 182, 184, 185, 186, 187, 191, 193, 196, 197, 198, 199, 200, 201, 202
  - antidromic in single motoneuron, 29, 110, 112, 113
  - dendritic, olfactory bulb, 173–202, 187
  - dendritic spines, 161, 423
  - extracellular biphasic transient, 112, 113
  - Hodgkin-Huxley model, 363, 365, 371, 373, 380
  - polynomial model, 178, 363, 372, 420
  - propagation delay, 365, 368, 369, 383, 387, 390, 391
  - propagation failure, 137, 179, 365, 368, 380, 383, 384, 386, 387, 389, 390, 391
  - propagation reflection, 365, 383, 384
  - propagation safety factor, 144, 145, 178, 188, 365
  - tapered core conductor, 363, 374–377, 384–389, 391–393
  - threshold, 137, 178, 184, 374, 377, 380, 391, 423
  - velocity, 188, 363, 365, 368–393
- Algorithm for branching input computation, 27, 34
- Alpha-motoneurons, 208
- Apical dendrites, 143, 215, 311–312, 415
- Arbitrary dendritic branching, 10, 46–49, 131, 289
- Asymmetric voltage decrement, 11, 305, 308
- Attenuation. *See* Electrotonic decrement
- Axon
- effect of diameter change and branching, 372–391
  - propagation velocity, 368–394
- Axonal compartments, olfactory bulb, 175, 177, 179, 185, 188, 189
- Boundary conditions
- branching, 389–393
  - killed-end, 43, 44, 46, 271, 275
  - sealed-end, 43, 44, 45, 249–277, 291, 294, 296, 365, 375–377
  - voltage clamped, 6, 74, 85, 86, 151, 178, 249–277, 296, 298
- Boundary value problem (BVP), 95, 96, 124, 125, 126, 131, 136, 253–277
- Branching dendritic tree
- arbitrary branching, 10, 46–49, 131, 289
  - idealized branching, 78, 117, 289
- Branch properties
- boundary conditions, 43–46, 375, 376, 287–326
  - diameter, 10, 27, 28, 132, 133, 144, 145, 363–393
  - electrotonic length (*see* Electronic length)
  - input conductance, 27, 43, 45, 46, 48, 49, 51, 52, 70, 74, 87, 207
- Cable equation
- solutions for finite length, 41–71, 253–277, 291–292, 363
- Cable theory, 10, 31, 117, 207, 212
- Capacitance of membrane. *See* Membrane capacitance
- Charge attenuation, 9, 283
- Chemical synapses, 37, 208, 213
- Chromatolysis, 55, 56, 60–62, 402
- Compartmental model, 4, 10, 15, 108, 115, 117–119, 125, 130, 131, 133–144, 150, 151, 175, 177, 186, 187, 188, 190, 190, 191, 201, 209, 212, 216, 401
- Computational dissection, 210, 227, 228, 240, 244
- Computational neuroscience, 4, 5, 6, 108, 117, 157
- Core conductor theory, 107, 374, 375
- Cortical geometry, 183, 184, 185, 201
- Dendrites, 10
- action potential propagation (*see* Action potential)
  - arbitrary branching, 10, 46–49, 131, 289
  - depolarization, 10, 11, 74, 75, 76, 86, 93, 99, 112, 119, 124, 137, 139, 140, 141, 144, 153, 168, 169, 179, 181, 184, 185, 192, 195–202, 208, 209, 216, 218, 288, 312–315, 365, 377, 390, 412, 419, 429, 431, 446
  - diameter, 10, 27, 28, 61, 62, 132, 133, 144, 145, 208, 219, 251, 310, 363–393
  - electrotonic length (*see* Electrotonic length)
  - equivalent cylinder (*see* Equivalent cylinder for tree)
  - excitable spines (*see* Dendritic spine, excitable)
  - input conductance (*see* Input conductance)
  - input resistance (*see* Input resistance)
  - passive spines, 286, 420–424
  - terminal boundary condition, 43, 44
- Dendritic
- cylinder, 43, 45, 76, 95, 131–133, 209, 249, 250, 251, 253, 370–383

*Copyrighted Material*

- Dendritic (cont.)  
 delay, 11, 221  
 dominance, 30, 66, 77–79, 83–89, 97, 124, 264  
 termination, 28, 43, 181, 368  
 tree, 4, 5, 25, 37, 45–71, 74, 108, 117, 130, 144, 149, 208, 290
- Dendritic spine  
 action potentials, 423  
 chain reaction, 424  
 excitable, 156, 157, 284, 417–424, 446  
 morphology, 11, 399–424  
 parameter ranges, 410, 420–424  
 passive, 117, 420–424  
 plasticity, 12, 119, 399, 410, 412–424  
 spine-stem resistance, 288, 398, 399, 400, 403, 410, 412–424  
 synapse, 412–424  
 synaptic amplification, 410, 420–424  
 voltage attenuation, 11, 284, 412–424
- Dendritic to soma conductance ratio, 12, 13, 37, 52–54, 56–59, 64–67, 77, 211
- Dendrodendritic synaptic interactions, 10, 12, 14, 15, 108, 154, 155, 160–171, 173, 195–202
- Detection of dendritic conductances, 154, 209, 215, 218, 244
- Dimensionless variables, 127, 148, 178, 218, 219, 371, 372
- Dunedin, New Zealand, 6, 7, 9, 27, 31, 432, 441
- Eccles, John C., 6–9, 27–31, 39, 55, 61, 63, 65, 66, 74–78, 84–86, 90–93, 107, 108, 125, 133, 143, 149, 150, 151, 156, 208, 402, 429, 431–435, 441
- Electrical transmission, 208
- Electrophysiological  
 data, 38, 54, 62, 107, 124, 180, 183, 210, 252  
 properties, 107, 149
- Electrotonic  
 decrement, 11, 43, 184–186, 188, 197, 235, 241, 244, 398  
 distance, 4, 13, 28, 93, 132, 144, 210, 217, 226, 291, 292, 301, 311, 363, 374, 385  
 effect on EPSP shape, 217  
 length (L), 11, 107, 132, 133, 168, 179, 186, 187, 193, 202, 207, 211, 212, 215, 224, 226, 235, 238, 244, 249–277, 293, 309, 311, 312
- EPSP. *See* Excitatory postsynaptic potential
- Equalizing time constants, 250–277
- Equivalent circuit for membrane, 42, 125, 126, 178
- Equivalent cylinder for tree, 10, 131, 132, 133, 134, 136, 144, 152, 175, 179, 209, 216, 217, 282, 283, 287, 328, 290, 291, 308, 309, 363, 390
- Excitable dendritic spine. *See* Dendritic spine, excitable
- Excitable membrane models. *See* Action potential
- Excitatory postsynaptic potential (EPSP)  
 attenuation, 230, 420–424  
 computations, 420–424  
 EPSP shape, 9, 209, 222, 236, 237, 244, 255, 284  
 EPSP shape indices, 210, 244
- Extracellular potentials  
 cortical geometry, 183–185, 201  
 olfactory bulb, 14, 15, 149, 150, 173–202  
 open or closed field, 183, 184  
 potential divider effect, 14, 15, 16, 150, 151, 155, 179, 183–185, 189, 192–194, 202  
 spinal cord motoneuron, 14, 110, 111, 112, 113 (*see also* Motoneuron, cat spinal)
- Field potentials, 14, 15, 105  
 computed, 110, 111, 178–180, 184–194, 186, 187, 188, 190, 191, 192, 194  
 olfactory bulb, 15, 149, 153, 173–202
- Geometric ratio (GR), 53, 364, 365, 389–391
- Graded synaptic interactions, 143, 169, 170
- Granule cell, olfactory bulb  
 computations, 166, 169, 178, 179, 190–193  
 model, 166, 169, 174, 192, 195, 196  
 population, 166–169, 170, 171, 175–177, 193, 200–202
- Group Ia EPSPs, 31, 208, 209, 212, 213, 434
- Hodgkin-Huxley model, 15, 107, 102, 126, 144, 151, 177, 178, 363, 365, 371, 373, 380, 404
- Horseradish peroxidase, 211, 212
- Inhibitory pathway, reciprocal  
 dendrodendritic, 16, 153–158, 160–171, 195, 196, 202
- Inhibitory postsynaptic potential (IPSP), 27, 86, 92, 160, 233, 243
- Inhibitory synapse  
 distal dendritic location, 107, 117–119, 233, 234, 281, 402  
 proximal location, 117–119, 140, 141, 402  
 reversal potential, 402  
 strategic location, 117–119, 140, 141, 170
- Input  
 conductance, 27, 43, 45–49, 51, 52, 70, 74, 87, 207  
 location, 107, 117, 118, 170, 207, 215, 216, 230, 236, 238, 243–245  
 pattern, 117, 122, 124  
 resistance, 10, 27, 28, 29, 43, 45–49, 51, 52, 70, 74, 87, 207
- Interactions, EPSP with hyperpolarization, 29, 74, 93, 94, 209, 215, 218, 234, 236, 237, 244
- Intracellular resistivity. *See* Resistivity, intracellular
- IPSP. *See* Inhibitory postsynaptic potential

- Isopotentiality, soma membrane, 9, 69, 94, 250, 269
- Killed-end boundary condition, 43, 44, 46, 271, 275
- Length constant ( $\lambda$ ), 28, 41, 249, 374
- Local dendritic activity  
 computation, 11, 166, 169, 178–180, 190–193, 201, 215, 216, 219–244  
 dendrodendritic synaptic actions (*see* Dendrodendritic synaptic interactions)  
 excitable dendritic spines (*see* Dendritic spine, excitable)
- Loss current, between compartments, 210, 219, 228, 229, 244
- Mathematical  
 analytical solutions, 37, 67  
 computations, 136–143, 174, 178–180, 184–193, 219, 384, 385, 388, 389, 390, 391, 393 (*see also* Granule cell, olfactory bulb, computations; Mitral cell, computations)  
 formulation, 127–129, 134  
 models, 39, 40, 107, 124–145, 177, 184, 202, 215, 216, 218, 371, 372
- Membrane  
 active, 75, 107, 168, 177, 178, 186, 190, 197, 202, 363, 402, 404, 420–424  
 passive, 74, 94, 101, 107, 110, 112, 131, 168, 177, 178, 184, 186, 190, 191, 197, 202, 255–277, 287, 293, 328, 363, 389, 404, 420–424
- Membrane capacitance, 9, 12, 34–36, 88, 89, 91, 97, 101, 102, 127, 176, 217, 219, 255–277
- Membrane resistivity, 9, 10, 12, 27, 28, 34–37, 39, 41–54, 64–70, 89, 91, 95, 97, 101, 102, 176, 255–277
- Membrane time constant, 9, 34–36, 74–102, 176
- Mitral cell  
 compartmental model, 151, 166–169, 174, 175, 182, 185, 195  
 computations, 166–169, 178–180, 184–190, 186, 187, 188, 190, 201  
 experimental field potentials, 149–158, 173–202  
 population, 166–169, 170, 171, 175–177, 180, 184, 188, 190, 201
- Motoneuron. *See also* Neuronal  
 cable properties, 215  
 cat spinal, 9, 14, 54–63, 74, 80, 110, 111, 112, 113, 208, 212, 215, 287, 308, 319  
 compartmental model, 15, 39, 133–144  
 human spinal, 54–61, 63  
 pool, 8, 430, 432, 435, 436, 441–446  
 population models, 8, 15, 39–71, 427, 432, 436, 438, 441–446
- Neuronal. *See also* Motoneuron  
 input conductance (*see* Input, conductance)  
 morphology, 37, 38, 54–60, 62–64  
 population, 8, 15, 431, 432, 434, 441–446  
 Nonlinear dendritic properties, 5, 117, 118, 119, 142, 144, 401, 402, 406, 420–424  
 Nonlinear EPSP summation, 208, 231, 232, 244, 314  
 Nonlinear membrane properties, 129, 130, 144, 178, 208  
 Nonuniqueness, 207, 226
- Olfactory bulb  
 computations, 151, 153, 155, 156, 174, 178–197 (*see also* Granule cell, olfactory bulb, computations; Mitral cell, computations)  
 dendrodendritic pathway, 154, 155, 160–171, 195–202  
 depth distribution of potentials, 187, 191–195, 192  
 experimental field potentials, 173–202, 180, 181  
 morphological layers, 173, 180, 190  
 open field, 182, 183, 184  
 potential divider effect, 15, 150, 179, 182, 183, 184, 185, 186, 189, 192–194, 202
- Optimal range, 417, 418
- Optimization. *See* Optimal range
- Passive membrane properties, 74–102
- Peeling of exponential decays, 249–277, 309
- Plastic changes in dendrites, 4, 119, 412–419, 420–424
- Point neuron, 3
- Postsynaptic conductance, 208
- Postsynaptic potential (PSP) shapes, 207, 209, 210, 254
- Potential. *See also* Action potential  
 electrotonic, 288–326  
 membrane, 28, 74–102, 208, 250–277  
 postsynaptic, 160, 207, 209, 244  
 resting membrane, 100, 125, 126, 128, 131, 218  
 reversal, 402
- Probability distributions, 443, 444
- Reflex input-output relation, 429–446
- Resistance  
 input (*see* Input resistance)  
 spine-stem (*see* Dendritic spine, spine-stem resistance)
- Resistivity  
 intracellular, 39, 132, 176, 177, 179, 255–277, 379, 391  
 membrane (*see* Membrane resistivity)
- Response functions, 429, 432, 434
- Resting membrane properties, 41, 100
- Reversal potential, 402

- Rhythmic activity in olfactory bulb, 200, 202
- Sealed end boundary condition, 4, 6, 43, 44, 45, 249–277, 291, 375–376, 377
- Separation of variables, 40, 41, 256
- Shape index, 12, 211, 222
- EPSP shape, 208–210, 211, 212, 215, 220, 223, 244
- half-width, 207, 211, 212, 215, 219, 220, 221, 222, 223, 224, 225, 244, 376, 379, 383
- plot, 212, 223
- theoretical loci, 211, 212
- time to peak, 211, 212, 222, 223, 224, 225, 244
- Single branch terminal
- input resistance, 287–326
- response function, 328–358
- Soma
- compartment, 177, 178, 179, 185, 189, 212, 217, 220, 221, 230, 241
- isopotentiality, 9, 69, 94, 250, 269
- shunt, 250, 251
- voltage clamp, 210, 251
- voltage transient, 209
- Space constant. *See* Length constant
- Spatiotemporal pattern, 117, 118, 122, 124, 125, 126, 127, 130, 133, 135, 137, 139, 140, 143, 178, 216, 287
- discrimination, 124, 137–140
- input, 117, 118, 122
- Spine-stem resistance. *See also* Dendritic spine, spine-stem resistance
- operating range, 417, 418
- ratio to branch input resistance, 414
- Superposition method of solution, 135, 193, 201, 288, 289, 298, 299, 300, 301, 302
- Synaptic
- amplification, 420–424
- background activity, 10, 119, 209, 444
- conductance change, 10, 130
- efficacy, 11, 280, 420–424
- excitation, 11, 13, 15, 27, 30, 66, 75, 108, 118, 122, 123, 124, 126, 127–131, 136, 137, 151–171, 178, 191, 192, 195, 196, 198, 200, 215, 216, 218, 233, 234, 237, 243, 401, 429
- inhibition, 15, 27, 75, 108, 118, 122, 123, 126–131, 140, 141, 144, 153–171, 195, 197, 198, 199, 200, 215, 216, 218, 233, 234, 237, 243, 401, 429
- integration, 11, 151, 153, 155, 282, 402, 409, 420–424
- location, 13, 117–119, 208–210, 215, 220, 226, 233, 234, 243, 244, 245, 281, 288, 417, 420, 446
- nonlinearity, 5, 17, 117–119, 401, 402, 420–424
- plasticity, 4, 412–419, 420–424
- reversal potential, 402
- transients, 217, 219, 220, 238–243
- weights, 243, 398, 399, 400, 417–419
- Synaptic current
- residual phase, 29, 74, 76, 90, 91, 92, 93, 94
- time course, 11, 12, 28–31, 34–36, 74, 76, 86, 91, 92, 96, 99, 100, 101, 118, 181, 200, 201, 207, 212, 215, 216, 233, 243, 244, 429, 433
- Taper of diameter, theoretical formulation, 363, 374–377, 384–389, 391–393
- Three-halves power of diameter, 28, 37, 51, 131, 132, 133, 144, 145, 282, 290, 364
- Time constants
- equalizing, 250–257
- passive membrane, 29, 30, 34–36, 39, 41, 74–101, 127–131, 249–277
- peeling exponentials, 12, 249–277, 309
- system, 212, 273
- under voltage clamp, 251–277
- Time integral of transients, relation to steady state, 284
- Transient analysis, 238–243, 244
- Transmitter action, 16, 29, 91, 149, 169, 197
- Unit firing probability, 436, 437, 438
- Voltage
- asymmetry (nonreciprocity), 11, 305, 308
- attenuation along dendrites, 11, 143, 287, 288, 303–326, 328
- boundary conditions, 250–277, 296, 298
- clamp, 74, 85, 86, 151, 178, 249–277, 296, 298
- dependent conductances, 126, 130, 177, 252, 409, 410, 420, 431
- isopotentiality, 9, 69, 94, 250, 269
- transients, 9, 74–102, 187, 194, 249, 250, 328–358
- Voltage spread and equalization
- over cable length, 253–277
- over spherical surface, 9, 74–102