

Index

- `.dir-locals.el` file, 11
- `.emacs` file, 11

- abstract type, 380
- accessibility relation, 135
- ACL2, 1, 3–5
- adaptive proof scripts, 371
- Agda, 6
- algebraic datatypes, 14, 43
- array bounds checks, 155
- `as` clause, 160
- axiom K, 217, 280
- axiom of choice, 270
- axioms, 216, 265

- backtracking, 289
- beta reduction, 208
- bisimulation, 103
- bullets, 367

- Calculus of Constructions, 15
- Calculus of Inductive
 Constructions, 15
- certified program, 2
- certifying program, 2
- CIC, *see* Calculus of Inductive
 Constructions
- class (in set theory), 252
- classical logic, 80

- co-induction principles, 102
- co-inductive big-step operational
 semantics, 107
- co-inductive predicates, 99
- co-inductive types, 94, 206
- co-recursive definitions, 94
- CoC, *see* Calculus of
 Constructions
- computability, *see* decidability
- conclusion, 20
- constructive logic, 45, 80, 266
- context patterns, 311
- continuation-passing style, 322
- convoy pattern, 172, 276
- `coq_makefile`, 384
- `coqdoc`, 14
- CoqIDE, 9
- Curry-Howard correspondence,
 42, 73, 93, 263
- currying, 151

- datatype-generic programming,
 233
- de Bruijn criterion, 4
- decidability, 80
- declarative proof scripts, 370
- deep embedding, 133, 280
- definitional equality, 207
- delta reduction, 208
- dependent pair, 117

- dependent pattern matching, 30, 61, 159
- dependent types, 113
- deriving clauses, 233
- discriminee, 159
- domain theory, 140

- elimination, 262
- Epigram, 6
- existential quantification, 81
- extensionality, 139
- extensionality of function
 - equality, 229
- extraction, *see* program
 - extraction

- failure monad, 126
- first-order syntax, 393
- free variable, 20
- fully automated proofs, 363
- functional extensionality, 231, 389
- functor, 380

- GADTs, *see* generalized algebraic datatypes
- Gallina, 16, 251
- Gallina operators
 - ++, 18
 - /\, 57
 - ::, 17
- Gallina terms
 - Acc, 135
 - and, 57, 65
 - app, 51
 - as, 61
 - bool, 46
 - cofix, 211
 - cons, 51
 - Empty_set, 45
 - eq, 83
 - eq_ind_r, 225
 - eq_rect_eq, 216
 - eq_refl, 83
 - ex, 81
 - exists, 81
 - False, 42
 - false, 46
 - fin, 185
 - Fix, 136
 - fix, 61, 209
 - for, 63
 - forall, 81
 - hlist, 189, 235
 - I, 42
 - if, 46
 - ilist, 185, 235
 - in, 156
 - index, 348
 - internal_JMeq_rew_r, 225
 - JMeq, 222
 - length, 51
 - list, 51
 - maybe, 125
 - member, 189
 - nat, 47
 - negb, 46
 - nil, 51
 - 0, 47
 - option, 17
 - or, 77
 - plus, 48
 - pred, 47
 - prod, 57, 76
 - proj1_sig, 117
 - Prop, 44
 - return, 61
 - S, 47
 - Set, 14, 44
 - sig, 116
 - sigT, 171
 - sum, 77
 - sumbool, 121

- sumor, 125
- True, 42
- true, 46
- tt, 43
- UIP_refl, 216
- unit, 43
- varmap, 349
- with, 63
- generalized algebraic datatypes, 29, 43
- generic programming, 233
- GHC Haskell, 29
- Girard's paradox, 252
- graphical interfaces to Coq, 9
- guardedness condition, 95

- Haskell, 29, 43, 58, 93, 321
- head symbol, 304
- head-normal form, 184
- heterogeneous equality, 222
- higher-order abstract syntax, 59, 397
- higher-order syntax, 397
- higher-order unification, 61, 115
- higher-order vs. first-order languages, 3
- Hilbert's epsilon operator, 272
- hint databases, 294
- HOAS, *see* higher-order abstract syntax
- HOL, 4
- hypotheses, 20, 23

- implicit arguments, 66, 259
- impredicative Set, 272
- impredicativity, 255, 263
- in clause, 160
- inconsistent axioms, 266
- index function, 196
- induction principles, 44, 60
- inference rules, 83
- intensional type theory, 218
- interactive proof-editing mode, 19
- interpretation function, 343
- interpreters, 14, 191, 200
- intro pattern, 108, 365
- intuitionistic logic, *see* constructive logic
- iota reduction, 208
- Isabelle/HOL, 2, 5
- Isar, 370

- John Major equality, 222
- judgment, 83

- lambda calculus, 59, 191
- large inductive types, 179, 255
- law of the excluded middle, 80, 265
- laziness, 93
- length-indexed lists, 155
- linear arithmetic, 309
- logic programming, 287
- Ltac, 5, 16

- Makefile, 384
- metalanguage, 29, 397
- ML, 43, 58
- module systems, 233
- monad, 126, 142, 321

- natural deduction, 83, 312
- nested inductive type, 64, 197
- notation scope delimiter, 162
- notation scopes, 32
- Nqthm, 1

- Obj.magic, 177
- object language, 29, 397
- OCaml, 113

- opaque, 119
- opaque ascription, 381
- parameters, 161
- parametric higher-order abstract
 - syntax, 397
- parametric polymorphism, 233
- parametricity, 408
- Park’s principle, 103
- phase distinction, 156
- PHOAS, *see* parametric
 - higher-order abstract
 - syntax
- polymorphism, 51
- positivity requirement, 59
- predicativity, 253
- Presburger arithmetic, 309
- primitive recursion, 133
- principal types, 15
- productivity, 98
- Program, 121
- program extraction, 37, 80, 113, 262
- Prolog, 83, 287
- proof by reflection, 6, 339
- Proof General, 9, 11–12
- proof irrelevance, 74, 268
- proof term, 43
- proof-carrying code, 275
- propositional equality, 211
- PVS, 4, 5
- recursion principles, 61
- recursion schemes, 236
- recursive type definition, 193
- recursively nonuniform
 - parameters, 149
- reduction strategy, 16
- reflection, 6
- reflexive inductive type, 198
- reification, 343
- relative consistency, 15
- return** clause, 160
- rule induction, 88
- Russell’s paradox, 255
- sections, 52
- set theory, 251
- setoids, 310
- shallow embedding, 133
- sigma type, 117
- stratified type systems, 157
- strengthening the induction
 - hypothesis, 19
- strict positivity requirement, 59, 397
- strong normalization, 15
- structural induction, 20
- subgoals, 19
- subset types, 116
- tactical, 310
- tactics, 20
 - abstract**, 120, 380
 - apply**, 55, 91
 - assumption**, 77
 - auto**, 86, 289
 - autorewrite**, 304
 - cbv**, 207
 - change**, 70, 230, 347
 - congruence**, 49, 303, 309
 - constr**, 318
 - constructor**, 75
 - crush**, 10, 26
 - crush’**, 131
 - debug**, 293, 379
 - decide equality**, 123
 - dep_destruct**, 166
 - dependent destruction**, 166, 277
 - destruct**, 44, 108
 - discriminate**, 47, 69

- do, 333
- eapply, 290
- eauto, 91, 291
- elimtype, 75
- eval, 331
- evan, 331
- exact, 276, 312, 341
- exists, 81
- fail, 314
- field, 348
- first, 314
- firstorder, 82
- fold, 23, 25
- fourier, 309
- fresh, 332
- generalize, 169, 220, 314
- hnf, 184
- idtac, 313, 314
- induction, 20, 26, 44, 365
- info, 289, 375
- info_auto, 289
- injection, 49, 69
- instantiate, 336
- intro, 70
- intros, 20, 23, 26, 277
- intuition, 78, 309
- inversion, 85
- lazy, 208
- left, 78
- match, 91, 309
- omega, 300, 309
- pattern, 226, 245
- pose, 319
- progress, 327
- quote, 348
- red, 69
- refine, 118, 138
- reflexivity, 23, 25, 27
- repeat, 310
- rewrite, 24, 25, 27, 70
- right, 78
- ring, 301, 309, 348
- semicolon, 26
- simpl, 22, 25, 48
- simple apply, 329
- simple destruct, 214
- solve, 335
- specialize, 312
- split, 77
- tauto, 78
- trivial, 49
- type of, 314
- unfold, 21, 23, 25
- using, 68
- with, 90
- tagless interpreters, 161
- termination checking, 16, 59
- theory of equality and
 - uninterpreted functions, 49
- thunks, 380
- transparent, 119
- transparent ascription, 381
- trusted code base, 275
- Twelf, 4, 5, 59
- type classes, 233
- type hierarchy, 251
- type inference, 15, 61
- unicity of identity proofs, 269
- unification, 289
- unification variable, 290
- universe inconsistency, 254
- universe polymorphism, 258
- universe types, 233
- universe variable, 253
- variable binding, 389
- Vernacular commands, 16
 - Abort, 25
 - Axiom, 265
 - Check, 24
 - CoFixpoint, 94
 - CoInductive, 94

- Debug On, 374
- Declare Module, 381
- Defined, 119, 137
- Definition, 14
- Eval, 16
- Example, 57
- Extract Inductive, 123
- Extraction, 37, 113
- Fixpoint, 16
- Function, 140
- Guarded, 100
- Hint Constructors, 289, 302
- Hint Extern, 69, 298
- Hint Immediate, 291, 302
- Hint Resolve, 292, 302
- Hint Rewrite, 36, 304
- Hint Unfold, 302
- Hypothesis, 62
- Implicit Arguments, 52
- Import, 385
- Inductive, 14
- Lemma, 19
- Load, 385
- Locate, 65
- Ltac, 175
- Module, 381
- Module Type, 381
- Obligation Tactic, 121
- Open Scope, 178
- Parameter, 266
- Print Assumptions, 224, 267
- Print Universes, 256
- Program Definition, 121
- Program Fixpoint, 140
- Qed, 26, 380
- Recursive Extraction, 177
- Require, 385
- Require Export, 386
- Require Import, 380
- Restart, 46
- Scheme, 55
- SearchRewrite, 24, 291
- Section, 52
- Set Implicit Arguments, 53
- Set Printing All, 260
- Set Printing Universes, 252
- Show Proof, 296
- Theorem, 19
- Time, 293, 377
- Variable, 52
- well-founded recursion, 134
- well-founded relation, 134
- Zermelo-Fraenkel set theory, 15
- zeta reduction, 208