

This PDF includes a chapter from the following book:

Linguistics for the Age of AI

© 2021 Marjorie McShane and Sergei Nirenburg

License Terms:

Made available under a Creative Commons
Attribution-NonCommercial-NoDerivatives 4.0 International Public License

<https://creativecommons.org/licenses/by-nc-nd/4.0/>

OA Funding Provided By:

The open access edition of this book was made possible by generous funding from Arcadia—a charitable fund of Lisbet Rausing and Peter Baldwin.

The title-level DOI for this work is:

[doi:10.7551/mitpress/13618.001.0001](https://doi.org/10.7551/mitpress/13618.001.0001)

Index

Page numbers in italic indicate a figure and page numbers in bold indicate a table on the corresponding page.

- Abduction, 22
- Abductive reasoning, 21–22
- Abelson, R. P., 6
- ACE. *See* Automatic Content Extraction (ACE) corpus
- Achalasia disease model
 - learning components of, 327–328
 - ontological knowledge for, **323**
 - patient-authoring interface for, 320–321, **322**
- Acquisition
 - of lexicon, 103–104, 382
 - of ontology, 98
- Actionability
 - definition of, 4, 62, 90
 - judgement of, 13–15
 - principle of least effort and, 14–15
- ACT-R, 37
- Adjectives. *See also* Modification
 - new-word learning of, 136
 - unknown, 195–196
- Advances in Cognitive Systems* community, 396n1
- Adverbs. *See also* Modification
 - in constructions, 166
 - semantic analysis of, 141
- AECs. *See* Anaphoric event coreferences (AECs)
- Agent applications. *See also* Maryland Virtual Patient (MVP) system
 - bias-detection advisor, 331–343
 - LEIA-robots, 343–347, **346**
- Agent architecture, 9–13
- Agent First principle, 23
- Agrammatic aphasia, 24
- AGREE-TO-AN-INTERVENTION-OR-NOT evaluation
 - function (MVP), 316–317
- Allen, J., 139, 353
- Al-Sayyid Bedouin Sign Language, 24
- Altmann, G. T. M., 17
- Ambiguity
 - benign, 15, 95, 209, 210, 220
 - lexical, 2–3, 290, 362–365
 - morphological, 2
 - pragmatic, 3
 - of proper names, 208
 - referential, 3
 - residual, 247–254, 261–262, 290–291
 - scope, 3
 - semantic dependency, 3
 - syntactic, 3
- Analogy, reasoning by, 61, 252–253
- Analytic approach, 9
- Anaphoric event coreferences (AECs), 234–240, 393n45
 - adjuncts in sponsor clause, 238–239
 - coreference between events, 237–238
 - coreference between objects in verb phrases, 238–239
 - ellipses-resolved meaning representation for, 234–235, **235**
 - modals and other scopers, 239–240
 - verbal/EVENT head of sponsor, 235–237
- Anchors, memory
 - challenges of, 209–210
 - definition of, 203
 - example of, 204–205
 - during Situational Reasoning, 297
- Annotation. *See* Corpus annotation
- Antecedents. *See* Sponsors
- Anticipation, 12, 394n11
- Antonymy, 43
- Aphasia, 24
- Application-specific lexicons, 104–105
- Apresjan, Ju. D., 386n15
- Arguments, coreferencing of, 72
- Argument-taking words
 - constraints on, 211
 - as constructions, 166–167
 - lexical acquisition of, 74

- Artificial neurons, 5
- Aspect, semantic analysis of, 162, 165
- Aspectual verbs
 elided and underspecified events involving, 186–189, 192, 241–242
 scopers and, 240
 Attempto, 97
- Automatic Content Extraction (ACE) corpus, 52
- Automatic disambiguation, 25, 74–76, 103, 370
- Automatic programming, 388n10
- Automatic syn-mapping process, 131–134
- Babkin, P., 215, 365, 366
- Bad events/states. *See* Negative sentiment terms
- Baker, M., 49
- Bakhshandeh, O., 394n18
- Bar Hillel, Y., 5–6, 56
- Barrett's metaplasia, 307
- Base-rate neglect, 337
- Basic Coreference Resolution
 across syntactic categories, 206–207
 anaphoric event coreferences, 234–240, **235**, 393n45
 with aspectuals + OBJECTS, 241–242
 chain of coreference, 201, 208
 challenges of, 205–210, 391n4
 coreferential events expressed by verbs, 242–244
 decision-making after, 86
 definite descriptions, 204, 227–233
 ellipsis, 210–211
 example of, 203–212
 further exploration of, 244–245
 general principles of, 82
 implicatures, 206
 in knowledge-lean paradigm, 44–46
 personal pronouns, 206, 212–217
 pronominal broad referring expressions, 217–227, 392n28, 393n32
 semantic relationships between referentially related entities, 207
 terminology related to, 202–203
 words excluded from, 203
- Basic Semantic Analysis
 algorithms for, 141–142
 constructions, 165–175
 decision-making after, 85–86
 definite description processing, 227–228
 ellipsis, 186–193, **188**
 fragmentary utterances, 193
 further exploration of, 199–200
 general principles of, 82, 141–143
 indirect speech acts, 175–176
 issues remaining after, 198–199
 metaphors, 180–185, 199
 metonymies, 185–186
 modification, 143–159
 nominal compounds, 176–180, **177**, 200
 nonselection of optional direct objects, 193
 proposition-level semantic enhancements, 160–165
 unknown words, 193–198
- Batiukova, O., 102
- Baxter robot, 344
- BDI (belief-desire-intention) approach, 9, 11
- Beale, S., 237, 358, 362, 366
- Belief modality, **161**
- Benign ambiguity, 15, 95, 209, 210, 220
- Berners-Lee, T., 27
- Besold, T. R., 40
- Bias-detection advisor
 clinician bias detection, 335–339
 memory support for bias avoidance, 333–334, **334**
 patient bias detection, 339–343, **341**, **342**
 vision of, 331–333, **332**
- Bickerton, D., 23
- Big data, 4–5, 57, 63, 302, 324, 347
- Binding sets, 126–128, **127**
- BLEU, 396n3
- Boas system, 328
- Boeing's Computer Processable Language, 96
- Bos, J., 392n28
- Bounded rationality, theory of, 331
- Bowdle, B., 180
- Brants, T., 53
- Brick, T., 41
- Bridging references, 207, 229–231
- Broad referring expressions, resolution of
 in machine translation, 392n28
 negative sentiment terms, 221–223, 226
 simple example of, 217–218
 in syntactically simple contexts, 219–221, 226, 393n32
 using constructions, 218–219, 226
 using meaning of predicate nominals, 223–224, 227
 using selectional constraints, 224–227
- Brooks, R., 38
- Brown, R. D., 20
- Byron, D., 392n28
- Candidate sponsors, 202, 219, 226
- Carbonell, J. G., 21
- Cardinality of sets, 152–158
- Carlson, L., 20
- Carnap, R., 5
- Cartwright, N., 39, 89
- Case role labeling, 28
- Case studies, knowledge extraction from, 326–327
- CELT. *See* Controlled English to Logic Translation (CELT)
- Centering Theory, 21
- Cerisara, C., 46
- Chain of coreference, 201, 208
- Change
 conditions of, 190–191, 241–242
 events of, 270, 284

- CHANGE-EVENTS, 198, 274–276
 missing values in, 279
- Chinchor, N., 244
- Chomsky, N., 16
- Church, K., 7–8
- Cimiano, P., 100–101
- Cinková, S., 394n20
- Clark, H. H., 49
- Clinical bridges, 302
- Clinician biases
 detection of, 335–339
 memory support for avoidance of, 333–334, **334**
- Clinician training. *See* Maryland Virtual Patient (MVP) system
- COCA corpus, exploration of, 140, 199–200, 245, 284
- Cognition modeling, 311–317
 decision-making evaluation functions, 314–317
 goals, 313–314
 learning through language interaction, 312–313, **312**
- Cognitive architecture
 current views on, 36–38
 OntoAgent, 10–13, *11*, 30, 115, 286–287, **287**
 psycholinguistic evidence for, 17
- Cognitive bias. *See also* Bias-detection advisor
 clinician biases, 335–339
 definition of, 331
 memory support for avoidance of, 333–334, **334**
 patient biases, 339–343, **341**, **342**
 sources of, 331–332
- Cognitive linguistics, 22–23, 386n19
- Cognitive load, 31, 90, 124, 223, 227, 256, 280
- Cognitive Science Laboratory, Princeton University, 42
- Cohen, K. B., 394n17
- Cohen, P., 100
- Cohen, P. R., 37
- Collocations, 108, 166, 391n18
- Combinatorial complexity
 causes of, 134–135, *135*
 sense bunching and, 135–138
- Commands
 indirect speech acts, 175–176
 semantic analysis of, 164–165, **164**
- Common Logic Controlled English, 97
- Communicative acts. *See* Dialog acts
- Community-level task formulation, 352
- Comparative filter, 371
- Comparatives, 270–279, 394n18
 classes of, 271–277, **272**
 machine learning approach to, 394n18
 overview of, 270–271
 reasoning applied in, 277–279
 ungrounded and underspecified comparisons, 270–279
- Component-level evaluation experiments
 difficult referring expressions, 365–366
 lexical disambiguation and establishment of semantic dependency structure, 362–365
 multiword expressions, 358–362
 nominal compounding, 355–358
 verb phrase (VP) ellipsis, 366–369
- Compositionality, 29, 386n27
- Compounds, nominal. *See* Nominal compounds (NNs)
- Computational formal semantics, 18–20, 353
- Computational linguistics, 15, 89, 384
- Computer processable controlled languages, 96–97
- Computer Processable English, 96
- Concept grounding, 345
- Concepts
 concept instances versus, 98
 instances of, 98, 251
 mapping of, 105–106
 modifiers explained using combinations of, 149–150, 159
 naming conventions for, 393n43
 prototypical relationships between, 265–266
 scripts and, 99
 types of, 70–71
 words versus, 98
- Conditional filter, 371
- Confidence levels, 60, 65, 67
- Confirmation bias, 342
- Conflicts, property value, 228
- Constituency parses, 118, *119*
- Constraints
 automatic disambiguation supported by, 74–76
 connected versus unconnected, 265–266
 Construction grammar, 16–17, 165
- Constructions
 constituents in, 166–167
 definition of, 91, 165–166
 exclusion criteria for, 174
 lexical versus non-lexical, 167–168, 391n17
 null-semmed components of, 169–172
 object fronting, 167
 overlapping of, 174
 polysemy in, 174
 resolving personal pronouns with, 213–215, 217
 resolving pronominal broad RefExes with, 218–219, 226
 utterance-level, 172–173
- Context, 3–4
- Controlled English to Logic Translation (CELT), 96–97
- Controlled languages, 96–97
- Conventional metaphors, 180–185. *See also* Metaphors
- Conversation acts. *See* Dialog acts
- Copular metaphors, 184–185
- Coreference
 of arguments, 72
 chain of, 208
 window of, 202

- Coreference resolution. *See* Basic Coreference Resolution; Textual coreference
- CoreNLP Natural Language Processing Toolkit, 117–118, 139, 356, 359, 388n3
- coreference resolver, 213, 217, 227, 244, 294, 392n18
- Cornell Natural Language for Visual Reasoning corpora, 158, 396n12
- Corpus annotation
- of discourse structure, 21
 - in evaluations, 351, 353–354, 366, 382
 - event coreference links in, 244
 - further exploration of, 139, 244
 - “golden” text meaning representations, 93–94
 - machine learning and, 15, 21, 44–46, 394n20
 - manual, 19, 27, 52–55
 - in the Prague Dependency Treebank, 55
 - resources devoted to, 28
 - semantic annotation in, 29
 - times of events in, 162
- Creative idiom use. *See* Idiomatic creativity
- Crosslinguistic differences, 100, 392n22
- Cryptography, 5
- Cybernetics, 5
- Cycorp, 37
- Cyc, 25–26, 98, 296
- DARPA, Explainable AI program, 38–39
- Dcoref, 392n18
- Decision-making
- after basic semantic analysis, 82, 85–86
 - after extended semantic analysis, 82, 87
 - after pre-semantic analysis, 81, 84–85
 - after pre-semantic integration, 81–82, 85
 - after situational reasoning, 82, 87–88
 - decision points in, 83–84, 83, 84
 - in Maryland Virtual Patient (MVP) system, 313–317
- Decision points, 83–84, 83, 84
- Default* facet, 71, 146, 241
- Definite descriptions
- awaiting Situational Reasoning, 233
 - during Basic Coreference Resolution, 228–233
 - during Basic Semantic Analysis, 227–228
 - during Pre-Semantic Analysis, 227
 - sponsors for, 229, 231–233
- Delimit-scale routine, 145–147
- Demand-side approach, 302
- Dependency parses, 118, 119
- Dependency-syntax theory, 54–55
- Depletion effects, 333, 340
- Descriptive-pragmatic analyses, 20–22
- Descriptive rationality, 40
- DeVault, D., 41
- Dialog acts
- ambiguity in, 290–291
 - categories of, 47–48
 - definition of, 47
 - detection of, 46–48, 387nn40–42
 - indirect, 39, 81, 175–176, 199, 297–298
 - residual ambiguity, 287, 290–291
- Dialogue Act Markup in Several Layers (DAMSL) tag set, 47–48
- Dictionaries
- machine-readable, 42–43, 98, 103
- Diogenes the Cynic, 39
- Direct objects
- constraints on, 75
 - coreference between, 238–239
 - ellipsis of, 392
 - nonselection of optional, 193
 - of sequential coordinate clauses, 215
- Discourse. *See* Pragmatics
- Discourse-structure annotation, 21
- Discourse-theoretic approaches. *See* Pragmatics
- Disease models
- development of, 304–305
 - GERD example, 306–311, **307, 310, 311**
 - visualization of, 320–324
- Disfluencies, stripping of, 124
- Distributional semantics, 28–29, 290, 386n27, 394n3
- Doctor-patient dialog, bias detection in, 342–343, **342**
- Double agents, 303
- Dynamically computed values
- for relative text components, 150–152
 - of scalar attributes, 145–148
- Dynamic programming, principle of, 61
- Dynamic sense bunching, 135–138
- Dynamic Syntax, 17
- Effort modality, **161**
- Eliminativism, 385n7
- Ellipsis
- aspectuals + OBJECTS, 189–193, 241–242
 - definition of, 210–211
 - gapping, 91, 192, 193, 211
 - head noun, 192, 193
 - lexically idiosyncratic, 189–190, 193
 - in natural language processing, 211, 392n17
 - verb phrase, 186–189, **188**, 192, 366–369, 393n44
- Empirical natural language processing (NLP), 27–29, 50–52, 290, 386n27, 394n3
- Empiricism, 7–8
- End-system evaluations, 350
- English, J., 345
- English Gigaword corpus, 214, 365
- Enumerative lexicons, 102–103
- Episodic memory, 60, 68, 77, **287**
- Epistemic modality, 113–114, **161**, 163, 380
- Epiteuctic modality, **161**
- Evaluation
- challenges of, 349–350
 - conclusions from, 381–382
 - of difficult referring expressions, 365–366
 - end-system, 349–350

- holistic, 369–382
- of lexical disambiguation, 362–365
- of multiword expressions, 358–362
- of nominal compounding, 355–358
- task-oriented, 351–354
- of verb phrase ellipsis, 366–369
- Evaluation functions, 314–317
- Evaluative attitudes, effect of, 340
- Evaluative modality, **161**, 271, 377, 380
- Event coreference. *See* Textual coreference
- Event ellipsis
 - lexically idiosyncratic, 189–190, 193
 - verb phrase, 186–189, **188**, 192, 366–369, 393n44
- Event identity, 244
- Events
 - anaphoric event coreferences, 234–240, **235**, 245, 393n45
 - case roles for, 70
 - of change, 270, 279, 284
 - coreferential, 237–238, 242–244
 - definition of, 70
 - properties of, 70
 - reference resolution of, 204
- Event scripts, bridging via, 230–231
- Evolution of language, 23–25
- Exaggerations, 298–299
- Experiments, evaluation
 - difficult referring expressions, 365–366
 - lexical disambiguation, 362–365
 - multiword expressions, 358–362
 - nominal compounding, 355–358
 - verb phrase ellipsis, 366–369
- Explainable AI program (DARPA), 38–39
- Explanatory AI (artificial intelligence), 13–15, 38–40, 301, 385n7
- Expletives, 170–171
- Exposure effect, 338–340
- Extended Semantic Analysis
 - decision-making after, 87
 - fragments, 279–283, 394n20
 - general principles of, 82
 - incongruities, 254–264
 - indirect modification, 262–264
 - residual ambiguities, 247–254
 - underspecification, 264–279
- Extralinguistic information, 1
- Facets
 - default, 146
 - definition of, 71
 - relaxable-to, 146
 - sem, 146–147
- False intuitions, 335–336
- Fast-lane knowledge elicitation strategy, 329, **329**
- Feature matching, 214–215
- Fernández, R., 394n20
- Field-wide competitions, 44, 387n44
- Fillmore, C., 385n11
- Filters, sentence extraction. *See* Sentence extraction filters
- Find-anchor-time routine, 388n2
- Finlayson, M. A., 19
- Fishing algorithm, 287–290
- Fixed expressions. *See* Multiword expressions (MWEs)
- Fleshing out algorithm, 287–290
- Focus, 20, 31
- Fodor, J., 104
- Folk psychology, 14, 39–40
- Forbus, K. D., 388n16
- Formal semantics, 17–20
- Formulaic language, 391n18. *See also* Multiword expressions (MWEs)
- Fractured syntax, 287–290
- Fragments, 193, 211, 279–283
- FrameNet, 25–26, 28, 115, 385n11, 388n8
- Frame semantics, 26
- Framing sway, 342
- Functionalism, 385n7
- Fuzzy matching, 121–122
- Gapping, 91, 192, 193, 211
- Garden-path sentences, 143, 390n2
- Gastroesophageal reflux disease (GERD)
 - model, 306–311, **307**, **310**, **311**
- Generalized phrase structure grammar, 6, 385n4
- General-purpose lexicons, 104–105
- Generative grammar, 6, 16, 23, 139
- Generative lexicons, 102–103
- Genesis system, 19–20
- Gentner, D., 180
- GERD. *See* Gastroesophageal reflux disease
- Gigaword corpus, 214, 365
- GLAIR, 37
- Goals, 61, 313–314
- “Golden” text meaning representations, 93–94
- Gonzalo, J., 43
- Google Translate, 56
- Graesser, G., 180
- Grounding, 48–49, 292, 387n41, 391n1
- Hahn, U., 389n20
- Hajič, J. 55
- Halo effect, 341–342, **341**
- Halo-property nests, 341–342, **341**
- Handcrafted knowledge bases
 - Cyc, 25–26
 - FrameNet, 25–26
 - Semantic Web, 27
 - VerbNet, 25–26
- Harris, D. W., 82
- Hayes, P. J., 69
- Head-driven phrase structure grammar, 6, 385n4
- Head matching, 206, 391n8
- Head noun ellipsis, 192, 193

- Hearst, M., 177
- Heuer, R. J., Jr., 332
- Heuristic evidence, incorporation of
 empirical natural language processing (NLP), 27–29
 handcrafted knowledge bases, 25–27
- Hidden meanings
 hyperbole, 298–299
 indirect speech acts, 175–176, 199, 297–298
 sarcasm, 298
- Hierarchical task network (HTN) formalism, 344
- Hirschman, L., 244
- Hirst, G., 386n15
- Hobbs, J., 21–22, 349
- Holistic evaluations
 conclusions from, 381
 experiment with filters, 374–381
 experiment without filters, 372–375
 limitations of, 369–371
 sentence extraction filters for, 371–372
- Homographous prepositions, 129
- Horizontal incrementality, 77–82, 80
- Hovy, E., 7, 177, 244
- Hutchins, J., 56
- Hybrid evaluations, 354
- Hyperbole, 298–299
- Hypernyms, 42, 231–233
- Hyponyms, 99, 103, 104, 231–233
- Ide, N., 103, 388n17
- Idiomatic creativity, 264
 detection of, 258–260, **258**
 further exploration of, 284, 394n12
 semantic analysis of, 261–262
 sources of, 257–258, 394n14
- Idioms, 284
 as constructions, 166
 creative use of, 257–262, **258**, 264, 284, 394n12,
 394n14
 multiword expressions, 167, 174
 null-semmed constituents of, 169–172
- Illocutionary acts. *See* Dialog acts
- Illusion of validity, 336–337
- Imperatives, 28, 164–165, **164**
- Imperfect syn-maps, optimization of, 122, 126–128,
127
- Implicatures, 41, 80, 206, 376, 381
- Implied events, 173
- Imprecision, semantic, 60
- Incongruities
 definition of, 254
 idiomatic creativity, 257–262, **258**, 264, 284,
 394n12, 394n14
 metonymies, 185–186, 254–255, 264, 394n10
 preposition swapping, 256–257, 264, 284
- Incrementality
 challenges of, 40–41
 computational model of, 41–42
 horizontal, 79, 80
 during natural language understanding, 77–82
 in psycholinguistics, 17
 vertical, 79, 80, 84
- Incremental parser, 385n12
- Indirect modification, 158–159, 262–264
- Indirect objects, coreference between, 238–239
- Indirect speech acts, 39, 81, 175–176, 199, 297–298
- Inference, 22, 285
- Information theory, 5
- Inkpen, D., 386n15
- Instance coreference, 251
 between events, 237–238
 between objects in verb phrases, 238–239
- Instances, concepts versus, 98
- Instance-type relationships, 207
- Interannotator agreement, 47, 53, 55, 351, 353, 366,
 391n21
- Interlingual Annotation of Multilingual Text
 Corpora project, 53
- Interrogatives. *See* Questions
- Intrasentential punctuation mark filter, 371
- Intuition, false, 335–336
- IS-A property, 70, 71, 99, 252
- Iteration values, of aspect, 162
- Jackendoff, R., 23–24, 286
- Jarrell, B., 320
- Jelinek, F., 50
- Jeong, M., 47
- Johnson, K., 180, 393n44
- Johnson, M., 180–181, 184
- Jones, R. M., 396n2
- Journal of Pragmatics, The*, 22
- Jumping to conclusions, 335
- Jurafsky, D., 56
- Kahneman, D., 335, 338, 341
- Kamide, Y., 17
- KANT/KANTOO MT project, 96
- KDiff3, 366
- King, G. W., 7
- Klein, G., 335
- Knowledge-based approaches, 3–8, 33–34
- Knowledge-based evaluations, 353–354
- Knowledge bases, 61, 68–77, 115. *See also* Lexicons;
 Ontology
 automatic extraction of, 42
 corpus annotations versus, 54
 episodic memory, 68, 77
 expansion of, 62
 handcrafted, 25–27
 in Situational Reasoning, 293–294
 specialized concepts in, 69
- Knowledge bottleneck, 7, 33–34, 42, 384
- Knowledge elicitation methods (MVP), 328–331,
329, 330

- Knowledge-lean paradigm
 coreference resolution in, 21, 28–29, 44–46, 53–54
 definition of, 3–8
- Knowledge Representation and Reasoning (KR&R)
 communities, 386n16
- Knowledge representation language (KRL), 10,
 94–97
- Köhn, A., 40
- KR&R. *See* Knowledge Representation and Reasoning (KR&R) communities
- Král, P., 46
- KRL. *See* Knowledge representation language (KRL)
- Kruijff, G. J. M., 41
- Laërtius, Diogenes, 39
- Laird, J. E., 38
- Lakoff, G., 180, 182, 184
- Langley, P., 36
- Language-based learning, 33
- Language-centric reasoning, 61
- Language complexity, microtheory of, 371–372,
 396n11
- Language-endowed intelligent agents (LEIAs).
See also Agent applications; Natural language understanding (NLU)
 architecture of, 9–13
 future directions in, 383–384
 phenomenological stance for, 31–32, 386n28
- Language evolution, 23–25
- Language Files* (Mihalicek and Wilson), 139
- Language Hoax, The* (McWhorter), 115
- Language independence, agent, 61
- Language Understanding Service, 287
- Largely language independent lexicons, 105–107,
 389n24
- Lascarides, A., 394n20
- Leafgren, J., 386n17
- Learning, language-based. *See also* Lifelong learning
 by being told, 336
 by LEIA-robots, 345–347, **346**
 in the Maryland Virtual Patient (MVP) system,
 324–328
 prerequisite for, 33
 by reading, 299–300
- Least effort, principle of, 14–15
- Lee, G. G., 47
- Lee, H., 213
- Legal sequences of actions, learning of, 345, **346**
- LEIA-robots, 343–347, **346**
- LEIAs. *See* Language-endowed intelligent agents (LEIAs)
- Lemma annotator, 118
- Lenat, D., 26
- Levesque, H. J., 37
- Levi, J. N., 177
- Levin, B., 26
- Lexical ambiguity, 2–3, 290, 362–365
- Lexical constructions, 167–168, 391n17
- Lexical disambiguation experiment, 362–365
- Lexical-functional grammar, 6, 385n4
- Lexical idiosyncrasy, 356–357
- Lexical lacunae, 363, 372, 382
- Lexically idiosyncratic event ellipses, 189–190,
 193
- Lexical semantics, 17–18, 42–43
- Lexicons
 acquisition of, 103–104, 382
 addition of construction senses to, 131–134
 application-specific, 104–105
 automatic disambiguation in, 74–76
 definition of, 68
 enumerative, 102–103
 features of, 73–76
 general-purpose, 104–105
 generative, 102–103
 incompleteness of, 121–122, 369–370
 issues of, 102–111
 as key to successful natural language understanding,
 60, 142
 largely language independent, 105–107, 389n24
 reuse across languages, 109–111
- Lexico-syntactic constructions
 resolving personal pronouns with, 213–215, 217
 resolving pronominal broad RefExes with,
 218–219
- Lifelong learning
 definition of, 2
 need for, 62, 101, 384
 new-word learning, 124–126, 299–300
 research implications of, 62
- Light verb filter, 372
- Light verbs, 107–109
- Lin, J., 349
- Lindes, P., 38
- Linear grammar, 23
- Linguistic meaning, 286
- Linguistic scholarship, insight from, 15–25
 cognitive linguistics, 22–23
 language evolution, 23–25
 pragmatics, 20–22
 psycholinguistic, 17
 semantics, 18–20
 theoretical syntax, 16–17
- Listing, 61
- Literal attributes, 70, 144–145
- Liu, B., 221
- Local properties, 99–100
- Locutionary acts. *See* Dialog acts
- Lombrozo, T., 22
- Loops, 72
- Lower esophageal sphincter (LES), 306
- Lu, J., 45, 243–244

- Machine-readable dictionaries, 42–43, 98, 103
- Machine translation
 broad referring expressions in, 392n28
 historical overview of, 4–7, 56, 328–329
 paraphrase in, 353, 396n3
- Mandatory syntactic constituents, 211, 392n16
- Manning, C. D., 22, 95
- Manual lexical acquisition, 382
- Mapping, syntactic. *See* Syntactic mapping (syn-mapping)
- Marcus, G., 53
- Markables, selection of, 44, 351–352
- Martin, J. H., 56
- Maryland Virtual Patient (MVP) system
 cognitive modeling for, 311–317
 disease model for GERD, 306–311, **307**, **310**, **311**
 example system run, 317–320
 knowledge elicitation strategies for, 328–331, **329**, **330**
 learning components of, 324–328
 omniscient agent in, 32
 ontological knowledge for, 321–324, **323**
 ontological scripts for, 72–73, 305
 paraphrase and ontological metalanguage in, 113–115
 patient-authoring interface for, 320–321, **322**
 physiology modeling for, 304–305
 requirements for, 302–303
 traces of system functioning in, 324, **324**
 vision and architecture of, 301–304, **303**
 visualization of disease models in, 320–324
- Matrix verbs, 163, 165
- McCarthy, J., 30
- McCrae, J., 100–101
- McCulloch, W. S., 5
- McShane, M., 105, 215, 237, 320, 358, 362, 365, 366, 369, 389n24, 392n22
- McWhorter, J. 100, 115
- Meaning, definition of, 50
- Meaning representations (MRs), 296. *See also* Text meaning representations (TMRs)
- Measurement of progress. *See* Evaluation
- Mechanical Translation and Computational Linguistics* journal, 4
- Mechanical Translation* journal, 4
- Memory
 anchors, 203–205, 209–210, 297
 episodic, 60, 68, 77, **287**
 in LEIA-robots, 345, 347
 of referring expressions, 209–210, 297
 semantic, 287, **287**
- Mental actions, 10, 62, **346**
- Merging, ontological, 100
- Meronymy, 43, 111
 bridging via, 230–231
 ontological paraphrase and, 113–115
- MeSH, 389n20
- Metacognition, 39–40
- Metalanguage, ontological, 60, 111–115
- Metaphors, 393n2
 conventional, 180–185
 copular, 184–185
 further exploration of, 199
 importance of, 180
 inventories and classifications of, 199
 in nominal compounding experiment, 357–358
 novel, 180–181
 past work on, 180–182, 391n21
- Metonymic Mapping Repository, 255
- Metonymies, 185–186, 254–255, 264, 394n10
- Microtheories
 combinatorial complexity, 134–138, *135*
 concept of, 2, 13, 16, 61, 88–93
 development of, 16
 incomplete coverage of, 370–371
- Mihalicek, V., 139
- Mikulová, M., 55
- Miller, G., 25, 26, 42
- Mindreading, 14, 39–40, 69, 285, 298
- Minimal Recursion Semantics, 394n20
- Minsky, M., 30
- Mitkov, R., 44
- Modality
 properties of, 160–161
 semantic analysis of, 160–161, **161**, 165
 types of, **161**
- Modals, coreference resolution and, 239–240
- Modeling
 BDI (belief-desire-intention) approach, 9
 explanatory power of, 13–15
 levels of, 13
 nature of, 62
 ontological, 10
 phenomenological stance for, 31–32, 386n28
 properties of, 388n16
 role of, 89–91
 simpler-first, 91
 situation, 10
 tenets of, 1
- Modification
 combinations of concepts in, 149–150, 159
 dynamically computed values for relative text components, 150–152, 159
 dynamically computed values for scalar attributes, 145–148, 159
 indirect, 158–159, 262–264
 nonrestrictive, 393n40
 of null-semmed constituents, 170–172
 quantification and sets, 152–158, 159
 recorded property values, 143–145, 159
 restrictive, 229
- Moldovan, D., 52
- Monti, J., 390n15, 391n18
- Morphological ambiguity, 2

- MUC-7 Coreference Task, 21, 44, 53–54, 244
MUC-7 coreference corpus, 53
Multichannel grounding, 292
Multiple negation filter, 371
Multistep translation method, 97
Multiword expressions (MWEs), 391n18
 addition of new construction senses for, 131–134, 382
 alternative semantic representations of, 106–107
 challenges of, 174
 as constructions, 167–168
 evaluation experiment for, 358–362
 in lexicon, 74, 128
 light verbs in, 108–109
 optimization of imperfect syn-maps for, 28
 parser inconsistencies with, 121
 prevalence of, 390n15
 sense bunching and, 137
MVP. *See* Maryland Virtual Patient (MVP) system
- Named entity recognition annotator, 118
Narrow-domain systems, 41, 47, 62, 253
Natural language (NL)
 controlled, 96–97
 knowledge representation language and, 94–98
 paraphrase in, 111–115, 389nn27–28
Natural language processing (NLP), 15–25, 41–42
 agent architecture of, 9–13, *II*, 36–38
 ambiguity in, 2–4
 case roles for, 388n8
 context in, 3–4
 coreference resolution in, 21, 28–29, 44–46, 53–54
 corpus annotation, 15, 21, 28–29, 45, 52–55, 385n2, 386n18
 definition of, 4
 ellipses in, 211, 392n17
 empirical, 27–29, 50–52
 field-wide competitions, 44, 387n44
 goals of, 7
 heuristic evidence incorporated into, 25–29
 historical overview of, 4–8
 incrementality in, 40–42
 knowledge-based approaches to, 3–8, 33–34
 knowledge bottleneck in, 7, 33–34, 42, 384
 knowledge-lean paradigm, 3–8, 21, 28–29, 44–46, 53–54
 knowledge representation and reasoning, 386n16
 modeling in, 13–15
 natural language understanding compared to, 4, 12, 33–36
 paths of development in, 7–8
 purview of, 8
 timeframe for projects in, 8
Natural language understanding (NLU). *See also*
 Agent applications; Microtheories; Text meaning representations (TMRs)
 cognitive architecture of, 9–13, *II*, 36–38
 decision-making in, 63, 84–88
 decision points in, 83–84
 deep, 100–101
 example-based introduction to, 64–68
 future directions in, 383–384
 incrementality in, 77–82, 80, 81
 interaction with overall agent cognition, 61–62
 knowledge and reasoning needed for, 60–61
 methodological principles for, 60–62
 modules, 13
 natural language processing compared to, 4, 12, 33–36
 nature of, 60
 ontological metalanguage in, 60, 111–115
 stages of, 79–84, 81 (*see also individual stages*)
 strategic preferences for, 62–63
Navarretta, C., 21
Near synonyms, 103
“Need more features” bias, 335
Negative sentiment terms, 221–223, 226
Neo-Whorfianism, 100, 115
Neural networks, 15
Newell, A., 388n14
Newmeyer, F. J., 396n11
Ng, V., 45, 243–244
Nicaraguan Sign Language, 24
Nirenburg, S., 95, 102, 345, 358, 362
NLP. *See* Natural language processing (NLP)
NLU. *See* Natural language understanding (NLU)
No-main-proposition filter, 371–372
Nominal compounds (NNs)
 basic semantic analysis of, 88, 128, 176–180, 177
 challenges of, 178–179
 evaluation experiment for, 355–358
 lexicon-oriented approaches to, 179–180
 relation-selection approach to, 177–179
 relations in, 51–52
 search engine constraints and, 200
 underspecified analysis of, 180, 264–269, 279
Noncanonical syntax, 122, 124, 211
Non-compositionality, 358, 387n2
Non-lexical constructions, 167–168
Nonliteral language, 20, 27, 145, 390n5
Nonrestrictive modifiers, 393n40
Nonselection of optional direct objects, 193
Non-sentential utterances, 394n20
Normative rationality, 40
Nouns and noun phrases
 definite descriptions, 203, 227–233
 dynamic sense bunching of, 136
 head noun ellipsis, 192, 193
 new-word learning of, 125–126, 194–195
 proper names, 68, 208, 229, 361
 coreference resolution of, 206
Novel metaphors, 180–181. *See also* Metaphors
NP-Defs. *See* Definite descriptions

- Null-semming
 definition of, 169
 modification of null-stemmed constituents,
 170–172
 pleonastics and light verbs, 107–109
 purpose of, 133
 typical uses of, 169–170
- Object fronting, 167
- Objects
 with aspectual verbs, 241–242
 definition of, 70
 direct, 75, 193, 215, 238–239, 392
 dynamic sense bunching of, 136
 indirect, 238–239
 ontological definition of, 71
 ontology-search strategies for, 248–252
 properties of, 70
 in verb phrases, coreference between, 238–239
- Obligative modality, **161**, 378, 380
- Observable causes, 39
- Occam's razor, 182
- Ogden, C. K., 96
- O'Hara, T., 388n8
- Olsson, F., 45
- Onomasticon, 68, 77
- OntoAgent cognitive architecture, 30
 components of, 286–287, **287**
 high-level sketch of, 10–13, *11*
 knowledge bases for, 115
- OntoElicit, 328–331, **329**, **330**
- Ontological Construction Repository, 265–267
- Ontological instances, 251
- Ontologically decomposable properties, objects
 linked by, 249–251
- Ontological metalanguage, 60, 111–115
- Ontological paraphrase, 111–115, 389nn27–28
- Ontological paths, objects linked by, 252, 268–269
- Ontological Semantics, 30, 77, 89, 103, 152, 160–161,
161
- Ontology, 69–73
 availability of, 100
 benefits of, 71
 concepts in, 69–70
 content and acquisition of, 69–73
 crosslinguistic differences in, 100
 definition of, 68, 69
 example of, 66–67
 external resources for, 100
 facets in, 71
 issues of, 97–101
 for Maryland Virtual Patient (MVP) system,
 321–324, **323**
 merging, 100
 objects and events in, 71
 object-to-object relations in, 248–254
 role of, 60
 scripts in, 71–73, 305, 388n10, 394n5
 upper/lower divisions in, 100
- Ontology merging, 100
- Onyshkevych, B., 102
- Open-domain vocabulary, 74
- Optional direct objects, nonselection of, 193
- Optionally transitive verbs, 193
- Ordered bag of concepts* methodology, 211, 288–289
- Ordering, in scripts, 72
- Overlapping constructions, 174
- Packed representation, 41
- Paraphrase
 challenges of, 353
 detection of, 386n25
 machine translation and, 353, 396n3
 in natural language understanding, 111–115,
 389nn27–28
 in nominal compounds, 267–268
- PAROLE project, 389n23
- Paroubek, P., 350
- Parse trees, 139
- Parsing
 constituency, 118, *119*
 dependency, 118, *119*
 error handling in, 129–130
 inconsistency in, 121
 parse trees, 139
 syntactic, 28–29
- Part of speech (PoS) annotator, 118
- Partial event identity, 244
- Paths, objects linked by, 268–269
- Patient-authoring process (MVP), 320–321, **322**
- Patient biases, detection of, 339–343, **341**, **342**
- PDT. *See* Prague Dependency Treebank (PDT)
- PENG Light Processable ENGLISH, 96
- Penn Treebank, 52, 53
- Peptic stricture, 307
- Perception Interpreter Services, 287, 292
- Perfect syn-maps, requiring, 122
- Performance errors, 34, 256–257, 284, 394n11
- Perlocutionary acts. *See* Dialog acts
- Permeation, sense, 102–103
- Permissive modality, **161**
- Perrault, C. R., 37
- Personal pronouns. *See* Pronouns, resolution of
- Phenomenological stance, 31–32, 386n28
- Phrasemes. *See* Multiword expressions (MWEs)
- Phraseological units. *See* Multiword expressions
 (MWEs)
- Physical actions, LEIA-robots, 344–347, **346**
- Physiology modeling, MVP system, 304–305
- Piantadosi, S. T., 14
- Pinker, S., 55
- Plato, 39
- Pleonastic pronouns, 107–109, 203
- Plesionyms, 103

- Poesio, M., 45
- Polylexical expressions, 391n18
- Polysamy
- in constructions, 174
 - in fragments, 281–283
 - in nominal compounding experiment, 357
- Potential modality, **161**
- Practical Effability, Principle of, 109
- Pragmatic ambiguity, 3
- Pragmatics
- abductive reasoning, 21–22
 - coreference resolution, 21, 28–29, 44–46
 - corpus annotation, 15, 21, 28–29, 45, 52–55, 386n18
 - descriptive-pragmatic analyses, 20
 - dialog act detection, 46–48, 387nn40–42
 - grounding, 48–49, 387n41
 - reference resolution, 20–21
 - relevance to agent development, 20–22
 - textual inference, 22
- Prague Dependency Treebank (PDT), 21, 54–55
- Preconditions of good practice, 330, **330**
- Predicate nominals, resolving pronominal broad referring expressions with, 223–224, 227
- Prepositions
- in constructions, 166
 - dynamic sense bunching of, 135–137
 - homographous, 129
 - prepositional phrase attachments, 128, 140
 - preposition swapping, 256–257, 264, 284
- Preprocessors, 28, 138
- Pre-Semantic Analysis
- constituency parse, 118, *119*
 - decision-making after, 84–85
 - definite description processing, 227
 - dependency parse, 118, *119*
 - general principles of, 81
 - outsourcing of, 60
 - tool set for, 117–118
- Pre-Semantic Integration
- addition of new construction senses in, 131–134
 - combinatorial complexity in, 134–138, *135*
 - decision-making after, 85
 - further exploration of, 139–140
 - general principles of, 81–82
 - new-word learning in, 124–126
 - optimization of imperfect syn-maps in, 126–128, **127**
 - parsing error handling in, 129–130
 - reambiguation of syntactic decisions in, 128–129
 - recovery from production errors in, 124
 - syntactic mapping, 118–124, *120, 123*
- Preston, L. B., 396n11
- Priming effect, 12, 342
- Primitive properties, objects linked by, 248–249
- Princeton University, Cognitive Science Laboratory, 42
- Principle of least effort, 14–15
- Principle of Practical Effability, 109
- Procedural semantics, 390n6
- Processing errors, 356
- Production errors, recovery from, 124, 290
- Pronominal broad referring expressions, resolution of, 217–227
- in machine translation, 392n28
 - negative sentiment terms, 221–223, 226
 - simple example of, 217–218
 - in syntactically simple contexts, 219–221, 226, 393n32
 - using constructions, 218–219, 226
 - using meaning of predicate nominals, 223–224, 227
 - using selectional constraints, 224–226, 227
- Pronouns, resolution of
- challenges of, 206
 - using externally developed engine, 213, 217
 - using lexico-syntactic constructions, 213–215, 217
 - vetting of hypothesized pronominal coreferences, 215–217
- PropBank, 28, 52–53, 388n8
- Proper names
- ambiguity of, 208
 - in multiword expression experiment, 361
 - repository of, 68
 - sponsors for, 208, 229
- Properties
- definition of, 143–144
 - example of, 64–65
 - facets of, 146–147
 - local, 99–100
 - in Maryland Virtual Patient (MVP) system, 306–311, **307, 311, 314, 322, 325, 334**
 - objects linked by, 248–249
 - ontologically decomposable, 249–251
 - optimal inventory of, 70–71
 - recorded values, 143–145
 - semantically decomposable, 70
 - of sets, 154–155
 - stable, 293–294
 - types of, 70, 144–145
 - value mismatches, 228, 233
- Property value conflicts, 228
- Proposition-level semantic enhancements
- aspect, 162, 165
 - commands, 164–165, **164**
 - matrix verbs, 163, 165
 - modality, 160–161, **161**, 165
 - questions, 163–164, 165, 395n22
- Prosodic features, 389n6
- Protégé environment, 26
- Prototypical concept relationships, 265–266
- Psycholinguistics, 17, 21, 40–42
- Pulman, S., 96
- Purver, M., 385n12
- Pustejovsky, J., 102

- Quantification, 152–159
- Query expansion, WordNet and, 43
- Questions, 113–114, 395n22
indirect speech acts, 175–176
semantic analysis of, 163–165
- Ramsay, A., 104
- Raskin, V., 102
- Rationality, normative versus descriptive, 40
- Reading, learning by, 299–300
- Reambiguation of syntactic decisions, 128–129
- Reasoning strategies. *See also* Situational Reasoning
reasoning by analogy, 252–253
role in overall agent cognition, 61
- Recasens, Marta, 45
- Recorded property values, 143–145, 159
- Recovery
from parsing errors, 129–130
from production errors, 124
- Reference resolution, 202. *See also* Basic Coreference Resolution
coreference resolution compared to, 202–203
definition of, 201
reference-resolution meaning procedures, 228–229, 233
terminology related to, 202–203
- Referential ambiguity, 3
- Referring expressions (RefExes)
definition of, 202
ellipsis in, 208
evaluation experiment, 365–366
implicatures in interpretation of, 206
in machine translation, 392n28
pronominal broad RefExes, 217–227, 392n28, 393n32
situational reference, 292–297
sponsors, 202, 207–209, 293–297
storing in memory, 209–210, 297
universally known entities, 208
- Reflexive pronouns, coreference resolution of, 213
- Related objects, ontology-search strategies for
objects clustered using vague property, 251–252
objects filling case role of same event, 249
objects linked by ontologically decomposable property, 249–252
objects linked by primitive property, 248–249
- RELATED-TO property, 251–252
- RELATION property, 70, 135, 144–145, 394n7
- Relation-selection approach, 177–179
- Relationships, semantic, 207
- Relative spatial expression filter, 371
- Relative text components, values for, 150–152, 159
- Relaxable-to* facet, 71, 146, 241
- REQUEST-ACTION concept, 106, 131, 133, 164–165, 164, 289–290
- REQUEST-INFO concept. *See* Questions
- Request-information dialog act, 47
- Residual ambiguity, resolution methods for, 247–254
domain-based preferences, 253, 290
ontology-search strategies for related objects, 248–252
reasoning by analogy, 252–253
speech acts, 261–262, 290–291
- Residual hidden meanings
hyperbole, 298–299
indirect speech acts, 297–298
sarcasm, 298
- Resnik, P., 349
- Restrictive modifiers, 229
- Riau Indonesian, 24
- Robotics, LEIAs in, 343–347, 346
- Roncione, A., 344
- Rosario, B., 177
- Rule-in/rule-out criteria, 351
- Sample bias, 337–338
- Sampson, G., 53, 104
- Santa Barbara Corpus of Spoken American English, 124
- Sarcasm, 298
- Sayings. *See* Proverbial expressions
- SCALAR-ATTRIBUTES, 70, 159, 198
dynamically computed values for, 145–149
RANGE values for, 144–145
- Scenic-route knowledge elicitation strategy, 329
- Schaefer, E. F., 49
- Schank, R., 6
- Scheutz, M., 38, 41, 347
- Schlangen, D., 394n20
- Schmid, H., 23
- Scope ambiguity, 3
- Scopers, 239–240
- Script-based bridging, 230–231
- Scripts, 71–73, 305, 388n10, 394n5
- SDRT, 394n20
- Search strategies. *See* Related objects, ontology-search strategies for
SEE-MD-OR-DO-NOTHING evaluation function (MVP), 314–316
- Selectional constraints, 224–227
- Semantically decomposable properties, 70
- Semantically null components. *See* Null-semming
- Semantic analysis. *See* Basic Semantic Analysis;
Extended Semantic Analysis
- Semantic constraints, 74–75
- Semantic dependency, 3, 362–365
- Semantic enhancements, proposition-level aspect, 162, 165
commands, 164–165, 164
matrix verbs, 163, 165
modality, 160–161, 161, 165
questions, 163–164, 165, 395n22
- Semantic memory, 287, 287

- Semantic representations, 106–107
- Semantic role labeling, 28–29
- Semantics
- abduction-centered, 21–22
 - distributional, 28–29, 290, 386n27, 394n3
 - formal, 18–20, 30
 - frame, 26
 - imprecision in, 60
 - lexical, 17–18, 42–43
 - Ontological Semantics, 30, 77, 89, 103, 152, 160–161, **161**
 - procedural, 390n6
 - relevance to agent development, 17–18
 - sense bunching, 390n13
 - sentence, 142
 - truth-conditional, 6
 - upper-case, 64, 387n2
- Semantic structures. *See* Sem-structs
- Semantic value, 82–83
- Semantic Web, 27
- Sem* facet, 146–147, 241
- Sem-structs (semantic structures), 65–66, 105–106, 109–111
- Sense bunching, 135–138
- Sense permeation, 102–103
- Sentence extraction filters
- comparative, 371
 - conditional, 371
 - experiment using, 374–381
 - intrasentential punctuation mark, 371
 - light verb, 372
 - multiple negation, 371
 - no-main-proposition, 371–372
 - relative spatial expression, 371
 - set-based reasoning, 371
- Sentence semantics, 142
- Sentence trimming, 221
- Sequential feature-matching, 214
- Set-based reasoning filter, 371
- Set expressions. *See* Multiword expressions (MWEs)
- Sets
- examples of, 153–154
 - expansion of, 155, 390n10
 - notation for, 152–153
 - properties of, 154–155
 - set-member relationships, 207
 - as sponsors, 231–232
- 7% rule, 147–148
- Shannon, C. E., 5
- Shirky, C., 27
- Sidner, C. L., 21
- Sign language, language evolution of, 24
- Simon, H., 331
- SIMPLE project, 105
- Simpler-first modeling, 91
- Simplifications, 63
- Siskind, J., 384
- Situational Reasoning
- decision-making after, 87–88
 - definite description processing, 233
 - fractured syntax in, 287–290
 - general principles of, 82
 - learning by reading, 299–300
 - need for, 285–286
 - OntoAgent cognitive architecture, 10–13, *11*, 30, 115, 286–287
 - ordered bag of concepts* methodology, 211, 288–289
 - residual hidden meanings, 297–299
 - residual lexical ambiguity, 290
 - residual speech act ambiguity, 290–291
 - situational reference, 292–297
 - underspecified known expressions, 291
 - underspecified unknown word analysis, 291–292
- Situational reference, 292–297
- Sloppy coreference. *See* Type coreference
- Small sample bias, 337–338, 340
- SNOMED, 389n20
- SOAR, 11, 37
- Social roles, guiding sponsor preferences with, 294
- Sortal incongruity, 255
- Source-code generation, 388n10
- Sowa, J. F., 96
- Span of text, 202, 206, 217, 219, 392n26
- Specify-approximation routine, 147–149
- Speech acts. *See* Dialog acts
- Spenader, J., 392n28
- Sponsor-head-identification algorithm, 236–237
- Sponsors
- adjuncts in, 238–239
 - challenges with, 207–209
 - for definite descriptions (NP-Defs), 229, 231–233
 - definition of, 202
 - no-sponsor-needed instances, 208, 229
 - for referring expressions, 202, 207–209, 293–297
 - verbal/EVENT head of, 235–237
- Spoonerisms, 394n11
- Ssplit annotator, 117
- Stable properties, 293–294
- Stanford CoreNLP. *See* CoreNLP Natural Language Processing Toolkit
- Stanford Natural Language Inference corpus, 386n18
- Steen, G., 181
- Stolcke, A., 47, 48
- Story understanding, 19–20
- Stoyanov, V., 44
- Straightforward constraint matching, 67
- Strict coreference. *See* Instance coreference
- Stripping of disfluencies, 124
- Structuralism, 5
- Stuckardt, R., 45
- Subevents, 244
- Subsumption, 43, 113–115
- Supply-side approach, 302

- Swapping of prepositions, 256–257, 264, 284
 Syn-mapping. *See* Syntactic mapping (syn-mapping)
 Synonyms, 69, 103, 267
 Synsets, 43
 Syn-strucs, dynamic sense bunching of, 135–136
 Syntactic ambiguity, 3
 Syntactic categories, coreference across, 206
 Syntactic ellipsis, 211
 Syntactic mapping (syn-mapping)
 automatic, 131–134
 basic strategy for, 118–124, 120, 123
 fractured syntax in, 287–290
 optimization of imperfect, 122, 126–128, 127
 Syntactic parsing, 28–29, 77, 128–129, 139
 Syntactic simplicity, 220, 393n32
 Syntactic structure (syn-struc), 64–68
 Systems
 definition of, 91–92
 system-vetting experiments, 369
- Tarski, A., 5
 Task-oriented evaluations, 351–354
 Task-oriented methodology, 62–63
 Tavernise, S., 203
 ter Stal, W. G., 178
 Text meaning representations (TMRs). *See also*
 Natural language understanding (NLU)
 aspect values of, 162–163
 confidence levels for, 65, 67
 episodic memory, 77
 example of, 64–68
 “golden,” 93–94
 role in overall agent cognition, 60–61
 sets in, 152–158
 storing in memory, 297
 TMR repository, 252–253
 understanding the formalism, 64–65
 Textual coreference, 201. *See also* Basic Coreference Resolution
 Textual inference, 22, 285
 Theoretical linguistics, 23
 construction grammar, 16–17, 165
 Dynamic Syntax, 17
 formal approaches to, 5–6
 generative grammar, 6, 16
 relevance to agent development, 16–17
 Theories, 89
 Thesauri, 17, 103, 386n14
 Third-person pronouns, resolution of, 213–215
 Tiered-grammar hypothesis, 23–25
 Time of speech, 64, 388n2
 TMRs. *See* Text meaning representations (TMRs)
 Tokenize annotator, 117
 Topic, concept of, 20, 31
 TRAINS/TRIPS, 37, 124
 Transient relaxations, 306
 Transitive verbs, 28, 124–125, 193
- Tratz, S., 177
 Traum, D., 47, 49, 353
 Trigger detection, 244
 Trimming, 221
 Troponymy, 43
 Truth-conditional semantics, 6
 Turn-taking, 387n41
 Type coreference, 237–239
 Type-versus-instance coreference decision
 algorithm, 238
- Uckelman, S. L., 40
 UMLS, 389n20
 Unconnected constraints, 265–266
 Underspecification, 82, 264–279, 390n13. *See also*
 Basic Coreference Resolution
 coreference resolution and, 241–242
 definition of, 201
 events of change, 270, 279, 284
 known expressions, 291
 nominal compounds, 180, 264–269, 279
 ungrounded and underspecified comparisons,
 270–279, 394n18
 unknown word analysis, 291–292
 Under-the-hood panes (MVP), 324
 Undesirable things, referring expressions indicating,
 221–223, 226
 Unger, C., 100–101
 Ungerer, F., 23
 Ungrounded and underspecified comparisons,
 270–279
 classes of comparatives, 271–277, 272
 machine learning approach to, 394n18
 overview of, 270–271
 reasoning applied in, 277–279
 value sets for, 271
 Unified Modeling Language (UML), 390n1
 Universal Grammar, 6
 Universally known entities, 208, 229, 392n12
 Unknown words, treatment of
 during Basic Semantic Analysis, 178, 194–198
 during Pre-Semantic Integration, 85, 124–126
 during Situational Reasoning, 291–292
 Unobservable causes, 5, 39, 385n7
 Upper-case semantics, 64, 387n2
 Utterance-level constructions, 172–173
 Utterances, fragmentary, 193
- Vague comparisons
 in comparative construction, 273–274
 inward-looking, 275–276
 point of comparison located elsewhere in text,
 276–277
 Vague properties, objects clustered by, 251–252
 Validity, illusion of, 336–337
 Value facet, 71
 van der Vet, P. E., 178

- Verbal actions, 62
 Verbal/EVENT head of sponsors, 235–237
 Verbmobil project, 40–41
 VerbNet, 25–26
 Verb phrase (VP) ellipsis
 aspect + OBJECT resolution, 241–242
 constructions, 187–189, **188**, 192
 coreference between objects in, 238–239
 definition of, 186–187, 192
 evaluation experiment, 366–369
 past work on, 393n44
 Verbs
 aspectual, 186–189, 192, 240, 241–242
 in constructions, 166–167
 in copular metaphors, 184–185
 coreferential events expressed by, 242–244
 dynamic sense bunching of, 135–136
 light, 107–109
 matrix, 163, 165
 new-word learning of, 124–125
 optionally transitive, 193
 phrasal, 128–129
 transitive, 28, 124–125, 193
 unknown, 196
 Véronis, J., 103
 Versley, Y., 45
 Vertical incrementality, 77–82, 80, 84
 Vetting sponsors for referring expressions, 293–296
 ViPER (Verb Phrase Ellipsis Resolver), 367–369
 Virtual ontological concepts, sem-strucs as,
 105–106
 Visualization of disease models, 320–324
 under-the-hood panes, **324**
 ontological knowledge, 321–324, **323**
 patient-authoring interface, 320–321, **322**
 Visual meaning representations (VMRs), 296–297
 Volitive modality, **161**
 VP ellipsis. *See* Verb phrase (VP) ellipsis
- Wall Street Journal*, 270, 356, 359
 Weaver, W., 5, 56
 Webber, B. L., 21
 Wiebe, J., 388n8
 Wiener, N., 5
 Wilkes-Gibbs, D., 49
 Wilks, Y., 6, 18–19, 34, 94–95, 388n17, 389n22
 Wilson, C., 139
 Window of coreference, 202
 Winograd, T., 6
 Winograd Schema Challenge, 213, 295–296
 Winston, P. H., 19
 Winther, R. G., 89
 Wittenberg, E., 23–24
 Wittgenstein, L., 94
 Woods, W. A., 6
 WordNet, 19, 26, 42–43, 95, 103, 115, 221
 Wordnets, 17–18, 98
 Word sense disambiguation (WSD), 50–51
 Worknik, 115
 XMRs, 296–297. *See also* Text meaning representations (TMRs); Visual meaning representations (VMRs)
 Yuret, D., 26
 Zaenen, A., 22, 29, 33

