

# Index

[Italic page numbers indicate major references]

## A

Abalone Cove landslide, 15, 19  
    bentonite, 21  
aerial photography, 80  
African continental margin, 108  
Aina Haina, Oahu, landslide, 79, 83  
Alani-Paty landslide, Oahu, 79, 83  
    Alani element, 83, 102, 103  
    geotechnical properties, 87  
    hydraulic properties, 88  
    hydrology, 90  
    Kahaloa element, 83, 85, 101, 102  
    mechanics, 99  
    movement, 90, 99  
Altamira Shale, 15  
alteration, 139, 141  
American Society for Testing and Materials standard, 4, 121  
ancient landslide deposits, 17, 117  
andesite, 141, 142  
anisotropically consolidated-undrained (ACU) test, 4, 5, 8, 10  
Apennines, Italy, 108, 113, 117  
argillic alteration, 139  
argillite, 131  
argillization, 139  
Athens, Ohio, 129  
atomic absorption spectrometry, 21  
Atterberg limit tests, 2, 13, 14, 19, 20, 43, 112, 114

## B

basal slip surface, 83  
    depth, 80  
basalt, 141  
bentonite, Abalone Cove landslide, 21  
    Palos Verdes Peninsula, 13, 19, 21, 35  
    Portuguese Bend landslide, 13, 29  
bond strength, 7  
Briones Formation, San Pablo Group, 2  
Briones Park field site, California, 1  
    soil characterization, 2  
    stability analysis, 8, 10  
    test results, 4, 6  
    testing procedures, 3  
Briones Park, California, 1  
Briones Reservoir, California, 2  
Bromhead torsional ring shear apparatus, 30

## C

calcarenite, 108  
calcium montmorillonite, 13, 21  
Cascade Mountains, Washington, 66

Casentino, Italy, 108  
Catalina Schist, 15  
    cementation, 7  
Certaldo, Italy, unstable slopes, 116  
Chianti Mountains, Italy, 113  
Cincinnati, Ohio, 68  
classification systems, alteration, 141, 142  
clay fraction, 14, 21, 32  
claystone, 121, 122, 123, 131  
    durability, 124  
Coast Range, northern California, 2  
cohesion, 29, 34  
collapse, 8  
    mechanisms, 53, 60  
Colorado, landslides, 79, 102  
compression tests, 1  
Conemaugh Group, 129  
consolidated drained stress-controlled strain-rate (CDSR) test, 43, 45  
consolidated drained triaxial (CDTX) test, 43  
consolidated undrained (CU) triaxial test, 29  
consolidation, 9  
    coefficient, 29  
constant-shear-drained (CSD) test, 4, 5, 6, 7, 10  
contractive behavior, 8, 9  
conventional slice methods, 51  
Coulomb failure potential, 68  
Coulomb frictional failure, 66  
critical friction angle, 107  
critical height, 51, 53, 55, 57  
critical state, 113  
critical state soil mechanics, 7  
Cucaracha shale, 20

## D

debris apron, 86, 102  
debris flows, 1, 8, 121, 126, 129  
decarbonization, 140  
deformation, 29, 79, 83, 102  
Delhi-Pike landslide, 103  
deviator stress, 39  
dilation, 6  
direct shear  
    conventional, 32  
    long sample, 32  
direct shear (DS) test, 1, 3, 4, 6, 10, 29, 30  
displacement, 102  
disturbance, 3  
drainage conditions, 8, 19  
Drucker-Präger yield criterion, 39, 40, 43  
Dunkard Group, 128, 129  
Dupuit assumptions, 65  
Dupuit water table models, modified, 65

## E

effective normal stress, 14  
effective yield friction angles, 45  
Elsa basin, Italy, 108, 116  
en echelon faults, 19  
engineering analysis, 144, 145  
erosion, 6, 126  
    excessive, 128

## F

factor of safety, 13, 14, 35, 51, 52, 53, 55, 68, 69  
failure envelope, 29, 30, 34, 36  
failure height, 53, 57  
failure modes, 9  
failure patterns, 53  
failure scars, 1  
feldspar, 141  
field velocity profiles, 48  
fissures, 19  
flow failure, 1  
flow slides, San Francisco Bay area, 1  
fluvial erosion, 108  
Flying Triangle landslide, 14  
Franciscan Terrane, northern California, 39  
friction angle, 116

## G

gabion wall, 19  
gradation analysis, 2  
grain-size analysis, 1, 6, 43, 112  
granite, 141  
Green-Ampt analysis, 97, 98  
ground water, 19, 34, 48, 79, 80, 87, 89, 90, 91, 95, 97, 100, 102, 103, 139  
ground water flow, slope stability, 63, 64, 66

## H

half-grabens, discontinuous, 19  
Hind Iuka landslide, Oahu, 83  
Honolulu Volcanics, 86  
Honolulu, Oahu  
    landslide, 79  
    rainfall, 90  
Hulu-Woolsey landslide, Oahu, 80, 103  
human activity, 111  
hydration-dehydration, 140  
hydraulic conductivity, 63, 79, 83, 88, 89, 90, 102, 103  
hydraulic properties, 63, 88  
hydrologic conditions, 39  
hydrolysis, 140  
hydrometer analyses, 21  
hydrothermal alteration, 139, 140  
hydrothermal fluids, 139

## I

inclinometer survey, 39  
 infiltration, 80, 95, 97  
 infinite slope method, 45  
 Inspiration Point, California, 15  
 irrigation, 1

## K

Kamiloiki Valley, Oahu, 86  
 kinematically admissible failure  
 mechanism, 52, 56  
 kinematics-based limit analysis, 51  
 Klondike Canyon landslide, 15  
 Kona storms, Oahu, 90  
 Koolau Basalt, 86, 91  
 Koolau Range, Oahu, 79, 82  
 rainfall, 90  
 Kuliouou Valley, Oahu, landslide, 79

## L

landslides  
 factors of safety, 14  
 failure, 13  
 Palos Verdes Peninsula, 13  
 regrading, 19  
 San Francisco Bay area, 1  
 lateral earth pressure, 80  
 limestone, 63, 108  
 limit analysis approach, 51, 52  
 limiting strain criterion, 42, 47, 48  
 liquefaction, static, 66  
 liquid limit, 14, 20, 21, 25, 32, 35,  
 36, 43  
 Long Sample Direct Shear Device,  
 30  
 longitudinal stretching, 79  
 lower bound theorem, 52

## M

Malaga Mudstone, 15  
 Manoa Valley, Oahu, 86, 103  
 landslide, 79, 80, 83  
 mica, 141  
 mineralization, 139  
 economic, 142  
 mining, 140  
 Minor Creek landslide, California, 39,  
 103  
 movement, 29  
 velocity profile, 48  
 viscoplastic slope movement, 39  
 Mohr-Coulomb parameters, 40  
 Mohr-Coulomb yield condition, 54  
 Monterey Formation, 14, 15  
 Montespertoli, Italy, unstable slopes,  
 116  
 movement, post-failure rates, 39  
 mudrock, 131  
 characterization, 121, 122  
 durability, 121, 125  
 undercutting, 129, 131, 132, 134,  
 137  
 mudstone, 121, 122, 123, 131, 135  
 durability, 124  
 Mugello basin, Italy, 108, 113

## O

Ohio  
 landslides, 79, 102  
 slope movements, 131  
 Ohio River valley, sliding, 63, 65, 66  
 Ontario shale, 122  
 ophiolite, 108  
 overburden stress, removal, 6  
 overconsolidation, 6  
 oxidation reduction, 140

## P

paleoclimatic factors, 107, 118  
 Palolo Valley, Oahu, 86  
 landslide, 79, 83  
 Palos Verdes anticline, 15  
 Palos Verdes fault, California, 15  
 Palos Verdes Peninsula, California  
 landslides, 13  
 shear strength, 25  
 Pennsylvania, slope movements, 131  
 perching, 102  
 permeability, 29  
 permeability tests, 88  
 phonolite, 142  
 Pierre Shale, 128  
 plane failures, 134  
 plastic limit values, 21, 25, 43  
 plasticity index, 14, 20, 32, 35, 36,  
 43, 113, 114, 116, 122  
 plasticity test, 1  
 pore pressure, 39, 51, 52, 53, 56, 57,  
 58, 64, 79, 93, 97, 98, 99, 100,  
 102, 103, 116, 118  
 development, 29  
 diffusion models, 66  
 excess, 9  
 measurement, 1, 3, 6, 8  
 Portuguese Bend landslide, 13  
 bentonite, 29  
 movement, 15  
 residual share strength testing, 19  
 shear strength, 29  
 slope stability analyses, 29  
 stabilization, 16, 17, 19  
 testing procedures, 29  
 Portuguese Point, California, 15  
 Portuguese Tuff, 15, 21  
 pressure waves, propagation, 80  
 principle of maximum work, 52

## R

rainfall, 1, 48, 66, 79, 80, 90, 92, 94,  
 95, 98, 107, 109, 111, 112  
 regolith, failures, 1  
 residual cohesions, 13  
 residual friction angle, 13, 14, 25, 29,  
 32, 34  
 residual shear strength, 13, 19, 21, 29,  
 30, 35, 36, 87  
 residual strength parameters, 4, 7, 13,  
 113, 116  
 ring shear device, 29, 32, 36  
 Rio Costilla valley, New Mexico, 64  
 landslide debris, 64  
 River Arno drainage basin, Italy, 109

rock alteration, 139  
 rock falls, 132  
 Rock Mass Rating, 142  
 rock mass stability, 139  
 rock mass strength, 142, 150  
 rotational failure, 52, 55  
 rotational mechanism, 60

## S

safety factor. *See* factor of safety  
 San Francisco Bay area, 1, 68  
 flow slides, 1  
 landslides, 1  
 San Marcello Pistoiese, Italy,  
 mudslide, 111  
 San Miniato, Italy, unstable slopes,  
 116  
 San Pablo Group, 2  
 sandstone, 2, 68, 108  
 scanning electron microscope (SEM)  
 analysis, 142  
 secant modulus method, 41  
 seepage, 1  
 shale, 121, 122, 123, 128, 131  
 durability, 124  
 shear direction, reversal, 30  
 shear force, 7  
 shear strain, 6  
 shear strength, 14, 29, 113, 117, 140  
 Briones soil, 6, 7, 8, 9, 10  
 Palos Verdes Peninsula bentonites,  
 25, 35  
 Portuguese Bend landslide, 13, 14,  
 19, 29  
 shear stress, 4, 14  
 shear tests, 35  
 shear thickening behavior, 40  
 shear thinning behavior, 40  
 shearing, 99  
 shortening, 79, 83, 99, 100  
 Siena basin, Italy, 108  
 silicification, 140  
 siltstone, 2, 68, 121, 131, 142  
 single well (slug and recovery) tests,  
 88  
 slake durability, 121, 122, 129  
 sliding potential, 68  
 slope collapse, 54  
 rotational failure, 55  
 translational failure, 54  
 slope failure, 10, 107  
 slope inclination angle, 57, 58  
 slope instability, 126  
 slope movement, 49  
 slope stability, 63, 66, 68, 80, 121,  
 131  
 groundwater flow, 63, 64, 66  
 limited analysis approach, 51, 57  
 pore pressure effects, 53  
 slope-stability analysis, 10, 29, 39,  
 51  
 slump failures, 128  
 slumps, 121, 126  
 smectite, 3, 79, 102  
 soil behavior, 39  
 soil characterization, 6  
 soil fabric, bonding, 7

soil structure, destruction, 3  
 South Shores landslide, 19  
 Spencer's Method, 32  
 stability analysis, 1, 8, 51, 99, 103  
 stability factor, 57  
 stiffness, 3  
 strain parameters, 10  
 strain-rate parameters, 45  
 strain-rate tests, 39, 49  
 strength loss, 4, 9  
 strength parameters, 9, 10  
 strength tests, 4, 49  
 stress, history, 6  
   intensity, 47  
   normal, 34  
 stress ratio, 3  
 stress-strain behavior, 1, 9  
 stress-strain characteristics, 29  
 stretching, 79, 83, 99, 100  
 submarine gravitational processes, 108  
 surface drainage, 19  
 surface runoff, 94

**T**

tectonic uplift, 108, 111  
 tectonization, 108  
 torsional ring shear apparatus, 36  
 translational failure, 54  
 translational mechanism, 61

triaxial compression test, 3, 10, 39  
 Tuscany, Italy, geomorphology, 108  
   landslides, 107  
   mudslides, 117  
 two dimensional steady-state flow models, 65  
 two-test method, 42, 43, 49

**U**

undercutting, 121, 126, 129, 131, 132, 134, 137  
 Unified Soil Classification system, 3  
 unloading test, 1, 3  
 upper bound theorem, 52, 54, 60  
 Utah, landslides, 79, 102

**V**

Val Marecchia, Italy, 113  
 Valdarno basin, Italy, 108, 113  
 Valmonte Diatomite, 15  
 velocity profile, 39  
 vertical hydraulic head diffusion, 66  
 vertical velocity profile, 40, 41  
 viscoplastic behavior, 48  
 viscoplastic constitutive model, 39, 41, 49  
 viscoplastic deformation, 39  
 viscoplastic flow, 46  
 viscoplastic model, 39, 40, 43

viscoplastic slope movement, 39  
 viscous behavior, 39, 40, 49  
 Volterra basin, Italy, 108

**W**

Waahila Ridge, Oahu, 86  
 Waikiki, Oahu, rainfall, 90  
 Waiomao landslide, Oahu, 79, 83, 102  
 Walsenburg, Colorado, 128  
 water balance models, 65  
 water pressure, subsurface, 80  
 water table, 19  
 wave erosion, Palos Verdes Peninsula, 15  
 weathering, 86, 131, 136, 137, 139  
 wedge failures, 133  
 West Virginia, slope movements, 131  
 Wierton, West Virginia, 68  
 Wood County, West Virginia, 128

**X**

x-ray diffraction (XRD) analysis, 3, 6, 87, 142

**Y**

yield behavior, 49  
 yield friction angles, 47, 48  
 yield strength, 3, 9, 39, 41, 43, 48

Typeset by WESType Publishing Services, Inc., Boulder, Colorado  
Printed in U.S.A. by Malloy Lithographing, Inc., Ann Arbor, Michigan