

References

- Ahmad, S., and Banerjee, P. K., 1988, Time-domain transient elastodynamic analysis of 3-D solids by BEM: *Internat. J. Num. Methods in Eng.*, **26**, 1709-1728.
- Alfano, L., 1959, Introduction to the interpretation of resistivity measurements for complicated structural conditions: *Geophys. Prosp.*, **7**, 311-366.
- Antes, H., 1985, A boundary element procedure for transient wave propagations in two dimensional isotropic elastic media: *Finite Elements in Analy. and Design*, **1**, 313-322.
- Atkinson, K. E., 1978, *An introduction to numerical analysis*: John Wiley & Sons, Inc.
- Banerjee, P. K., Ahmad, S., and Manolis, G. D., 1986, A time-domain BEM for three-dimensional problems of transient elastodynamics: *Earthquake Eng. and Struct. Dynamics*, **14**, 933-949.
- Bhattacharyya, B. K., and Chan, K. C., 1977, Reduction of magnetic and gravity data on an arbitrary surface acquired in a region of high topographic relief: *Geophysics*, **42**, 1411-1430.
- Bhattacharyya, B. K., and Navolio, M. E., 1976, A fast Fourier transform method for rapid computation of gravity and magnetic anomalies due to arbitrary bodies: *Geophys. Prosp.*, **24**, 637-649.
- Brebbia, C. A., 1978, *The boundary element method for engineers*: Pentech Press.
- Brebbia, C. A., and Walker, S., 1980, *Boundary element techniques in engineering*: Newnes-Butterworths.
- Chouteau, M., and Bouchard, K., 1988, Two-dimensional terrain correction in magnetotelluric surveys: *Geophysics*, **53**, 854-862.

- Coggon, J. H., 1971. Electromagnetic and electrical modeling by the finite element method: *Geophysics*, **36**, 132-155.
- Cole, D. M., Kosloff, D. D., and Minster, J. B., 1978. A numerical boundary integral equation method for elastodynamics I: *Bull. Seis. Soc. Am.*, **68**, 1331-1357.
- Crouch, S. L., and Starfield, A. M., 1983. *Boundary element method in solid mechanics*: Allen & Unwin.
- Cruse, T. A., 1974. An improved boundary integral equation method for three-dimensional elastic stress analysis: *Computers and Structures*, **4**, 741-754.
- Cruse, T. A., and Rizzo, F. J., 1968. A direct formulation and numerical solution of the general transient elastodynamic problem I: *J. Math. Anal. Appl.*, **22**, 244-259.
- Dampney, C. N. G., 1969. The equivalent source technique: *Geophysics*, **34**, 39-53.
- Dieter, K., Patterson, N. R., and Grant, F. S., 1969. IP and resistivity type curves for three-dimensional bodies: *Geophysics*, **34**, 615-632.
- Emilia, D. A., 1973. Equivalent sources used as an analytic base for processing total magnetic field profiles: *Geophysics*, **38**, 339-348.
- Eringen, A. C., and Suhubi, E. S., 1975. *Elastodynamics*: Academic Press.
- Eskola, L., Eloranta, E., and Puranen, R., 1984. A method for calculating IP anomalies for models with surface polarization: *Geophys. Prosp.*, **32**, 79-87.
- Fox, R. C., Hohmann, G. W., Killpack, T. J., and Rijo, L., 1980. Topographic effect in resistivity and induced-polarization surveys: *Geophysics*, **45**, 75-93.
- Gladwell, G. M. L., 1980. *Contact problems in the classical theory of elasticity*: Sijthoff & Noordhoff Internat. Publ.

- Hammer, P. C., Marlove, O. J., and Stroud, A. H., 1956, Numerical integration over simplex and cones: *Math. Tables and Other Aids to Comp.*, **10**, 130-139.
- Haskell, N. A., 1953, The dispersion of surface waves in multi-layered media: *Bull. Seis. Soc. Am.*, **43**, 17-34.
- Henderson, R. G., and Cordell, L., 1971, Reduction of unevenly spaced potential data to a horizontal plane by means of finite harmonic series: *Geophysics*, **36**, 856-866.
- Holcombe, H. T., and Jiracek, G. R., 1984, Three-dimensional terrain correction in resistivity surveys: *Geophysics*, **49**, 39-59.
- Kawase, H., 1988, Time-domain response of a semi-circular canyon for incident SV, P, and Rayleigh waves calculated by the discrete wavenumber boundary element method: *Bull. Seis. Soc. Am.*, **78**, 1415-1437.
- Kawase, H., and Aki, K., 1989, A study on the response of a soft basin for incident S, P, and Rayleigh waves with special response to the long duration observed in Mexico City: *Bull. Seis. Soc. Am.*, **79**, 1361-1382.
- Kobayashi, S., 1985, Fundamentals of boundary integral equation methods in elastodynamics, *in* Brebbia, C. A., Ed., *Topics in boundary element research*: Springer-Verlag Berlin, **2**, 1-49.
- Kostyanov, S., 1994, *Mathematical modelling of stationary geophysical fields in gradient media*: Sofia Univ. of Mining and Geology Press.
- Kuepper, F. J., 1958, *Theoretische Untersuchungen über die Mehrfachaufstellung von Geophonen*: *Geophys. Prosp.* **6**, 194-256.
- Lee, T., 1975, An integral equation and its solution for some two and three-dimensional problems in resistivity and induced polarization: *Geophys. J. Roy. Astr. Soc.*, **42**, 81-95.

- Manolis, G. D., and Beskos, D. E., 1981. Dynamic stress concentration studies by boundary integrals and Laplace transformation: *Internat. J. Numer. Methods in Eng.*, **17**, 573-599.
- Murthy, I. V. R., and Rao, D. B., 1979. Gravity anomalies of two-dimensional bodies of irregular cross-section with density contrast varying with depth: *Geophysics*, **44**, 1525-1530.
- Myint, U. T., and Debnath, L., 1987. *Partial differential equations for scientists and engineers*: Elsevier Science Publ. Co.
- Nardini, D., and Brebbia, C. A., 1983a. Transient dynamic analysis by the boundary element method: 5th *Internat. Boundary Elements Conference, Proceedings*, 719-730.
- 1983b. A new approach to free vibration analysis using boundary elements: *Appl. Math. Model.*, **7**, 157-162.
- Niwa, Y., Kobayashi, S., and Yokota, Y., 1971. Application of integral equation methods to the determination of static and steady-state dynamic stresses around cavities of arbitrary shape: *Proc. Japan Soc. Civil Eng.*, **195**, 27-35.
- Okabe, M., 1981. Boundary element method for the arbitrary inhomogeneities problem in electrical prospecting: *Geophys. Prosp.*, **29**, 39-59.
- 1982. Reciprocal averaging techniques in the geoelectric boundary element approach: *Geophys. Prosp.*, **30**, 653-672.
- Oppliger, G. L., 1984. Three-dimensional terrain corrections for mise-a-la-masse and magnetometric resistivity surveys: *Geophysics*, **49**, 1718-1729.
- Pridmore, D. F., Hohmann, G. W., Ward, S. H., and Sill, W. R., 1981. An investigation of finite-element modeling for electrical and electromagnetic data in three dimensions: *Geophysics*, **46**, 1009-1024.
- Rao, L., 1982. *The finite element method in engineering*: Pergamon Press.

- Reddy, I. K., and Rakin, D., 1975, MT response of laterally inhomogeneous and anisotropic media: *Geophysics*, **40**, 1035-1045.
- Rijo, L., 1977, Modeling of electric and electromagnetic data: Ph. D. thesis, Univ. of Utah.
- Silvester, P., and Haslam, C. R. S., 1972, Magnetotelluric modeling by the FEM: *Geophys. Prosp.*, **20**, 872-891.
- Snyder, D. D., 1976, A method for modeling the resistivity and IP response of two-dimensional bodies: *Geophysics*, **41**, 997-1015.
- Spiegel, R. J., Sturdivant, V. R., and Owen, T. E., 1980, Modeling resistivity anomalies from localized voids under irregular terrain: *Geophysics*, **45**, 1164-1183.
- Stanislav, M., 1984, Introduction to applied geophysics: D. Reidel Publ. Co.
- Talwani, M., Worzel, J. L., and Landisman, M., 1959, Rapid gravity computations for two-dimensional bodies with application to the Mendocino submarine fracture zone: *J. Geophys. Res.*, **64**, 49-59.
- Wannamaker, P. E., Stodt, J. A., and Rijo, L., 1986, Two-dimensional topographic responses in magnetotellurics modeled using finite elements: *Geophysics*, **51**, 2131-2144.
- 1987, A stable finite element solution for two-dimensional magnetotelluric modeling: *Geophys. J. Roy. Astr. Soc.*, **88**, 277-296.
- Wong, H. L., and Jennings, P. C., 1975, Effects of canyon topography on strong ground motion: *Bull. Seis. Soc. Am.*, **65**, 1239-1257.
- Xu, S. Z., 1984, The boundary element method for solving 2.5-D electrical field under relief terrain: *J. Guilin College of Geology*, **4**, No. 4, 119-133 (in Chinese).

- 1993, The effect of 2-D terrain with point current source on resistivity surveys: *Geophys. Res. Lett.*, **20**, No. 10, 891-894.
- 1994, *The finite element method in geophysics*: Science Press, Beijing (in Chinese).
- Xu, S. Z., and Zhao, S. K., 1985, The topographic effect on magnetotelluric response: *Northwestern Seis. J.*, **7**, No. 4, 69-78 (in Chinese).
- 1987, 2-D magnetotelluric modeling by the boundary element method: *J. Geomag. Geoelectr.*, **39**, No. 11, 677-698.
- Xu, S. Z., and Zhou, H., 1997, Modeling of the 2D terrain effect on MT by the boundary element method: *Geophys. Prosp.*, **45**, No. 6, 931-944.
- Xu, S. Z., Gao, Z. C., and Zhao, S. K., 1988, An integral formulation for 3-D terrain modeling for resistivity surveys: *Geophysics*, **53**, 546-552.
- Xu, S. Z., Ruan, B. Y., Zhou, H., Chen, L. S., and Xu, S. W., 1997, Numerical modeling of 3-D terrain on MT field: *Science in China (Series D)*, **40**, No. 3, 269-275.
- Xu, S. Z., Zhao, S. K., and Ni, Y., 1998, A boundary element method for 2-D resistivity modeling with a point current source: *Geophysics*, **63**, 399-404.
- Yu, T., 1993, *Numerische Modellierungen zur Untersuchung des Einflusses von lokalen Irregularitäten auf die Ausbreitung von Love-Wellen in geschichteten Medien*: Ph.D. dissertation, Bericht des Instituts für Geophysik der Ruhr-Universität Bochum.
- Zhou, X. X., Zhong, B. S., Yan, Z. Q., and Jiang, Y. L., 1983, Some results of numerical modeling for electrical prospecting: *Acta Geophys. Sinica*, **26**, No. 5, 479-491 (in Chinese).

Index

- Bessel function N_0 , 138, 153
- Bessel function N_1 , 139, 153

- combined use of FEM and BEM, 205

- differential operator, 8
- Dirac delta function,
 - 1-D, 1
 - 2-D, 4
 - 3-D, 6

- elastodynamic and wave equation problems
 - boundary element method, 171, 180
 - boundary integral equation, 171, 180, 186, 192, 197
 - frequency domain, 180, 195
 - fundamental solution, 174, 176, 182, 190, 195
 - Green's formula, 195
 - Green's function, 172, 174, 179, 180, 183, 186, 190, 198
 - Kuepper wavelet, 202
 - Love wave, 201, 202, 203
 - multilayered media, 201
 - P*-wave, 182, 186
 - Rayleigh wave, 187
 - Ricker wavelet, 188
 - scalar wave equation, 169, 190, 196
 - singularity, 179
 - space integral, 178, 194
 - synthetic seismogram, 188, 202
 - S*-wave, 182
 - SV*-wave, 186, 188, 189
 - time domain, 171, 190, 203
 - time integral, 176, 193
- element division, 128, 163, 166
- element mesh, 128

- Fourier transformation, 91, 96, 105, 110, 169
- functional, 206

- fundamental solution, 8
 - 2-D Helmholtz equation, 16, 138
 - 2-D Laplace equation, 12, 74
 - 3-D Helmholtz equation, 13, 161
 - 3-D Laplace equation, 9, 81

- global coordinate, 21, 164
- gravity anomaly
 - 2-D, 84
 - 3-D, 85
 - varying density, 84, 85

- Helmholtz equation
 - 2-D, 138
 - 3-D, 161
- horizontal component, 40, 59, 79, 188

- infinite boundary, 41, 46, 61, 79, 162
- interface condition, 73, 76, 148, 154
- interpolation function
 - linear, 50, 65, 94, 119, 142, 178
 - quadratic, 55, 178
 - zero-order, 48, 63, 164
- inverse Fourier transformation, 96, 110, 114, 187, 188, 202
- IP method, 89
 - surficial polarization, 98, 102, 121, 125
 - volume polarizability, 125
- isoparametric element
 - 1-D element
 - constant element, 178
 - cubic element, 26
 - curvilinear element, 24
 - linear element, 21
 - quadratic element, 24, 55
 - 2-D element
 - linear triangular element, 27
 - quadratic triangular element, 31
 - parent element, 22, 24, 27, 51, 54
 - subelement, 22, 24, 27, 28, 32, 178

- Laplace equation
 2-D, 12, 74
 3-D, 9, 81
 local coordinate system, 21, 28, 163, 164
- magnetic anomaly
 boundary element method, 77
 boundary integral equation, 74
 boundary value problem, 73
 Green's formula, 74
 induced magnetization, 71, 72
 magnetic permeability, 72, 74
 magnetic potential, 40, 72, 74, 81
 magnetic susceptibility, 72
 normal geomagnetic potential, 73, 79
 piecewise homogeneous media, 72
 remnant magnetization, 71, 80
 strongly magnetized body, 71
 uniformly magnetize, 71
 volumetric magnetization, 71
- magnetotelluric field
 2-D inhomogeneous body, 133
 2-D terrain effect, 151
 3-D terrain effect, 158
 apparent resistivity, 134, 145, 148, 154, 156, 158, 165, 167
 boundary element method, 138, 152, 162
 boundary integral equation, 141, 160
 boundary value problem, 133, 151, 159
 E_x polarization, 134, 138, 145, 150, 153, 155, 156
 H_x polarization, 133, 138, 149, 152, 154, 156, 158, 159, 167
 fundamental solution, 138, 141, 161
 Green's formula, 138
 impedance phase, 145, 148, 154, 155
 impedance tensor, 166
 incident electromagnetic field, 136
 reflected electromagnetic field, 137
 scalar Helmholtz equation, 161
 TE mode, 134, 136
 time dependence, 133
 time factor, 159
 TM mode, 134, 135
 vector Helmholtz equation, 159
 wavelength, 140, 149, 150
- Maxwell's equation, 159
 model test, 124
 modified Bessel function K_0 , 17, 18, 91, 98
 modified Bessel function K_1 , 94, 95, 108
- outer boundary condition, 135, 136, 138, 159
- potential field
 2-D field, 42
 3-D field, 61
 derivative, 60, 70
 downward continuation, 42, 56, 68
 fundamental solution, 43, 55, 62, 67
 topographic surface, 42, 56, 61, 68
 transformation, 39, 59
 upward continuation, 42, 61
 boundary element method, 48, 63
 boundary integral equation, 47, 62
 boundary value problem, 40, 42, 61
 Green's formula, 43, 62
- resistivity method
 2.5-D field, 89
 3-D field, 116
 apparent resistivity, 101, 102, 103, 123, 130, 132
 boundary element method, 94, 108, 119, 127
 boundary integral equation, 92, 105, 118, 125, 126
 boundary value problem, 90, 104, 117
 case study, 115
 combined pole-dipole array, 102, 124
 dipole-dipole array, 123, 130, 131
 equipotential body, 97
 fundamental solution, 92, 106, 118
 Green's formula, 92, 99, 118
 perfect conductor, 96
 perfect insulator, 96
 pole-pole array, 114
 pseudosection, 124, 129, 130
 reciprocity test, 100, 122, 129
 Schlumberger array, 114, 115, 124
 selection of wave number, 110
 sounding, 116
 terrain correction, 115, 131

- transformed potential, 93, 107
- shape function, 21, 23, 24, 26, 29, 31,
32, 51, 65, 94, 120, 142, 178
- singular integral, 52, 95, 179, 194
- singularity, 43, 45, 46, 52, 179
- vertical component, 40, 57, 79, 188

This page has been intentionally left blank