

## Index

- 1-D inversions, 323
- 1-D model (layer), 95–96, 385, 456
- 2-D interpretation, 349
- 2-D model, 350, 352, 385
- 2.5-D model, 259, 325, 345
- 3-D effects, 358
- 3DEMITINV (program), 200
  
- absorption, 566
- adaptive grid, 455
- adjoint, 33
  - equation, 256, 257
  - method, 185
  - operator, 48
- admittivity, 180
- air-earth interface, 127, 154, 351, 420
- air injection, 584
- air sparging monitoring, 582
- airborne electromagnetic, 183, 188, 480, 483, 489, 495, 502
- aircraft, 682
- anisotropic, anisotropy, 30, 119–123, 127, 129, 130, 138, 139
- annealing, 193, 196–197
- anomalies, analyzing, 490
- antenna
  - dipole, 670, 674
  - helix, 675
- aperture, 550
- apparent resistivity, *see* magnetotelluric, apparent resistivity
- aquifer, 525, 587
- Argand diagram, 83, 86
- ARLETT, 625
- Array Induction Tool, 614
- artifacts, 690
  
- automatic classification, 490
- automatic gridding, 433
- averaging, 126, 142, 355
- axisymmetric, 322, 340
  
- B-polarization, 134, 428
- back projection, 279
- backpropagation, 271
- barycentric coordinates, 37
- basaltic lava, 420
- basis functions (*see also* finite elements)
  - constant or pulse, 48, 64, 90–92
  - cubic, 65–67
  - global, 45, 91
  - linear, 38, 44–45, 63–64, 445, 517
  - quadratic, 64–65
- Bayesian inversion, 407
- Bayesian statistics, 406
- Berdichevsky, 390
- Bi-CGSTAB, *see* biconjugate gradient stabilized
- biconjugate gradient (BiCG), 129, 161, 172, 193
- biconjugate gradient and fast Fourier transform (BCG-FFT), 208–210
- biconjugate gradient stabilized (BiCGSTAB), 129, 172
- borehole, 227, 251
  - borehole EM, 484
  - fluid, 600
  - modeling, 591, 604
  - trajectory, 629
- Born approximation, 179–181, 235, 237, 266, 281
  - distorted-wave, 212
  - extended, 235–237, 555
  - quasi-Born approximation, 241

- Born approximation (*cont.*)  
 quasi-Born inversion, 233, 241  
 sensitivity calculation, 185
- Born Iterative Method, 213, 259
- boundary conditions,  
 absorbing, 35, 181, 150, 299  
 across interfaces, 31–34  
 approximate and exact, 180–185, 257  
 Dirichlet, 127–128, 180–181, 301, 191  
 impedance, 150–151  
 at infinity (*see also* Sommerfeld radiation condition), 139  
 integral, 127  
 Mur, 151  
 Neumann, 162, 169  
 normal derivative, 80–81  
 at surface of the half-space, 112, 431–433  
 at symmetry planes, 148–149  
 vector magnetic field, 76–77
- Brest, France, 525
- Broyden updating formula, 225
- c-response, 452
- calibration, 553
- Cascadia volcanic arc, 363
- Cauchy principal value, 61, 94, 136
- central-loop TEM, 113
- CG method, *see* conjugate gradient method
- channeling currents, 319
- charges, 90
- Chaves geothermal field, 387
- circular loop, 227
- coarse-grained, *see* parallelization
- collocation, 70–73
- complex conductivity, 77, 234
- computational complexity, 208, 212, 216
- condition number, 96, 302
- conductance-depth image, 478
- conductivity (*see also* resistivity), 30, 43, 139, 147, 288, 301  
 anisotropic conductivity (*see also* anisotropy), 119–123  
 complex conductivity (*see also* induced polarization), 77, 234  
 conductivity contrast, 90, 96  
 conductivity tensor, 109, 119–120, 124  
 discretization, 108–110  
 global representation, 46–47
- conjugate-residual, 169
- conjugate gradient, 49, 128, 161, 169, 171, 179, 186, 193, 304, 576
- conjugate gradient squared (CGS), 172
- conservation laws, 103
- conservation of current, 138
- constitutive relations, 140, 288
- contrast source, 31, 34
- convergence behavior, 172
- convex-hull interpolation, 461
- convolution, discrete, 210
- convolution, time, 31, 494
- corrosion, 682
- Coulomb gauge, 147, 152, 445
- coupled-potential formulation, 444
- CRABEO (program), 2, 4
- cross-borehole EM, 546
- cross-borehole tomography, *see* tomography, cross-borehole
- crosswell, *see* cross-borehole
- cubic-hole finite element, 591
- cubic conductor, 200, 315
- current-feedback induction coil, 547
- current channeling, 483, 507
- current filament modeling, 648
- current gathering, 360
- current tubes, 91, 114
- dc electric and magnetic potentials, 140
- dc limit, 427
- dc resistivity imaging, 594
- dc resistivity modeling, 161–162
- dc resistivity, pole-pole, 189
- dc, theoretical inverse problem, 290
- Delaunay triangulation, 455, 463
- determinant phase (MT), 396
- dielectric permittivity (dielectric constant), 77, 140, 142, 146, 147, 194, 266, 288, 301
- dielectric scatterer, 209, 281
- differential forms, 103, 115–118  
 dual forms, 107  
 Maxwell's equations in differential forms, 104
- diffraction tomography, *see* tomography, diffraction
- diffusion, 29, 30, 43, 287
- diffusion equation, 289
- diffusion expansion method, 52
- dike model, 133, 166, 173, 223
- dipole source (excitation), 93, 144, 299, 545, 674
- direct-current resistivity, *see* dc resistivity
- discontinuity, 127
- discretization, 42, 61, 69, 83, 161–166, 173, 300  
 cell discretization, 21  
 discretization by area, 164  
 discretization by points, 163  
 effect of changing discretization, 19  
 finer discretization, 69  
 Maxwell's equations and spurious modes, 151  
 self-consistent discretization of the electromagnetic field, 103–111
- dispersion relations, 135, 136
- distorted-Born iterative method (DBIM), 213

- divergence-free (*see also* zero divergence), 42, 93, 114, 128, 147–148
- DM-MIMD, 327
- DNAPL zone, 156, 157, 158
- domain-integration method, 30, 39–40
- domain decomposition, 193, 197, 199
- dual forms, 107
- dyke, *see* dike
- dynamic range, 551
- E-parallel symmetry, 148
- E-perpendicular symmetry, 149
- E-polarization, 262, 377, 427
- edge effects, 479
- edge elements, *see* finite elements
- eigencurrent, 492
- eigenfunction, 452
- eigenpotential, 452
- eigenvalues, 307, 452
- electric-field integral equation, 43, 53, 193, 194
- electric bipole, 370
- electric dipole, 149, 156, 259  
grounded, 323
- electric distortion, 357
- electrical anisotropy, *see* anisotropy
- electrical conductivity, *see* conductivity
- electrical reflectivity tensor, 236
- electrical resistivity tomography (ERT), 146, 575, 594, 683
- electromagnetic tomography, *see* tomography, cross-borehole EM
- ellipticity, 312, 631
- EM scaling, 353
- EM screening, 483
- EM31 (program), 526
- EM3D (program), 8, 323, 330, 336, 479
- EMAFD (program), 325
- EMAP, 355
- embedding, 34, 39, 96
- EMIE3D (program), 8
- EMIGMA (program), 8
- EMSLAB, 363
- enhanced oil recovery, 546
- equivalent currents, 277, 281
- error  
data error, 185, 196, 549–553  
interpolation error in frequency domain, 4–5  
measurement error (noise), 211, 549  
orientation, 497
- ERT, *see* electrical resistivity tomography
- expansions (*see also* basis functions and finite elements), 57, 61, 70–71
- exponential decay, 492
- exponential time constant, 496
- exterior derivative, 116
- Faraday's law, 302, 327
- fast inversion, 491
- FDFD, *see* finite differences
- FDM3D-MT (program), 420
- FDTD, *see* finite differences
- FILAMENT (program), 479
- fine-grained, *see* parallelization
- finite differences  
axisymmetric, 325–326  
coupled potential formulation, 444–446  
derivatives of Green's function, 47  
derived by reciprocity, 35–39  
discretization schemes for resistivity modeling, 161–166  
discretizations and spurious modes, 151–153  
FDFD (frequency-domain finite-difference), 300  
FDTD (finite-difference time domain), 113, 669  
finite-difference codes, 9, 409, 420  
on Lebedev's staggered grid, 139–142  
magnetotelluric modeling, 382, 419, 429–433  
modeling induction logs, 612  
modeling microresistivity tools, 602–603  
with scalar and vector potentials, 146  
staggered-grid for anisotropic models, 123–127  
thin sheets, 325–327, 433  
vector Helmholtz equation, 300–301
- finite elements  
cubic-hole element, 591  
edge elements, 29, 38, 134, 180  
exact and approximate boundary conditions, 179–185  
finite-element codes, 8  
finite-element method and inverse scattering, 208  
hexahedral elements, 576  
infinite element, 83  
magnetic integral equation, 198–199  
potential equation, 576  
TEM modeling, 516–518
- fixed-loop TEM, 503
- Fourier Diffraction Slice Theorem, 284
- Fourier inversion, far-field, 278
- Fourier series, 325  
double, 292–293
- Fourier transform, 272, 326
- Fréchet derivative, 211, 212, 213, 224, 467  
conjugate transpose, 214  
estimated by finite differences, 224–225
- Fredholm integral equation of the first kind, 194
- Fredholm integral equation of the second kind, 92, 323

- free charge, 91  
frequency-domain, 3, 8–11, 21–22, 29–30, 33, 49, 91, 144, 299, 300, 493, 546, 626  
full-wave (vector) formulation, 208  
functional (*see also* misfit), 195, 243, 303  
functional derivatives, 467
- Galerkin's method, 210, 517  
galvanic excitation, 481  
galvanic interaction, 483  
galvanic response, 91, 355, 484  
Gauss-Newton (GN) method, 179, 186, 187, 195  
Gaussian elimination, 169  
Gaussian noise, 315  
Gauss's theorem, 33, 117  
Gauss-Seidel, 331, 339  
Gaussian pulse, 20, 280, 281  
Gaver-Stehfest technique, 326  
geoelectromagnetic induction, 426, 477  
geological noise, 351  
geological scale, 353  
geomagnetic induction, *see* geoelectromagnetic induction  
geomagnetic response function, 452  
geometric spreading, 548  
geothermal, 387, 515, 519  
global EM induction, 445  
global mode, 452  
global preconditioned biconjugate iteration, 200  
GPR, *see* ground-penetrating radar  
graben, 402  
gradient algorithm, 234  
gradient, magnetic field, 658  
Green's dyadic, 181, 194, 209, 266  
  magnetic, 182, 183  
Green's first vector identity, 181  
Green's function, scalar, 266  
Green's functions, 31, 47, 59, 72, 80, 82, 90, 237  
Green's state, 47  
Green's tensor, 36, 91, 92, 93, 234, 291, 323–324  
Green's theorem (identity), 164, 593–594, 685  
GREN DL (program), 4  
grid, 139, 148  
grid design, 434  
grid dispersion, 311  
Groom-Bahr method, 357, 370  
ground-penetrating radar (GPR), 218, 310, 311  
ground EM, 486  
grounded electric dipole, 323
- H-polarization (*see also* B-polarization), 262, 377  
half-space (*see also* homogeneous half-space), 82, 260, 287, 325  
halo effect, 480
- Hanford Reservation, 581  
Hankel integrals, 92  
Heaviside's function, 140  
helicopter EM survey (*see also* airborne electromagnetic), 310, 311, 313  
Helmholtz equation, 78, 79, 287, 288, 300, 351, 452, 467  
Hessian, 186, 188, 224  
heterogeneity, 448  
High-Performance Fortran (HPF), 331  
Hilbert-space, 48  
Hilbert product, 117  
Hilbert transform, 420  
Hokkaido, 519  
holographic field, 271–272  
homogenization, 119, 121  
host, 90, 661  
human head, 668  
human tissue, 668  
hybrid method, 478  
hydrocarbon-bearing zones, 600  
hydrogeochemistry, 533  
hydrogeology, 525
- Iberian Hercynian belt, 375  
Iberian Pyrite Belt, 637  
ill-conditioned, 90, 98, 153  
ill-posed, 179, 223  
impedance, 267  
impedance matrix, 62, 67, 72, 604  
impedance phase, 355, 377, 421  
impedance tensor, 130, 352, 357, 377, 390  
impedivity, 180  
in-loop TEM, *see* TEM, central-loop  
incident field, 34–35  
induced polarization (*see also* complex conductivity), 498, 505  
induction logging, *see* logging, induction  
induction vector, 130–132, 439–440  
inductive limit, 83, 484, 485, 491  
inductive response, 83, 483  
inductive scale length, 449, 452  
infinite element, 83  
inhomogeneity, 354  
inhomogeneity, near-surface, 661  
initial conditions, 140, 289  
injection monitoring, 555  
inner product, 48  
integral-equation method, 8, 9, 29, 30, 39, 40, 42, 59, 154, 180, 233, 323  
integral equation for a cylinder, 60, 61  
integral equation, iterative solution, 48–49  
invariance, 355  
invariant apparent resistivity, 397  
invasion, 600  
inverse-source problem, 36

- inverse problem, 179, 191, 208
- inverse scattering, 36, 208, 265
- advantages of magnetic integral equation, 202
  - computational complexity of inverse algorithm, 216
  - implementation on parallel computers, 308
- inversion (*see also* iterative methods, Born approximation, and tomography)
- with approximate sensitivities, 262–263
  - joint inversion, 190–191
  - linearized vector wave, 265
  - nonlinear, 186, 193, 208, 576–578
  - Occam's, 575–580
  - parameter estimation, 222
  - quasi-Born inversion, 233, 241
  - quasi-linear (QL) inversion, 240–242
  - regularized least squares, 303–304
- IP, *see* induced polarization
- isotropic, isotropy, 43, 119, 120, 132, 133
- iterative methods
- biconjugate gradient (BiCG), 129, 161, 172, 193
  - biconjugate gradient stabilized (BiCGSTAB), 129, 172
  - Born Iterative method (BIM), 213, 259
  - Broyden updating formula, 225
  - conjugate-residual, 169
  - conjugate gradient, 49, 128, 161, 169, 171, 179, 186, 193, 304, 576
  - conjugate gradient squared (CGS), 172
  - distorted-Born iterative method (DBIM), 213
  - Gauss-Newton (GN) method, 179, 186, 187, 195
    - gradient algorithm, 234
  - Newton's method, 209, 223
  - nonlinear iteration, 576
  - Powell's method, 293
  - quasi-minimum residual (QMR), 129, 301
  - quasi-Newton (QN) method, 179, 186, 187, 191, 209
  - successive overrelaxation (SSOR), 171
- Jacobi scaling, 301
- Jacobian (matrix, operator), 195, 209, 256, 257, 278, 303, 305
- Japan, 519
- joint inversion, 179–180
- Juan de Fuca Plate, 363
- jump conditions, 288
- Kirchhoff approximation, 80, 265, 281
- Kirchhoff's law, 165, 166
- Krylov subspace, 143
- lamination, 120
- Lanczos method, 612
- Lanczos vectors, 129
- Laplace transform (transformation), 31, 33, 325, 326
- laterolog, 605
- layered-earth model (*see also* 1–D), 1, 8, 9, 11, 13, 19, 20, 92, 166, 173, 257, 267, 323, 352
- leak detection, 581
- LEROI (program), 8, 484
- lightning activity, 349
- localized approximation, 237
- logging
  - induction logging, 600
  - micro-resistivity logging, 600
  - resistivity logging, 600
- Long Valley caldera, 366
- Lorentz gauge, 147
- Lost Hills, California, 554
- low-frequency response, 352
- MAFIA (program), 265, 279, 282–283
- magma chamber, 424
- magnetic-field integral equation, 193, 202, 206
- magnetic current, 30, 39, 257
- magnetic dipole, 52, 251
- magnetic Green's dyadic, *see* Green's dyadic, magnetic
- magnetic permeability, 30, 40, 43, 77, 139, 142, 147, 194, 288, 300, 301, 498
- magnetic permeability equation, 206
- magnetic susceptibility, *see* magnetic permeability
- magnetic transfer function, 130
- magnetotelluric (MT)
  - apparent resistivity, 130–132, 244, 352, 377, 390
  - approximate sensitivities, 162
  - comparison of TE and TM modes, 360–363, 378–382
    - impedance phase, 355, 377, 421
    - impedance tensor, 130, 352, 357, 377, 390
  - induction vector (tipper), 130–132, 439–440
  - invariant impedance, 355, 390
  - MT method, 349
  - MT transfer functions, 129–135
  - pseudosections, 365, 368, 369, 371, 378, 379, 381, 382, 421, 477
  - quasi-linear inversion, 244–249
- mantle, 447
- MARCO (program), 21
- Markov chain, 408
- massive-sulfide, 251, 572
- massively parallel, 299
- MAXANIS (program), 144

- maximum a posteriori estimation, 211
- Maxwell receding-image solution, 490
- Maxwell's equations, 78, 107, 138, 139, 147, 180, 181, 193, 257, 325
  - Maxwell's equations for scattered (or anomalous) fields, 300, 325
  - Maxwell's equations in differential forms, 104
  - Maxwell's equations in anisotropic media, 29–31, 119, 139–140
- mesh, 36, 154, 311
- message passing, 308–310
- method of moments, 73
- microresistivity logging, 600
- microresistivity tool, 608
- microwave, 208, 265, 668
- migration current, 479
- MIGRATOM (program), 565
- mineral exploration, 502, 626
- minimum-structure, 186
- misfit (function, functional), 186, 223, 229–231, 243, 249
- mobile telephone, 668
- model
  - 1-D model, 95–96, 385, 456
  - 2-D interpretation, 349
  - 2-D model, 350, 352, 385
  - 2.5-D model, 259, 325, 345
  - 3-D effects, 358
  - cubic conductor, 200, 315
  - dike model, 133, 166, 173, 223
  - half-space, 82, 166, 257, 260, 287, 325
  - human head, 668
  - layered-earth model (*see also* 1-D), 1, 8, 9, 11, 13, 19, 20, 92, 166, 173, 257, 267, 323, 352
  - magma chamber, 424
  - mantle, 447
  - multiple conductors, 483
  - oblate spheroid, 84
  - orebody model, 251, 478
  - overburden, 491
  - paleochannel, 313, 505
  - perfectly conducting scatterer, 281, 483
  - perfectly conducting spheres, 282
  - platelike models, 91, 684
  - prism model, 182, 518, 358
  - sphere, 52, 270, 279, 451, 565
  - spherical earth, 452
  - thick conductor, 479, 511
  - thin-plate (*see also* thin sheet), 12, 18, 684
  - thin-sheet model, 97, 326, 327, 363, 433, 438, 511, 686
  - thin wire, 59, 60
  - volcanic interiors, 418
- modified material property tensor, 240
- monitoring, air sparging, 582
- monitoring, injection, 555
- Mori geothermal field, 519
- movie files, 318, 669
- MT, *see* magnetotelluric
- MULTILOOP (program), 477
- multiple conductors, 483
- Multiscalar Boundary Element Method (MBEM), 76
- near-field data, 285
- Newton's method, 209, 223
- node placement, 458
- noncentral, 361
- nondestructive testing, 682
- nonlinear iteration, 576
- nonradiating current distributions, 242
- nonuniqueness, 179
- norm, 48
- numerical instability, 98
- objective function, 186, 191
- oblate spheroid, 84
- Occam's inversion, 363, 575
- ocean water, 420
- Ohm's Law, 138
- oil-field applications, 546
- one-form, 117
- optimization, 186, 196, 208, 223
- orebody model, 251, 478
- orientation errors, 497
- orientation tool, 629
- ORTHOMIN, 161, 172
- out-of-plane effects, 565
- overburden, 491, 494
- paleochannel, 313, 505
- parallel computers, 299, 322–323
- parallelization (coarse-grained, fine-grained), 322, 336, 329
- parameter estimation, 222
- parameterization, compact, 456
- parametric inversion, 231
- parametric study, 22
- parasection, *see* pseudosection
- partial derivative (*see also* sensitivities, Fréchet derivative), 256
- perfectly conducting scatterer, 281, 483
- perfectly conducting spheres, 282
- perfectly matched layer (PML), 150, 300–303
- permeability, *see* magnetic permeability
- permittivity, *see* dielectric permittivity
- perturbation-expansion, 453
- physical-optics or Kirchhoff's linearization, 266
- plane wave, 244, 349
- PLATE (program), 477

- platelike models, 91, 684  
 point matching (*see also* collocation), 42, 63  
 Poisson's equation, 161  
 polarimetric imaging, 283  
 polarimetric measurements, 268  
 pole-pole dc resistivity, *see* dc resistivity,  
     pole-pole  
 poloidal potential function, 458  
 polyhedra approximation to sphere, 445  
 polynomial expansion, 62  
 Porter-Bojarski equation, 272  
 Portugal, 375, 387  
 Powell's method, 293  
 power absorption, 670  
 preconditioned conjugate gradient, 162  
 preconditioned quasi-minimum residual, 299  
 preconditioning, 129, 171, 301, 603  
 prior information, 412  
 prism model, 182, 518, 358  
 probability density function, 407  
 profiles, 361  
 programs  
     3DEMITINV, 200  
     CRABEO, 2, 4  
     EM31, 526  
     EM3D, 323, 330, 336, 479  
     EMAFD, 325  
     EMIE3D, 8  
     EMIGMA, 8  
     FDM3D-MT, 420  
     FILAMENT, 479  
     GRENDL, 4  
     LEROI, 8, 484  
     MAFIA, 265, 279, 282–283  
     MARCO, 21  
     MAXANIS, 144  
     MIGRATOM, 565  
     MULTILOOP, 477  
     PLATE, 477  
     SAMAYA, 261, 478  
     SYSEM, 8, 479, 505  
     TELMA, 9  
     TEM3-DL, 9, 227  
     TEMDDD, 112  
     UMCEM, 4  
     VHPLATE, 9, 484  
 propagation constant, 77  
 pseudosection, *see* magnetotelluric,  
     pseudosection  
 pulse-basis, *see* basis functions, pulse  
  
 QL approximation, *see* quasi-linear  
     approximation  
 quasi-Born approximation, 241  
 quasi-Born inversion, 233, 241  
 quasi-linear (QL) approximation, 233–236  
  
 quasi-linear (QL) inversion, 240–242  
 quasi-minimum residual (QMR), 129, 301  
 quasi-Newton (QN) method, 179, 186, 187, 191,  
     209  
 quasi-static approximation, 142  
 quasi-stationary field, 289  
 Queensland, 502  
  
 radiation pattern, 668  
 radio-frequency tomography, *see* tomography,  
     radio-frequency  
 radio-magnetic sounding, 658  
 radio-wave imaging, 564  
 reciprocity, 29, 30, 32, 33, 35, 93, 167, 257, 552  
 reciprocity theorem, 95, 258  
 rectangular blocks, 43  
 rectangular loop, 4, 8–9, 84, 251  
 reflectivity tensor, 234  
 regional induction, 451  
 regolith, 489  
 regularization, 93, 179, 196, 211, 222, 234, 292,  
     303, 304, 406  
 regularization parameter (*see also* trade-off  
     parameter), 195, 223, 243  
 relaxation factor, 171  
 reservoir characterization, 547, 600  
 resistive limit, 83, 491, 493  
 resistivity (*see also* conductivity, dc resistivity)  
     contrast, 113  
     logging, 600  
     modeling, 161  
     network, 166  
     tomography, 146, 575, 594, 683  
 response, low-frequency, 352  
 RMS, *see* radio-imaging  
 robust, 580  
 roughness, model or solution, 303, 577  
  
 SAMAYA (program), 261, 478  
 SAR, *see* specific absorption rate  
 scalar and vector potentials, 146, 576  
 scattered field, 34, 35, 210, 300, 301  
 scattering currents, 90, 92, 323  
 scattering impedance matrix, 92  
 scattering matrix, 92  
 scattering tensor, 234, 235, 237  
 second-order vector, 123  
 sensitivities (*see also* Fréchet derivatives), 185,  
     222, 256, 257, 258, 260  
     approximate, 256, 257  
 shadow region, 268  
 signal enhancement, 480  
 SIMD (single instructions, multiple data), 322,  
     328, 343  
 similitude, 353  
 simplicial star, 45, 46, 47

- singular function, 266, 268
- singular sources, 287
- singularity, 127, 128
- SISD (single instructions, single data), 327
- skin depth, 84, 302, 311, 566
- SLDM, *see* spectral Lanczos decomposition method
- smoothness, 580
- Sommerfeld radiation condition, 78, 181
- spatial averaging, 355
- spatial Fourier transform, 272
- specific absorption rate, 669
- spectral expansion, 466
- spectral Lanczos decomposition method (SLDM), 112–113, 138, 143, 612
- sphere, 52, 270, 279, 451, 565
- spherical earth, 452
- spherical harmonic, 454
- spurious charges, 91
- spurious modes, 151, 152, 153
- square, coaxial loops, 149
- SQUID sensor, 659
- stabilization parameter (*see also* regularization, trade-off parameter), 577, 580
- staggered grid
  - for second-order vector (Helmholtz) equation, 123–125, 301
  - Lebedev's staggered grid, 139
  - staggered-grid finite-differences, 119, 154, 180, 299, 612
- static shift, 388
- steam-flood, 554
- steepest descent, 223
- stiffness matrix, 301, 308
- stitched-1D, 490
- Stokes theorem, generalized, 117
- storage efficiency, 444
- Stratton-Chu integrals, 287, 289, 291
- strike direction, 119
- strike length, 511, 553
- structural anisotropy, *see* anisotropy
- successive overrelaxation (SSOR), 171
- Sudbury Basin, Canada, 637
- superparamagnetism, 498
- surface-to-borehole EM, 548, 625
- surface electric field, 435
- surface integral, 266
- Surface Integral Equations, 76, 90, 95
- surface radar, *see* ground-penetrating radar
- symmetric contensor, 108
- SYSEM (program), 8, 479, 505
- system iteration, 90
  
- TE, *see* transverse electric telegrapher's equation, 287–288
- telluric distortion, 354
- TELMA (program), 9
  
- TEM (transient electromagnetic method)
  - central loop, 113
  - fixed-loop, 503
  - ground, 503–505
  - in-loop, 502
- TEM3-DL (program), 9, 227
- TEMDDD (program), 112
- tensor decomposition, 351, 357
- tensor Green's function, *see* Green's tensor, Green's dyadic
- terminal impedance, 150
- terrain conductivity measurements, 526
- theoretical inverse problem, 287
- thick conductor, 479, 511
- Thiessen tessellation, 454
- thin-plate (*see also* thin sheet), 12, 18, 684
- thin-sheet, 97, 326, 327, 363, 433, 438, 511, 686
- thin wire, 59, 60
- three-component observations, 231, 625
- three-form, 117
- three-layered earth (*see also* layered-earth model), 166, 173
- through-casing resistivity, 600
- Tikhonov regularization, *see* regularization
- tilt angle, 312
- tilted layer, 608
- time-domain, 3, 8–14, 22, 29–30, 483, 486, 492, 503, 515
- TM, *see* transverse magnetic tomography (*see also* inversion)
  - cross-borehole EM, 545, 564, 575
  - diffraction, 265
  - electrical resistivity (ERT), 146, 575, 594, 683
  - electromagnetic, 146
  - radio-frequency, 564
- toroidal potential functions, 458
- trade-off parameter (*see also* regularization parameter), 303, 307
- transfer functions, 129
- transient electromagnetic method, *see* TEM
- transmitter, 9, 12, 15, 24, 227
- transmitter waveform, 25, 494
- transverse electric mode (*see also* magnetotelluric), 352, 363, 377, 358
- transverse magnetic mode (*see also* magnetotelluric), 353, 358, 363, 377, 399
- tubes of current, 91, 114
- two-form, 117
  
- UBCEM (program), 4
  
- vector
  - Green's theorem (*see also* Green's theorem), 271



- Helmholtz equation (*see also* Helmholtz equation), 78, 299–300
- vector potential, 108–109, 147, 152
- vector potential equation, 147–148
- vector singular function, 282
- vector wave equation, 146, 266
- vector wave inversion, 265
- vertical magnetic dipole (VMD), 251, 311
- very early time electromagnetic method (VETEM), 311
- VHPLATE (program), 9, 484
- visualization, 673
- VLF 526
- volcanic interiors, 418
- volume element, 430
- volume integral equation, 82, 90, 92
- vortex currents, 90–91
- water, 525
- wave number, 288, 302
- weak (form, formulation), 29, 43, 49
- wedge product, 115–116
- weighted residuals, 30
- Yee's staggered grid, 103, 138
- zero-form, 117
- zero divergence (*see also* divergence-free), 152

