

INDEX

- Abitibi greenstone belt, 392, 394, 411, 413
Adirondack Mountains, 13, 15, 17, 301
Alaska, 25, 27
Alaska compilation, 25
Aleutian active margin, 339, 343
alkaline stocks, 128
alluvial basins, Arizona, 164, 178
alluvial valleys, Arizona, 172, 176
Altamaha anomaly, 11
Amarillo uplift, 58
Amos-Barraute area, Quebec, 413, 417, 423
amplitude, 46, 60
Anadarko basin, 36
analytical continuation, 248, 265
Animikie Group, 380, 381, 382, 384
anorthosite, 428, 431
 gravity signatures, 117
 origin of, 109, 116
Antarctica, 104
Appalachian allochthon, 59
Appalachian fold belt, 11, 13, 17, 252
Appalachian Mountains, 1, 8, 11, 22, 36, 47, 52, 58, 288, 302, 308, 310, 343
Appalachian orogen, 11, 13, 17
apparent-density algorithm, 392, 412
apparent-density map, 392, 399
apparent-susceptibility maps, 413, 416, 417, 418, 419, 420, 423, 426, 429, 433, 434, 436, 438, 439, 441, 444, 447
aquifers, South Dakota, 233, 244, 246
arc-continent collision model, Michigan and Wisconsin, 267, 285
Archean rocks, China, 439, 440, 442, 446, 448
Arizona, 164, 165, 169, 171, 174, 175, 176, 178
Australia, 102, 103, 104, 105
Avalon terrane, 11

Baltimore Canyon trough, 325, 335, 336, 337
basement-lithology map, Ontario, 392
basement rift zones, 287, 294, 297, 298, 306
Basin and Range pattern, 33
Basin and Range province, 20, 164, 165, 169, 171, 172, 174, 176, 178, 198, 205, 206, 207, 208
basins, Early Proterozoic, 267, 268, 269, 271, 275, 277, 281, 283, 284
Belt basin, 59
Benioff zone, 343
Big Horn Mountains, 36
Black Hills, 13, 233, 236, 240, 241, 242, 243, 244, 245, 246
Black Mesa basin, 169
Blake Plateau, 36, 336, 337
Blake Plateau basin, 325, 335, 336, 337
Blake Spur Anomaly (BSA), 340, 343

block faulting, Kansas, 231
block structure, 102, 103, 104, 105
Blue Ridge, 308, 310
Botswana, 144, 147, 150, 153
Bouguer correction, 362
Bouguer reduction density, 362, 363, 365, 371, 372, 373
Brazil, 124, 126, 130
breccia pipes, Arizona, 176
Bright Angel anomaly, 169
Brunswick anomaly, 8, 11, 335, 336
Brunswick terrane, 11

calderas, 361, 363, 365, 366, 371, 372
Caledonian Range, 154
California, 347, 349, 351, 352, 356, 357, 359
Carlton County area, Minnesota, 375, 377, 380, 381, 384, 385, 390
Carolina-Mississippi fault, 11
Carolina Slate belt, 308, 310, 312, 320, 323
Carolina trough, 325, 335, 336
Cascade Range, 361, 363, 365, 370, 371, 372
Central North American rift system (CNARS) — *see also* Midcontinent rift system — 213, 225, 228, 231
central platforms, 59
Chaman fault zone, 141
Charleston magnetic terrane, 11
Charlotte belt, 308, 310, 312
chemical remanent magnetization (CRM), 321
Cheyenne belt, 20
China, 439
Churchill province, 17, 20, 72, 283, 291
Cincinnati arch, 15
Coastal Plain, 308, 310, 313, 314, 318
collision tectonics, 109, 112, 114, 115
collision zone, 59
Colorado lineament, 20
Colorado Plateau, 20, 33, 36, 164, 165, 169, 172, 176, 178, 182
Columbia Plateau, 4, 33, 36, 55
computer graphics, 377, 390
continental structure, 46
convergent-plate zones, 89, 96, 98
copper deposits, Arizona, 164, 169, 174, 175, 178
copper sulfide mineralization, Pakistan, 139
Cordillera, 1, 17, 22
Cordilleran system, 1, 17, 20, 22
core-mantle boundary, 88, 89, 95, 96, 98, 101
cratons, edges and interior, 59
Crosbytown anomaly, 6, 7
cross fractures, 102, 103, 105, 106, 108
Crozet geoid high, 95, 96, 98
crustal rifts, 58, 59, 60

- crustal weakness, zones of, 59, 60
 Curie isotherm, 1, 4, 20, 22, 262, 339, 343, 345
 Curie point, 343
 Curie-point geotherm, 67
- Datil volcanic pile, 164, 171, 208
 Decade of North American Geology (DNAG), 34, 69, 87
 density units, 401
 density zoning, 399
 depth-to-bedrock map, Arizona, 164, 172
 derivative maps of the magnetic field, 325
 diabase dikes, Quebec, 427, 428, 431, 432, 436, 438
 digital enhancement, 72
 dike intrusion, Kansas, 231
 dike swarms, 144, 147, 375, 380, 381, 384, 385, 389, 390, 428
 downward continuation, 413, 417, 419, 434, 436, 440
 downward continuation filters, 213
 drape-to-level continuation, 181, 185, 186, 187, 188
 draping, 248, 255
 Duluth Complex, 375, 381, 387, 388, 389
- Earth
 - deep structure, 89
 - gravity field, 88, 89, 95, 96, 98
 - magnetic field, 88, 96
 east-central Midcontinent, 287, 288, 294, 302, 305, 306
 East Coast magnetic anomaly (ECMA), 8, 11, 325, 335, 336, 337, 340, 343
 East continent gravity high, 294
 economic applications of regional geophysics, Arizona, 175, 176
 editing, gravity data, 39, 45
 elevation versus gravity, 314
 enhancement techniques, magnetic anomaly maps, 72
 ensialic environment, 130
 evaporite deposits, Arizona, 175, 176, 178
 exploration strategies, Ontario, 392, 404, 411
- failed-arm rift, 301
 filtered maps of the magnetic field, 325
 first-vertical-derivative filter, 255
 France, 154
 frequency-domain filtering, 375, 381, 390
 frequency plots, 401
- Gabbro Lake area, Minnesota, 375, 377, 380, 381, 387, 390
 geoid anomalies, 88, 89, 94, 98, 101
 geophysical terranes, 262, 265
 Georges Bank basin, 325, 335, 336, 337
 Georgia, 308, 310, 313, 314
 geothermal gradients, 233, 238, 243, 244, 245, 246
 geothermal system, South Dakota, 233, 243, 244
 geothermometry, South Dakota, 233, 243, 244, 246
 Giants Range batholith, 381
 gneiss domes, Wisconsin, 267, 271, 272, 277, 284
 gold deposits, Ontario, 393, 394
 gold exploration, Ontario, 392, 404, 411
 Gorda plate, 347, 356
 granite-rhyolite terrane, 287, 291, 298, 306
 granitic plutons, 228, 267, 268, 271, 272, 277, 280, 283, 284
 Gravity Anomaly Map (GAM) Committee, 33
 Gravity Anomaly Map of the United States, 33
- gravity differentiation, 117
 gravity "dipole" anomalies, 104, 105
 gravity inversion, 154, 160, 162
 gravity signature, 109, 113, 114, 115, 116, 122
 gravity-to-geoid ratio (g/N), 88, 94, 95, 96
 gravity-trend pattern, 103, 104, 105, 106
 Great Basin, 36
 Great Lakes tectonic zone (GLTZ), 268, 269, 275, 279, 281, 284, 285, 377, 380
 Great Plains, 4, 8
 Great Valley of California, 20, 37
 greenstone belts, Africa, 144, 147
 Grenville anomaly, 17
 Grenville collision, 114, 115, 116
 Grenville foreland zone, 291, 298
 Grenville front, 17, 63, 109, 110, 111, 112, 113, 114, 115, 116, 121, 291, 297, 298, 301, 302, 306, 393, 399, 411
 Grenville province, 13, 17, 109, 110, 111, 112, 114, 115, 116, 117, 121, 122, 287, 301, 306, 393, 395, 411
 Grenville terrane, 17
 grid of digital data, 38
 ground water, 164, 172, 176, 178, 233, 244, 246
 ground-water exploration, Pakistan, 132
 Gulf Coast, 4
- Hawaii, 25
 Hawaii compilation, 25
 heat flow, 164, 178, 244, 343, 345
 Hercynian Range, 154
 Hibbing area, Minnesota, 375, 377, 380, 381, 384, 390
 high-frequency-pass filter, 213, 214, 225
 high-pass filtering, 375, 382, 388, 390
 high-resolution aeromagnetic data/survey, 325, 337, 375, 377, 389, 413, 420, 423, 438
 hinge zones, 336, 337
 Holbrook line, 169, 174, 178
 horizontal compressive stress, 59, 60
 horizontal gradients, 46, 47, 52, 55, 60, 181, 190, 192, 193, 196, 238, 255, 265
 Humboldt fault, 213, 225, 228, 231
 Humboldt zone, 20
- Idaho batholith, 20, 33, 36, 55
 Illinois basin, 60
 induced magnetization, 164, 416, 420, 434, 441
 International Geomagnetic Reference Field (IGRF), 2, 4, 25, 27, 62, 67, 165, 213, 225, 237, 249, 335, 377
 inverse gravity problem, 239
 iron formation, 375, 377, 380, 381, 382, 384, 387, 389, 390, 403, 432, 442, 444
 isostasy, 176
 isostatic compensation, 347, 349, 351, 356, 359, 373
 isostatic residual gravity map, California, 347, 349, 351, 352, 356, 357, 359
- Japan active margin, 339, 343
 Japan trench, 343
- Kalahari Desert, 144, 153
 Kalahari line, 147, 150, 151, 153
 Kansas, 213, 214, 225, 228, 231
 Keweenaw, Minnesota, 375, 377, 380, 385, 388, 389, 390
 Kheis belt, 151
 kimberlite, 147, 153

- kimberlite diatremes, 126, 128
 Klamath Mountains, 347, 357
 Kuril trench, 343
- Lac Fournier massif, 118, 119, 120, 121
 Laramide orogeny, 165, 175, 198, 208, 236, 237
 Laramie Range, 36
 level-to-drape continuation, 181, 185, 186, 187
 level-to-level continuation, 181, 185, 187
 Lexington–Bedford lineament, 302
 lineaments, 128, 130, 174, 175
 linear gravity highs, 59
 Llano uplift, 6, 13, 17, 36
 logarithmic energy-density spectra (LnEDS), 440, 441, 444
 Long Island platform, 325, 335, 336
 long-wavelength (LWL) anomalies, 46, 47, 52, 55, 59
- magnetically calm areas, Brazil, 128
 magnetically disturbed areas, Brazil, 128
 Magnetic Anomaly Map (MAM) of Canada, 62, 63, 65, 67, 69, 72, 75
 - boundary adjustments, 69
 - compilation, 69
 - continuation, 69
 - digitization, 69
 - filing, 69
 - gridding, 69
 - merging, 72
- Magnetic Anomaly of the Paris Basin (MAPB), 154, 155, 160, 162, 163
 magnetic basement, depth to, 141
 magnetic data bank, 69, 75
 magnetic inversion, 154, 160, 162
 magnetic lineaments/lineations, 228, 231, 248, 250, 252, 254, 255, 265, 302, 380, 389
 magnetic lithology map, Quebec, 426, 436
 magnetic polarization, 4, 6
 magnetic properties of rock types, China, 441
 magnetic terranes, 248, 250, 254
 magnetite quartzites, China, 439, 442, 444
 magnetization boundaries, New Mexico, 181, 188, 189, 190, 192, 193, 196
 magnetization-density ratio map, 248, 255, 262, 265
 major discontinuities, Brazil, 124, 130
 Matagami, Quebec, 426, 428
 Mesa Butte magnetic anomaly, 164, 169, 178
 metamorphic core complexes, Arizona, 164, 172, 174, 178
 metamorphism, Carolina Slate belt, 320, 321, 322, 323
 Michigan, 267, 269, 272, 274, 279, 281, 282, 284
 Michigan basin, 13, 17, 60, 254, 255, 262, 265, 268, 269
 Midcontinent geophysical (gravity and magnetic) anomaly (MGA), 13, 35, 47, 52, 55, 58, 60, 225, 250, 252, 254, 255
 Midcontinent rift (MCR) system — *see also* Central North American rift system (CNARS) — 1, 7, 13, 17, 22, 33, 35, 250, 254, 255, 262, 267, 268, 269, 275, 282, 284, 285, 377, 385
 Mid-Michigan geophysical anomaly, 35
 mineral deposits, Brazil, 124, 125, 128, 130
 mineral exploration, 144, 147, 153, 392, 411
 Minnesota, 375, 377, 380, 381, 382, 385, 389, 390
 Mississippi embayment, 1, 11, 15, 22, 36, 254, 255, 288, 297
 Mississippi Valley graben, 36, 254, 262
 Mississippi Valley-type mineralization, Pakistan, 138, 141
 Missouri gravity low, 35
 modeling, Paris basin, 154, 155, 162
 Mohorovičić discontinuity (Moho), 4, 178, 314, 343, 345, 351, 359, 371
- National Uranium Resource Evaluation (NURE), 2, 4, 27, 198, 200
 Nemaha ridge, uplift, 213, 214, 225, 228, 231
 New England sea mounts, 337
 New Guinea geoid high, 88
 New Madrid rift complex, 15, 287, 298, 301, 302, 306
 New Mexico, 181, 182
 New York–Alabama lineament, 11, 13, 17, 250, 252, 255, 262, 265, 301, 302, 306
 nodes of regional metamorphism, Michigan and Wisconsin, 267, 269, 277, 279, 284
 North Carolina, 320, 323
 Northeast Atlantic passive margin, 339, 340
- ocean–continent boundary, 339, 340, 343, 345
 oil and gas, Arizona, 176
 Ontario, 392, 393
 Ophiolite belt, Pakistan, 138, 139, 141
 Ouachita fold belt, 13
 Ouachita front, 301
 Ouachita orogenic belt, 36, 198, 207, 208, 209
 oxygen fugacity, 426, 429, 432, 433, 438
- Pacific Cordillera, 33, 36, 37
 Pakistan, 132
 paleorift, Arizona, 164, 178
 Paleosubduction, 121
 Paris basin, 154, 155, 162, 163
 Peninsular Ranges batholith, 347, 356, 357
 Penokean fold belt (PFB), 267, 268, 269, 272, 275, 277, 279, 280, 281, 282, 283, 284, 285
 Phoenix arc, 164, 174, 175, 178
 Piedmont, 308, 310, 312, 313
 Piedmont gravity gradient, 310
 plagioclase flotation, 109, 118, 122
 plate tectonics, 109, 112, 132, 137
 - driving force, 89
- Poisson's equation, 255, 262
 pole-correction map, Kansas, 213, 214, 225
 polynomial surface fit, 39
 porphyry copper deposits, Arizona, 164, 169, 174, 175, 178
 potential fields, continuation of, 181, 185, 186, 190
 Powder River basin, 244
 Precambrian basement structure, Brazil, 124
 Precambrian plate collision, Grenville province, 109, 116
 Precambrian terranes, Kansas, 213, 214, 225, 231
- Qian'an district, China, 439, 440, 441, 444, 448
 Quebec, 413, 414, 424, 426
- reduction to basement, New Mexico, 181, 185, 188, 196
 reduction to the pole, 136, 139, 375, 381, 388, 390, 413, 417, 419, 434, 440, 442
 Reelfoot rift, 1, 15, 22, 301
 regional-field map, China, 439, 440, 441, 444, 448
 regional-residual analysis, Ontario, 397

- regional-residual separation, California, 347, 349, 356, 359
 remanent component, Minnesota, 375
 remanent magnetism, North Carolina, 321, 323
 residual-gravity map, Ontario, 399
 reverse faults, 59, 60
 reverse polarization, 128
 rift, arc-continent-collision model, Michigan and Wisconsin, 267, 285
 Rio Grande rift, 20, 36, 200, 204, 206, 208, 246
 rock-density measurements, Ontario, 393
 rock magnetism, North Carolina, 320, 321, 322, 323
 rock magnetization, Pakistan, 138, 141
 rock-type susceptibility, Quebec, 426, 429, 431, 432, 433, 436, 437
 Rocky Mountains, 47, 52, 59
 Romaine River massif, 118, 119, 121
 Rome trough, 15, 301
 Rough Creek graben, 301
 Round Lake Batholith, 392, 395, 397, 399, 401, 402, 404, 409, 411
- Ste. Genevieve-Cookeville lineament, 302
 St. Croix horst, 375, 385, 389
 St. Francois Mountains, 13, 287, 288
 St. Louis arm, 301
 Salinian crustal block, 20
 salt (halite) deposits, Arizona, 175
 San Andreas fault, 20
 San Juan basin, 181, 182, 187, 188, 192, 196
 second vertical derivative, 375, 385, 390
 second-vertical-derivative anomalies, 237
 second-vertical-derivative map, 213, 228, 325, 335, 336, 337, 413, 418, 420, 423
 sedimentary basins, 325
 shaded relief, 69, 72, 75, 248, 255, 377, 382
 Shining Tree greenstone belt, Ontario, 397, 399, 409, 410, 411
 short-wavelength (SWL) anomalies, 46, 47, 52, 55, 59, 60
 side lobes, 46, 52, 60
 Sierra Nevada batholith, 37, 55, 347, 356, 357
 silver-cobalt (Ag-Co) vein deposits, Ontario, 392, 393, 394, 411
 Sinyala anomaly, 169
 Snake River Plain, 8, 20
 source-depths, 47
 source geometry, 46
 South Carolina, 314
 South Dakota, 233
 southeastern United States, 308
 southern Africa, 144, 151
 southern Indiana arm, 301
 Southern Oklahoma aulacogen, 1, 13, 17, 22, 209, 255
 Southern province, Canada, 393
 Southern Rockies, 33
 Spavinaw, Oklahoma, 288
 Spearfish Formation, 236, 238, 239, 240, 242, 246
 spectral enhancement, 213
 spectrally filtered maps, Kansas, 213, 214, 231
 spherical harmonic analysis, 89
 spherical harmonic coefficients, 89, 95, 98
 Sri Lanka geoid low, 88, 89, 95
- strike-sensitive filtering, 375, 381, 382, 390, 440
 strike-slip faults, Brazil, 125, 126, 128
 structural-elements map, 337
 structural relations, west Texas, 198, 209
 subvolcanic intrusions, 361, 362, 363, 365, 366, 370, 371, 372, 373
 Sudbury-Cobalt area, Ontario, 392, 393, 411
 Superior province, 375, 393, 395, 399, 410, 411
 susceptibility measurements, 429, 431, 432, 436, 437, 438
 suture, Africa, 144, 151
- Tallahassee/Suwannee terrane, 11
 tectonic history, west Texas, 198, 209
 tectonic terranes, Michigan and Wisconsin, 267, 268, 269, 271, 272, 274, 275, 277, 279, 280, 281, 285
 Tennessee, 310
 terrain corrections, 38, 46
 Texas lineament, 36
 Texas zone, Arizona, 174
 38th-parallel lineament, 15, 302
 Tibet plateau, 112
 tilted-block pattern, Brazil, 130
 total-field maps, 418, 423, 439, 448
 total-intensity maps, China, 440, 441
 transition zone, Arizona, 165
 trend-pass filter, 213, 228, 231
 triple junction, Africa, 147
 two-dimensional gravity models, 267, 268, 269, 271, 281, 284
 two-dimensional models, 320, 322, 323, 329
- United States, conterminous, gravity data, 38
 upward continuation filters, 213
 U.S. Atlantic continental margin, 325
 USSR, 103, 105
- Ventura basin, 347, 357, 359
 Venus, 88, 98, 101
 Vermilion Granitic Complex, 375, 379, 389
 vertical gradient mapping, Ontario, 392, 399
 volcanic rocks, Pakistan, 134, 136, 138, 141
 volcanic terrain, 361, 362, 363
 volcanoes, 361, 362, 363, 365, 366, 370, 371, 372, 373
- Walker lane, 36
 wavelength-filtered gravity maps, 46
 wavelength-filtered magnetic maps, 325, 336, 337
 Western North Atlantic passive margin, 340
 west Texas, 198, 209
 White Mountains intrusive body, 164, 169, 171, 172, 174, 175, 178
 Wichita-Arbuckle system, 36
 Wichita system, 13
 Wichita uplift, 58, 59, 60
 Williston basin, 58
 Wilson cycle tectonics, 130
 Wisconsin, 267, 269, 272, 274, 277, 279, 280, 281, 282, 284
 Wolf River batholith (WRB), 267, 268, 269, 272, 274, 280, 282, 284, 285
- Zagros suture, 115
 zone of failure, 59