

Index

A

- Abkatun Formation, 391, 392, 394
- Acarinina*, 406–407
- Adjuntas Formation, 234, 236
- Akimpech Formation
 - lithofacies distribution in, 347–349
 - stratigraphy of, 345–349
- Albian
 - of Ixtapa graben, 200–202, 204
 - paleogeographic map of northeast Mexico, 71
 - sequence stratigraphy of Mexico, 70
- Ammonites
 - biostratigraphy of, 9
 - France-to-Mexico correlation of, 384
 - heteromorphs of, 358
 - Jurassic of Mexico, 5–11, 23–25
 - of Potrero de García, 361–362, 364, 368
 - sexual dimorphism in, 360
 - of Sierra Madre Oriental, 148, 376, 377
 - systematic paleontology of, 360, 362–368
 - of Taraises Formation, 355–368
 - whorl measurements of, 363, 365
 - of Zacatecas Formation, 298, 302
- Ammonoids, Triassic of Mexico, 297, 298, 302, 305
- Anatomites*, 302
- Ancient continent, of eastern Mexico, 16, 20
- Angostura field, cross section of, 287
- Anhydrite, in Rodador field, 435
- Antimonio Formation, 304–305
- Apatite geochronology, of Sierra Madre Oriental burial, 167, 170–174
- Aptian
 - paleogeography of northeast Mexico, 67
 - paleogeography of Sabinas Basin, 257, 258
 - sequence stratigraphy of Mexico, 66–70
- Area Chiapas-Tabasco, location of, 444
- Arroyo La Tinaja, Viento Formation in, 237
- Arteaga complex, 308
- Artesa-Mundo Nuevo platform, sedimentary model for, 444–446
- Ataxioceras*, 9, 20, 25
- Austin Formation, 255

B

- Baja California, Triassic of, 305
- Bajocian, transgressions of, 5–7, 8
- Balsas Portals, 3, 5
- Barcodon wells, 12, 14
- Barranco Group, 304
- Barremian
 - paleogeography of northeast Mexico, 67
 - paleogeography of Sabinas Basin, 255, 257
 - sequence stratigraphy of Mexico, 66–68
- Basinal assemblages, of Mesozoic Mexico, 38
- Bathonian, of Gulf of Mexico, 19

- Bay of Campeche, 85
 - burial-history chart of, 115
 - charts of oil-field information for, 96–98, 102–103
 - map and oil fields of, 88
 - oil/source-rock correlation in, 131
 - source rocks of, 112
- Bejuoceras*, 357, 358, 361
- Bejuco paleocanyon
 - location of, 422
 - Neocomanian-Eocene unconformity in, 428–429
 - stratigraphic analysis of, 428
- Berriasian
 - ammonites of Taraises Formation, 353–354
 - paleogeography of Sabinas Basin, 253
 - paleogeography of Sierra Madre Oriental, 373
- Biomarkers, for Mexican Gulf Coast Basin oils, 132–133, 135
- Bivalves, Jurassic of Mexico, 24, 25
- Bocacajeta wells, 13, 15
- Boca La Carroza, lentil of, 226, 227, 229
- Bochianites*, 357, 358, 376
- Bonanza fold nappe, 153, 156
- Boquiapan-Balsam transgression, 10
- Borehole-image analysis, for Muspac and Catedral fields, 450–462
- Bositra*, 25
- Bouguer gravity anomalies, of north-central Mexico, 30–31
- Burial history
 - of Bay of Campeche, 115
 - of Pimienta-Tamabra(!) petroleum system, 113–115
 - of Sierra Madre Oriental, 175
- Burro-Salado arch, tectonics of, 52

C

- Caborca Block, 37
- Cahuasas Formation, 14
- Cahuayotes wells, 12, 13
- Callovian
 - of Gulf of Mexico, 19
 - paleogeography of Mexico, 5, 62
 - paleogeography of Sabinas Basin, 250
 - rifting of Pangea, 54
 - sequence stratigraphy of Mexico, 58
 - transgressions of, 8, 17
- Calpionellids, of Sierra Madre Oriental, 375–376, 377
- Campanian
 - of Campeche shelf, 391–392
 - of Ixtapa graben, 202, 204
 - microfossils of, 149
 - paleogeography of Sabinas Basin, 260
- Campeche shelf
 - carbonate facies of, 349
 - Cretaceous-Paleocene boundary of, 389–395
 - cross sections of, 393, 394
 - foraminifera of, 390–391

- location maps of, 344, 346, 390
 stratigraphy of, 344–352, 390–392, 393, 394
 structural deformation of, 392
- Campeche Sound
 chronostratigraphy of, 415, 416
 foraminifera biostratigraphy of, 398–416
 location map of, 398
- Campylotoxus*, 383
- Cantarell Formation, 391–392, 394
- Capeloites*, 362–363, 364, 368
- Carbonates
 facies of Campeche shelf, 349
 lentils in La Popa Basin, 222, 226, 228, 233–234
 recovery factors for reservoirs of, 107
 reservoir facies of southern Gulf of Mexico, 107
- Carbon isotopes, of La Huasteca section, 381
- Caribbean area, plate tectonics of, 185
- Carroza Formation, 235–237
- Catapsydrax*, 410
- Catedral field
 cross section through, 446
 dipmeter and borehole-image log analysis in, 450–462
 gas-water contact in, 469, 470
 lithology and porosity of reservoirs in, 450
 location of, 444
 production data for, 467–471
 seismic data for, 463–466
 stratigraphy of, 446–450, 458
 structure of, 445, 466, 469, 470
 well-log cross section of, 449
- Catemaco anticline, 278
- Cedro-Cucurpe transgression, 10
- Cenomanian
 of Ixtapa graben, 202, 204
 paleogeography of northeast Mexico, 72
 paleogeography of Sabinas Basin, 258
 sequence stratigraphy of Mexico, 70–71
- Central America, plate tectonics of, 185
- Ceratites*, stratigraphy of, 302
- Channel-fill deposits, of Nazas Formation, 333
- Charcas area, Zacatecas Formation in, 298
- Chiapas massif, tectonic setting of, 187
- Chiapas transgression, 10
- Chicoasen area, map of, 199
- Chicoasen–San Cristobal fault, 194–195, 199
- Chicomuselo anticlinorium, tectonics of, 191
- Chicontepec Formation, 424, 425
- Chicontepec paleocanyon
 location of, 422
 sequence analysis of, 423–425, 426
- Chicxulub impact crater, 84
- Chihuahua trough, 48–49
- Chronostratigraphy
 of Campeche Sound, 415, 416
 of northeast Mexico, 56
 of Texas Gulf Coast, 56
- Ciudad Mante area, burial history of, 175
- Coahuila Block, 33, 36
 tectonics of, 48–49, 50, 51–52
- Coahuila Platform, sedimentation rates of, 261
- Coahuilteceno, 4
- Coapas Formation, stratigraphy of, 338–339
- Cocos-Nazca spreading center, 274–275
- Comalcalco Basin, 192
- Concepción Inferior Formation, 435
- Coniacian, paleogeography of Sabinas Basin, 259
- Critical-wedge mechanical model, 259
- Crustal density, differences in, 32
- Crustal modeling, of north-central Mexico, 31–35
- Crustal-scale gravity models, of north-central Mexico, 31–35
- Cuachiquitla wells, 11
- Cuenca del Sureste, geology of, 444–446
- Cuesta del Cura Formation, 71
- Cupido Formation, 68

D

- Debris-flow deposits, of Nazas Formation, 333–335
- Delgado Sandstone Member, of Potrerillos Formation, 231, 232, 233
- Delgado syncline, 236
- Diachronous base
 of Huasteca Series, 11–13
 of Jurassic-Cretaceous, 19
- Diapirs, in La Popa Basin, 222–225, 233
- Dichotomites*, 13, 364, 365, 366
- Difunta Group, 228–229
- Dipmeter log analysis, for Muspac and Catedral fields, 450–462
- Discosphinctes*, 10, 19, 20
- Durangites*, 9

E

- Eagle Ford Formation, 255
- East Pacific Province, ammonites of, 5–7
- Edzna Formation
 lithofacies distribution in, 351
 stratigraphy of, 349–350
- Ek-Balam Group, stratigraphy of, 344–345, 347
- El Angel range, 152, 153
- El Chilar anticline, 150
- El Doctor carbonate bank, structural geometry of, 153
- El Doctor Formation, 148, 150
- El Doctor thrust, 150, 152, 154
- El Gordo diapir, 222, 224, 231
- El Palmar–Concepción flower structure, 195
- El Papalote diapir, 222, 224, 233
- El Papalote lentils, 233
- El Picacho, outcrop photos of, 154, 155
- El Piñón anticlinorium, 152
- El Toro lentils, 226, 227
- El Tunel flower structure, 195
- El Volantín thrust fault, 154, 156, 163
- Encanto Formation
 depositional model of, 435–436
 producing sands in, 438, 439
 well logs of, 437
- Epistrenoceras*, 6
- Escondido Formation, 256
- Eustatic curves, and sequence stratigraphy, 378
- Evaporites
 diapirs of La Popa Basin, 222–225

Olvido, 59
 in origin of Gulf of Mexico, 3
 of Rodador field, 435
 in Sierra de Chiapas, 192

F

Fission-track dating, of Sierra Madre Oriental burial, 170–173, 174, 175
 Flower structures, in Ixtapa graben, 195
 Fluid-inclusion analysis, of Sierra Madre Oriental burial, 165–166, 168–170, 171
 Fold-and-thrust belt, of Mesozoic Mexico, 38
 Foraminifera
 biostratigraphy in Campeche Sound, 398–416
 of Campeche shelf, 390–391
 Foreland basin, of Sierra Madre Oriental, 176
 Fracture density, in Muspac and Catedral fields, 457, 461

G

Gamma-ray log, of Taraises Formation, 355
Garcites, 363, 365–366, 367, 368
 Gas fields, of southeast Mexico, 444
 Gas resources, of Sabinas Basin, 263–267
 Geochronology, of Sierra Madre Oriental burial, 164–174
Globigerina, 409–410, 413
Globigerinatheka, 407, 408
Globigerinoides, 410–411
Globorotalia, 409, 411–413, 434
Glochiceras, 9
 GOM province, *see* Gulf of Mexico province
 Gordo lentil, 231
 Graphic correlation, of Campeche Sound foraminifera, 414
 Gravity anomalies, of Mexico, 30–31
 Gravity data and models, of north-central Mexico, 30–35
 Greenhouse conditions, during Valanginian, 372–373, 385–386
 Grenville belt, 2
 Growth strata, 278
Guerrericeras, 24
 Guerrero terrane, 307–308
 Gulf Coast Basin, *see also* Mexican Gulf Coast Basin
 Mexican petroleum provinces in, 127–140
 Oxfordian source rocks of, 128–132
 Tertiary basins of, 191–192
 Gulf of Mexico, *see also* Campeche shelf; Campeche Sound; Gulf Coast Basin
 foraminifera biostratigraphy of, 391, 398–416
 Jurassic-Cretaceous of, 13–17, 19–21
 map of, 84
 Mexican basins map of, 128
 Mesozoic stratigraphy of, 17–21
 opening of, 3–4, 86
 origin of, 2–5
 paleocanyons in, 422–429
 structural cross section of, 394
 in Tampico region, 13–17
 Gulf of Mexico (southern)
 carbonate reservoir facies of, 107
 cross section of, 113

stratigraphic chart of, 89
 Gulf of Mexico (GOM) province, tectonic evolution of, 45–75
 Gulf of Mexico rim, Mesozoic sequence stratigraphy of, 45–75
 Gulf of Tlaxiaco, 7

H

Hantkenina, 407
 Hauterivian
 ammonites of Taraises Formation, 353–354
 paleogeography of Sabinas Basin, 253, 254, 255
 HDT logs, for Muspac and Catedral fields, 450, 452
 Heat-flow history, for Veracruz Basin, 285
Hecticoceras, 25
 Helium dating, of Sierra Madre Oriental burial, 170–174
 Hiatus, and paleocanyons, 427, 429
 Hispanic Corridor, 3, 5
 Huasteca Series, *see* La Huasteca section
 Huayacocotla Formation, 14
 Huizachal-Peregrina anticlinorium, 35

I

Idoceras, 9, 10, 23
 Illite age analysis, of Sierra Madre Oriental burial, 168
 Indidura Formation, 227
 In-situ stress (SHmax) orientation map, Muspac and Catedral fields, 462
 Isostatic residual gravity anomalies, of north-central Mexico, 32, 36
 Isotopes
 of La Huasteca section, 379–381
 of San Lucas section, 379–381, 384
 Isotopic excursion, in Sierra Madre Oriental, 371–386
 Isthmian Saline Basin, 191–192
 Ixcatepec wells, 11
 Ixtapa Formation, paleogeography of, 209, 211
 Ixtapa graben
 bounding faults of, 194–196
 cross sections of, 198
 deformation of, 209–211
 early work on, 184–185
 extension of, 212, 213
 flower structures in, 195
 geologic map of, 189
 inception of, 206–207
 paleogeography of, 200–212
 stratigraphy of, 197–200, 201
 tectonic development of, 200–212
 Ixtazoquico wells, 11, 12

J

Jurassic
 ammonites of, 5–11, 23–25
 bivalves of, 24, 25
 Gulf of Mexico stratigraphy, 17–21
 magmatic arc of Mexico, 37
 of northeastern Mexico, 4–11
Juvavites, Triassic of Mexico, 302

K

- Karakaschiceras*, 358, 359, 361, 364–366, 368
Keplerites, 6, 19
 Kerogens, of Veracruz Basin, 286, 287
 Kimmeridgian
 of Campeche shelf, 345–346, 347, 349, 350
 of Gulf of Mexico, 21
 of La Popa Basin, 224
 paleogeography of northeast Mexico, 63
 paleogeography of Sabinas Basin, 251
 sequence stratigraphy of Mexico, 58–59
 Kinematic measurements, in Veracruz Basin, 276

L

- La Boca Formation, 304
 La Casita Formation, 241, 250, 252, 374
 La Gloria Formation, 59, 246, 247
 Lahars, of Nazas Formation, 333
 La Huasteca section
 biostratigraphy of, 375–376, 377
 deposition of, 15, 16
 diachronous base of, 11–13
 lithology of, 374, 376
 microfacies and sequence boundaries of, 376–378, 379
 stable isotopes of, 379–381
 La Media Luna range, 153, 156
 Lamellibranchs, Triassic of Mexico, 302
 Landsat image, of northwest Gulf of Mexico rim, 46
 La Peña Azul Formation, 148, 150
 La Peña Formation, 226, 227
 La Popa Basin, 159, 163, 177
 carbonate lentils in, 222, 226, 228, 233–234
 Cretaceous-Eocene stratigraphy of, 225–237
 geologic map of, 221
 Jurassic stratigraphy of, 222–225
 tectonics of, 52
 La Popa lentil, 234
 La Popa weld, 227–228, 230
 Laramide orogeny, 50
 intrusives, of north-central Mexico, 38
 late burial of, 159–178
 onset of in Chiapas, 205
 and Sierra Madre Oriental, 146–149, 159–178
 in Teyra–San Julián region, 320
 timing of, 154–155, 162–163
 and Veracruz Basin, 273
 Las Trancas Formation, 148, 153, 154
 Lentils, in La Popa Basin, 222, 226, 228, 233–234
 Lineaments, 37
 Los Cues wells, 12, 13
 Los Mangles wells, 13, 15
Lyogryphaea, 7, 24

M

- Macuspana Basin, 192
 Maestrichtian
 of Campeche shelf, 391–392
 of Ixtapa graben, 203, 204
 paleogeographic map of northeast Mexico, 73
 sequence stratigraphy of Mexico, 72

- Magmatic arcs, of north-central Mexico, 31–38
 Malpaso-Aztlán fault, 195
 Mantarraya wells, 13, 15
Mazapilites, 9
 Mazapil transgression, 8–10
 Megashear, Mojave-Sonora, 2, 306–307
 Méndez Formation, kerogens of, 287
 Metlaltoyuca-Huehuetla transgression, 6
 Mexican geosyncline, 48–49
 Mexican Gulf Coast Basin
 biomarkers for oils from, 132–133, 135
 oil-group distribution in, 129, 130, 134, 137, 138
 oil/source-rock correlation, 131, 134, 136, 139
 petroleum in, 127–140
 Mexico, *see also various regions of Mexico (below)*
 gravity stations in, 30
 Jurassic transgressions in, 5–11, 23
 Mesozoic red-bed outcrops in, 318, 324, 325, 333–336
 as Pangea's western margin, 21–22
 Permian paleogeography of, 2
 pre-Oxfordian stratigraphy of, 337–339
 tectono-stratigraphic terranes of, 3, 4, 307–309, 310
 Triassic platform facies lacking in, 300–301
 Triassic turbidites of, 299–300
 Mexico (eastern)
 cross sections of, 10, 11–15
 paleocanyons in, 421–429
 subsurface of, 11–13
 tectonic map of, 273
 Mexico (north-central)
 gravity data of, 30–31
 physiographic provinces of, 321
 transpressive structures of, 37–38
 Triassic stratigraphy of, 304–305
 Mexico (northeastern)
 cross sections of, 57, 60
 Mesozoic tectonic evolution of, 52–55
 paleogeographic maps of, 61–65
 paleotectonic map of, 53
 stratigraphy of, 4, 72–75, 372
 structural map of, 220
 tectonic elements of, 47, 49, 50–52
 Mexico (southeastern)
 geologic setting of, 185–187
 Gulf Coast basins of, 191–192
 Neogene fold belt of, 187–192
 paleotectonic maps of, 204, 208, 210
 petroleum province of, 444
 structural model for, 445
 tectonic map of, 186
 Microfossils, from La Popa lentils, 228
 Milagro section, of Nazas Formation, 325–326
 Minas Viejas Formation, 224
 Mojave-Sonora Megashear, 2, 37
 affect on Zacatecas Formation, 306–307
 tectonics of, 51
 Monclova block, of Sabinas Basin, 252
Monotis, 21
 Monterrey salient, 164, 177
 Monterrey-Salttillo area, tectonics of, 47
 Morozovella, 399, 406, 407

Muerto Formation, 229, 231

Muspac field

- dipmeter and borehole-image log analysis in, 450–462
- gas-water contact in, 468
- lithology and porosity of reservoirs in, 450
- location of, 444
- production data for, 467–471
- seismic data for, 463–466
- stratigraphy of, 446–450, 459
- structure of, 445, 466, 468
- well-log cross section of, 448

N

Nazas Formation, 304

- framework grain composition of, 332
- geologic setting of, 319–321
- lithostratigraphy of, 322–326, 328, 337–338
- red beds of, 318, 324, 325, 333–336
- sedimentary petrology of, 329–332
- tectonic evolution of, 309
- volcanic petrology of, 326–327, 332–333

Neocomian

- paleogeography of northeast Mexico, 65
- sequence stratigraphy of Mexico, 61
- unconformity in Bejuco paleocanyon, 428–429

Neocomites, 357, 358, 361

Neocomitinae ammonites, 357, 358

Neogene, fold belt of Mexico (southeast), 187–192

Neuquenicerias, 6, 7, 15, 23, 25

North American Plate

- separation from South America, 3
- subduction of, 37

North Atlantic Ocean, origin of, 2–5

O

Oaxaca, stratigraphy of, 5–7

Oceanic terrains, of north-central Mexico, 31–38

Ochetoceras, 10, 19, 23, 24

Olcostephanus, 359, 360, 361, 376

Oleanane, from Mexican Gulf Coast oils, 135

Olmos Formation, 255

Olvido Formation, 59, 247

Orbulinoides, 408

Orizaba fault zone, 277, 279

Orizaba Formation, kerogens of, 286

Ouachita-Marathon belt, 34–35

- tectonics of, 50–51

Ouachita orogen, 2

Oxfordian

- of Campeche shelf, 344–345, 347
- Gulf Coast Basin source rocks, 128–132, 134
- of Gulf of Mexico, 19–21, 54
- paleogeography of northeast Mexico, 62, 63
- paleogeography of Sabinas Basin, 250
- sequence stratigraphy of Mexico, 58–59

Oxygen isotopes, of La Huasteca section, 381, 383

P

Pacific Ocean, ammonites of, 5–7

Padilla Formation, 252

Paleocanyons, in Gulf of Mexico, 422–429

Pangea

- breakup of, 54
- margins of, 36
- Mexico as western margin of, 21–22
- reconstructions of, 5, 6
- rifting of, 3
- Triassic western margin of, 295, 308

Parras Basin, 33, 159, 177

geologic map of, 221

tectonics of, 52

Parras Shale, 227–228

Peltoceras, 7

Petroleum charge, for Pimienta-Tamabra(!) petroleum system, 115–116

Petroleum exploration, in Sabinas Basin, 260–267

Petroleum potential, of Pimienta-Tamabra(!) petroleum system, 120–123

Petroleum systems

- of Sierra de Chiapas, 212–213
- Pimienta-Tamabra(!), 83–123

Piedras Blancas section, of Nazas Formation, 323–324

Pillow lavas, of Zacatecas Formation, 296

Pimienta Formation, as Gulf of Mexico source rock, 109–111

Pimienta-Tamabra(!) petroleum system

- cross section of, 113
- events chart for, 118
- exploration history of, 98–99
- map of, 86, 122
- petroleum charge for, 115–116
- petroleum geochemistry of, 99–109
- petroleum potential of, 120–123
- regional setting of, 84–99
- reservoir and seal rocks of, 116–119
- source rocks of, 109–113
- thermal maturation in, 113–115
- trap formation and timing of, 119–120

Placetas wells, 11

Planorotalites, 399

Plate tectonics, of Gulf of Mexico, 185, 274, 275

Posidonia, 7, 25

Potassium/argon dating, of Sierra Madre Oriental burial, 164–165, 167

Potreros Formation, 229–234, 235

Potrero de García, ammonites from, 361–362, 364, 368

Poza Rica area

- cross section of wells of, 10
- isometric map of wells of, 18
- paleocanyons of, 424–425
- stratigraphy of, 223, 424–425
- subsurface of, 16
- structural cross section of, 427

Praeorbulina, 410

Pre-Oxfordian stratigraphy, of Mexico, 337–339

Pueblo Viejo wells, 13, 15

Pyroclastic rocks, of Nazas Formation, 330

Q

Quaternary, of Ixtapa graben, 212, 213

Querétaro State, stratigraphy of, 149

R

- Radiolaria
 - of Sierra Madre Oriental, 147
 - in Zacatecas Formation, 296
- Rancho Quemado duplex, 152, 155
- Recovery factors, for carbonate reservoirs, 107
- Red beds
 - of Nazas Formation, 318, 324, 325, 333–336
 - in origin of Gulf of Mexico, 3
- Reforma-Akal uplift, 191
- Reineckeia*, 6, 15, 25
- Reservoir rocks, of Pimienta-Tamabra(!) petroleum system, 116–118
- Residual gravity anomalies, of Mexico, 31, 32
- Reverse-fault province, tectonics of, 190
- Rodador field
 - anhydrite and salt in, 435
 - discovery of, 434
 - layout of, 435
 - petroleum geology of, 435–439
 - stratigraphy of, 434
 - well-log cross sections of, 437, 438
- Rodeo Formation, 317, 337

S

- Sabinas Basin, 36
 - basement complex of, 248–249
 - boundary sequences in, 256
 - cross section of, 57
 - gas resources of, 263–267
 - hydrocarbon-generation window in, 261
 - maps of, 242, 244
 - origin of, 242–246
 - paleogeography of, 243, 250–255, 257–260
 - petroleum exploration in, 260–267
 - sedimentation rates of, 261
 - stratigraphy of, 223, 245, 247
 - structural geology of, 257–260, 262, 263
 - supersequences of, 246–257
 - tectonics of, 52
- Salina area, 85
 - charts of oil-field information for, 92–95, 102–103
 - map and oil fields of, 88
- Salinosa section, of Nazas Formation, 324–325
- Samalayuca transgression, 10
- San Andrés paleocanyon
 - location of, 422
 - stratigraphic analysis of, 426, 427
- San Juan Complex, proposal of, 338
- San Juan de la Rosa Formation, 145, 150
- San Lorenzo syncline, 150
- San Lucas section
 - biostratigraphy of, 375–376, 377
 - correlation to Vocontian Basin (France), 384
 - lithology of, 374, 375
 - microfacies and sequence boundaries of, 376–378, 379
 - stable isotopes of, 379–381, 384
- San Luis Potosí State
 - Mesozoic evolution of, 310
 - Zacatecas Formation outcrops in, 298, 307
- San Miguel Formation, 255
- Santonian, of Ixtapa graben, 202, 204
- Sarasinella*, 357, 358
- Seafloor spreading, Oxfordian in Gulf of Mexico, 54
- Second-order supersequence stratigraphy, of northeast Mexico, 72–75
- Seismic lines
 - of Rodador field, 435, 436
 - of Veracruz Basin, 279, 280, 281, 283
 - of Muspac and Catedral fields, 463–466
- Sequence stratigraphy
 - cross sections of Mexico, 57, 60
 - eustatic curves and, 378
 - of Mesozoic Gulf of Mexico rim, 45–75
- Sexual dimorphism, in ammonites, 360
- SHDT logs, for Muspac and Catedral fields, 450, 452
- Sheetflood deposits, of Nazas Formation, 333
- Sierra de Chiapas
 - early work in, 184–185
 - evaporites of, 192
 - fold belt of, 445
 - geologic setting of, 185–186
 - paleotectonic maps of, 204, 208, 210
 - petroleum systems of, 212–213
 - stratigraphy of, 192–194, 196
 - tectonics of, 187
- Sierra de Salinas, Triassic sandstones at, 297–298
- Sierra de San Julián, Nazas Formation of, 317, 322–326, 328
- Sierra Madre Oriental
 - ammonites of, 376
 - burial-history diagram of, 175
 - cross sections of, 151, 176, 177
 - foreland basin of, 176, 220
 - geologic setting of, 146, 147, 161–164
 - isotopic excursion in, 371–386
 - Jurassic of, 15–16
 - La Huasteca section of, 374–381
 - Laramide orogeny and, 38, 146–149, 159–178
 - Mesozoic paleogeography of, 373
 - provinces of, 165
 - San Lucas section of, 374–381
 - stratigraphy of, 146–149, 166, 223, 225
 - structural geometry of, 150–154
 - tectonics of, 48–49, 50–51, 162
 - thrust front of, 34, 35, 36
- Sierra monocline
 - geologic map of, 188
 - tectonics of, 190
- Sonora
 - Triassic deep-marine facies lacking in, 301
 - Triassic stratigraphy of, 304–305
- Source rocks
 - Jurassic of Gulf of Mexico, 109–113
 - Oxfordian of Gulf Coast Basin, 128–132
 - of Veracruz Basin, 280–281, 284, 286
- South America, separation from North America, 3
- Soyatal-Méndez Formations, 148–149, 153–154
- Stable isotopes
 - of La Huasteca section, 379–381
 - of San Lucas section, 379–381, 384

Stephanoceras, 5–6, 23, 24
 Steranes, from Mexican Gulf Coast oils, 135, 136, 138
 Strike-slip Fault province, 185
 geologic map of, 188
 tectonics of, 187–190
 Strike-slip faults, of northern Mexico, 37
 Subsidence curve, for Veracruz Basin, 285
 Supersequences
 of northeast Mexico, 56
 of Sabinas Basin, 246–257
 second-order, of northeast Mexico, 72–75
 Systematic paleontology, of ammonites, 360

T

Tabasco State, Rodador field of, 434
 Tamaulipas arch, 52
 Tamaulipas block, of Sabinas Basin, 252
 Tamaulipas Formation, 148, 150, 153–154, 254
 Tamaulipas State, La Boca Formation in, 304
 Tamazunchale area, Jurassic of, 15–16
 Tampico region, 85
 charts of oil-field information for, 90–91, 100–101
 isometric map of wells of, 18
 Jurassic Gulf of Mexico opening in, 13–17
 metamorphic/intrusive rocks of, 15
 oil/source-rock correlation in, 134
 subsurface of, 11–13, 16
 wells of, 11–13
 Tarais Formation, 66
 age in subsurface, 355, 361
 ammonites of, 355–368
 cross sections of, 356
 gamma-ray log of, 355
 isotopic excursion in, 372
 location maps for, 354, 355
 stratigraphy of, 354–361
Taraisites, 360
 Taray Formation, 303, 337
 Tecocoyunca Series, 6
 Tecpatán-Ocosingo fault, displacements on, 191
 Tectono-stratigraphic terranes
 of Mexico, 3, 4
 Triassic of central Mexico, 307–309, 310
 Tenejapa fault, displacements on, 191
 Terpanes, from Mexican Gulf Coast oils, 136, 138
 Tertiary
 of Ixtapa graben, 203–212
 of Campeche Sound, 397–416
 Tethys, correlations to Mexico in Valanginian, 372, 385–386
 Texas
 chronostratigraphy of Gulf Coast of, 56
 gravity stations in, 30
 paleotectonic map of Southwest, 53
 seismic line of, 58
 stratigraphy of Gulf Coast of, 223
 Texas lineament, 37
 Teyra–San Julián region
 geologic setting of, 319–321, 322
 topographic map of, 320

Thermal maturation, in Pimienta-Tamabra(!) petroleum system, 113–115
 Thermochronometry, of Sierra Madre Oriental burial, 166
 Tithonian
 of Campeche shelf, 349–350
 Gulf Coast Basin source rocks, 132–136
 paleogeography of northeast Mexico, 64
 paleogeography of Sabinas Basin, 251
 paleogeography of Sierra Madre Oriental, 373
 sequence stratigraphy of Mexico, 60–61
 Todos Santos Formation, 193
 Topila wells, 12, 14
 Transgressions
 Bajocian Oaxaca, 5–7
 Boquiapan-Balsam, 10
 Cedro-Cucurpe, 10
 Chiapas, 10
 of Jurassic of Mexico, 5–11, 23
 Mazapil, 8–10
 Metlaltoyuca-Huehuetla, 6
 Samalayuca, 10
 Transpression
 in Sierra de Chiapas, 207, 209
 in northern Mexico, 37–38
 Transtensive regime, in Sierra de Chiapas, 207–208, 212
 Triassic
 ammonoids of Mexico, 297, 298, 302, 305
 of Baja California, 305
 magmatic arc of Mexico, 35–36
 outcrops of central Mexico, 296–298, 302
 stratigraphy of, 303–304
 of Zacatecas City, 296–297, 307
 Triterpanes, from Mexican Gulf Coast oils, 135
Truncorotaloides, 408
 Tulapan anticline, 278
 Turbidites, of Zacatecas Formation, 299–300
 Turbidity currents, of Mesozoic Mexico, 38
Turborotalia, 408–409
 Tuxpan area, 85
 burial-history chart of, 115
 charts of oil-field information for, 90–92, 100–102
 map and oil fields of, 87

U

UBI logs, for Muspac and Catedral fields, 450, 452, 454–456
 Unconformities, and paleocanyons, 423, 424
 Upson Formation, 255

V

Valanginian
 greenhouse conditions in, 372–373, 385–386
 isotopic excursion of, 371–386
 paleogeography of Sierra Madre Oriental, 373
 Valles–San Luis Potosí Platform, 148, 149
 Veracruz area, 85
 burial-history chart of, 115
 oil-field information for, 92–93
 Veracruz Basin, 162, 163
 events chart for, 289

generation and migration in, 282–283, 288
 geochemistry of, 280
 heat-flow history for, 285
 kinematic measurements of, 276
 Laramide orogeny and, 273
 maps of, 272, 273, 275, 276
 plate-tectonic setting of, 274, 275
 reserves of, 272
 reservoir units in, 281, 284, 288
 seismic lines of, 279, 280, 281, 283
 source rocks of, 280–281, 284, 286
 stratigraphy of, 284
 structural evolution of, 272–280
 subsidence curve for, 285
 Viento Formation, 235, 236, 237
 Villahermosa area, 85
 charts of oil-field information for, 94–97, 102–103
 map and oil fields of, 88
Virgatosphinctes, 25
 Vocontian Basin (France), San Lucas section correlation to, 384
 Volcanic arcs, of north-central Mexico, 31–38
 Volcanic rocks, of Nazas Formation, 326–327, 332–333, 336
 Volumetric parameter, 447, 451

W


Wagnericeras, 6, 7, 19, 23, 24
 Walper lineament, 37
 Western Pacific Mexico (WPM) province, tectonic evolution of, 45–75
 Whorl measurements, of ammonites, 363, 365
 WPM province, *see* Western Pacific Mexico province

Y

Yucatán Block, origin of, 3, 8
 Yucatán Platform, tectonic setting of, 186

Z

Zacatacas State
 geologic map of, 322
 Nazas Formation of, 319
 stratigraphic section of, 328
 Zacatecas City
 Mesozoic evolution of, 310
 Triassic outcrops of, 296–297, 307
 Zacatecas Formation
 location of outcrops of, 296–300, 307
 paleogeography of, 300–302
 stratigraphy of, 299, 303
 structural deformation of, 305
 tectonic setting of, 306–309, 310
 Zuloaga Formation, 59, 224, 337–338



The Western Gulf of Mexico Basin

The Gulf of Mexico (GOM) is the most prolific oil- and gas-producing basin in the Americas. As explorers push deeper and deeper into the basin, where will they find the next big fields?

The Western Gulf of Mexico Basin is a multidisciplinary volume covering a wide range of topics related to petroleum geochemistry and hydrocarbon origin, migration, and entrapment. The 21 chapters of AAPG Memoir 75 cover the Mexican side of the basin from a regional perspective through geologic time and discuss structural geology, sedimentary basins, stratigraphy, and case studies of fields.

The book provides:

- the first AAPG Memoir to focus on the petroleum geology of Mexico
- the first integration of onshore-offshore data to help readers understand Mexican petroleum provinces
- new concepts about the paleogeographic evolution of the GOM
- a sequence-stratigraphic framework of the northwestern GOM
- discussions of gas resources, exploitation, and reservoir performance

The Western Gulf of Mexico Basin will be of interest to explorers and managers who want a regional perspective and the detailed information to make better-informed exploration decisions.

ISBN 0-89181-356-X



9 780891 813569