

Appendix C

Existing methods for uncertainty analysis in WWT model-based projects – Complete literature search results

C.1 INTRODUCTION

Several literature searches were conducted to identify potential references for review. One of the authors conducted a search using ISI/Web of Knowledge (Science) in 2008 using various keywords related to wastewater treatment and uncertainty. In 2009 and 2010 the services of a research librarian were used to conduct additional literature searches. The searches of the research librarian included the data bases Compendex, Scopus, and Pollution Abstracts and Toxicology Abstracts 1998 to the present. These searches used key words and topics related to uncertainty in wastewater treatment (wastewater, treatment, uncertainty, evaluation, assessment, modelling, probabilistic, stochastic, sensitivity analysis) and also included searches using author and researcher names known to be working in the area.

The literature searches resulted in an initial list of over 500 references. Abstracts of the references in the initial list were reviewed and 386 references were determined to be directly relevant to the purpose of this chapter. The number of references in the short list fluctuated, with additions made during the detailed review process. An updated literature review for 2011–2019 has been added at the end of the chapter.

While the list cannot be considered comprehensive or complete, it does represent a credible search of the literature and provides the current status of literature activity regarding the subject. The categorization that follows is based on the judgement of the authors and hence is not unique. For example, there are some references assigned to one category that address several other categories. Similarly, some reference studies maybe listed in a category which are not perfectly explained by the concise category titles itself. However, the present choice of categories serves as a framework to synthesize the considerable breadth of the topic and size of the literature search results into discrete and discussable topics.

C.2 ASSESSMENT OF INPUT AND PARAMETER UNCERTAINTY

- Angelbeck D. I. and Minkara R. Y. (1994). Strange attractors and chaos in waste-water flow. *Journal of Environmental Engineering-ASCE*, **120**(1), 122–137.
- Angelbeck D. I. and Minkara R. Y. (1996). Strange attractors and chaos in wastewater flow – closure. *Journal of Environmental Engineering-ASCE*, **122**(3), 242–243.
- Bertrand-Krajewski J.-L., Winkler S., Saracevic E., Torres A. and Schaar H. (2007). Comparison of and uncertainties in raw sewage COD measurements by laboratory techniques and field UV-visible spectrometry. *Water Science and Technology*, **56**(11), 17–25.
- Bormann N. E. and Kincanon E. (1996). Strange attractors and chaos in wastewater flow – discussion. *Journal of Environmental Engineering-ASCE*, **122**(3), 240–240.
- Checchi N. and Marsili-Libelli S. (2005). Reliability of parameter estimation in respirometric models. *Water Research*, **39**(15), 3686–3696.
- Cierkens K., Plano S., Benedetti L., Weijers S., de Jonge J. and Nopens I. (2012). Impact of influent data frequency and model structure on the quality of WWTP model calibration and uncertainty. *Water Science and Technology*, **65**(2), 233–242.
- Cox C. D. (2004). Statistical distributions of uncertainty and variability in activated sludge model parameters. *Water Environment Research*, **76**(7), 2672–2685.
- Daebel H., Manser R. and Gujer W. (2007). Exploring temporal variations of oxygen saturation constants of nitrifying bacteria. *Water Research*, **41**(5), 1094–1102.
- Droic A. and Ro M. (2002). Uncertainty of ammonium nitrogen determination in wastewater. First International Conference on Waste Management and the Environment, Waste Management 2002, September 4, 2002–September 6, 2002, Cadiz, Spain, Wit Press.
- Droic A. and Ro M. (2004). Assuring comparability of results of nitrate determinations in wastewater: Application of metrological principles. Second International Conference on Waste Management and the Environment, September 29, 2004–October 1, 2004, Rhodes, Greece, WITPress.
- Fang F., Ni B. and Yu H. G. (2009). Estimating the kinetic parameters of activated sludge storage using weighted non-linear least-squares and accelerating genetic algorithm. *Water Research*, **43**(10), 2595–2604.
- Friedler E. and Butler D. (1996). Quantifying the inherent uncertainty in the quantity and quality of domestic wastewater. *Water Science and Technology*, **33**(2), 65–78.
- Guimaraes A. D., Carvalho J. J., Gonçalves C. and Alpendurada M. F. (2008). Simultaneous analysis of 23 priority volatile compounds in water by solid-phase microextraction-gas chromatography-mass spectrometry and estimation of the method's uncertainty. *International Journal of Environmental Analytical Chemistry*, **88**(3), 151–164.
- Huo J. (2005). Application of statistical methods and process models for the design and analysis of activated sludge wastewater treatment plants (WWTPs), The University of Tennessee.
- Huo J., Cox C., Seaver W., Robinson B. and Jiang Y. (2008). Innovative Missing Data Replacement Methods Using Time Series Models, ASCE, Honolulu, Hawaii.
- Hvala N., Zec M. and Strmcnik S. (2008). Non-linear model parameter estimation – estimating a feasible parameter set with respect to model use. *Mathematical and Computer Modelling of Dynamical Systems*, **14**(6), 587–605.
- Joannis C., Ruban G., Gromaire M.-C., Cheboo G. and Bertrand-Krajewski J.-L. (2008). Reproducibility and uncertainty of wastewater turbidity measurements. *Water Science and Technology*, **57**(10), 1667–1673.
- Kim H. S., Yoon Y. N. and Kim J. H. (2001). Searching for strange attractor in wastewater flow. *Stochastic Environmental Research and Risk Assessment*, **15**(5), 399–413.
- Leander R., Buishand A., Aladers P. and De Wit M. (2005). Estimation of extreme floods of the River Meuse using a stochastic weather generator and a rainfall-runoff model. *Hydrological Sciences Journal*, **50**(6), 1089–1104.
- Liu X.-P. and Zhou Y.-W. (2005). Stochastic simulation of sanitary flow series using Markov chain. *Harbin Gongye Daxue Xuebao/Journal of Harbin Institute of Technology*, **37**(5), 642–645.
- Lockie T., Cowpertwait P., Davis M., Kinley P. and Paterson G. (2003). Evaluation of Historic and Stochastic Rainfall in Network Modelling in the Integrated Catchment Study of Auckland, New Zealand. World Water and

- Environmental Resources Congress 2003, June 23, 2003–June 26, 2003, Philadelphia, PA, United States, American Society of Civil Engineers.
- Marsili-Libelli S., D'Ardes V. and Bondi C. (2008). Development of an open-vessel single-stage respirometer. *Water Science and Technology*, **57**(10), 1675–1682.
- Marsili-Libelli S. and Giunti L. (2002). Fuzzy predictive control for nitrogen removal in biological wastewater treatment. *Water Science and Technology*, **45**(4–5), 37–44.
- Ort C., Schaffner C., Giger W. and Gujer W. (2005). Modelling stochastic load variations in sewer systems. *Water Science and Technology*, **52**(5), 113–122.
- Panjan J., Bogataj M. and Kompare B. (2005). Statistical analysis of the equivalent design rainfall. *StatistiÄna Analiza Gospodarsko Enakovrednih Nalivov Strojnski Vestnik/Journal of Mechanical Engineering*, **51**(9), 600–611.
- Puig S., van Loosdrecht M., Colprim J. and Meijer S. C. F. (2008). Data evaluation of full-scale wastewater treatment plants by mass balance. *Water Research*, **42**(18), 4645–4655.
- Rauch W., Brockmann D., Peters I., Larsen T. A. and Gujer W. (2003). Combining urine separation with waste design: An analysis using a stochastic model for urine production. *Water Research*, **37**(3), 681–689.
- Rieger L., Thomann M., Gujer W. and Siegrist H. (2005). Quantifying the uncertainty of on-line sensors at WWTPs during field operation. *Water Research*, **39**(20), 5162–5174.
- Rieger L., Langergraber G. and Siegrist H. (2006). Uncertainties of spectral in situ measurements in wastewater using different calibration approaches. *Water Science and Technology*, **53**(12), 187–197.
- Robinson R. B., Cox C. D. and Odom K. (2005). Identifying outliers in correlated water quality data. *Journal of Environmental Engineering*, **131**(4), 651–657.
- Ruban G. and Joannis C. (2008). Evaluation of calibration curve uncertainty using the Monte Carlo method Application to turbidity measurement. Évaluation de l'incertitude des courbes d'étalonnage par la méthode de Monte Carlo. Application à la turbidimétrie. *Bulletin des Laboratoires des Ponts et Chaussées*, (272), 33–43.
- Thomann M. (2008). Quality evaluation methods for wastewater treatment plant data. *Water Science and Technology*, **57**(10), 1601–1609.
- Tsai C. and Franceschini S. (2005). Evaluation of probabilistic point estimate methods in uncertainty analysis for environmental engineering applications. *Journal of Environmental Engineering*, **131**, 387.
- Winkler S., Bertrand-Krajewski J.-L., Saracevic E. and Torres A. (2008). Benefits, limitations and uncertainty of in situ spectrometry. *Water Science and Technology*, **57**(10), 1651–1658.
- Young P. L. and Komisar S. J. (1999). The variability introduced by partial sample analysis to numbers of *Cryptosporidium* oocysts and *Giardia* cysts reported under the information collection rule. *Water Research*, **33** (11), 2660–2668.

C.3 ASSESSMENT OF MODEL STRUCTURE UNCERTAINTY

- Abusam A. and Keesman K. (2002). A sensitivity analysis of the secondary settling tank double-exponential model. European Water Management [Online]. pp. 1–9. Available: http://www.ewaonline.de/journal/2002_07.pdf (accessed August 03 2021). European Water Management Online Official Publication of the European Water Association (EWA) © EWA 2002..
- Beck M. B. (1999). Coping with ever larger problems, models, and data bases. *Water Science and Technology*, **39**(4), 1–11.
- Blind M. W. and Refsgaard J. C. (2007). Operationalising uncertainty in data and models for integrated water resources management. *Water Science and Technology*, **56**(9), 1–12.
- Brugnach M., Tagg A., Keil F. and de Lange W. J. (2007). Uncertainty matters: computer models at the science-policy interface. *Methods for Participatory Water Resources Management*, **21**(7), 1075–1090.
- Cierkens K., Plano S., Benedetti L., Weijers S., de Jonge J. and Nopens I. (2012). Impact of influent data frequency and model structure on the quality of WWTP model calibration and uncertainty. *Water Science and Technology*, **65**(2), 233–242.

- Claeys P., van Griensven A., Benedetti L., De Baets B. and Vanrolleghem P. A. (2010). Conceptual thinking on numerical solver selection and uncertainty terminology. *Journal of Hydroinformatics*, **12**(3), 241–250.
- Curlin M., Matic M., Matosic M., Mijatovic I. and Kurtanek Z. (2004). Effects of hydraulic residence time and mixing on wastewater treatment in a membrane bioreactor. *Chemical and Biochemical Engineering Quarterly*, **18**(2), 97–104.
- De Clercq B., Coen F., Vanderhaegen B. and Vanrolleghem P. A. (1999). Calibrating simple models for mixing and flow propagation in waste water treatment plants. Proceedings of the 1998 Aquatech 1998 Conference on Application of Models in Water Management, September 24, 1998–September 25, 1998, Amsterdam, NLD, Elsevier Ltd.
- Dette H., Melas V., Pepelyshev A. and Strigul N. (2003). Efficient design of experiments in the Monod model. *Journal of the Royal Statistical Society, Series B, Statistical Methodology*, **65**(3), 725–742.
- Dette H., Melas V., Pepelyshev A. and Strigul N. (2005). Robust and efficient design of experiments for the Monod model. *Journal of Theoretical Biology*, **234**(4), 537–550.
- Dochain D., Vanrolleghem P. A. and Van Daele M. (1995). Structural identifiability of biokinetic models of activated sludge respiration. *Water Research*, **29**(11), 2571–2578.
- Gernaey K. V., Van Loosdrecht M. C. M., Henze M., Lind M. and Jorgensen S. (2004). Activated sludge wastewater treatment plant modelling and simulation: state of the art. *Environmental Sciences and Artificial Intelligence Environmental Modelling and Software*, **19**(9), 763–783.
- Graham D., Knapp C., Van Vleck E. S., Bloor K., Lane T. B. and Graham C. E. (2007). Experimental demonstration of chaotic instability in biological nitrification. *The ISME Journal*, **1**(5), 385–393.
- Grau P., de Gracia M., Vanrolleghem P. A. and Ayesa E. (2007). A new plant-wide modelling methodology for WWTPs. *Water Research*, **41**(19), 4357–4372.
- Guisasola A., Sin G., Baeza J. A., Carrera J. and Vanrolleghem P. A. (2005). Limitations of ASM1 and ASMS3: A comparison based on batch oxygen uptake rate profiles from different full-scale wastewater treatment plants. *Water Science and Technology*, **52**(10–11), 69–77.
- Gujer W. (2002). Microscopic versus macroscopic biomass models in activated sludge systems. *Water Science and Technology*, **45**(6), 1–11.
- Haider S., Svardal K., Vanrolleghem P. A. and Kroiss H. (2003). The effect of low sludge age on wastewater fractionation (SS, SI). *Water Science and Technology*, **47**(11), 203–209.
- Ibrahim G., Ramadan M., El-Marouf S. A. A. and Al-Hahdi A. M. (2007). Periodic and non periodic (complex) behavior of a model of bioreactor with cell recycling. *Journal of Mathematics and Statistics*, **3**(1), 1–11.
- Ibrahim G., Habib H. and Saleh O. (2008). Periodic and chaotic solutions for a model of a bioreactor with cell recycle. *Biochemical Engineering Journal*, **38**(2), 124–137.
- Insel G., Karahan Ozgun O., Orhen D. and Vanrolleghem P. A. (2002). Important limitations in the modeling of activated sludge: biased calibration of the hydrolysis process. *Water Science and Technology*, **45**(12), 23–36.
- Kops S. and Vanrolleghem P. (1996). An Evaluation of Methodologies for Uncertainty Analysis in Biological Waste Water Treatment. BIOMATH, Ghent University, Belgium.
- Kops S., Vangheluwe H., Claeys F., Vanrolleghem P., Yuan Z. and Vansteenkiste G. (1999). The process of model building and simulation of ill-defined systems: application to wastewater treatment. *Mathematical and Computer Modelling of Dynamical Systems*, **5**(4), 298–312.
- Krasnochtanova I. A. R., Kletting M., Aschemann H., Hofer E. P. and Schoop K.-M. (2009). Interval methods as a simulation tool for the dynamics of biological wastewater treatment processes with parameter uncertainties. *Applied Mathematical Modelling*, **34**, 744–762.
- Kumar S., Kumar M., Thurow K., Stoll R. and Kragl U. (2008). Fuzzy filtering for robust bioconcentration factor modelling. *Environmental Modelling and Software*, **24**(1), 44–53.
- Lavallee B., Lessard P. and Vanrolleghem P. A. (2005). Modeling the metabolic adaptations of the biomass under rapid growth and starvation conditions in the activated sludge process. *Journal of Environmental Engineering and Science*, **4**(6), 533–548.
- Lee T. T., Wang F. Y. and Newell R. B. (1999a). Distributed parameter approach to the dynamics of complex biological processes. *AIChE Journal*, **45**(10), 2245–2261.

- Lee T. T., Wang F. Y. and Newell R. B. (1999b). On the modelling and simulation of a BNR activated sludge process based on distributed parameter approach. *Water Science and Technology*, **39**(6), 79–88.
- Linke P. and Kokossis A. (2004). Advanced process systems design technology for pollution prevention and waste treatment. *Advances in Environmental Research*, **8**(2), 229–245.
- Meng D.-T. and Qing X.-X. (2008). Applications and development of expert system in wastewater treatment systems. *Chongqing Jianzhu Daxue Xuebao/Journal of Chongqing Jianzhu University*, **30**(1), 146–149.
- Moisan M., Bernard O. and Gouze J.-L. (2009). Near optimal interval observers bundle for uncertain bioreactors. *Automatica*, **45**(1), 291–295.
- Neumann M. B. and Gujer W. (2008). Underestimation of uncertainty in statistical regression of environmental models: influence of model structure uncertainty. *Environmental Science and Technology*, **42**(11), 4037–4043.
- Omlin M. and Reichert P. (1999). A comparison of techniques for the estimation of model prediction uncertainty. *Ecological Modelling*, **115**(1), 45–59.
- Paladino O. (1994). Transition to chaos in continuous-processes – applications to waste-water treatment reactors. *Environmetrics*, **5**(1), 57–70.
- Paladino O., Ratto M. and Costa P. (1995). Chaos and chemical reactor models: sensitivity of dynamics on parameters uncertainty. *Chemical Engineering Science*, **50**(23), 3829–3833.
- Plosz B., De Clercq J., Nopens I., Benedetti L. and Vanrolleghem P. A. (2011). Shall we upgrade one-dimensional secondary settler models used in WWTP simulators? – An assessment of model structure uncertainty and its propagation. *Water Science and Technology*, **63**(8), 1726–1738.
- Raduly B., Germaey K. V., Capodaglio A. G., Mikkelsen P. S. and Henze M. (2007). Artificial neural networks for rapid WWTP performance evaluation: methodology and case study. *Environmental Modelling and Software*, **22**(8), 1208–1216.
- Rauh A., Kletting M., Aschemann H. and Hofer E. P. (2004). Application of interval arithmetic simulation techniques to wastewater treatment processes. Proceedings of the IASTED International Conference on Modelling, Identification and Control, 23–25 February 2004, Grindelwald, Switzerland.
- Rauh A., Kletting M., Aschemann H. and Hofer E. P. (2005). Robust controller design for bounded state and control variables and uncertain parameters using interval methods. Proceedings of the 5th International Conference on Control and Automation (CCA), 26–29 June 2005, Budapest, Hungary.
- Rauh A., Kletting M., Aschemann H. and Hofer E. P. (2007). Reduction of overestimation in interval arithmetic simulation of biological wastewater treatment processes. *Journal of Computational and Applied Mathematics*, **199**(2), 207–212.
- Rustum R., Adeloye A. and Simala A. (2007). Kohonen self-organising map (KSOM) extracted features for enhancing MLP-ANN prediction models of BOD5. International Symposium: Water Quality and Sediment Behaviour of the Future: Predictions for the 21st Century – 24th General Assembly of the International Union of Geodesy and Geophysics (IUGG), July 11, 2007–July 13, 2007, Perugia, Italy, IAHS Press.
- Sorensen P. B., Lerche D. B. and Bruggemann R. (2005). Resources and uncertainties in evaluation of chemicals: basic methodological developments. *Water Science Technology*, **52**(6), 235–242.
- Schuler A. (2005). Diversity matters: dynamic simulation of distributed bacterial states in suspended growth biological wastewater treatment systems. *Biotechnology and Bioengineering*, **91**, 1.
- Schuler A. (2006). Process hydraulics, distributed bacterial states, and biological phosphorus removal from wastewater. *Biotechnology and Bioengineering*, **94**, 5.
- Schuler A. J. and Jenkins D. (2003). Enhanced biological phosphorus removal from wastewater by biomass with different phosphorus contents, part I: experimental results and comparison with metabolic models. *Water Environment Research*, **75**(6), 485–498.
- Schuler A. J., Jenkins D. and Ronen P. (2001). Microbial storage products, biomass density, and settling properties of enhanced biological phosphorus removal activated sludge. *Water Science and Technology*, **43**(1), 173–180.
- Sin G., Germaey K. V., Neumann M. B., van Loosdrecht M. C. M. and Gujer W. (2009). Uncertainty analysis in WWTP model applications: a critical discussion using an example from design. *Water Research*, **43**(11), 2894–2906.
- Sin G. and Vanrolleghem P. A. (2006). Evolution of an ASM2s-like model structure due to operational changes of an SBR process. *Water Science and Technology*, **53**(12), 237–245.

- Sin G., Van Hulle S. W. H., DePauw D. J. W., van Griensven A. and Vanrolleghem P. A. (2005). A critical comparison of systematic calibration protocols for activated sludge models: A SWOT analysis. *Water Research*, **39**(12), 2459–2474.
- Sorensen P. B., Lerche D. B. and Bruggemann R. (2005). Resources and uncertainties in evaluation of chemicals: basic methodological developments. *Water Science and Technology*, **52**(6), 235–242.
- Strigul N., Dette H. and Melas V. B. (2009). A practical guide for optimal designs of experiments in the Monod model. *Environmental Modelling and Software*, **24**(9), 1019–1026.
- Stroot P., Saikaly P. and Oerther D. B. (2005). Dynamic growth rates of microbial populations in activated sludge systems. *Journal of Environmental Engineering*, **131**, 1698.
- Su Y.-M., Makinia J. and Pagilla K. R. (2008). Estimation of autotrophic maximum specific growth rate constant – experience from the long-term operation of a laboratory-scale sequencing batch reactor system. *Water Environment Research*, **80**(4), 355–366.
- Tabatabaei T. S., Farooq T., Guergachi A. and Krishnan S. (2007). Support vector machines-based approach for chemical phosphorus removal process in wastewater treatment plant. 2006 Canadian Conference on Electrical and Computer Engineering, CCECE'06, May 7, 2006–May 10, 2006, Ottawa, ON, Canada, Institute of Electrical and Electronics Engineers Inc.
- Tenno R. and Uronen P. (1995). State and parameter estimation for wastewater treatment processes using a stochastic model. *Control Engineering Practice*, **3**(6), 793–804.
- Tsai J. C. C. and Chen V. C. P. (2005). Flexible and robust implementations of multivariate adaptive regression splines within a wastewater treatment stochastic dynamic program. *Quality and Reliability Engineering International*, **21**(7), 689–699.
- Vanrolleghem P. A. and Keesman K. J. (1996). Identification of biodegradation models under model and data uncertainty. Proceedings of the 1995 IAWQ Interdisciplinary Symposium on Uncertainty, Risk and Transient Pollution Events, July 26, 1995–July 28, 1995, Exeter, UK, Pergamon Press Inc.
- Von Sperling M. (2002). Relationship between first-order decay coefficients in ponds, for plug flow, CSTR and dispersed flow regimes. *Water Science and Technology*, **45**(1), 17–24.
- Wan J.-Q., Huang M.-Z. and Ma Y.-W. (2008). Studies on predicting the effluent treatment process with fuzzy neural network. *Zhongguo Zaozhi Xuebao/Transactions of China Pulp and Paper*, **23**(2), 96–99.
- Whiteley C. G. and Lee D.-J. (2006). Enzyme technology and biological remediation. *Enzyme and Microbial Technology*, **38**(3–4), 291–316.
- Zhang Y. and Henson M. (2001). Bifurcation analysis of continuous biochemical reactor models. *Biotechnology Progress*, **17**(4), 647–660.
- Zhang F.-F., Huang A.-Q., Xie S.-q. and He J. (2008). Modeling and simulation of adsorption and biodegradation in activated sludge process based on cellular automata. IEEE International Conference on Automation and Logistics, ICAL 2008, September 1, 2008–September 3, 2008, Qingdao, China, Inst. of Elec. and Elec. Eng. Computer Society.
- Zlateva P. and Dimitrova N. (2005). Stability analysis of a nonlinear model of wastewater treatment processes. Third International Conference on Numerical Analysis and Its Applications, NAA 2004, June 29, 2004–July 3, 2004, Rousse, Bulgaria, Springer Verlag.

C.4 PROPAGATION OF UNCERTAINTY FOR MODEL-BASED DECISIONS

- Abraham D. M. (2003). Life Cycle Cost Integration for the Rehabilitation of Wastewater Infrastructure. Construction Research Congress, Winds of Change: Integration and Innovation in Construction, Proceedings of the Congress, March 19, 2003–March 21, 2003, Honolulu, HI, United States, American Society of Civil Engineers.
- Abusam A., Keesman K.J., van Straten G., Spanjers H. and Meinema K. (2000). Parameter estimation procedure for complex non-linear systems: calibration of ASM No. 1 for N-removal in a full-scale oxidation ditch. *WATERMAX*, **43**(7), 357–365.

- Abusam A., Keesman K.J. ., van Straten G., Spanjers H. and Meinema K. (2002). Estimation of uncertainties in the performance indices of an oxidation ditch benchmark. *Journal of Chemical Technology and Biotechnology*, **77**(9), 1058–1067.
- Abusam A., Keesman K. J. and van Straten G. (2003). Forward and backward uncertainty propagation: an oxidation ditch modelling example. *Water Research*, **37**(2), 429–435.
- Afonso P. M. and da Conceicao Cunha M. (2007). Robust optimal design of activated sludge bioreactors. *Journal of Environmental Engineering*, **133**(1), 44–52.
- Al-Redhwan S. A. and Crittenden B. D. and Lababidi, H.M.S. (2005). Wastewater minimization under uncertain operational conditions. *Computers and Chemical Engineering*, **29**(5), 1009–1021.
- Arboleda C. A. and Abraham D. M. (2006). Evaluation of flexibility in capital investments of infrastructure systems. *Engineering, Construction and Architectural Management*, **13**(3), 254–274.
- Banda C. G., Sleight P. A. and Mara D. D. (2005). *Escherichia coli* removal in waste stabilization ponds: a comparison of modern and classical designs. *Water Science and Technology*, **51**(12), 75–81.
- Batstone D. J., Torrijos M., Ruiz C. and Schmidt J. E. (2004). Use of an anaerobic sequencing batch reactor for parameter estimation in modelling of anaerobic digestion. *Water Science and Technology*, **50**(10), 295–303.
- Bechmann H., Nielsen M. K., Madsen H. and Poulsen N. K. (1999). Grey-box modelling of pollutant loads from a sewer system. *Urban Water*, **1**(1), 71–78.
- Bechmann H., Madsen H., Poulsen N. and Nielsen M. K. (2000). Grey box modeling of first flush and incoming wastewater at a wastewater treatment plant. *Environmetrics*, **11**(1), 1–12.
- Benedetti L., Bixio D. and Vanrolleghem P. A. (2006a). Benchmarking of WWTP design by assessing costs, effluent quality and process variability. *Water Science and Technology*, **54**(10), 95–102.
- Benedetti L., Bixio D. and Vanrolleghem P. A. (2006b). Assessment of WWTP design and upgrade options: balancing costs and risks of standards' exceedance. *Water Science and Technology*, **54**(6–7), 371–378.
- Benedetti L., Bixio D., Claeys F. and Vanrolleghem P. A. (2008). Tools to support a model-based methodology for emission/immission and benefit/cost/risk analysis of wastewater treatment systems which considers uncertainties. *Environmental Modelling & Software*, **23**(8), 1082–1091.
- Benedetti L., De Keyser W., Nopens I. and Vanrolleghem P. A. (2010). Probabilistic modelling and evaluation of waste water treatment plant upgrades in the EU Water Framework Directive context. *Journal of Hydroinformatics*, **12**(4), 380–395.
- Benedetti L., Claeys F., Nopens I. and Vanrolleghem P. A. (2011). Assessing the convergence of LHS Monte Carlo simulations of wastewater treatment models. *Water Science and Technology*, **63**(10), 2219–2224.
- Berthouex P. and Polkowski L. (1970). Optimum waste treatment plant design under uncertainty. *Journal (Water Pollution Control Federation)*, **42**(9), 1589–1613.
- Bixio D., Carrette R. and Thoeys C. (2002). Two years of full-scale storm operation experience. *Water Science and Technology*, **46**(6–7), 167–172.
- Boccelli D., Small M. and Diwekar U. (2007). Drinking water treatment plant design incorporating variability and uncertainty. *Journal of Environmental Engineering*, **133**(3), 303–312.
- Chang N. B. and Hernandez E. A. (2008). Optimal expansion strategy for a sewer system under uncertainty. *Environmental Modeling & Assessment*, **13**(1), 93–113.
- Chang N.-B., Chen W. C. and Shieh W. K. (2001). Optimal control of wastewater treatment plants via integrated neural network and genetic algorithms. *Civil Engineering and Environmental Systems*, **18**(1), 1–17.
- Chang N.-B., Hernandez E. A and Davila E. (2005). Optimal risk-based expansion strategy of sewer infrastructure system in a fast growing Urban region under uncertainty. 2005 World Water and Environmental Resources Congress, May 15, 2005–May 19, 2005, Anchorage, AK, United States, American Society of Civil Engineers.
- Chen H. W. and Chang N. B. (2002). A comparative analysis of methods to represent uncertainty in estimating the cost of constructing wastewater treatment plants. *Journal of Environmental Management*, **65**(4), 383–409.
- Chen H.-W. and Chang N.-B. (2006). Decision support for allocation of watershed pollution load using grey fuzzy multiobjective programming. *Journal of the American Water Resources Association*, **42**(3), 725–745.

- Chen C.-F., Chen Y.-C. and Lin J.-Y. (2008). Determination of optimal water resource management through a fuzzy multiobjective programming and genetic algorithm: case study in Kinman, Taiwan. *Practice Periodical of Hazardous, Toxic, and Radioactive Waste Management*, **12**(2), 86–95.
- Chiu K., Lyn D. A., Savoye P. and Blatchley III, E. R. (1999). Integrated UV disinfection model based on particle tracking. *Journal of Environmental Engineering*, **125**(1), 7–16.
- Chowdhury S., Champagne P. and Sarkar A. (2007). Use of treated wastewater: Evaluation of wastewater minimization strategies using fuzzy techniques. 2nd IASTED International Conference on Advanced Technology in the Environmental Field, ATEF 2006, February 6, 2006 – February 8, 2006, Lanzarote, Canary Islands, Spain, Acta Press.
- Chung G. and Lansley K. (2009). Application of the shuffled frog leaping algorithm for the optimization of a general large-scale water supply system. *Water Resources Management*, **23**(4), 797–823.
- Coveney M. F., Lowe E. F. and Battoe L. E. (2001). Performance of a recirculating wetland filter designed to remove particulate phosphorus for restoration of Lake Apopka (Florida, USA). *Water Science Technology*, **44**(11–12), 131–136.
- Curtis T. P. and Sloan W. T. (2006). Towards the design of diversity: stochastic models for community assembly in wastewater treatment plants. *Water Science and Technology*, **54**(1), 227–236.
- Del Grosso A. and Lanata F. (2006). The role of monitoring in the management of uncertainties and residual life of existing structures. 3rd International Conference on Bridge Maintenance, Safety and Management – Bridge Maintenance, Safety, Management, Life-Cycle Performance and Cost, July 16, 2006–July 19, 2006, Porto, Portugal, Taylor & Francis/Balkema.
- Doby T. A., Loughlin D. H., de los Reyes III, F. L. and Ducoste J. J. (2002). Optimization of activated sludge designs using genetic algorithms. *Water Science and Technology*, **45**(6), 187–198.
- Dochain D., Agathos S. N. and Vanrolleghem P. (1997). Asymptotic observers as a tool for modelling process dynamics. *Water Science and Technology*, **36**(5), 259–268.
- Dominguez D. and Gujer W. (2006). Evolution of a wastewater treatment plant challenges traditional design concepts. *Water Research*, **40**(7), 1389–1396.
- Dong H.-G., Lin C.-Y. and Chang C.-T. (2008). Simultaneous optimization approach for integrated water-allocation and heat-exchange networks. *Chemical Engineering Science*, **63**(14), 3664–3678.
- Duchesne S. and Villeneuve J.-P. (2006). Estimation of drinking water production total costs: the Quebec City case study Estimation du cout total associe a la production d'eau potable: Cas d'application de la ville de Quebec. *Revue des Sciences de L'Eau*, **19**(2), 69–85.
- Duchesne S., Beck M. B. and Reda A. (2001). Ranking stormwater control strategies under uncertainty: the river Cam case study. *Water Science and Technology*, **43**(7), 311–320.
- Dyson B. E. (2006). Design framework for sizing free water surface wetlands subject to intermittent wastewater loading in aquaculture facilities. *Dissertation Abstracts International*, **68**(1, Suppl. B), 162.
- El-Din A. G. and Smith D. W. (2002). A combined transfer-function noise model to predict the dynamic behavior of a full-scale primary sedimentation tank. *Water Research*, **36**(15), 3747–3764.
- Elshorbagy W. E., Yakowitz D. S. and Lansley KE. (1997). Design of engineering systems using stochastic decomposition: water supply planning application. *Engineering Optimization*, **27**(4), 279–302.
- Flores-Alsina X. (2008). Conceptual design of wastewater treatment plants using multiple objectives, PhD thesis, Universitat de Girona, Girona, Spain, ISBN: 978-84-691-5689-6
- Franks S. W. (1999). Disaggregation of environmental factors affecting sewer pipe failures. *Journal of Infrastructure Systems*, **5**(4), 150–158.
- Freni G., Mannina G. and Vivani G. (2008). Uncertainty in urban stormwater quality modelling: the effect of acceptability threshold in the GLUE methodology. *Water Research*, **42**(8–9), 2061–2072.
- Freni G., Mannina G. and Vivani G. (2009a). Uncertainty assessment of an integrated urban drainage model. *Journal of Hydrology*, **373**(3–4), 392–404.
- Freni G., Mannina G. and Vivani G. (2009b). Urban runoff modelling uncertainty: comparison among Bayesian and pseudo-Bayesian methods. *Environmental Modelling and Software*, **24**(9), 1100–1111.

- Friedler E., Shwartzman Z. and Ostfeld A. (2008). Assessment of the reliability of an on-site MBR system for greywater treatment and the associated aesthetic and health risks. *Water Science and Technology*, **57**(7), 1103–1110.
- Fuentes M., Mussati M. C., Scenna N. J. and Aguirre P. A. (2009). Global modeling and simulation of a three-phase fluidized bed bioreactor. *Computers and Chemical Engineering*, **33**(1), 359–370.
- Garcia-Salas J. C. and Chocat B. (2006). Assessment of uncertainties in the modelling of CSOs. *Water Science and Technology*, **54**(6–7), 247–254.
- Griberio A., McCorquodale J., Pitt P., Vinci P. and Wang T. (2007). Uncertainty analysis in wastewater engineering modeling: understanding the limitations. *Proceedings of the Water Environment Federation* **2007**(17), 1584–1596.
- Grismer M. E. (2005). Simulation evaluation of the effects of non-uniform flow and degradation parameter uncertainty on subsurface-flow constructed wetland performance. *Water Environment Research*, **77**(6), 3047–3053.
- Guo P., Huang G. H. and He L. (2008). ISMISIP: an inexact stochastic mixed integer linear semi-infinite programming approach for solid waste management and planning under uncertainty. *Stochastic Environmental Research and Risk Assessment*, **22**(6), 759–775.
- Gupta A. K. and Shrivastava R. K. (2006). Uncertainty analysis of conventional water treatment plant design for suspended solids removal. *Journal of Environmental Engineering*, **132**(11), 1413–1421.
- Hahn M. A., Palmer R. N., Merrill MS. and Lukas AB. (2002). Expert system for prioritizing the inspection of sewers: knowledge base formulation and evaluation. *Journal of Water Resources Planning and Management*, **128**(2), 121–129.
- Ham J. H., Yoon C. G., Jung KW. and Jang JH. (2007). Integrated modelling under uncertainty in watershed-level assessment and management. *Water Science and Technology*, **56**(8), 31–39.
- Hauger M. B., Rauch W., Linde JJ. and Mikkelsen PS. (2002). Cost benefit risk – A concept for management of integrated urban wastewater systems? *Water Science and Technology*, **45**(3), 185–193.
- He L., Huang G., Zeng G. and Lu H. (2008). Fuzzy inexact mixed-integer semiinfinite programming for municipal solid waste management planning. *Journal of Environmental Engineering*, **134**(7), 572–581.
- Hilgert N., Harmand J., Steyer J.-P. and Vila J.-P. (2000). Nonparametric identification and adaptive control of an anaerobic fluidized bed digester. *Control Engineering Practice*, **8**(4), 367–376.
- Huo J. (2005). Application of Statistical Methods and Process Models for the Design and Analysis of Activated Sludge Wastewater Treatment Plants (WWTPs). The University of Tennessee, Knoxville, TN, USA.
- Huo J., Jiang Y., Seaver W. L. and Robinson R. B. (2006). Statistically Based Design of Wastewater Treatment Plants (WWTPs) Using Monte Carlo Simulation of Activated Sludge Model No.1 (ASM1), Omaha, Nebraska, USA, ASCE.
- Jiang T., Liu X., Kennedy M. D., Schippers J. C. and Vanrolleghem P. A. (2005). Calibrating a side-stream membrane bioreactor using activated sludge model no. 1. *Water Science and Technology*, **52**(10–11), 359–367.
- Jiang R., Zeng G.-M., Li X, Du C., Li J. and Song L. (2007). Wastewater treatment process design optimization based on set pair analysis. *Hunan Daxue Xuebao/Journal of Hunan University Natural Sciences*, **34**(11), 70–75.
- Kehl O., Wichern M., Lubken M. and Horn H. (2009). Analysis of design approaches for stabilization ponds under different boundary conditions – a comparison. *Ecological Engineering*, **35**(8), 1117–1128.
- Kieffer M. and Walter E. (2004). Guaranteed nonlinear state estimator for cooperative systems. *Numerical Algorithms*, **37**(1–4 SPEC. ISS.), 187–198.
- Kletting M., Rauh A., Aschemann H. and Hofer E. P. (2007). Consistency tests in guaranteed simulation of nonlinear uncertain systems with application to an activated sludge process. *Journal of Computational and Applied Mathematics*, **199**(2), 213–219.
- Koch G., Kahni M. and Siergrist H. (2001). Calibration and validation of an ASM3-based steady-state model for activated sludge systems – part I: prediction of nitrogen removal and sludge production. *Water Research*, **35**(9), 2235–2245.
- Kops S., Gernaey K., Thas O. and Vanrolleghem P. A. The Modelling of Noise Processes in Stochastic Differential Equations: Application To Biotechnological Processes. BIOMATH, University of Gent, Belgium.
- Lauchlan C., Forty J. and May R. (2005). Flow resistance of wastewater pumping mains. *Proceedings of the Institution of Civil Engineers: Water Management*, **158**(2), 81–88.

- Lin L.-S. and Blatchley III, E. R. (2001). UV Dose distribution characterization using fractal concepts for system performance evaluation. *Water Science and Technology*, **43**(11), 181–188.
- Lin Y. and Zeng G. (2000). Study on optimal design model for city wastewater treatment plant considering the effect of uncertainty. *Hunan Daxue Xuebao/Journal of Hunan University Natural Sciences*, **27**(4), 94–100.
- Liu Y. and Hong H. P. (2000). Optimal design for wastewater treatment. 2000 Annual Conference – Canadian Society for Civil Engineering, June 7, 2000–June 10, 2000, London, Ontario, Canada, Canadian Society for Civil Engineering.
- Liu H.-H., Zhang H.-Z. and Bai X.-Y. (2008a). A model for the optimal design of a wastewater treatment system for constructed wetlands. *Water Resources Protection*, **24**(3), 35–38.
- Liu Y., Guo H., Zhou F. and Qin X. (2008b). Inexact chance-constrained linear programming model for optimal water pollution management at the watershed scale. *Journal of Water Resources Planning and Management*, **134**(4), 347–356.
- Lodge B. N. and Judd S. J. (2006). A statistical approach to the optimisation of membrane operation. *Water and Environment Journal*, **20**(2), 96–100.
- Magbanua B. S., Jr. (2004). Probabilistic modeling of activated sludge systems: Strategies for reducing process uncertainty. 2004 World Water and Environmental Resources Congress: Critical Transitions in Water and Environmental Resources Management, June 27, 2004–July 1, 2004, Salt Lake City, UT, United States, American Society of Mechanical Engineers.
- Magbanua B. S., Jr. (2007). Probabilistic modeling of carbon and nitrogen removal during wastewater treatment using activated sludge model no. 1. 3rd IASTED International Conference on Environmental Modelling and Simulation, EMS 2007, August 20, 2007–August 22, 2007, Honolulu, HI, United States, Acta Press.
- Makinia J. and Wells S. A. (2000). A general model of the activated sludge reactor with dispersive flow – II. Model verification and application. *Water Research*, **34**(16), 3997–4006.
- Martin-Sistac C., Escudero G. and Graells M. (2007). General framework for solving the design and operation of wastewater treatment networks. *Computer Aided Chemical Engineering*, **24**, 1325–1330.
- Moles C. G., Gutierrez G., Alonso A. A. and Banga J. R. (2003). Integrated process design and control via global optimization: a wastewater treatment plant case study. *Chemical Engineering Research and Design*, **81**(5), 507–517.
- Morris C. D. and Moore G. T. (2003). Preparing for CMOM; A New approach using Stochastic RDII modeling. World Water and Environmental Resources Congress 2003, June 23, 2003–June 26, 2003, Philadelphia, PA, United States, American Society of Civil Engineers.
- Munoz I., Rodriguez A., Rosal R. and Fernandez-Alba A. R. (2009). Life cycle assessment of urban wastewater reuse with ozonation as tertiary treatment. A focus on toxicity-related impacts. *Science of the Total Environment*, **407**(4), 1245–1256.
- Neumann M. (2007). Uncertainty Analysis for Performance Evaluation and Design of Urban Water Infrastructure. ETH Zurich, Switzerland.
- Neumann M. B., Gujer W. and von Gunten U. (2009). Global sensitivity analysis for model-based prediction of oxidative micropollutant transformation during drinking water treatment. *Water Research*, **43**(4), 997–1004.
- Peters G. M. and Rowley H. V. (2009). Environmental comparison of biosolids management systems using life cycle assessment. *Environmental Science and Technology*, **43**(8), 2674–2679.
- Poplewski G. and Jezowski J. (2004). Water usage minimisation in existing water networks – The use of stochastic optimisation. *Inzynieria Chemiczna I Procesowa*, **25**(3 III), 1545–1550.
- Poplewski G. and Jezowski J. (2007). A method for designing optimal wastewater treatment network with stochastic optimization. *Inzynieria Chemiczna I Procesowa*, **28**(4), 941–949.
- Portielje R., Hvitved-Jacobsen T. and Schaarup-Jensen K. (2000). Risk analysis using stochastic reliability methods applied to two cases of deterministic water quality models. *Water Research*, **34**(1), 153–170.
- Poznyak T., Chairez I. and Poznyak A. (2005). Application of a neural observer to phenols ozonation in water: simulation and kinetic parameters identification. *Water Research*, **39**(12), 2611–2620.
- Ramirez I. and Steyer J. P. (2008). Modeling microbial diversity in anaerobic digestion. *Water Science and Technology*, **57**(2), 265–270.

- Rigopoulos S. and Linke P. (2002). Systematic development of optimal activated sludge process designs. *Computers and Chemical Engineering*, **26**(4–5), 585–597.
- Rivas A., Irizar I. and Ayesa E. (2008). Model-based optimisation of wastewater treatment plants design. *Environmental Modelling and Software*, **23**(4), 435–450.
- Rousseau D., Verdonck F., Moerman O., Carrette R., Thoeye C., Meirlaen J. and Vanrolleghem P. A. (2001). Development of a risk assessment based technique for design/retrofitting of WWTPs. *Water Science and Technology*, **43**(7), 287–294.
- Rousseau D. P. L., Vanrolleghem P. A. and De Pauw N. (2004). Model-based design of horizontal subsurface flow constructed treatment wetlands: a review. *Water Research*, **38**(6), 1484–1493.
- Sadiq R., Husain T., Al-Zahrani A. M., Sheikh A. K. and Farooq S. (2003). Secondary effluent treatment by slow sand filters: performance and risk analysis. *Water, Air, and Soil Pollution*, **143**(1–4), 41–63.
- Sadiq R., Al-Zahrani M. A., Sheikh A. K., Husain T. and Farooq S. (2004). Performance evaluation of slow sand filters using fuzzy rule-based modelling. *Environmental Modelling and Software*, **19**(5), 507–515.
- Simonovic S. P. and Verma R. (2008). A new methodology for water resources multicriteria decision making under uncertainty. *Physics and Chemistry of the Earth*, **33**(5), 322–329.
- Sin G., De Pauw D. J. W., Weijers S. and Vanrolleghem P. A. (2008). An efficient approach to automate the manual trial and error calibration of activated sludge models. *Biotechnology and Bioengineering*, **100**(3), 516–528.
- Sin G., Gernaey K. V., Neumann M. B., van Loosdrecht M. C. M. and Gujer W. (2011). Global sensitivity analysis in WWT model applications – prioritising sources of uncertainty. *Water Research*, **45**, 639–651.
- Tansel B. (1999). Propagation of parameter uncertainties to system dependability. *Civil Engineering and Environmental Systems*, **16**(1), 19–35.
- Tian K.-J., Liu X.-A., Kennedy M. D., Schippers J. C. and Vanrolleghem P. A. (2004). Modelling the biological performance of a side-stream membrane bioreactor using ASM1. *Journal of Environmental Sciences*, **16**(6), 1020–1023.
- Tsai J. C. C., Chen V. C. P., Beck M. B. and Chen J. (2004). Stochastic dynamic programming formulation for a wastewater treatment decision-making framework. *Annals of Operations Research*, **132**(1–4), 207–221.
- Vanrolleghem P., Insel G., Petersen B., Sin G., Nopens I., Dovermann H., Weijers S. and Gernaey K. (2003). A comprehensive model calibration procedure for activated sludge models. Proceedings of WEFTEC, Alexandria, VA, USA.
- Vanrolleghem P. and Van Daele M. (1994). Optimal experimental design for structure characterization of biodegradation models: On-line implementation in a respirographic biosensor. Proceedings of the 17th Biennial Conference of the International Association on Water Quality. Part 1, July 24, 1994–July 30, 1994, Budapest, Hung, Pergamon Press Inc.
- Vanrolleghem P. A., Jeppsson U., Carstense J., Carlsson B. and Olsson G. (1996). Integration of wastewater treatment plant design and operation – A systematic approach using cost functions. Proceedings of the 1996 18th Biennial Conference of the International Association on Water Quality. Part 2, June 23, 1996–June 28, 1996, Singapore, Singapore, Pergamon Press Inc.
- Vanrolleghem P. A., Spanjers H., Petersen B., Ginstet P. and Takacs I. (1999). Estimating (combinations of) activated sludge model no. 1 parameters and components by respirometry. *Water Science and Technology*, **39**(1), 195–214.
- Vaughan W. J., Russell C. S., Rodriguez D. J. and Darling A. C. (2000). Uncertainty in cost-benefit analysis based on referendum contingent valuation. *Impact Assessment and Project Appraisal*, **18**(2), 125–137.
- Volcke E. I. P., Loccufier M., Vanrolleghem P. A. and Noldus E. J. L. (2006). Existence, uniqueness and stability of the equilibrium points of a SHARON bioreactor model. *Journal of Process Control*, **16**(10), 1003–1012.
- Vollertsen J., Hvitved-Jacobsen T. and Nielsen A. H. (2005a). Stochastic modeling of chemical oxygen demand transformations in gravity sewers. *Water Environment Research*, **77**(4), 331–339.
- Vollertsen J., Nielsen A. H., Yan W. and Hvitved-Jacobsen T. (2005b). Effects of in-sewer processes: A stochastic model approach. *Water Science and Technology*, **52**(3), 171–180.
- Von Sperling M. (1993). Parameter estimation and sensitivity analysis of an activated sludge model using Monte Carlo simulation and the analyst's involvement. Proceedings of the 6th JAWO Workshop on Instrumentation, Control

- and Automation of Water and Wastewater Treatment and Transport Systems, June 17, 1993–June 25, 1993, Banff, Canada, Pergamon Press Inc.
- Von Sperling M. (1994). Calibration of poorly identifiable systems: application to activated sludge model. *Journal of Environmental Engineering*, **120**(3), 625–644.
- Von Sperling M. (1996). Design of facultative ponds based on uncertainty analysis. Proceedings of the 1995 3rd International Symposium on Waste Stabilization Ponds: Technology and Applications, March 27, 1995–March 31, 1995, Water Science and Technology, **33**(7), 41–47.
- Von Sperling M. (1999). A critical analysis of classical design equations for waste stabilization lagoons and other wastewater treatment systems. *Water Environment Research*, **71**(6), 1240–1243.
- Von Sperling M. (2003). Influence of the dispersion number on the estimation of coliform removal in ponds. *Water Science and Technology*, **48**(2), 181–188.
- Wang J., Guo H., Liu L., Hao M., Zhang M., Lu X. and Xing K. (2004). Inexact multi-objective programming approach for strategic environmental assessment on regional development plan. *Progress in Natural Science*, **14**(11), 950–959.
- Wang L.-L., Zeng G.-M., Huang G.-H., Yang F. and Wu L. (2006). Selection of technology for sewage treatment considering the effect of uncertainty. *Hunan Daxue Xuebao/Journal of Hunan University Natural Sciences*, **33**(6), 115–118.
- Wang L., Chen J., Zeng S. and Du J. (2009). Numerical modeling-based municipal wastewater treatment process screening methodology. *Qinghua Daxue Xuebao/Journal of Tsinghua University*, **49**(3), 377–380.
- Wen C.-G. and Lee C.-S. (1999). Development of a cost function for wastewater treatment systems with fuzzy regression. *Fuzzy Sets and Systems*, **106**(2), 143–153.
- Werner T. and Kadlec R. (2000). Stochastic simulation of partially-mixed, event-driven treatment wetlands. *Ecological Engineering*, **14**(3), 253–267.
- Willems P. (2008). Quantification and relative comparison of different types of uncertainties in sewer water quality modeling. *Water Research*, **42**(13), 3539–3551.
- Wu E. M.-Y. (2002). Stochastic integer programming analysis for wastewater treatment plant design. Third International Conference on Management Information Systems Incorporating GIS and Remote Sensing, MIS 2002, April 24, 2002–April 26, 2002, Halkidiki, Greece, WIT Press.
- Yetilmezsoy K. and Sapci-Zengin Z. (2009). Stochastic modeling applications for the prediction of COD removal efficiency of UASB reactors treating diluted real cotton textile wastewater. *Stochastic Environmental Research and Risk Assessment*, **23**(1), 13–26.
- Zeng G.-M., Lin Y.-P., Qin X., Huang G.-H., Li J.-B. and Jiang R. (2004). Optimum municipal wastewater treatment plant design with consideration of uncertainty. *Journal of Environmental Sciences*, **16**(1), 126–131.
- Zhou F., Chen G., Guo H. and Liu Y. (2008). Modified interval linear programming for lake watershed management. *Huanjing Kexue Xuebao / Acta Scientiae Circumstantiae*, **28**(8), 1688–1698.

C.5 UNCERTAINTY IN WASTEWATER TREATMENT PLANT OPERATIONAL CONTROL DATA AND METHODS OF ADDRESSING IN ONLINE CONTROL

- Aguilar-Lopez R. (2008). Robust generic model control for dissolved oxygen in activated sludge wastewater plant. *Chemical and Biochemical Engineering Quarterly*, **22**(1), 71–79.
- Åkrjanc I. (2009). Confidence interval of fuzzy models: an example using a waste-water treatment plant. *Chemometrics and Intelligent Laboratory Systems*, **96**(2), 182–187.
- Aksakalli V. and Ursu D. (2006). Control of nonlinear stochastic systems: Model-free controllers versus linear quadratic regulators. 45th IEEE Conference on Decision and Control 2006, CDC, December 13, 2006–December 15, 2006, San Diego, CA, United States, Institute of Electrical and Electronics Engineers Inc.
- Alcaraz-Gonzalez V. and Ivarez V. (2007). Robust Nonlinear Observers for Bioprocesses: Application to Wastewater Treatment. Department of Chemical Engineering, University of Guadalajara, Guadalajara, Jalisco, Mexico.

- Alcaraz-Gonzalez V., Maloum A., Haramnd J., Rapaport A., Steyer J. P., Gonzalez-Alvarez V. and Pelayo-Ortiz C. (2000). Robust interval-based siso and simo regulation for a class of highly uncertain bioreactors: Application to the anaerobic digestion. 39th IEEE Conference on Decision and Control, December 12, 2000–December 15, 2000, Sydney, NSW, Australia, Institute of Electrical and Electronics Engineers Inc.
- Alcaraz-Gonzalez V., Harmand J., Rapaport A., Steyer J. P., Gonzalez-Alvarez V. and Pelayo-Ortiz C. (2002). Software sensors for highly uncertain WWTPs: a new approach based on interval observers. *Water Research*, **36**(10), 2515–2524.
- Alcaraz-Gonzalez V., Harmand J., Rapaport A., Steyer J. P., Gonzalez-Alvarez V. and Pelayo-Ortiz C. (2005a). Application of a robust interval observer to an anaerobic digestion process. *Developments in Chemical Engineering and Mineral Processing*, **13**(3–4), 267–278.
- Alcaraz-Gonzalez V., Harmand J., Rapaport A., Steyer J. P., Gonzalez-Alvarez V. and Pelayo-Ortiz C. (2005b). Robust interval-based regulation for anaerobic digestion processes. *Water Science and Technology*, **52**(1–2), 449–456.
- Alcaraz-Gonzalez V., Salazar-Pena R., Gouze J.-L. and Steyer J. P. (2005c). A tunable multivariable nonlinear robust observer for biological systems. *Comptes Rendus Biologies*, **328**(4), 317–325.
- Antonelli R. and Astolfi A. (2000). Nonlinear controllers design for robust stabilization of continuous biological reactors. Proceedings of the 2000 IEEE International Conference on Control Applications, Anchorage, USA, IEEE.
- Antonelli R., Harmand J., Steyer J. P. and Astolfi A. (2002). Output feedback regulation of an anaerobic digestion process. 2002 American Control Conference, May 8, 2002–May 10, 2002, Anchorage, AK, United States, Institute of Electrical and Electronics Engineers Inc.
- Antonelli R., Harmand J., Steyer J. P. and Astolfi A. (2003). Set-point regulation of an anaerobic digestion process with bounded output feedback. *IEEE Transactions on Control Systems Technology*, **11**(4), 495–504.
- Aschemann H., Rauh A., Kletting M. and Hofer E. P. (2007). Flatness-based control of a simplified wastewater treatment plant. Joint 2006 IEEE Conference on Control Applications (CCA), Computer-Aided Control Systems Design Symposium (CACSD) and International Symposium on Intelligent Control (ISIC), October 4, 2006–October 6, 2006, Munich, Germany, Institute of Electrical and Electronics Engineers Inc.
- Astorga Zaragoza C. M., Othman S. and Hammouri H., (2000). Moving horizon control of a denitrification reactor, in: WSES/International Conferences AMTA 2000-MCBC 2000-MCBE 2000, Jamaica, pp. 931–936.
- Ben Youssef C. and Torres Zuniga J. I. (2002). Stable model-reference adaptive control and estimation of a wastewater treatment benchmark. Proceedings of the IEEE International Conference on Systems, Man and Cybernetics, 6–9 October 2002, Yasmine Hammamet, Tunisia.
- Benedetti L., De Baets B., Nopens I. and Vanrolleghem P. A. (2010). Multi-criteria analysis of wastewater treatment plant design and control scenarios with the Benchmark Simulation Model No. 2 under uncertainty. *Environmental Modelling & Software*, **25**(5), 616–621.
- Betancur M. J., Moreno J. A., Moreno-Andrade I. and Buitron G. (2006). Practical optimal control of fed-batch bioreactors for the waste water treatment. *International Journal of Robust and Nonlinear Control*, **16**(3), 173–190.
- Chachuat B. and Bernard O. (2006). Probabilistic observers for a class of uncertain biological processes. *International Journal of Robust and Nonlinear Control*, **16**(3), 157–171.
- Chachuat B., Roche N. and Latifi R. (2003). Reduction of the ASM 1 model for optimal control of small-size activated sludge treatment plants Reduction du modele ASM 1 pour la commande optimale des petites stations d'epuration a boues actives. *Revue des Sciences de L'Eau*, **16**(1), 5–26.
- Chang N.-B., Chen W. C. and Shieh W. K. (2001). Optimal control of wastewater treatment plants via integrated neural network and genetic algorithms. *Civil Engineering and Environmental Systems*, **18**(1), 1–17.
- Chen W. C., Chang N.-B. and Shieh W. K. (2001). Advanced hybrid fuzzy-neural controller for industrial wastewater treatment. *Journal of Environmental Engineering*, **127**(11), 1048–1059.
- Chong H. and Walley W. (1996). Rule-based versus probabilistic approaches to the diagnosis of faults in wastewater treatment processes. *Artificial Intelligence in Engineering*, **10**(3), 265–273.
- Chui J. and Li J. Y. (2000). Long-term rainfall generation for real time control planning of combined sewer systems. 2000 Annual Conference – Canadian Society for Civil Engineering, June 7, 2000–June 10, 2000, London, Ontario, Canada, Canadian Society for Civil Engineering.

- Comas J., Dzeroski S., Gibert K., Rodriguez-Roda I. and Sanchez-Marre M. (2001). Knowledge discovery by means of inductive methods in wastewater treatment plant data. *AI Communications*, **14**(1), 45–62.
- Comas J., Rodriguez-Roda I., Poch M., Gernaey K. V., Rosen C. and Jeppsson U. (2006). Demonstration of a tool for automatic learning and re-use of knowledge in the activated sludge process. *Water Science and Technology*, **53**(4–5), 303–311.
- Cong Q.-M., Chai T.-Y. and Yu W. (2009). Modeling wastewater treatment plant via hierarchical neural networks. *Kongzhi Lilun Yu Yinyong/Control Theory and Applications*, **26**(1), 8–14.
- Cox C., Fletcher I. and Adgar A. (2001). ANN-based sensing and control developments in the water industry: A decade of innovation. Proceedings of the 2001 IEEE International Symposium on Intelligent Control ISIC '01, September 5, 2001–September 7, 2001, Mexico City, Mexico, Institute of Electrical and Electronics Engineers Inc.
- Dimitrova N. and Krastanov M. (2006). Nonlinear adaptive control of an uncertain wastewater treatment model. 12th GAMM – IMACS International Symposium on Scientific Computing, Computer Arithmetic and Validated Numerics, SCAN 2006, Conference Post-Proceedings.
- El-Din A. G. and Smith D. W. (2000). Real-time waste water flow prediction using an ANN. 2000 Annual Conference Abstracts – Canadian Society for Civil Engineering.
- El-Din A. G. and Smith D. W. (2002). A neural network model to predict the wastewater inflow incorporating rainfall events. *Water Research*, **36**(5), 1115–1126.
- Ferrer A., Aguado D., Vidal-Puig S. and Montalban J. P. (2008). PLS: A versatile tool for industrial process improvement and optimization. *Applied Stochastic Models in Business and Industry*, **24**(6), 551–567.
- Fibrianto H., Mazouni D., Ignatova M., Herveau M., Harmand J. and Dochain D. (2008). Dynamical modelling, identification and software sensors for SBRs. *Mathematical and Computer Modelling of Dynamical Systems*, **14**(1), 17–26.
- Fiter M., Güell D., Comas J., Colprim J., Poch M. and Rodriguez-Roda I. (2005). Energy saving in a wastewater treatment process: an application of fuzzy logic control. *Environmental Technology*, **26**(11), 1263–1270.
- Flores X., Comas J., Rodriguez-Roda I., Jimenez Esteller L. and Gernaey K. V. (2007). Application of multivariable statistical techniques in plant-wide WWTP control strategies analysis. *Water Science and Technology*, **56**(6), 75–83.
- Flores-Alsina X., Rodriguez-Roda I., Sin G. and Gernaey K. V. (2009). Uncertainty and sensitivity analysis of control strategies using the benchmark simulation model No1 (BSM1). *Water Science Technology*, **59**(3), 491–499.
- Flores-Tlacuahuac A., Esparza M. and Lopez-Negrete de la Fuente R. (2009). Bifurcation behavior of a large scale waste water treatment plant. *Industrial & Engineering Chemistry Research*, **48**(5), 2605–2615.
- Garcia-Sanz M., Eguinoa I., Gil-Martinez M., Irizar I. and Ayesa E. (2008). MIMO quantitative robust control of a wastewater treatment plant for biological removal of nitrogen and phosphorus. In proceedings of the 16th Mediterranean Conference on Control and Automation, 2008: MED '08; 25–27 June 2008, Ajaccio, Corsica, France.
- Giona M. and Paladino O. (1994). Bifurcation-Analysis and stability of a controlled CSTR. *Computers & Chemical Engineering*, **18**(9), 877–887.
- Gomez-Quintero C. S. and Queinnec I. (2002). Robust estimation for an uncertain linear model of an activated sludge process. Proceedings of the 2002 IEEE International Conference on Control Applications, September 18–20, 2002, Glasgow, United Kingdom, Institute of Electrical and Electronics Engineers Inc.
- Gomez-Quintero C.-S. and Queinnec I. (2002b). Robust estimation for an uncertain linear model of an activated sludge process. Proceedings of the 2002 IEEE International Conference on Control Applications, September 18, 2002–September 20, 2002, Glasgow, United Kingdom, Institute of Electrical and Electronics Engineers Inc.
- Guergachi A. A. and Patry G. G. (2006). Constructing a model hierarchy with background knowledge for structural risk minimization: application to biological treatment of wastewater. *IEEE Transactions on Systems, Man, and Cybernetics Part A: Systems and Humans*, **36**(2), 373–383.
- Hadj-Sadok M. Z. and Gouze J.-L. (1998). Bounds estimations for uncertain models of wastewater treatment. Proceedings of the 1998 IEEE International Conference on Control Applications. Part 1 (of 2), September 1, 1998–September 4, 1998, Trieste, Italy, IEEE.
- Hadj-Sadok M. Z. and Gouze J. L. (2001). Estimation of uncertain models of activated sludge processes with interval observers. *Journal of Process Control*, **11**(3), 299–310.

- Holenda B., Domokos E., Redey A. and Fazakas J. (2007). Aeration optimization of a wastewater treatment plant using genetic algorithm. *Optimal Control Applications and Methods*, **28**(3), 191–208.
- Hu Y.-L. and Qiao J.-F. (2004). Fuzzy neural network control of uncertain parameters system. Proceedings of the World Congress on Intelligent Control and Automation 15–19 June 2004, Hangzhou, China.
- Johnson M. A. and Sanchez A. (2003). Process control loop tuning and monitoring using LQG optimality with applications in wastewater treatment plant. Fourth International Conference on Control and Automation, June 10, 2003–June 12, 2003, Montreal, Québec, Canada, Institute of Electrical and Electronics Engineers Inc.
- Karupiah R., Grossmann I. E. (2008). Global optimization of multiscenario mixed integer nonlinear programming models arising in the synthesis of integrated water networks under uncertainty. Process Systems Engineering: Contributions on the State-of-the-Art Selected extended Papers from ESCAPE '16/PSE 2006. *Computers and Chemical Engineering*, **32**(1–2), 145–160.
- Kim Y., Bae H., Poo K., Moon T., Kim S. and Kim C. (2006). Soft sensor using PNN model and rule base for wastewater treatment plant. 3rd International Symposium on Neural Networks, ISNN 2006 – Advances in Neural Networks, May 28, 2006–June 1, 2006, Chengdu, China, Springer-Verlag.
- Kolodyazhnyi V., Klawonn F. and Tschumitschew K. (2007). A neuro-fuzzy model for dimensionality reduction and its application. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, **15**(5), 571–593.
- Lamrini B., Benhammou A., Le Le Lann M.-V. and Karama A. (2005). A neural software sensor for online prediction of coagulant dosage in a drinking water treatment plant *Transactions of the Institute of Measurement and Control*, **27**(3), 195–213.
- Lardon L. and Steyer J. P. (2007). Advances in Diagnosis of Biological Anaerobic Wastewater Treatment Plants. Selected Topics in Dynamics and Control of Chemical and Biological Processes, Springer, Berlin, Heidelberg.
- Lardon L., Punal A. and Steyer J. P. (2004). On-line diagnosis and uncertainty management using evidence theory – experimental illustration to anaerobic digestion processes. *Dynamics, Monitoring Control and Optimization of Biological Journal of Process Control*, **14**(7), 747–763.
- Lardon L., Punal A., Martinez J. A. and Steyer J. P. (2005). Modular expert system for the diagnosis of operating conditions of industrial anaerobic digestion plants. *Water Science and Technology*, **52**(1–2), 427–433.
- Lee D. S. and Vanrolleghem P. A. (2003). Monitoring of a sequencing batch reactor using adaptive multiblock principal component analysis. *Biotechnology and Bioengineering*, **82**(4), 489–497.
- Lee D. S. and Vanrolleghem P. A. (2004). Adaptive consensus principal component analysis for on-line batch process monitoring. *Advanced Environmental Monitoring and Assessment*, **92**(1–3), 119–135.
- Lee J.-M., Yoo C., Choi S. W., Vanrolleghem P. A. and Lee I.-B. (2004a). Nonlinear process monitoring using kernel principal component analysis. *Chemical Engineering Science*, **59**(1), 223–234.
- Lee T. T., Wang F. Y. and Newell R. B. (2004b). Robust multivariable control of complex biological processes. *Journal of Process Control*, **14**(2), 193–209.
- Lee D. S., Park J. M. and Vanrolleghem P. A. (2005). Adaptive multiscale principal component analysis for on-line monitoring of a sequencing batch reactor. *Journal of Biotechnology*, **116**(2), 195–210.
- Lennox J. and Rosen C. (2002). Adaptive multiscale principal components analysis for online monitoring of wastewater treatment. *Water Science & Technology*, **45**(4), 227–235.
- Marsili-Libelli S. (2006). Control of SBR switching by fuzzy pattern recognition. *Water Research*, **40**(5), 1095–1107.
- Marsili-Libelli S. and Giunti L. (2002). Fuzzy predictive control for nitrogen removal in biological wastewater treatment. *Water Science and Technology*, **45**(4–5), 37–44.
- Marsili-Libelli S., Spagni A. and Susini R. (2008). Intelligent monitoring system for long-term control of sequencing batch reactors. *Water Science and Technology*, **57**(3), 431–438.
- Meirlaen J. and Vanrolleghem P. A. (2002). Model reduction through boundary relocation to facilitate real-time control optimisation in the integrated urban wastewater system. *Water Science and Technology*, **45**(4–5), 373–381.
- Meirlaen J., Van Assel J. and Vanrolleghem P. A. (2002). Real time control of the integrated urban wastewater system using simultaneously simulating surrogate models. *Water Science and Technology*, **45**(3), 109–116.
- Mingzhi H., Jinquan W., Yongwen M., Weijiang L. and Xiaofei S. (2009). Control rules of aeration in a submerged biofilm wastewater treatment process using fuzzy neural networks. *Expert Systems with Applications*, **36**(7), 10428–10437.

- Moreno J. (1999). Optimal time control of bioreactors for the wastewater treatment. *Optimal Control Applications and Methods*, **20**(3), 145–164.
- Muller A., Marsili-Libelli S., Aivasidis A., Lloyd T., Kroner S. and Wandrey C. (1997). Fuzzy control of disturbances in a wastewater treatment process. *Water Research*, **31**(12), 3157–3167.
- Nejjari F., Roux G., Dahhou B. and Benhammou A. (1999). Estimation and optimal control design of a biological wastewater treatment process. *Mathematics and Computers in Simulation*, **48**(3), 269–280.
- Paladino O. (1999). A fuzzy operating database to support diagnosis on a wastewater treatment plant. *Chemical and Biochemical Engineering Quarterly*, **13**(1), 1–8.
- Pan Y., Yoo C., Lee J. H. and Lee I.-B. (2002). Process monitoring of continuous processes with periodic operation patterns. 2002 American Control Conference, May 8, 2002–May 10, 2002, Anchorage, AK, United States, Institute of Electrical and Electronics Engineers Inc.
- Pan Y., Yoo C., Lee J. H. and Lee I.-B. (2004). Process monitoring for continuous process with periodic characteristics. *Journal of Chemometrics*, **18**(2), 69–75.
- Rauh A., Kletting M., Aschemann H. and Hofer E. P. (2005). Robust controller design for bounded state and control variables and uncertain parameters using interval methods. Proceedings of the 5th International Conference on Control and Automation, 26*–29 June 2005, Budapest, Hungary.
- Riesco J., Calvo J. and Martin-Sanchez J. M. (2002). Adaptive predictive expert (ADEX) control: Application to waste water treatment plants. IEEE Conference on Control Applications – Proceedings, Glasgow, UK.
- Riesco J., Calvo J. and Martin-Sanchez J. M. (2003). ADEX optimization system for the biological phase of a water treatment plant. Technical Papers of ISA: Safety Instrumented Systems for the Process Industry.
- Rosen C. and Lennox J. (2001). Multivariate and multiscale monitoring of wastewater treatment operation. *Water Research*, **35**(14), 3402–3410.
- Rosen C., Rieger L., Jeppsson U. and Vanrolleghem P. A. (2008). Adding realism to simulated sensors and actuators. *Water Science and Technology*, **57**(3), 337–344.
- Sahely B. S. G. E. and Bagley D. M. (2001). Diagnosing upsets in anaerobic wastewater treatment using Bayesian belief networks. *Journal of Environmental Engineering*, **127**(4), 302–310.
- Sangüesa R. and Burrell P. (2000). Application of Bayesian network learning methods to waste water treatment plants. *Applied Intelligence*, **13**(1), 19–40.
- Sotomayor O. A. Z., Park S. W. and Garcia C. (2002). Software sensor for on-line estimation of the microbial activity in activated sludge systems. *ISA Transactions*, **41**(2), 127–143.
- Steyer J.-P., Lardon L. and Bernard O. (2004). Sensors network diagnosis in anaerobic digestion processes using evidence theory. *Water Science and Technology*, **50**(11), 21–29.
- Tenno R. and Uronen P. (1996). Stochastic control for wastewater treatment processes. *Control Engineering Practice*, **4**(5), 601–614.
- Thomann M., Rieger L., Frommhold S. and Siegrist H. (2002). An efficient monitoring concept with control charts for on-line sensors. *Water Science and Technology*, **46**(4–5), 107–116.
- Tomita R., Park S. and Sotomayor O. A. Z. (2002). Analysis of activated sludge process using multivariate statistical tools—a PCA approach. *Chemical Engineering Journal*, **90**(3), 283–290.
- Wik T., Fransson C.-M. and Lennartsson B. (2003). Feedforward Feedback Controller Design for Uncertain Systems. 42nd IEEE Conference on Decision and Control, December 9, 2003–December 12, 2003, Maui, HI, United States, Institute of Electrical and Electronics Engineers Inc.
- Xie S.-G. and Zhou L.-F. (2008). Fuzzy adaptive generalized predictive control for wastewater treatment process. *Huadong Ligong Daxue Xuebao /Journal of East China University of Science and Technology*, **34**(6), 854–858.
- Yiannakopoulou T. V. and Kaimakamidou V. (2009). Testing the reliability of protozoa as indicators of wastewater treatment plant performance. *Fresenius Environmental Bulletin*, **18**(2), 146–157.
- Yoo C. K., Vanrolleghem P. A. and Lee I.-B. (2003). Nonlinear modeling and adaptive monitoring with fuzzy and multivariate statistical methods in biological wastewater treatment plants. *Journal of Biotechnology*, **105**(1–2), 135–163.
- Yoo C. K., Lee D. S. and Vanrolleghem P. A. (2004). Application of multiway ICA for on-line process monitoring of a sequencing batch reactor. *Water Research*, **38**(7), 1715–1732.

- Yoo C. K., Villez K., Lee I.-B. and Vanrolleghem P. A. (2006). Multivariate nonlinear statistical process control of a sequencing batch reactor. *Journal of Chemical Engineering of Japan*, **39**(1), 43–51.
- Yoo C. K., Villez K., Lee I.-B., Rosen C. and Vanrolleghem P. A. (2007). Multi-model statistical process monitoring and diagnosis of a sequencing batch reactor. *Biotechnology and Bioengineering*, **96**(4), 687–701.
- Yordanova S., Petrova R., Mastorakis N. E. and Mladenov V. (2006). Sugeno predictive neuro-fuzzy controller for control of nonlinear plant under uncertainties. *WSEAS Transactions on Systems*, **5**(8), 1814–1821.
- Zacharof A. I., Schutze M. and Butler D. (2003). A methodology for assessing the operational potential of the urban wastewater system using integrated modelling. *Water Supply*, **3**(1–2), 271–277.
- Zhu G.-B. and Peng Y.-Z. (2004). Application and development of intelligent control technology in urban wastewater treatment system. *Harbin Gongye Daxue Xuebao/Journal of Harbin Institute of Technology*, **36**(3), 328–330+374.

C.6 UNCERTAINTY IN THE FATE OF POLLUTANTS IN THE ENVIRONMENT AND RESULTING IN REGULATORY (WWTP EFFLUENT STANDARDS) ISSUES

- Abdulla F. A. and Al-Ghazzawi Z. D. (1998). Assessment of methane emissions from industrial and municipal wastewater treatment plants in Jordan. *Journal of the Institution of Engineers (India): Environmental Engineering Division*, **79**(1), 1–3.
- Abdulla F. A. and Al-Ghazzawi Z. D. (2000). Methane emissions from domestic waste management facilities in Jordan – applicability of IPCC methodology. *Journal of the Air and Waste Management Association*, **50**(2), 234–239.
- Ahlman S. (2006). Modelling of substance flows in urban drainage systems. *Doktorsavhandlingar vid Chalmers Tekniska Hogskola*, **2441**, 1–90.
- Alhumoud J. M. and Al-Sharifi F. A. (2002). Probability analysis of Kuwait’s wastewater treatment plant’s influent and effluent. *Fluid – Particle Separation Journal*, **14**(2), 95–104.
- An Y.-J., Yoon C. G., Jung K.-W. and Ham J.-H. (2007). Estimating the microbial risk of *E. coli* in reclaimed wastewater irrigation on paddy field. *Environmental Monitoring and Assessment*, **129**(1–3), 53–60.
- Andreidakis A., Mamais D. and Gavalakis E. (2006). Evaluation of treatment schemes appropriate for wastewater reuse in Greece. *International Journal of Environmental Technology and Management*, **6**(5), 423–433.
- Barnett V. and O’Hagan A. (1997). Setting Environmental Standards: The Statistical Approach to Handling Uncertainty and Variation (1st ed.). Chapman and Hall/CRC. <https://doi.org/10.1201/9780367812546>
- Baxter C. W., Lence B. J. and Coffey B. M. (2003). Analysing operational risk in potable water supply using conditional reliability. In Proceedings of the World Water and Environmental Resources Congress, 23–26 June 2003, Philadelphia, USA.
- Benedetti L., Blumensaat F., Bonisch G., Dirckx G., Jardin N., Krebs P. and Vanrolleghem P. A. (2005). Systems analysis of urban wastewater systems – Two systematic approaches to analyse a complex system. *Water Science and Technology*, **52**(12), 171–179.
- Benedetti L., Dirckx G., Bixio D., Thoeye C. and Vanrolleghem P. A. (2006). Substance flow analysis of the wastewater collection and treatment systems. *Urban Water Journal*, **3**(1), 33–42.
- Benedetti L., Meirlaen J., Facchi A., Gandolfi C. and Vanrolleghem P. A. (2007). Dynamic integrated water quality modelling: a case study of the Lambro River, northern Italy. *Water SA*, **33**(5), 627–632.
- Benedetti L., Dirckx G., Bixio D., Thoeye C. and Vanrolleghem P. A. (2008). Environmental and economic performance assessment of the integrated urban wastewater system. *Journal of Environmental Management*, **88**, 1262–1272.
- Benedetti L., Prat P., Nopens I., Poch M., Turon C., De Baets B. and Comas J. (2009). A new rule generation method to develop a DSS for integrated management at river basin scale. *Water Science and Technology*, **60**(8), 2035–2040.
- Benedetti L., De Keyser W., Nopens I. and Vanrolleghem P. A. (2010). Probabilistic modelling and evaluation of waste water treatment plant upgrades in the EU water framework directive context. *Journal of Hydroinformatics*, **12**(4), 380–395.

- Benetto E., Nguyen D., Lohmann T., Schmitt B. and Schosseler P. (2009). Life cycle assessment of ecological sanitation system for small-scale wastewater treatment. *Science of the Total Environment*, **407**(5), 1506–1516.
- Bischoff W., Huang M.-N. L. and Yang L. (2006). Growth curve models for stochastic modeling and analyzing of natural disinfection of wastewater. *Environmetrics*, **17**(8), 827–847.
- Bo Y. (1998). Probabilistic management model for water quality. Proceedings of the 1998 International Water Resources Engineering Conference. Part 2 (of 2), August 3, 1998–August 7, 1998, Memphis, TN, USA, ASCE.
- Boeije G., Vanrolleghem P. and Matthies M. (1997). A geo-referenced aquatic exposure prediction methodology for ‘down-the-drain’ chemicals. Proceedings of the 1997 4th IAWQ International Symposium on Systems Analysis and Computing in Water Quality Management, June 17, 1997–June 20, 1997, Quebec, Canada, Elsevier Science Ltd.
- Bradley A. A., Holly F. M., Walker W. K. and Wright S. A. (1998). Estimation of water temperature exceedance probabilities using thermo-hydrodynamic modeling. *Journal of the American Water Resources Association*, **34**(3), 467–480.
- Breton R. L., Teed R. S. and Moore D. R. J. (2003). An ecological risk assessment of phenol in the aquatic environment. *Human and Ecological Risk Assessment*, **9**(2), 549–568.
- Buzas K. (1999). Nutrient balances of the Danube basin: The role of uncertainties. Proceedings of the 1999 8th IAWQ River Basin Conference, Budapest, Hungary, September 13 – 16, 1998. *Water Science and Technology*, **40**(10), 51–58.
- Carrasco I. J. and Chang S. Y. (2005). Random Monte Carlo simulation analysis and risk assessment for ammonia concentrations in wastewater effluent disposal. *Stochastic Environmental Research and Risk Assessment*, **19**(2), 134–145.
- Cata C. and Mohrlok U. (2006). A random-walk approach for simulating wastewater transport and transformations in the unsaturated zone. ModelCARE 2005, June 6, 2005–June 9, 2005, Hague, Netherlands, IAHS Press.
- Choi K. W., Lee J. H. W., Kwok K. W. H. and Leung K. M. Y. (2009). Integrated stochastic environmental risk assessment of the Harbour Area Treatment Scheme (HATS) in Hong Kong. *Environmental Science and Technology*, **43**(10), 3705–3711.
- Chu J., Chen J., Wang C. and Fu P. (2004). Wastewater reuse potential analysis: implications for China’s water resources management. *Water Research*, **38**(11), 2746–2756.
- Clement A. and Buzas K. (1999). Use of ambient water quality data to refine emission estimates in the Danube basin. Proceedings of the 1999 8th IAWQ River Basin Conference, Budapest, Hungary, September 13, 1998 – September 16, 1998. *Water Science and Technology*, **40**(10), 35–42.
- Clement L., Thas O., Vanrolleghem P. A. and Ottoy J. P. (2006). Spatio-temporal statistical models for river monitoring networks. *Water Science and Technology*, **53**(1), 9–15.
- Constable M., Charlton M., Jensen F., McDonald K., Craig G. and Taylor K. W. (2003). An ecological risk assessment of ammonia in the aquatic environment. *Human and Ecological Risk Assessment*, **9**(2), 527–548.
- Crabtree B., Earp W. and Whalley P. (1996). Demonstration of the benefits of integrated wastewater planning for controlling transient pollution. Proceedings of the 1995 IAWQ Interdisciplinary Symposium on Uncertainty, Risk and Transient Pollution Events, Exeter, UK, July 26–28, 1995. *Water Science and Technology*, **33**(2), 209–218.
- De Azevedo L. G. T., Gates T. K., Fontane D. G., Labadie J. W. and Porto R. L. (2000). Integration of water quantity and quality in strategic river basin planning. *Journal of Water Resources Planning and Management*, **126**(2), 85–97.
- De Nooij R. J. W., Lotterman K. M., van de Sande P. H. J., Pelsma T., Leuven R. S. E. W. and Lenders H. J. R. (2006). Validity and sensitivity of a model for assessment of impacts of river floodplain reconstruction on protected and endangered species. *Environmental Impact Assessment Review*, **26**(8), 677–695.
- Dong H.-G., Lin C.-Y. and Chang C.-T. (2008). Simultaneous optimization approach for integrated water-allocation and heat-exchange networks. *Chemical Engineering Science*, **63**(14), 3664–3678.
- Donovan E., Unice K., Roberts J. D., Harris M. and Finley B. (2008). Risk of gastrointestinal disease associated with exposure to pathogens in the water of the Lower Passaic River. *Applied and Environmental Microbiology*, **74**(4), 994–1003.
- Efroymson R. A., Jones D. S. and Gold A. J. (2007). An ecological risk assessment framework for effects of onsite wastewater treatment systems and other localized sources of nutrients on aquatic ecosystems. *Human and Ecological Risk Assessment*, **13**(3), 574–614.

- El-Beshry M. Z. (2008). Sensitivity analysis of simulated dissolved oxygen in bahr hadus drain, Egypt. *Journal of Engineering and Applied Science*, **55**(3), 195–208.
- El-Fadel M. and Massoud M. (2001). Methane emissions from wastewater management. *Environmental Pollution*, **114**(2), 177–185.
- El-Ghonemy H., Watts L. and Fowler L. (2005). Treatment of uncertainty and developing conceptual models for environmental risk assessments and radioactive waste disposal safety cases. *Environment International*, **31**(1), 89–97.
- Elektorowicz M. and Qasaimeh A. (2004). Fuzzy modelling estimation of mercury removal by wetland components. In Proceedings of the Annual Conference of the North American Fuzzy Information Processing Society, 27–30 June 2004, Banff, Canada.
- Elektorowicz M., Balanzinski M. and Qasaimeh A. (2002). Application of the artificial intelligence to estimate the constructed wetland response to heavy metal removal. Conference Proceedings – Joint 2002 CSCE/ASCE International Conference on Environmental Engineering – An International Perspective on Environmental Engineering, Canada: Canadian Society for Civil Engineering.
- Espinoza F. P. and Enfield C. G. (2005). Stochastic-Lagrangian Model (SLAM) for NAPL remediation. 2005 World Water and Environmental Resources Congress, May 15, 2005–May 19, 2005, Anchorage, AK, United States, American Society of Civil Engineers.
- Fan L. and Xu Y. (2008). Interval observer-based monitoring of river water quality. 2007 IEEE International Conference on Control and Automation, ICCA, May 30, 2007–June 1, 2007, Guangzhou, China, Institute of Electrical and Electronics Engineers Inc.
- Franks C. A., Mahony M. J. and Franks S. W. (2005). Measuring river health: the uncertainty associated with impact assessment using a single sample biological assessment technique. *IAHS-AISH Publication*, (294), 176–182.
- Gelda R. K., Effler S. W. and O'Donnell S. M. (2001). Probabilistic model of ammonia and toxicity status for urban lake. *Journal of Water Resources Planning and Management*, **127**(5), 337–347.
- Ghermandi A., Vandenberghe V., Benedetti L., Bauwens W. and Vanrolleghem P. A. (2009). Model-based assessment of the effect of shading on river water quality. *Ecological Engineering*, **35**(1), 92–104.
- Gronewold A., Qian S., Wolper R. L. and Reckhow K. H. (2009). Calibrating and validating bacterial water quality models: A Bayesian approach. *Water Research*, **43**(10), 2688–2698.
- Hauger M., Rauch W., Linde J. and Mikkelsen P. S. (2002). Model based risk assessment of CSO induced DO depletion in urban rivers. Proceedings of the Ninth International Conference on: Urban Drainage, September 8, 2002–September 13, 2002, Portland, OR, United States, American Society of Civil Engineers.
- Jardine C. G. and Hrudey S. E. (1999). Characterizing response variability and method uncertainty in odour perception research. Proceedings of the 1997 5th International Symposium on Off-Flavours in the Aquatic Environment, October 13, 1997–October 16, 1997, Paris, France, Elsevier Ltd.
- Johnson A., Purvis Thurow A. and Vietor D. M. (1998). Dairy manure management: an application of probabilistic risk assessment. *Journal of Environmental Quality*, **27**(3), 481–487.
- Kapo K. E. and Burton G. A. (2006). A geographic information systems-based, weights-of-evidence approach for diagnosing aquatic ecosystem impairment. *Environmental Toxicology and Chemistry*, **25**(8), 2237–2249.
- Li S. and Morioka T. (1999). Optimal allocation of waste loads in a river with probabilistic tributary flow under transverse mixing. *Water Environment Research*, **71**(2), 156–162.
- Logan L. and Ponnambalam K. (2001). Integrating risk and performance reliability for flow augmentation. 2001 IEEE International Conference on Systems, Man and Cybernetics, October 7, 2001–October 10, 2001, Tucson, AZ, United States, Institute of Electrical and Electronics Engineers Inc.
- Mannina G., Freni G., Vivani G., Saegrov S. and Hafskjold L. S. (2006). Integrated urban water modelling with uncertainty analysis. *Water Science & Technology*, **54**(6–7), 379–386.
- Maria G. and Maria C. (2006). Evaluation of risk zones over a river pathway, downstream a release point, under seasonal pollutant biodegradability. *Chemical and Biochemical Engineering Quarterly*, **20**(3), 333–342.
- Masliev I. and Somlyody L. (1994). Probabilistic methods for uncertainty analysis and parameter-estimation for dissolved-oxygen models. *Water Science and Technology*, **30**(2), 99–108.

- Matthies M., Berlekamp J., Koormann F. and Wagner J.-O. (2001). Georeferenced regional simulation and aquatic exposure assessment.
- McFarland A. M. S. and Hauck L. M. (2001). Determining nutrient export coefficients and source loading uncertainty using in-stream monitoring data. *Journal of the American Water Resources Association*, **37**(1), 223–236.
- Meirlaen J., Huyghebaert B., Sforzi F., Benedetti L. and Vanrolleghem P. A. (2001). Fast, simultaneous simulation of the integrated urban wastewater system using mechanistic surrogate models. *Water Science and Technology*, **43**(7), 301–309.
- Meirlaen J., Van Assel J. and Vanrolleghem P. A. (2002). Real time control of the integrated urban wastewater system using simultaneously simulating surrogate models. *Water Science and Technology*, **45**(3), 109–116.
- Melching C. S., Novotny V. and Schilling J. B. (2006). Probabilistic evaluation of ammonia toxicity in Milwaukee's Outer Harbor. *Water Science and Technology*, **53**(1), 109–116.
- Morgan D. and Takyi A. (2000). Comprehensive risk assessment for developing water quality criteria for ammonia. 2000 Annual Conference – Canadian Society for Civil Engineering, June 7, 2000–June 10, 2000, London, Ontario, Canada, Canadian Society for Civil Engineering.
- Novotny V. (2004). Simplified databased total maximum daily loads, or the world is log-normal. *Journal of Environmental Engineering*, **130**(6), 674–683.
- Oliveira S. C. and Von Sperling M. (2008). Reliability analysis of wastewater treatment plants. *Water Research*, **42**(4–5), 1182–1194.
- Palumbo J. and Maltby V. (2004). The effect of data availability and model complexity on the buxahatchee creek TMDL. *NCASI Technical Bulletin*, **878**.
- Perotto E., Canziani R., Marchesi R. and Butelli P. (2008). Environmental performance, indicators and measurement uncertainty in EMS context: a case study. *Journal of Cleaner Production*, **16**(4), 517–530.
- Portielje R. and Rijdsdijk R. E. (2003). Stochastic modelling of nutrient loading and lake ecosystem response in relation to submerged macrophytes and benthivorous fish. *Freshwater Biology*, **48**(4), 741–755.
- Qin X. S. and Huang G. H. (2009). An inexact chance-constrained quadratic programming model for stream water quality management. *Water Resources Management*, **23**(4), 661–695.
- Qin X., Huang G., Chen B. and Zhang B. (2009). An interval-parameter waste-load-allocation model for river water quality management under uncertainty. *Environmental Management*, **43**, 999–1012.
- Reiss R., Mackay N., Habig C. and Griffing J. (2002). An ecological risk assessment for triclosan in lotic systems following discharge from wastewater treatment plants in the United States. *Environmental Toxicology and Chemistry*, **21**(11), 2483–2492.
- Ren S. (2008). Probabilistic risk assessment for zinc in some commercial dishwashing detergents: the anaerobic digestion processes in US POTWs. *Chemosphere*, **71**(3), 589–600.
- Riva M., Guadagnini A., Fernandez-Garcia D., Sanchez-Vila X. and Ptak T. (2008). Relative importance of geostatistical and transport models in describing heavily tailed breakthrough curves at the Lauswiesen site. *Journal of Contaminant Hydrology*, **101**(1–4), 1–13.
- Rivas A., Irizar I. and Ayesa E. (2008). Model-based optimisation of wastewater treatment plants design. *Environmental Modelling and Software*, **23**(4), 435–450.
- Rossi L., Krejci V., Rauch W., Kreikenbaum S., Fankhauser R. and Gujer W. (2005). Stochastic modeling of total suspended solids (TSS) in urban areas during rain events. *Water Research*, **39**(17), 4188–4196.
- Schulze F. H., Wolf H., Jansen H. W. and van der Veer P. (2005). Applications of artificial neural networks in integrated water management: fiction or future? *Water Science and Technology*, **52**(9), 21–31.
- Silva N. G. M. and von Sperling M. (2008). Sensitivity analysis of non-point sources in a water quality model applied to a dammed low-flow-reach river. *Water Science and Technology*, **57**(8), 1295–1300.
- Singh A. P., Ghosh S. K. and Sharma P. (2007). Water quality management of a stretch of river Yamuna: an interactive fuzzy multi-objective approach. *Water Resources Management*, **21**(2), 515–532.
- Stehouwer R. C., Wolf A. M. and Doty W. T. (2000). Chemical monitoring of sewage sludge in Pennsylvania: variability and application uncertainty. *Journal of Environmental Quality*, **29**(5), 1686–1695.
- Tanaka H., Asano T., Schroeder E. D. and Tchobanoglous G. (1998). Estimating the safety of wastewater reclamation and reuse using enteric virus monitoring data. *Water Environment Research*, **70**(1), 39–51.

- Tata P., Lue-Hing C. and Knafel G. J. (2000). Statistical evaluation of pathogen inactivation for a conventional low-cost technology class A biosolids process. *Water Environment Research*, **72**(4), 423–431.
- Torres J., Brumbelow K. and Guikema S. D. (2009). Risk classification and uncertainty propagation for virtual water distribution systems. *Reliability Engineering and System Safety*, **94**(8), 1259–1273.
- Uddameri V. and Dyson B. (2007). A decision-analytic approach for designing aquaculture treatment wetlands subject to intermittent loading under uncertainty. *Water, Air, and Soil Pollution*, **186**(1–4), 297–309.
- Vaes G. and Berlamont J. (1999). Emission predictions with a multi-linear reservoir model.
- Van Ginneken M. and Oron G. (2000). Risk assessment of consuming agricultural products irrigated with reclaimed wastewater: an exposure model. *Water Resources Research*, **36**(9), 2691–2699.
- Van Zelm R., Huijbregts M. A., Russell M. H., Jager T. and Van de meent D. (2008). Modeling the environmental fate of perfluorooctanoate and Its precursors from global fluorotelomer acrylate polymer Use. *Environmental Toxicology and Chemistry*, **27**(11), 2216–2223.
- Willems P. (2006). Random number generator or sewer water quality model? *Water Science and Technology*, **54**(6–7), 387–394.
- Willems P. (2008). Quantification and relative comparison of different types of uncertainties in sewer water quality modeling. *Water Research*, **42**(13), 3539–3551.
- Willems P. and Berlamont J. (2001). Probabilistic modelling of the immission of water and pollution from urban drainage systems in receiving watercourses. Urban Drainage Modeling: Proceedings of the Specialty Symposium of the World Water and Environmental Resources Congress, May 20, 2001–May 24, 2001, Orlando, FL, United States, American Society of Civil Engineers.
- Willems P. and Berlamont J. (2002). Probabilistic emission and immission modelling: case-study of the combined sewer – WWTP – receiving water system at Dessel (Belgium). *Water Science and Technology*, **45**(3), 117–124.
- Yan J. M., Vairavamoorthy K. and Gorantiwar S. D. (2006). Contaminant transport model for unsaturated soil using fuzzy approach. *Journal of Environmental Engineering*, **132**(11), 1489–1497.
- Yin T. and Stevens D. K. (2007). Regulating waste discharge with fuzzy interval effluent limitations for toxic pollutants. *Water Environment Research*, **79**(4), 414–420.

C.7 UPDATED LITERATURE 2011–2019

- Barth A., Bürger R., Kröker I. and Rohde C. (2016). Computational uncertainty quantification for a clarifier-thickener model with several random perturbations: a hybrid stochastic Galerkin approach. *Computers & Chemical Engineering*, **89**, 11–26.
- Batzias F. A., Salapa I. S. and Siontorou C. G. (2016). On the tradeoff between reliability and uncertainty: when combining bioreactors for wastewater treatment. Advances in environment. *Computational Chemistry and Bioscience*, **12**, 181–186.
- Bedla D., Chmielowski K., Dacewicz E. and Jurik L. (2019). Effect of parametric uncertainty of selected classification models and simulations of wastewater quality indicators on predicting the sludge volume index. *Polish Journal of Environmental Studies*, **29**(2), 1–10.
- Benedetti L., Belia E., Cierkens K., Flameling T., De Baets B., Nopens I. and Weijers S. (2013). The incorporation of variability and uncertainty evaluations in WWTP design by means of stochastic dynamic modeling: the case of the Eindhoven WWTP upgrade. *Water Science and Technology*, **67**, 1841–1850.
- Benítez-López A., Conesa I., Douziche M., Franco A., Huijbregts M. and Zelm R. (2018). Quantifying variability in removal efficiencies of chemicals in activated sludge wastewater treatment plants – a meta-analytical approach. *Environmental Science: Processes & Impacts*, **20**, 171–182.
- Borzooei S., Miranda G., Teegavarapu R., Scibilia G., Meucci L. and Zanetti M. (2019). Assessment of weather-based influent scenarios for a WWTP: application of a pattern recognition technique. *Journal of Environmental Management*, **242**, 450–456.
- Chen Z. and Zayed T. (2015). An efficiency-centred hierarchical method to assess performance of wastewater treatment plants. *International Journal of Environmental Research*, **9**, 1–8.

- Chen W., Lu X. and Yao C. (2015a). Optimal strategies evaluated by multi-objective optimization method for improving the performance of a novel cycle operating activated sludge process. *Chemical Engineering Journal*, **260**, 492–502.
- Chen W., Lu X., Yao C., Zhu G. and Xu Z. (2015b). An efficient approach based on bi-sensitivity analysis and genetic algorithm for calibration of activated sludge models. *Chemical Engineering Journal*, **259**, 845–853.
- Chhipi-Shrestha G., Hewage K. and Sadiq R. (2017). Fit-for-purpose wastewater treatment: conceptualization to development of decision support tool (I). *The Science of the Total Environment*, **607–608**, 600–612.
- Cierkens K., Plano S., Benedetti L., Weijers S., Jonge J. and Nopens I. (2012). Impact of influent data frequency and model structure on the quality of WWTP model calibration and uncertainty. *Water Science Technology*, **65**(2), 233–242.
- Cosenza A., Mannina G. and Viviani G. (2012). The GSA-GLUE approach for uncertainty assessment of an integrated MBR model. Proceedings of the 2012 International Congress on Environmental Modelling and Software, Sixth Biennial Meeting, Leipzig, Germany.
- Cosenza A., Mannina G., Vanrolleghem P. and Neumann M. (2013). Global sensitivity analysis in wastewater applications: a comprehensive comparison of different methods. *Environmental Modelling & Software*, **49**, 40–52.
- Cotman M. (2013). Sampling uncertainty of wastewater monitoring estimated in a collaborative field trial. *TrAC Trends in Analytical Chemistry*, **51**, 71–78.
- Cristescu S.M., Nascu I. and Nascu I. (2015). Sensitivity analyses of an activated sludge model for a wastewater treatment plant. Proceedings: 19th International Conference on System Theory, Control and Computing (ICSTCC), 14–16 Oct., Cheile Gradistei, Romania, 595–600.
- De Gisi S., Petta L., Farina R. and De Feo G. (2014). Using a new incentive mechanism to improve wastewater sector performance: the case study of Italy. *Journal of Environmental Management*, **132**, 94–106.
- Djeddou M., Bachir A. and Maurice M. (2013). Determination and analysis of daily reliability level of municipal wastewater treatment plant. *Courrier du Savoie*, **17**, 39–46.
- Di Maria F., Micale C. and Contini S. (2016). A novel approach for uncertainty propagation applied to two different bio-waste management options. *The International Journal of Life Cycle Assessment*, **21**, 1529–1537.
- Dimitrova N. 3.3 Asymptotic Stabilization of a Bioprocess Model Involving Uncertainties. Uncertainty modeling and analysis with intervals: Foundations, tools, applications, 32–33.
- Dong X., Zhang X. and Zeng S. H. (2017). Measuring and explaining eco-efficiencies of wastewater treatment plants in China: an uncertainty analysis perspective. *Water Research*, **112**, 195–207.
- Dragan M. J., Zubov A. and Sin G. (2017). Methodology for plantwide design and optimization of wastewater treatment plants. Proceedings: 27th European Symposium on Computer Aided Process Engineering (ESCAPE 27), Barcelona, Spain, Oct. 1–5, 2017, **1**(40), 859–864.
- Duran O. and Acevedo P. (2018). Activity based costing for wastewater treatment and reuse under uncertainty: a fuzzy approach. *Sustainability*, **10**(2260), 1–15.
- Dursun M. (2016). Evaluation of wastewater treatment alternatives using fuzzy VIKOR method. *Journal of Advanced Management Science*, **4**, 333–336.
- Estrada J., Kraakman B., Lebrero R. and Muñoz R. (2012). A sensitivity analysis of process design parameters, commodity prices and robustness on the economics of odour abatement technologies. *Biotechnology Advances*, **30**, 1354–1363.
- Flores-Alsina X., Gernaey K. and Jeppsson U. (2012). Global sensitivity analysis of the BSM2 dynamic influent disturbance scenario generator. *Water Science and Technology*, **65**, 1912–1922.
- Gimeno P., Marcé R., Bosch L., Comas J. and Corominas L. (2017). Incorporating model uncertainty into the evaluation of interventions to reduce microcontaminant loads in rivers. *Water Research*, **124**, 415–424.
- Gómez T., Gémar G., Molinos-Senante M., Sala-Garrido R. and Caballero R. (2018). Measuring the eco-efficiency of wastewater treatment plants under data uncertainty. *Journal of Environmental Management*, **226**, 484–492.
- Guo L., Zhao Y. and Cui F. (2015). A new fault diagnosis method based on Bayesian network model in a wastewater treatment plant of northern China. *Desalination and Water Treatment*, **57**, 1–10.
- Haag F., Lienert J., Maurer M. and Reichert P. (2019). Integrating uncertainty of preferences and predictions in decision models: an application to regional wastewater planning. *Journal of Environmental Management*, **252**, 109652.

- Hakanen J., Sahlstedt K. and Miettinen K. (2013). Wastewater treatment plant design and operation under multiple conflicting objective functions. *Environmental Modelling & Software*, **46**(C), 240–249.
- Ilangkumaran M., Sasirekha V., Anojkumar L., Sakthivel G., Raja M., Thasapparaj R., Siddhartha C. N. S., Pallikadath N. and Kumar S. (2013). Optimization of wastewater treatment technology selection using hybrid MCDM. *Management of Environmental Quality*, **24**, 619–641.
- Juznic-Zonta Z., Kocijan J., Flotats X. and Vrecko D. (2012). Multi-criteria analyses of wastewater treatment bioprocesses under an uncertainty and a multiplicity of steady states. *Water Research*, **46**, 6121–6131.
- Juznic-Zonta Z., Flotats X. and Magrí A. (2014). Estimation of parameter uncertainty for an activated sludge model using Bayesian inference: a comparison with the frequentist method. *Environmental Technology*, **35**, 1618–1629.
- Li B. and Stenstrom M. (2015). Practical identifiability and uncertainty analysis of the one-dimensional hindered-compression continuous settling model. *Water Research*, **90**, 235–246.
- Li D., Yang H. and Liang X. (2012). Application of Bayesian networks for diagnosis analysis of modified sequencing batch reactor. *Advanced Materials Research*, **610–613**, 1139–1145.
- Li D., Yuan T. and Liang X. (2017). A Methodology for modelling wastewater treatment process based on uncertainty theory. Proceedings: 6th International Conference on Energy and Environmental Protection June 29–30, Zhuhai, China.
- Li Z., Qi R., An W., Mino T., Shoji T., Verstraete W., Gu J., Li S., Xu S. and Yang M. (2014). Simulation of long-term nutrient removal in a full-scale closed-loop bioreactor for sewage treatment: an example of Bayesian inference. *Frontiers of Environmental Science & Engineering*, **9**, 534–544.
- Liu Y., Daoping H. and Zhifu L. (2013). A SEVA soft sensor method based on self-calibration model and uncertainty description algorithm. *Chemometrics and Intelligent Laboratory Systems*, **126**, 38–49.
- Mannina G., Cosenza A. and Viviani G. (2015). Sensitivity and uncertainty analysis of an integrated membrane bioreactor model. *Desalination and Water Treatment*, **57**, 1–18.
- Mannina G., Cosenza A., Gori R., Garrido-Baserba M., Sobhani R. and Rosso D. (2016). Greenhouse gas emissions from wastewater treatment plants on a plantwide scale: sensitivity and uncertainty analysis. *Journal of Environmental Engineering*, **142**, 1–11.
- Martin D. and Johnson F. (2019). Incorporating uncertainty and risk into decision making to reduce nitrogen inputs to impaired waters. *Journal of Environmental Management*, **249**, 109380.
- Martin C., Neumann M. B., Altimir J. and Vanrolleghem P. A. (2012). A Tool for Optimum Design of WWTPs under Uncertainty: Estimating the Probability of Compliance. Proceedings: International Congress on Environmental Modelling and Software, Sixth Biennial Meeting, Leipzig, Germany.
- Mostafa K., Ghafari B., Elahe D. and Dadras P. (2013). Optimization of conventional water treatment plant using dynamic programming. *Toxicology and Industrial Health*, **31**, 1–9.
- Neba F., Tornyeviadzi H., Østerhus S. and Seidu R. (2019). Self-optimizing attainable regions of the anaerobic treatment process: modeling performance targets under kinetic uncertainty. *Water Research*, **171**, 115377.
- Niero M., Pizzol M., Bruun H. and Thomsen M. (2014). Comparative life cycle assessment of wastewater treatment in Denmark including sensitivity and uncertainty analysis. *Journal of Cleaner Production*, **68**, 25–35.
- Obando-Montoya A. F., Zuluaga-Bedoya C. and Castro H. (2014). A comparison of non-linear state estimation techniques in activated sludge process. Proceedings: 24e congreso Argentino de Control Automatico AADECA, Buenos Aires, Argentina, pp. 24.
- Pfluger A., Callahan J., Stokes-Draut J., Ramey D., Gagen S., Figueroa L. and Munakata Marr J. (2018). Lifecycle comparison of mainstream anaerobic baffled reactor and conventional activated sludge systems for domestic wastewater treatment. *Environmental Science & Technology*, **52**, 10500–10510.
- Ramin E., Flores-Alsina X., Sin G., Germaey K., Jeppsson U., Mikkelsen P. and Plosz B. (2014). Influence of selecting secondary settling tank sub-models on the calibration of WWTP models – A global sensitivity analysis using BSM2. *Chemical Engineering Journal*, **241**, 28–34.
- Restrepo J., Rodríguez G. and Obregón L. (2018). Linear and nonlinear control of an upflow anaerobic sludge blanket reactor: effects of IMC-PID tuning and uncertainty. *Chemical Engineering Transactions*, **70**, 1855.

- Robles Á, Ruano V., Ribes J., Seco A. and Ferrer J. (2014). Global sensitivity analysis of a filtration model for submerged anaerobic membrane bioreactors (AnMBR). *Bioresource Technology*, **158**, 365–373.
- Samsudin S. (2012). Multilevel input signal for multivariable state-space identification of wastewater treatment plant. *International Journal of the Physical Sciences*, **7**, 1847–1856.
- Scott C., Bailey C., Marra R., Woods G., Ormerod K. and Lansley K. (2012). Scenario planning to address critical uncertainties for robust and resilient water–wastewater infrastructures under conditions of water scarcity and rapid development. *Water*, **4**, 848–868.
- Sharifi S., Murthy S., Takács I. and Massoudieh A. (2014). Probabilistic parameter estimation of activated sludge processes using Markov chain Monte Carlo. *Water Research*, **50**, 254–266.
- Sin G. and Gernaey K. V. (2016). Data Handling and Parameter Estimation. *Experimental Methods in Wastewater Treatment*. Chapter 5.
- Spiller M., Vreeburg J., Leusbrock I. and Zeeman G. (2014). Flexible design in water and wastewater engineering – definitions, literature and decision guide. *Journal of Environmental Management*, **149**, 271–281.
- Talebizadeh M., Martin C., Neumann M. and Vanrolleghem P. A. (2012). Global sensitivity analysis of the ATV design guideline: which are the most important inputs for a WWTP design? In Proceedings of WEFTEC 2012, 29 September – 3 October 2012, New Orleans, USA.
- Tenore A., Vieira J., Frunzo L., Luongo V. and Fabbricino M. (2018). Calibration and validation of an activated sludge model for membrane bioreactor wastewater treatment plants. *Environmental Technology*, **41**(15), 1923–1936.
- Vladova R. K., Kirilova E. G. and Vaklieva-Bancheva N. G. (2018). An approach for reduction of computational complexity of a two-stage stochastic optimization problem for capturing parameters uncertainty in an ATAD system. *Chemical Engineering Transactions*, **70**, 1021–1026.
- Wang X., McCarty P., Liu J., Ren N., Lee D., Yu H., Qian Y. and Qu J. (2015). Probabilistic evaluation of integrating resource recovery into wastewater treatment to improve environmental sustainability. *Proceedings: National Academy of Sciences*, **112**, 1630–1635.
- Wang B., Li Z., Dai Z., Lawrence N. and Yan X. (2019). A probabilistic principal component analysis-based approach in process monitoring and fault diagnosis with application in wastewater treatment plant. *Applied Soft Computing*, **82**, 105527.
- Yu M., Pan F., Lian X. and Li X. (2012). Fault diagnosis system of A2/O process based on parameter estimation and expert system. *Applied Mechanics and Materials*, **263–266**, 1647–1651.
- Zeferino J., Cunha M. and Pais A. (2012). Robust optimization approach to regional wastewater system planning. *Journal of Environmental Management*, **109**, 113–122.
- Zhang K., Deletic A., Page D. and McCarthy D. T. (2015). Validation framework for water-sensitive urban design treatment systems. *Water: Journal of the Australian Water Association*, **42**(6), 70–73.
- Zhang J. L., Li Y. P., Huang G. H., Baetz B. W. and Lui J. (2017). Uncertainty analysis for effluent trading planning using a Bayesian estimation-based simulation-optimization modeling approach. *Water Research*, **116**, 159–181.
- Zheng J., Egger C. and Lienert J. (2016). A scenario-based MCDA framework for wastewater infrastructure planning under uncertainty. *Journal of Environmental Management*, **183**, 895–908.