

References

- [1] S. Liu, G. Zhang, M. Han, X. Wu, Y. Li, K. Chen, J. Meng, L. Shao, W. Wei, G. Chen, Freshwater costs of seawater desalination: systems process analysis for the case plant in China, *Journal of Cleaner Production*, 212 (2019) 677–686, <https://doi.org/10.1016/j.jclepro.2018.12.012>
- [2] V.G. Gude, Desalination and water reuse to address global water scarcity, *Reviews in Environmental Science and Bio/Technology*, 16 (2017) 591–609, <https://doi.org/10.1007/s11157-017-9449-7>
- [3] V.G. Gude, N. Nirmalakhandan, S. Deng, Renewable and sustainable approaches for desalination, *Renewable and Sustainable Energy Reviews*, 14 (2010) 2641–2654, <https://doi.org/10.1016/j.rser.2010.06.008>
- [4] S. Homaeigohar, M. Elbahri, Graphene membranes for water desalination, *NPG Asia Materials*, 9 (2017) e427–e427, <https://doi.org/10.1038/am.2017.135>
- [5] N.C. Darre, G.S. Toor, Desalination of water: a review, *Current Pollution Reports*, 4 (2018) 104–111, <https://doi.org/10.1007/s40726-018-0085-9>
- [6] Y. You, V. Sahajwalla, M. Yoshimura, R.K. Joshi, Graphene and graphene oxide for desalination, *Nanoscale*, 8 (2016) 117–119, <https://doi.org/10.1039/C5NR06154G>
- [7] K. Reddy, N. Ghaffour, Overview of the cost of desalinated water and costing methodologies, *Desalination*, 205 (2007) 340–353, <https://doi.org/10.1016/j.desal.2006.03.558>
- [8] S.S. Shenvi, A.M. Isloor, A. Ismail, A review on RO membrane technology: developments and challenges, *Desalination*, 368 (2015) 10–26, <https://doi.org/10.1016/j.desal.2014.12.042>
- [9] N. Ghaffour, T.M. Missimer, G.L. Amy, Technical review and evaluation of the economics of water desalination: current and future challenges for better water supply sustainability, *Desalination*, 309 (2013) 197–207, <https://doi.org/10.1016/j.desal.2012.10.015>
- [10] C. Skuse, A. Gallego-Schmid, A. Azapagic, P. Gorgojo, Can emerging membrane-based desalination technologies replace reverse osmosis?, *Desalination*, 500 (2020) 114844, <https://doi.org/10.1016/j.desal.2020.114844>
- [11] J. Kim, K. Park, D.R. Yang, S. Hong, A comprehensive review of energy consumption of seawater reverse osmosis desalination plants, *Applied Energy*, 254 (2019) 113652, <https://doi.org/10.1016/j.apenergy.2019.113652>

- [12] K. Park, J. Kim, D.R. Yang, S. Hong, Towards a low-energy seawater reverse osmosis desalination plant: a review and theoretical analysis for future directions, *Journal of Membrane Science*, 595 (2020) 117607, <https://doi.org/10.1016/j.memsci.2019.117607>
- [13] L.F. Greenlee, D.F. Lawler, B.D. Freeman, B. Marrot, P. Moulin, Reverse osmosis desalination: water sources, technology, and today's challenges, *Water Research*, 43 (2009) 2317–2348, <https://doi.org/10.1016/j.watres.2009.03.010>
- [14] C. Fritzmann, J. Löwenberg, T. Wintgens, T. Melin, State-of-the-art of reverse osmosis desalination, *Desalination*, 216 (2007) 1–76, <https://doi.org/10.1016/j.desal.2006.12.009>
- [15] S. Miller, H. Shemer, R. Semiat, Energy and environmental issues in desalination, *Desalination*, 366 (2015) 2–8, <https://doi.org/10.1016/j.desal.2014.11.034>
- [16] K. Park, H. Heo, D.Y. Kim, D.R. Yang, Feasibility study of a forward osmosis/crystallization/reverse osmosis hybrid process with high-temperature operation: modeling, experiments, and energy consumption, *Journal of Membrane Science*, 555 (2018) 206–219, <https://doi.org/10.1016/j.memsci.2018.03.031>
- [17] J. Kim, S. Hong, A novel single-pass reverse osmosis configuration for high-purity water production and low energy consumption in seawater desalination, *Desalination*, 429 (2018) 142–154, <https://doi.org/10.1016/j.desal.2017.12.026>
- [18] W.S. Moore, Large groundwater inputs to coastal waters revealed by 226 Ra enrichments, *Nature*, 380 (1996) 612–614, <https://doi.org/10.1038/380612a0>
- [19] M.S. Mohsen, O.R. Al-Jayyousi, Brackish water desalination: an alternative for water supply enhancement in Jordan, *Desalination*, 124 (1999) 163–174, [https://doi.org/10.1016/S0011-9164\(99\)00101-0](https://doi.org/10.1016/S0011-9164(99)00101-0)
- [20] I.C. Karagiannis, P.G. Soldatos, Water desalination cost literature: review and assessment, *Desalination*, 223 (2008) 448–456, <https://doi.org/10.1016/j.desal.2007.02.071>
- [21] M. Elimelech, W.A. Phillip, The future of seawater desalination: energy, technology, and the environment, *Science*, 333 (2011) 712–717, <https://doi.org/10.1126/science.1200488>
- [22] X. Chen, N.Y. Yip, Unlocking high-salinity desalination with cascading osmotically mediated reverse osmosis: energy and operating pressure analysis, *Environmental Science & Technology*, 52 (2018) 2242–2250, <https://doi.org/10.1021/acs.est.7b05774>
- [23] L. Henthorne, B. Boysen, State-of-the-art of reverse osmosis desalination pretreatment, *Desalination*, 356 (2015) 129–139, <https://doi.org/10.1016/j.desal.2014.10.039>
- [24] D.M. Davenport, A. Deshmukh, J.R. Werber, M. Elimelech, High-pressure reverse osmosis for energy-efficient hypersaline brine desalination: current status, design considerations, and research needs, *Environmental Science & Technology Letters*, 5 (2018) 467–475, <https://doi.org/10.1021/acs.estlett.8b00274>
- [25] C. Boo, R.K. Winton, K.M. Conway, N.Y. Yip, Membrane-less and non-evaporative desalination of hypersaline brines by temperature swing solvent extraction, *Environmental Science & Technology Letters*, 6 (2019) 359–364, <https://doi.org/10.1021/acs.estlett.9b00182>
- [26] P.V. Brady, R.J. Kottenstette, T.M. Mayer, M.M. Hightower, Inland desalination: challenges and research needs, *Journal of Contemporary Water Research & Education*, 132 (2005) 46–51, <https://doi.org/10.1111/j.1936-704X.2005.mp132001007.x>
- [27] A. Panagopoulos, K.-J. Haralambous, M. Loizidou, Desalination brine disposal methods and treatment technologies – a review, *Science of the Total Environment*, 693 (2019) 133545, <https://doi.org/10.1016/j.scitotenv.2019.07.351>

- [28] D.E. López, J.P. Trembly, Desalination of hypersaline brines with joule-heating and chemical pre-treatment: conceptual design and economics, *Desalination*, 415 (2017) 49–57, <https://doi.org/10.1016/j.desal.2017.04.003>
- [29] J. Kim, J. Kim, J. Kim, S. Hong, Osmotically enhanced dewatering-reverse osmosis (OED-RO) hybrid system: implications for shale gas produced water treatment, *Journal of Membrane Science*, 554 (2018) 282–290, <https://doi.org/10.1016/j.memsci.2018.03.015>
- [30] J. Kim, J. Kim, J. Lim, S. Lee, C. Lee, S. Hong, Cold-cathode X-ray irradiation pre-treatment for fouling control of reverse osmosis (RO) in shale gas produced water (SGPW) treatment, *Chemical Engineering Journal*, 374 (2019) 49–58, <https://doi.org/10.1016/j.cej.2019.05.158>
- [31] S. Renou, J. Givaudan, S. Poulain, F. Dirassouyan, P. Moulin, Landfill leachate treatment: review and opportunity, *Journal of Hazardous Materials*, 150 (2008) 468–493, <https://doi.org/10.1016/j.jhazmat.2007.09.077>
- [32] V. Karanikola, C. Boo, J. Rolf, M. Elimelech, Engineered slippery surface to mitigate gypsum scaling in membrane distillation for treatment of hypersaline industrial wastewaters, *Environmental Science & Technology*, 52 (2018) 14362–14370, <https://doi.org/10.1021/acs.est.8b04836>
- [33] K. Park, D.Y. Kim, D.R. Yang, Cost-based feasibility study and sensitivity analysis of a new draw solution assisted reverse osmosis (DSARO) process for seawater desalination, *Desalination*, 422 (2017) 182–193, <https://doi.org/10.1016/j.desal.2017.08.026>
- [34] J. Kim, D.I. Kim, S. Hong, Analysis of an osmotically-enhanced dewatering process for the treatment of highly saline (waste) waters, *Journal of Membrane Science*, 548 (2018) 685–693, <https://doi.org/10.1016/j.memsci.2017.10.048>
- [35] C.D. Peters, N.P. Hankins, Osmotically assisted reverse osmosis (OARO): five approaches to dewatering saline brines using pressure-driven membrane processes, *Desalination*, 458 (2019) 1–13, <https://doi.org/10.1016/j.desal.2019.01.025>
- [36] N. Voutchkov, Energy use for membrane seawater desalination – current status and trends, *Desalination*, 431 (2018) 2–14, <https://doi.org/10.1016/j.desal.2017.10.033>
- [37] Z. Li, R.V. Linares, S. Sarp, G. Amy, Direct and indirect seawater desalination by forward osmosis, in: S. Sarp and N. Hilal (Eds.) *Membrane-Based Salinity Gradient Processes for Water Treatment and Power Generation*, Elsevier, Amsterdam, 2018, pp. 245–272, <https://doi.org/10.1016/C2016-0-02151-4>
- [38] N. Ghaffour, The challenge of capacity-building strategies and perspectives for desalination for sustainable water use in MENA, *Desalination and Water Treatment*, 5 (2009) 48–53, <https://doi.org/10.5004/dwt.2009.564>
- [39] J.R. Werber, A. Deshmukh, M. Elimelech, The critical need for increased selectivity, not increased water permeability, for desalination membranes, *Environmental Science & Technology Letters*, 3 (2016) 112–120, <https://doi.org/10.1021/acs.estlett.6b00050>
- [40] F. Kiand, Supply of desalinated water by the private sector: 30 MGD Singapore seawater desalination plant, in: *MEDRC International Conference on Desalination Costing*, Conference proceeding, Lemesos, Cyprus, 2004.
- [41] S. Lin, M. Elimelech, Staged reverse osmosis operation: configurations, energy efficiency, and application potential, *Desalination*, 366 (2015) 9–14, <https://doi.org/10.1016/j.desal.2015.02.043>
- [42] G.M. Von Medeazza, “Direct”; and socially-induced environmental impacts of desalination, *Desalination*, 185 (2005) 57–70, <https://doi.org/10.1016/j.desal.2005.03.071>

- [43] V.G. Gude, Desalination and sustainability – an appraisal and current perspective, *Water Research*, 89 (2016) 87–106, <https://doi.org/10.1016/j.watres.2015.11.012>
- [44] N. Voutchkov, Seawater desalination – costs and technology trends, in: E.M.V. Hoek and V.V. Tarabara (Eds.) *Encyclopedia of Membrane Science and Technology*, (2013), John Wiley & Sons, Inc., Hoboken, New Jersey, <https://doi.org/10.1002/9781118522318.emst115>
- [45] A. Shrivastava, S. Rosenberg, M. Peery, Energy efficiency breakdown of reverse osmosis and its implications on future innovation roadmap for desalination, *Desalination*, 368 (2015) 181–192, <https://doi.org/10.1016/j.desal.2015.01.005>
- [46] M.A. Jamil, B.A. Qureshi, S.M. Zubair, Exergo-economic analysis of a seawater reverse osmosis desalination plant with various retrofit options, *Desalination*, 401 (2017) 88–98, <https://doi.org/10.1016/j.desal.2016.09.032>
- [47] A. de la Torre, Efficiency optimization in SWRO plant: high efficiency & low maintenance pumps, *Desalination*, 221 (2008) 151–157, <https://doi.org/10.1016/j.desal.2007.02.052>
- [48] T. Manth, M. Gabor, E. Oklejas Jr, Minimizing RO energy consumption under variable conditions of operation, *Desalination*, 157 (2003) 9–21, [https://doi.org/10.1016/S0011-9164\(03\)00377-1](https://doi.org/10.1016/S0011-9164(03)00377-1)
- [49] A. Subramani, M. Badruzzaman, J. Oppenheimer, J.G. Jacangelo, Energy minimization strategies and renewable energy utilization for desalination: a review, *Water Research*, 45 (2011) 1907–1920, <https://doi.org/10.1016/j.watres.2010.12.032>
- [50] M. Wilf, C. Bartels, Optimization of seawater RO systems design, *Desalination*, 173 (2005) 1–12, <https://doi.org/10.1016/j.desal.2004.06.206>
- [51] W. Choi, S. Jeon, S.J. Kwon, H. Park, Y.-I. Park, S.-E. Nam, P.S. Lee, J.S. Lee, J. Choi, S. Hong, Thin film composite reverse osmosis membranes prepared via layered interfacial polymerization, *Journal of Membrane Science*, 527 (2017) 121–128, <https://doi.org/10.1016/j.memsci.2016.12.066>
- [52] K.P. Lee, T.C. Arnot, D. Mattia, A review of reverse osmosis membrane materials for desalination – development to date and future potential, *Journal of Membrane Science*, 370 (2011) 1–22, <https://doi.org/10.1016/j.memsci.2010.12.036>
- [53] S.-J. Park, W.-G. Ahn, W. Choi, S.-H. Park, J.S. Lee, H.W. Jung, J.-H. Lee, A facile and scalable fabrication method for thin film composite reverse osmosis membranes: dual-layer slot coating, *Journal of Materials Chemistry A*, 5 (2017) 6648–6655, <https://doi.org/10.1039/C7TA00891K>
- [54] M. Safarpour, V. Vatanpour, A. Khataee, H. Zarrabi, P. Gholami, M.E. Yekavalangi, High flux and fouling resistant reverse osmosis membrane modified with plasma treated natural zeolite, *Desalination*, 411 (2017) 89–100, <https://doi.org/10.1016/j.desal.2017.02.012>
- [55] M. Martínez-Mate, B. Martín-Gorriz, V. Martínez-Alvarez, M. Soto-García, J. Maestre-Valero, Hydroponic system and desalinated seawater as an alternative farm-productive proposal in water scarcity areas: energy and greenhouse gas emissions analysis of lettuce production in southeast Spain, *Journal of Cleaner Production*, 172 (2018) 1298–1310, <https://doi.org/10.1016/j.jclepro.2017.10.275>
- [56] T.P. Hendrickson, M. Bruguera, Impacts of groundwater management on energy resources and greenhouse gas emissions in California, *Water Research*, 141 (2018) 196–207, <https://doi.org/10.1016/j.watres.2018.05.012>
- [57] D. Voet, J.G. Voet, C.W. Pratt, *Fundamentals of Biochemistry: Life at the Molecular Level*, John Wiley & Sons, Hoboken, New Jersey, 2016.
- [58] R. Tariq, N.A. Sheikh, J. Xamán, A. Bassam, An innovative air saturator for humidification-dehumidification desalination application, *Applied Energy*, 228 (2018) 789–807, <https://doi.org/10.1016/j.apenergy.2018.06.135>

- [59] T. Pankratz, An overview of seawater intake facilities for seawater desalination. The future of desalination in Texas, *Environmental Science*, 2 (2004) 1–12, <https://texaswater.tamu.edu/readings/desal/seawaterdesal.pdf>
- [60] D.M. Sigman, M.P. Hain, The biological productivity of the ocean. *Nature Education Knowledge*, 3 (2012) 21, http://earth-system-biogeochemistry.net/wp-content/uploads/2021/05/Sigman_and_Hain_2012_NatureEdu.pdf
- [61] T.M. Missimer, R.G. Maliva, Environmental issues in seawater reverse osmosis desalination: intakes and outfalls. *Desalination*, 434 (2018) 198–215, <https://doi.org/10.1016/j.desal.2017.07.012>
- [62] N. Voutchkov, SWRO desalination process: on the beach–seawater intakes. *Filtration & Separation*, 42 (2005) 24–27, [https://doi.org/10.1016/S0015-1882\(05\)70657-1](https://doi.org/10.1016/S0015-1882(05)70657-1)
- [63] S.E. De Rijk, J. H. J. M. aivan der, J. G. den Blanken, Bubble size in flotation thickening. *Water Research*, 28 (1994) 465–473, [https://doi.org/10.1016/0043-1354\(94\)90284-4](https://doi.org/10.1016/0043-1354(94)90284-4)
- [64] P. Scardina, M. Edwards, The fundamentals of bubble formation in water treatment, (2007), <http://web.archive.org/web/20060916042031/http://scholar.lib.vt.edu/theses/available/etd-02242000-20530043/unrestricted/Chapter1.pdf>
- [65] M.J. Hey, A.M. Hilton, R.D. Bee, The formation and growth of carbon dioxide gas bubbles from supersaturated aqueous solutions. *Food Chemistry*, 51 (1994) 349–357, [https://doi.org/10.1016/0308-8146\(94\)90185-6](https://doi.org/10.1016/0308-8146(94)90185-6)
- [66] S. Garg, Y. Li, L. Wang, P.M. Schenk, Flotation of marine microalgae: effect of algal hydrophobicity. *Bioresource Technology*, 121 (2012) 471–474, <https://doi.org/10.1016/j.biortech.2012.06.111>
- [67] J.P. Malley, J.K. Edzwald, Concepts for dissolved-air flotation treatment of drinking waters, *Journal of Water Supply: Research and Technology – AQUA*, 40 (1991) 7–17.
- [68] A. Vlaski, *Microcystis Aeruginosa Removal by Dissolved Air Flotation (DAF): Options for Enhanced Process Operation and Kinetic Modelling*, (Doctoral dissertation), IHE/TUD, Delft, 1997.
- [69] R.K. Henderson, S.A. Parsons, B. Jefferson, Surfactants as bubble surface modifiers in the flotation of algae: dissolved air flotation that utilizes a chemically modified bubble surface, *Environmental Science & Technology*, 42 (2008) 4883–4888, <https://doi.org/10.1021/es702649h>
- [70] A. B. Alayande, J. Lim, J. Kim, S. Hong, A. S. Al-Amoudi, B. Park, Fouling control in SWRO desalination during harmful algal blooms: a historical review and future developments, *Desalination*, 543 (2022) 116094, <https://doi.org/10.1016/j.desal.2022.116094>
- [71] R. Henderson, S.A. Parsons, B. Jefferson, The impact of algal properties and pre-oxidation on solid–liquid separation of algae, *Water Research*, 42 (2008) 1827–1845, <https://doi.org/10.1016/j.watres.2007.11.039>
- [72] T. Pankratz, Red tides close desal plants, *Water Desalination Report*, 44 (2008).
- [73] S. Le Gallou, S. Bertrand, K.H. Madan, Full coagulation and dissolved air flotation: a SWRO key pretreatment step for heavy fouling seawater, in: *Proceedings of International Desalination Association World Congress*, Perth, Australia, 2011.
- [74] D.D. Ratnayaka, *Water Supply*, Butterworth-Heinemann, Elsevier, Burlington, Massachusetts, 2009.
- [75] G. Cha, S. Choi, H. Lee, K. Kim, S. Ahn, S. Hong, Improving energy efficiency of pretreatment for seawater desalination during algal blooms using a novel meshed tube filtration process, *Desalination*, 486 (2020) 114477, <https://doi.org/10.1016/j.desal.2020.114477>

- [76] M.L. Richlen, S.L. Morton, E.A. Jamali, A. Rajan, D.M. Anderson, The catastrophic 2008–2009 red tide in the Arabian Gulf region, with observations on the identification and phylogeny of the fish-killing dinoflagellate *Cochlodinium polykrikoides*, *Harmful Algae*, 9 (2010) 163–172, <https://doi.org/10.1016/j.hal.2009.08.013>
- [77] D.M. Anderson, S.F. Boerlage, M.B. Dixon, *Harmful Algal Blooms (HABs) and Desalination: a Guide to Impacts, Monitoring and Management*, Intergovernmental Oceanographic Commission of UNESCO, 2017, <http://dx.doi.org/10.25607/OBP-203>
- [78] A.R. Guastalli, F.X. Simon, Y. Penru, A. de Kerchove, J. Llorens, S. Baig, Comparison of DMF and UF pre-treatments for particulate material and dissolved organic matter removal in SWRO desalination, *Desalination*, 322 (2013) 144–150, <https://doi.org/10.1016/j.desal.2013.05.005>
- [79] V. Bonnelye, M.A. Sanz, J.-P. Durand, L. Plasse, F. Gueguen, P. Mazounie, Reverse osmosis on open intake seawater: pre-treatment strategy, *Desalination*, 167 (2004) 191–200, <https://doi.org/10.1016/j.desal.2004.06.128>
- [80] S.G. Salinas Rodríguez, M.D. Kennedy, J.C. Schippers, G.L. Amy, Organic foulants in estuarine and bay sources for seawater reverse osmosis – Comparing pre-treatment processes with respect to foulant reductions, *Desalination and Water Treatment*, 9 (2009) 155–164, <https://doi.org/10.5004/dwt.2009.766>
- [81] E. Bar-Zeev, N. Belkin, B. Liberman, I. Berman-Frank, T. Berman, Biofloculation: chemical free, pre-treatment technology for the desalination industry. *Water Research*, 47 (2013) 3093–3102, <https://doi.org/10.1016/j.watres.2013.03.013>
- [82] S. Plantier, J.-B. Castaing, N.-E. Sabiri, A. Massé, P. Jaouen, M. Pontié, Performance of a sand filter in removal of algal bloom for SWRO pre-treatment, *Desalination and Water Treatment*, 51 (2013) 1838–1846, <https://doi.org/10.1080/19443994.2012.699336>
- [83] M. Nair, D. Kumar, Water desalination and challenges: the Middle East perspective: a review, *Desalination and Water Treatment*, 51 (2013) 2030–2040, <https://doi.org/10.1080/19443994.2013.734483>
- [84] A. Southward, Sea foam, *Nature*, 172 (1953) 1059–1060, <https://doi.org/10.1038/1721059b0>
- [85] S. Ebrahim, S. Bou-Hamed, M. Abdel-Jawad, N. Burney, Microfiltration system as a pretreatment for RO units: technical and economic assessment, *Desalination*, 109 (1997) 165–175, [https://doi.org/10.1016/S0011-9164\(97\)00062-3](https://doi.org/10.1016/S0011-9164(97)00062-3)
- [86] W. Ma, Y. Zhao, L. Wang, The pretreatment with enhanced coagulation and a UF membrane for seawater desalination with reverse osmosis, *Desalination*, 203 (2007) 256–259, <https://doi.org/10.1016/j.desal.2006.02.020>
- [87] E. Fontananova, M. Bahattab, S. Aljlil, M. Alowairdy, G. Rinaldi, D. Vuono, J. Nagy, E. Drioli, G. Di Profio, From hydrophobic to hydrophilic polyvinylidene fluoride (PVDF) membranes by gaining new insight into material's properties, *RSC Advances*, 5 (2015) 56219–56231, <https://doi.org/10.1039/C5RA08388E>
- [88] G. Pearce, S. Taló, K. Chida, A. Basha, A. Gulamhusein, Pretreatment options for large scale SWRO plants: case studies of OF trials at Kindasa, Saudi Arabia, and conventional pretreatment in Spain, *Desalination*, 167 (2004) 175–189, <https://doi.org/10.1016/j.desal.2004.06.127>
- [89] D.F. Halpern, J. McArdle, B. Antrim, UF pretreatment for SWRO: pilot studies, *Desalination*, 182 (2005) 323–332, <https://doi.org/10.1016/j.desal.2005.02.031>
- [90] R.W. Baker, *Membrane Technology and Applications*, John Wiley & Sons, Chichester, United Kingdom, 2012.
- [91] A. Hassan, M. Al-Sofi, A. Al-Amoudi, A. Jamaluddin, A. Farooque, A. Rowaili, A. Dalvi, N. Kither, G. Mustafa, I. Al-Tisan, A new approach to membrane and

- thermal seawater desalination processes using nanofiltration membranes (Part 1), *Desalination*, 118 (1998) 35–51, [https://doi.org/10.1016/S0011-9164\(98\)00079-4](https://doi.org/10.1016/S0011-9164(98)00079-4)
- [92] Y. Choi, J. Kweon, D. Kim, S. Lee, Evaluation of various pretreatment for particle and inorganic fouling control on performance of SWRO, *Desalination*, 247 (2009) 137–147, <https://doi.org/10.1016/j.desal.2008.12.019>
- [93] A.H. Alshahri, L. Fortunato, N. Ghaffour, T. Leiknes, Advanced coagulation using in-situ generated liquid ferrate, Fe (VI), for enhanced pretreatment in seawater RO desalination during algal blooms, *Science of the Total Environment*, 685 (2019) 1193–1200, <https://doi.org/10.1016/j.scitotenv.2019.06.286>
- [94] J. Liu, K. He, S. Tang, T. Wang, Z. Zhang, A comparative study of ferrous, ferric and ferrate pretreatment for ceramic membrane fouling alleviation in reclaimed water treatment, *Separation and Purification Technology*, 217 (2019) 118–127, <https://doi.org/10.1016/j.seppur.2019.01.040>
- [95] S.A. Urrea, F.D. Reyes, B.P. Suárez, A. Juan, Technical review, evaluation and efficiency of energy recovery devices installed in the Canary Islands desalination plants, *Desalination*, 450 (2019) 54–63, <https://doi.org/10.1016/j.desal.2018.07.013>
- [96] J. Schallenberg-Rodríguez, J.M. Veza, A. Blanco-Marigorta, Energy efficiency and desalination in the Canary Islands, *Renewable and Sustainable Energy Reviews*, 40 (2014) 741–748, <https://doi.org/10.1016/j.rser.2014.07.213>
- [97] K. Park, P.A. Davies, A compact hybrid batch/semi-batch reverse osmosis (HBSRO) system for high-recovery, low-energy desalination, *Desalination*, 504 (2021) 114976, <https://doi.org/10.1016/j.desal.2021.114976>
- [98] K. Park, L. Burlace, N. Dhakal, A. Mudgal, N.A. Stewart, P.A. Davies, Design, modelling and optimisation of a batch reverse osmosis (RO) desalination system using a free piston for brackish water treatment, *Desalination*, 494 (2020) 114625, <https://doi.org/10.1016/j.desal.2020.114625>
- [99] Z. Gal, A. Efraty, CCD series no. 18: record low energy in closed-circuit desalination of ocean seawater with nanoH₂O elements without ERD, *Desalination and Water Treatment*, 57 (2016) 9180–9189, <https://doi.org/10.1080/19443994.2015.1035500>
- [100] A. Nemdili, D.-H. Hellmann, The requirements to successful centrifugal pump application for desalination and power plant processes, *Desalination*, 126 (1999) 199–205, [https://doi.org/10.1016/S0011-9164\(99\)00175-7](https://doi.org/10.1016/S0011-9164(99)00175-7)
- [101] N. Sawaki, C.-L. Chen, Cost evaluation for a two-staged reverse osmosis and pressure retarded osmosis desalination process, *Desalination*, 497 (2021) 114767, <https://doi.org/10.1016/j.desal.2020.114767>
- [102] N. Voutchkov, *Desalination Engineering: Planning and Design*, McGraw-Hill Professional, New York, New York, 2012.
- [103] J. Kim, K. Park, S. Hong, Application of two-stage reverse osmosis system for desalination of high-salinity and high-temperature seawater with improved stability and performance, *Desalination*, 492 (2020) 114645, <https://doi.org/10.1016/j.desal.2020.114645>
- [104] J. Kim, K. Park, S. Hong, Optimization of two-stage seawater reverse osmosis membrane processes with practical design aspects for improving energy efficiency, *Journal of Membrane Science*, 601 (2020) 117889, <https://doi.org/10.1016/j.memsci.2020.117889>
- [105] E. Spiritos, C. Lipchin, *Desalination in Israel*, in, Springer, Dordrecht, Netherlands, 2013, pp. 101–123.
- [106] B. Sauvet-Goichon, Ashkelon desalination plant – a successful challenge, *Desalination*, 203 (2007) 75–81, <https://doi.org/10.1016/j.desal.2006.03.525>
- [107] M. Faigon, Y. Egozy, D. Hefer, M. Ilevicky, Y. Pinhas, Hadera desalination plant two years of operation, *Desalination and Water Treatment*, 51 (2013) 132–139, <https://doi.org/10.1080/19443994.2012.701414>

- [108] J. Kim, S. Hong, Optimizing seawater reverse osmosis with internally staged design to improve product water quality and energy efficiency, *Journal of Membrane Science*, 568 (2018) 76–86, <https://doi.org/10.1016/j.memsci.2018.09.046>
- [109] B. Peñate, L. García-Rodríguez, Reverse osmosis hybrid membrane inter-stage design: a comparative performance assessment, *Desalination*, 281 (2011) 354–363, <https://doi.org/10.1016/j.desal.2011.08.010>
- [110] N. Nada, T. Attenborough, Y. Ito, Y. Maeda, K. Tokunaga, H. Iwahashi, SWRO drinking water project in Shuqaiq: advanced BWRO, membrane oxidation, and scaling, *IDA Journal of Desalination and Water Reuse*, 3 (2011) 30–39, <https://doi.org/10.1179/ida.2011.3.4.30>
- [111] W.H. Organization, *Safe Drinking-Water from Desalination*, in World Health Organization, Geneva, Switzerland, 2011.
- [112] J.S. Taylor, J.D. Dietz, A.A. Randall, S.K. Hong, C.D. Norris, L.A. Mulford, J.M. Arevalo, S. Imran, M. Le Puil, S. Liu, I. Mutoti, J. Tang, W. Xiao, C. Cullen, R. Heaviside, A. Mehta, M. Patel, F. Vasquez, D. Webb, *Effects of Blending on Distribution Water Quality*, American Water Works Association Research Foundation, Denver, CO, 2005.
- [113] A. Withers, Options for recarbonation, remineralisation and disinfection for desalination plants, *Desalination*, 179 (2005) 11–24, <https://doi.org/10.1016/j.desal.2004.11.051>
- [114] G. Mauguin, P. Corsin, Concentrate and other waste disposals from SWRO plants: characterization and reduction of their environmental impact, *Desalination*, 182 (2005) 355–364, <https://doi.org/10.1016/j.desal.2005.02.033>
- [115] R. Maliva, T. Missimer, Environmental issues in desalination, in: R. Maliva and T. Missimer (Eds.) *Arid Lands Water Evaluation and Management*, Springer, Berlin (Heidelberg), 2012, pp. 749–769, <https://doi.org/10.1007/978-3-642-29104-3>
- [116] P.M.G. Olabarria, *Constructive Engineering of Large Reverse Osmosis Desalination Plants*, Chemical Publishing Company, USA, 2015.
- [117] M. Abualtayef, H. Al-Najjar, Y. Mogheir, A.K. Seif, Numerical modeling of brine disposal from Gaza central seawater desalination plant. *Arabian Journal of Geosciences*, 9 (2016) 1–18, <https://doi.org/10.1007/s12517-016-2591-7>
- [118] E. Mackey, T. Seacord, Final Report, Regional Solution for Concentration Management, (2008).
- [119] C. Duclos-Orsello, W. Li, C.-C. Ho, A three mechanism model to describe fouling of microfiltration membranes, *Journal of Membrane Science*, 280 (2006) 856–866, <https://doi.org/10.1016/j.memsci.2006.03.005>
- [120] W. Yuan, A. Kocic, A.L. Zydney, Analysis of humic acid fouling during microfiltration using a pore blockage–cake filtration model, *Journal of Membrane Science*, 198 (2002) 51–62, [https://doi.org/10.1016/S0376-7388\(01\)00622-6](https://doi.org/10.1016/S0376-7388(01)00622-6)
- [121] J.G. Wijmans, R.W. Baker, The solution-diffusion model: a review, *Journal of Membrane Science*, 107 (1995) 1–21, [https://doi.org/10.1016/0376-7388\(95\)00102-1](https://doi.org/10.1016/0376-7388(95)00102-1)
- [122] H.-J. Oh, T.-M. Hwang, S. Lee, A simplified simulation model of RO systems for seawater desalination, *Desalination*, 238 (2009) 128–139, <https://doi.org/10.1016/j.desal.2008.01.043>
- [123] M. Cheryan, *Ultrafiltration and Microfiltration Handbook*, CRC Press, Boca Raton, Florida, 1998.
- [124] G.M. Geise, H.B. Park, A.C. Sagle, B.D. Freeman, J.E. McGrath, Water permeability and water/salt selectivity tradeoff in polymers for desalination, *Journal of Membrane Science*, 369 (2011) 130–138, <https://doi.org/10.1016/j.memsci.2010.11.054>

- [125] N.Y. Yip, M. Elimelech, Performance limiting effects in power generation from salinity gradients by pressure retarded osmosis, *Environmental Science & Technology*, 45 (2011) 10273–10282, <https://doi.org/10.1021/es203197e>
- [126] S. Kim, E.M. Hoek, Modeling concentration polarization in reverse osmosis processes, *Desalination*, 186 (2005) 111–128, <https://doi.org/10.1016/j.desal.2005.05.017>
- [127] I. Sutzkover, D. Hasson, R. Semiat, Simple technique for measuring the concentration polarization level in a reverse osmosis system, *Desalination*, 131 (2000) 117–127, [https://doi.org/10.1016/S0011-9164\(00\)90012-2](https://doi.org/10.1016/S0011-9164(00)90012-2)
- [128] M. Qasim, M. Badrelzaman, N.N. Darwish, N.A. Darwish, N. Hilal, Reverse osmosis desalination: a state-of-the-art review, *Desalination*, 459 (2019) 59–104, <https://doi.org/10.1016/j.desal.2019.02.008>
- [129] P. Luis, *Fundamental Modeling of Membrane Systems: Membrane and Process Performance*, Elsevier, Amsterdam, Netherlands, 2018.
- [130] J.R. Welty, C.E. Wicks, G. Rorrer, R.E. Wilson, *Fundamentals of Momentum, Heat, and Mass Transfer*, John Wiley & Sons, Hoboken, New Jersey, 2009.
- [131] S. Sablani, M. Goosen, R. Al-Belushi, M. Wilf, Concentration polarization in ultrafiltration and reverse osmosis: a critical review, *Desalination*, 141 (2001) 269–289, [https://doi.org/10.1016/S0011-9164\(01\)85005-0](https://doi.org/10.1016/S0011-9164(01)85005-0)
- [132] C.P. Koutsou, S.G. Yiantsios, A.J. Karabelas, A numerical and experimental study of mass transfer in spacer-filled channels: effects of spacer geometrical characteristics and Schmidt number, *Journal of Membrane Science*, 326 (2009) 234–251, <https://doi.org/10.1016/j.memsci.2008.10.007>
- [133] M. Shibuya, M. Yasukawa, S. Goda, H. Sakurai, T. Takahashi, M. Higa, H. Matsuyama, Experimental and theoretical study of a forward osmosis hollow fiber membrane module with a cross-wound configuration, *Journal of Membrane Science*, 504 (2016) 10–19, <https://doi.org/10.1016/j.memsci.2015.12.040>
- [134] E.M. Hoek, A.S. Kim, M. Elimelech, Influence of crossflow membrane filter geometry and shear rate on colloidal fouling in reverse osmosis and nanofiltration separations, *Environmental Engineering Science*, 19 (2002) 357–372, <https://doi.org/10.1089/109287502320963364>
- [135] C.O. Bennett, J.E. Myers, *Momentum, Heat, and Mass Transfer*, McGraw-Hill, New York, 1982.
- [136] T. Ishigami, H. Matsuyama, Numerical modeling of concentration polarization in spacer-filled channel with permeation across reverse osmosis membrane, *Industrial & Engineering Chemistry Research*, 54 (2015) 1665–1674, <https://doi.org/10.1021/ie5039665>
- [137] R. Deissler, *Recent Advances in Heat and Mass Transfer*, JP Hartnett, ed., McGraw-Hill Press, New York, 1961, p. 253.
- [138] R.H. Notter, C. Sleicher, The eddy diffusivity in the turbulent boundary layer near a wall, *Chemical Engineering Science*, 26 (1971) 161–171, [https://doi.org/10.1016/0009-2509\(71\)86088-8](https://doi.org/10.1016/0009-2509(71)86088-8)
- [139] W. Pinczewski, S. Sideman, A model for mass (heat) transfer in turbulent tube flow. Moderate and high Schmidt (Prandtl) numbers, *Chemical Engineering Science*, 29 (1974) 1969–1976, [https://doi.org/10.1016/0009-2509\(74\)85016-5](https://doi.org/10.1016/0009-2509(74)85016-5)
- [140] A. Achilli, T.Y. Cath, A.E. Childress, Power generation with pressure retarded osmosis: an experimental and theoretical investigation, *Journal of Membrane Science*, 343 (2009) 42–52, <https://doi.org/10.1016/j.memsci.2009.07.006>
- [141] M. Sekino, Mass transfer characteristics of hollow fiber RO modules, *Journal of Chemical Engineering of Japan*, 28 (1995) 843–846, <https://doi.org/10.1252/jcej.28.843>

- [142] A. Kumano, H. Matsuyama, Analysis of hollow fiber reverse osmosis membrane module of axial flow type, *Journal of Applied Polymer Science*, 123 (2012) 463–471, <https://doi.org/10.1002/app.34404>
- [143] N. Voutchkov, *Pretreatment for Reverse Osmosis Desalination*, Elsevier, Amsterdam, Netherlands, 2017.
- [144] G.P.S. Ibrahim, A.M. Isloor, R. Farnood, *Reverse Osmosis Treatment Techniques, Fouling, and Control Strategies*, Elsevier, Amsterdam, Netherlands, 2020.
- [145] C.Y. Tang, T.H. Chong, A.G. Fane, Colloidal interactions and fouling of NF and RO membranes: a review. *Advances in Colloid and Interface Science*, 164 (2011) 126–143, <https://doi.org/10.1016/j.cis.2010.10.007>
- [146] R. Singh, N. Hankins, *Emerging Membrane Technology for Sustainable Water Treatment*, Elsevier, Amsterdam, Netherlands, 2016.
- [147] T.A. Saleh, V.K. Gupta, *Nanomaterial and Polymer Membranes: Synthesis, Characterization, and Applications*, Elsevier, Amsterdam, Netherlands, 2016.
- [148] M. Qasim, M. Badrelzaman, N.N. Darwish, N.A. Darwish, N. Hilal, Reverse osmosis desalination: a state-of-the-art review, *Desalination*, 459 (2019) 59–104, <https://doi.org/10.1016/j.desal.2019.02.008>
- [149] A.F. Isamil, K.C. Khulbe, T. Matsuura, RO membrane fouling. In: *Reverse Osmosis*. Elsevier, 2019, pp. 189–220, <https://doi.org/10.1016/B978-0-12-811468-1.00008-6>
- [150] A. Matin, Z. Khan, S.M. J. Zaidi, M.C. Boyce, Biofouling in reverse osmosis membranes for seawater desalination: phenomena and prevention. *Desalination*, 281 (2011) 1–16, <https://doi.org/10.1016/j.desal.2011.06.063>
- [151] O. Sánchez, Microbial diversity in biofilms from reverse osmosis membranes: a short review. *Journal of Membrane Science*, 545 (2018) 240–249, <https://doi.org/10.1016/j.memsci.2017.09.082>
- [152] C. Xu, W-C. Chin, P. Lin, H. Chen, M-H. Chiu, D. C. Waggoner, W. Xing, L. Sun, K. A. Schwehr, P.G. Hatcher, A. Quigg, P.H. Santschi, Comparison of microgels, extracellular polymeric substances (EPS) and transparent exopolymeric particles (TEP) determined in seawater with and without oil, *Marine Chemistry*, 215 (2019) 103667, <https://doi.org/10.1016/j.marchem.2019.103667>
- [153] J.B. Kaplan, Biofilm dispersal: mechanisms, clinical implications, and potential therapeutic uses. *Journal of Dental Research*, 89 (2010) 205–218, <https://doi.org/10.1177/0022034509359403>
- [154] J. MacAdam, S.A.J.R.V.I.E.S. Parsons, Calcium carbonate scale formation and control, *Reviews in Environmental Science and Bio/Technology*, 3 (2004) 159–169, <https://doi.org/10.1007/s11157-004-3849-1>
- [155] M.H. Al-Khaldi, A. AlJuhani, S.H. Al-Mutairi, M.N. Gurmen, New insights into the removal of calcium sulfate scale, in: *SPE European Formation Damage Conference*, Society of Petroleum Engineers, 2011.
- [156] S. Bhattacharjee, *Concentration Polarization: Early Theories*, in: *Water Planet*, Los Angeles, California, 2017.
- [157] D.Y. Kim, B. Gu, D.R. Yang, An explicit solution of the mathematical model for osmotic desalination process, *Korean Journal of Chemical Engineering*, 30 (2013) 1691–1699, <https://doi.org/10.1007/s11814-013-0123-7>
- [158] K. Park, D.Y. Kim, Y.H. Jang, M.-G. Kim, D.R. Yang, S. Hong, Comprehensive analysis of a hybrid FO/crystallization/RO process for improving its economic feasibility to seawater desalination, *Water Research*, 171 (2020) 115426, <https://doi.org/10.1016/j.watres.2019.115426>
- [159] D.Y. Kim, B. Gu, J.H. Kim, D.R. Yang, Theoretical analysis of a seawater desalination process integrating forward osmosis, crystallization, and reverse osmosis, *Journal of Membrane Science*, 444 (2013) 440–448, <https://doi.org/10.1016/j.memsci.2013.05.035>

- [160] D. Cohen-Tanugi, R.K. McGovern, S.H. Dave, J.H. Lienhard, J.C. Grossman, Quantifying the potential of ultra-permeable membranes for water desalination, *Energy Environmental Science*, 7 (2014) 1134–1141, <https://doi.org/10.1039/C3EE43221A>
- [161] R.L. Stover, Seawater reverse osmosis with isobaric energy recovery devices, *Desalination*, 203 (2007) 168–175, <https://doi.org/10.1016/j.desal.2006.03.528>
- [162] S.R. Osipi, A.R. Secchi, C.P. Borges, Cost analysis of forward osmosis and reverse osmosis in a case study, *Current Trends and Future Developments on (Bio-) Membranes: Reverse and Forward Osmosis: Principles, Applications, Advances*, Elsevier, Amsterdam, Netherlands, 2019, p. 305.
- [163] T. Heskes, Practical confidence and prediction intervals, in: *Advances in Neural Information Processing Systems*, The MIT Press, Cambridge, Massachusetts, 1997, pp. 176–182.
- [164] R. Dybowski, V. Gant, *Clinical Applications of Artificial Neural Networks*, Cambridge University Press, Cambridge, United Kingdom, 2001.
- [165] J. Fox, G. Monette, *An R and S-Plus Companion to Applied Regression*, Sage Publications, Thousand Oaks, California, 2002.
- [166] R. Stover, J. Martin, Titan PX–1200 Energy recovery device – test results from the Inima Los Cabos, Mexico, seawater RO facility, *Desalination and Water Treatment*, 3 (2009) 179–182, <https://doi.org/10.5004/dwt.2009.458>
- [167] L.A. Hoover, W.A. Phillip, A. Tiraferri, N.Y. Yip, M. Elimelech, Forward with osmosis: emerging applications for greater sustainability, *Environmental Science & Technology*, 45 (2011) 9824–9830, <https://doi.org/10.1021/es202576h>
- [168] Los Cabos, (IDAM de Los Cabos, http://www.inima.es/es/idam_cabos_mexico, (accessed September 2018)).
- [169] G. Wetterau, *Desalination of Seawater: M61*, American Water Works Association, Denver, Colorado, 2011.
- [170] M.L. Stone, C. Rae, F.F. Stewart, A.D. Wilson, Switchable polarity solvents as draw solutes for forward osmosis, *Desalination*, 312 (2013) 124–129, <https://doi.org/10.1016/j.desal.2012.07.034>
- [171] IDA Desalination Yearbook 2016–2017, Media Analytics Ltd., Oxford, 2017.
- [172] R.B. A., G. Olivares, Buenas prácticas y uso eficiente de agua en la industria minera, Comisión Chilena del Cobre (Cochilo), Santiago, 2008.
- [173] M. Petry, M.A. Sanz, C. Langlais, V. Bonnellye, J.-P. Durand, D. Guevara, W.M. Nardes, C.H. Saemi, The El Coloso (Chile) reverse osmosis plant, *Desalination*, 203 (2007) 141–152, <https://doi.org/10.1016/j.desal.2006.05.007>
- [174] S. Vicuña, in, *Nexo Agua y Energía en Chile*, https://cambioglobal.uc.cl/images/presentaciones/Seminarios_Extension/Nexo_Agua_Energia/SVicuna-Nexo-Agua-Energia-Chile.pdf (accessed September 2018).
- [175] D.M. Anderson, S.F.E. Boerlage, M.B. Dixon, *Harmful Algal Blooms (HABs) and Desalination: A Guide to Impacts, Monitoring and Management*, UNESCO, Paris, France, 2017.
- [176] R.L. Burk, M.B. Dixon, D. Kim-Hak, P.M. Vega, A comparison of three reverse osmosis membranes at La Chimba desalination plant, Antofagasta, Chile, in: *International Desalination Association World Congress on Desalination and Water Reuse 2013*, Tianjin, October, 2013.
- [177] M. Trifkovic, M. Sheikhzadeh, S. Rohani, Multivariable real-time optimal control of a cooling and antisolvent semibatch crystallization process, *AIChE Journal*, 55 (2009) 2591–2602, <https://doi.org/10.1002/aic.11868>
- [178] F.A. Marchena, Efficiency improvement of seawater desalination processes: The case of the WEB Aruba NV on the island of Aruba (PhD thesis, University of Twente, 2013).

- [179] P. Juif, Reverse osmosis: case study Aruba (Reverse osmosis: case study Aruba, <https://report.nat.gov.tw/ReportFront/PageSystem/reportFileDownload/C10002957/005> (accessed September 2018)).
- [180] S. Meyer-Steele, A.V. Gottberg, J.L. Talavera, Seawater Reverse Osmosis Plants in the Caribbean Recover Energy and Brine and Reduce Costs, SUEZ Water Technologies & Solutions, N/A, 2017.
- [181] Michael Brand, Reducing the dependence of water supply systems on reliable rainfall patterns, https://www.churchilltrust.com.au/media/fellows/Brand_Michael_2006.pdf (accessed September 2018).
- [182] N. Voutchkov, Chapter 1 – membrane desalination – process selection, design, and implementation, in: V.G. Gude (Ed.) Sustainable Desalination Handbook, Butterworth-Heinemann, Oxford, United Kingdom, 2018, pp. 3–24.
- [183] J. Cabero García, Proceso de desalación de agua de mar mediante un sistema de osmosis inversa de muy alta conversión en tres etapas con recirculación de permeado y doble sistema de recuperación de energía (PhD thesis, University of the Basque Country, 2016).
- [184] J.R. McCutcheon, R.L. McGinnis, M. Elimelech, A novel ammonia – carbon dioxide forward (direct) osmosis desalination process, *Desalination*, 174 (2005) 1–11, <https://doi.org/10.1016/j.desal.2004.11.002>
- [185] X. Zheng, D. Chen, Q. Wang, Z. Zhang, Seawater desalination in China: retrospect and prospect, *Chemical Engineering Journal*, 242 (2014) 404–413, <https://doi.org/10.1016/j.cej.2013.12.104>
- [186] J.-S. Liu, S.-L. Pang, Design outline of sea water desalination project for Huaneng Yuhuan power plant, *Technology of Water Treatment*, 31 (2013) 73–75.
- [187] J. R. Wang, Introduction to seawater desalination project of Huaneng Yuhuan power plant, *Electric Power Construction*, 2 (2008) 015.
- [188] T. Hamano, Operation of Fukuoka sea water desalination plant, *Bulletin of the Society of Sea Water Science, Japan*, 60 (2006) 415–421.
- [189] F. Nobuya, M. Hideto, High recovery system in seawater reverse osmosis plants, *Journal of Applied Polymer Science*, 108 (2008) 3403–3410, <https://doi.org/10.1002/app.27943>
- [190] Y. Kim, S. Ihm, S. Woo, Improving energy efficiency of a seawater reverse osmosis plant in Gijang, Busan, Korea, in: 10th International Desalination Workshop (IDW 2017), Busan, November, 2017.
- [191] M.-H. Hwang, I.S. Kim, Comparative analysis of seawater desalination technology in Korea and overseas, *Journal of Korean Society of Environmental Engineers*, 38 (2016) 255–268, <https://doi.org/10.4491/KSEE.2016.38.5.255>
- [192] S. Woo, Y. Kim, Reduction of power consumption by variable speed operation of high pressure pump in seawater reverse osmosis desalination plant, *The KSFJ Journal of Fluid Machinery*, 20 (2017) 33–39, <https://doi.org/10.5293/kfma.2017.20.5.033>
- [193] J. Blesing, C. Pelekani, Seawater desalination: a sustainable solution to world water shortage, *Water e-Journal*, 1 (2016) 1–8, <https://doi.org/10.21139/wej.2016.003>
- [194] Australian Water Quality Centre, Adelaide Desalination Project, Australian Water Quality Centre, Adelaide, 2013.
- [195] G.J. Crisp, Desalination in Australia. Sustainably drought proofing Australia, in, Seminar in Chemical Panel Engineers Australia WA Division & The Institution of Chemical Engineers (WA), Water Conditioning & Purification International Magazine, Perth, March, 2011, <https://wcponline.com/2011/11/17/desalination-sustainably-drought-proofing-australia/>
- [196] Gold Coast Desalination Plant, Queensland, <https://www.water-technology.net/projects/gold-coast-plant/> (accessed September 2018).

- [197] M.A. Sanz, D. Zarzo, Australian desalination plan: PPP models & solutions for the environment 2 case studies, https://www.cmimarseille.org/sites/default/files/newsite/library/files/en/2.10.%20D.%20Sanzo%3B%20M.%20Sanz_%20Australian%20Desalination%20Plants_%20PPP%20Models%20and%20Solutions%20for%20the%20Environment-ilovepdf-compressed.pdf (accessed September 2018).
- [198] Victorian Desalination Plant, [https://www.aquasure.com.au/uploads/files/ENV-000-PL-001%20-%20Environmental%20Management%20Plan%20\(web%20version\)-1434948886.pdf](https://www.aquasure.com.au/uploads/files/ENV-000-PL-001%20-%20Environmental%20Management%20Plan%20(web%20version)-1434948886.pdf) (accessed September 2018).
- [199] Reverse osmosis: membranes help beat the drought, *Filtration & Separation*, 46 (2009) 23–24, [https://doi.org/10.1016/S0015-1882\(09\)70055-2](https://doi.org/10.1016/S0015-1882(09)70055-2)
- [200] J.R. McCutcheon, M. Elimelech, Influence of concentrative and dilutive internal concentration polarization on flux behavior in forward osmosis, *Journal of Membrane Science*, 284 (2006) 237–247, <https://doi.org/10.1016/j.memsci.2006.07.049>
- [201] D. Bosman, Large scale desalination projects in Australia: an overview and lessons learned, in: International Conference on Fresh Water Governance for Sustainable Development, Drakensberg, November, 2012.
- [202] W. Fleischmann, A. Mersmann, Solubility, density and viscosity for sodium sulfate-methanol-water systems, *Journal of Chemical & Engineering Data*, 29 (1984) 452–456, <https://doi.org/10.1021/je00038a026>
- [203] T.R. Energia, in: International EPC Contractor Presentation, N/A, April, 2017.
- [204] R. Singh, *Membrane Technology and Engineering for Water Purification: Application, Systems Design and Operation*, Butterworth-Heinemann, Oxford, United Kingdom, 2014.
- [205] Sydney Desalination Plant, <https://www.aaa.net.au/wp-content/uploads/2015/05/AAA-submission-Sydney-Desalination-Plant.pdf> (accessed September 2018).
- [206] K.K. Mehrotra, Desalination: the quest to quench India's thirst for drinking water, in: Technical Talk on “De-Salination Technology”, New Delhi, December, 2015.
- [207] Chennai Metropolitan Water Supply and Sewerage Board (CMWSSB), *Construction and Operation & Maintenance for 7 Years of 100 MLD Seawater Reverse Osmosis Desalination Plant at Nemmeli, Tamilnadu*, 2010.
- [208] VA Tech Wabag FY 13 results update, http://www.wabag.com/wp-content/uploads/2018/07/9681_740_Analyst2bPresentation2b-2bQ42b-F13.pdf (accessed September 2018).
- [209] A. Efraty, Closed circuit desalination series no-6: conventional RO compared with the conceptually different new closed circuit desalination technology, *Desalination and Water Treatment*, 41 (2012) 279–295, <https://doi.org/10.1080/19443994.2012.664741>
- [210] C. Huttche, R. Orquiza, Y.P. Lelean, *Pollution Control Study for Tuas Desalination and Power Plant Project*, Environmental Professionals, Singapore, 2011.
- [211] A. Cipollina, G. Micale, L. Rizzuti, *Seawater Desalination: Conventional and Renewable Energy Processes*, Springer Science & Business Media, Heidelberg, Germany, 2009.
- [212] Hyflux, Tuaspring Integrated Water and Power Project, Hyflux, Singapore, n.d.
- [213] G. Blandin, A.R. Verliefde, C.Y. Tang, P. Le-Clech, Opportunities to reach economic sustainability in forward osmosis–reverse osmosis hybrids for seawater desalination, *Desalination*, 363 (2015) 26–36, <https://doi.org/10.1016/j.desal.2014.12.011>
- [214] Sadara SWRO Plant- Saudi Arabia, http://www.sidem-desalination.com/main-references/case-studies/Sadara_SWRO.htm (accessed September 2017).
- [215] C. Tan, H. Ng, A novel hybrid forward osmosis-nanofiltration (FO-NF) process for seawater desalination: draw solution selection and system configuration, *Desalination and Water Treatment*, 13 (2010) 356–361, <https://doi.org/10.5004/dwt.2010.1733>

- [216] M.A. Sanza, V. Bonnelyea, G. Cremerb, Fujairah reverse osmosis plant: 2 years of operation, *Desalination*, 203 (2007) 91–99, <https://doi.org/10.1016/j.desal.2006.03.526>
- [217] D. Cheng, W. Gong, N. Li, Response surface modeling and optimization of direct contact membrane distillation for water desalination, *Desalination*, 394 (2016) 108–122, <https://doi.org/10.1016/j.desal.2016.04.029>
- [218] I. Hitsov, T. Maere, K. De Sitter, C. Dotremont, I. Nopens, Modelling approaches in membrane distillation: a critical review, *Separation and Purification Technology*, 142 (2015) 48–64, <https://doi.org/10.1016/j.seppur.2014.12.026>
- [219] Layyah & Khorfakhan SWRO Plants Run with DOW FILMTEC™ Technology, Dow Water & Process Solutions, Dow Chemical, US, N/A.
- [220] C. Gasson, C. Gonzalez-Manchon, F. Alvarado-Revilla, *Global Water Intelligence, Desalination markets 2010*, Media Analytics Ltd, Oxford, 2010.
- [221] *IDA Desalination Yearbook 2008–2009*, Media Analytics Ltd, Oxford, 2009.
- [222] D.E. Lindeman, N. Callahan, Tampa bay seawater desalination DBOOT project: lessons learned, in: 10th Annual CWWA Conference and Exhibition, Grand Cayman, October, 2001.
- [223] N. Voutchkov, in: Presented in Part at the Training Course on Modeling the Cost of Desalination, Muscat, June, 2013.
- [224] G. Gude, *Sustainable Desalination Handbook: Plant Selection, Design and Implementation*, Elsevier Science, Oxford, United Kingdom, 2018.
- [225] N. Melián-Martel, J.J. Sadhwani, S. Malamis, M. Ochsenkühn-Petropoulou, Structural and chemical characterization of long-term reverse osmosis membrane fouling in a full scale desalination plant, *Desalination*, 305 (2012) 44–53, <https://doi.org/10.1016/j.desal.2012.08.011>
- [226] B. Peñate, L. García-Rodríguez, Energy optimisation of existing SWRO (seawater reverse osmosis) plants with ERT (energy recovery turbines): technical and thermoeconomic assessment, *Energy*, 36 (2011) 613–626, <https://doi.org/10.1016/j.energy.2010.09.056>
- [227] R. Lemes, R. Falcon, R. Arocha, J. Curbelo, V. Platas, L.D. Lorenzo, Different designs in energy savings of SWRO plant of Las Palmas III, *Desalination and Water Treatment*, 51 (2013) 749–758, <https://doi.org/10.1080/19443994.2012.699342>
- [228] O.L. Villa Sallangos, Operating experience of the Dhekalia seawater desalination plant using an innovative energy recovery system, *Desalination*, 173 (2005) 91–102, <https://doi.org/10.1016/j.desal.2004.07.045>
- [229] M. Schenkeveld, R. Morris, B. Budding, J. Helmer, S. Innanen, *Seawater and Brackish Water Desalination in the Middle East, North Africa and Central Asia – A Review of Key Issues and Experience in Six Countries (Algeria, Tunisia, Jordan, Uzbekistan, Malta, Cyprus)*, World Bank, US, 2004.
- [230] E. Koutsakos, D. Moxey, More water, less energy and reduced CO₂ emissions – the Larnaca desalination plant, *Desalination and Water Treatment*, 5 (2009) 68–73, <https://doi.org/10.5004/dwt.2009.561>
- [231] C. Bartels, S. Cioffi, S. Rybar, M. Wilf, E. Koutsakos, Long term experience with membrane performance at the Larnaca desalination plant, *Desalination*, 221 (2008) 92–100, <https://doi.org/10.1016/j.desal.2007.01.070>
- [232] F. Lopez, M. Araus, R. Gimenez, E. Munoz, G. Romero, J.M. Bastida, Energy consumption optimization in a large seawater desalination plant (Aguilas, 210,000 m³/day), in: *International Desalination Association World Congress on Desalination and Water Reuse 2015*, San Diego, 2015.

- [233] R.B. Candel, C.G.G. Soto, D.Z. Martínez, A.D. Pérez, M.G.M. Pfeiffer, Á. García, Design of the Pretreatment at the New Águilas-Guadalestín Desalination Plant in: IDA World Congress 2009, Atlantis, November, 2009.
- [234] acuamed, Águilas/Guadalestín Desalination Plant, <http://www.acuamed.es/media/actuaciones/88/aguilas-corta-def.pdf> (accessed September 2018).
- [235] O. Alvarado, Planta Desaladora Águilas/Guadalestín, in: II Seminario Internacional Desalación En Antofagasta, Antofagasta, 2012.
- [236] J.O. Cantos, A.M.R. Amorós, Libro jubilar en Homenaje al Profesor Antonio Gil Olcina. Versión ampliada, Publicaciones de la Universidad de Alicante, San Vicente del Raspeig, Spain, 2016.
- [237] E. Drioli, A. Criscuoli, E. Curcio, Integrated membrane operations for seawater desalination, *Desalination*, 147 (2002) 77–81, [https://doi.org/10.1016/S0011-9164\(02\)00579-9](https://doi.org/10.1016/S0011-9164(02)00579-9)
- [238] S. Vigneswaran, *Waste Water Treatment Technologies – Volume III*, EOLSS Publ., Oxford, United Kingdom, 2009.
- [239] M.A. Sanz, C. Miguel, The role of SWRO Barcelona-Llobregat Plant in the water supply system of Barcelona Area, *Desalination and Water Treatment*, 51 (2013) 111–123, <https://doi.org/10.1080/19443994.2012.699250>
- [240] B. Marilhet, Barcelona Desalination Plant, A Case Study on Water Technologies in Spain, Suez Environnement, France, 2009.
- [241] in, IDA Desalination Yearbook 2009–2010. Media Analytics Ltd, Oxford, 2010.
- [242] acuamed, Desalination plant in Campo de Dalías (Almería), <http://www.acuamed.es/media/actuaciones/171/campodalias-corta-def.pdf> (accessed September 2018).
- [243] Campo de Dalías Desalination Plant (Almería), FuturENVIRO, Madrid, 2015.
- [244] Descripción del proyecto y mejoras de la desaladora de agua de mar del Campo de Dalías, <https://www.iagua.es/blogs/veolia-water/descripcion-del-proyecto-y-mejoras-de-la-desaladora-de-agua-de-mar-del-campo-de-dalias> (accessed September 2018).
- [245] Carboneras SWRO, <http://www.accion-agua.com/areas-of-activity/projects/dc-water-treatment-plants/swro/carboneras/> (accessed September 2018).
- [246] acuamed, Carboneras Desalination Plant (Almería), <http://www.acuamed.es/media/actuaciones/101/carboneras-corta-def.pdf> (accessed September 2018).
- [247] M.A. García-Rubio, J. Guardiola, Desalination in Spain: a growing alternative for water supply, *International Journal of Water Resources Development*, 28 (2012) 171–186, <https://doi.org/10.1080/07900627.2012.642245>
- [248] Global Water Intelligence (GWI), DesalData, Global Water Intelligence (GWI), Oxford, United Kingdom, 2019.
- [249] Rambla de Morales; Planta desaladora de agua de mar con capacidad para producir 60,000 m³/día de agua apta para riego, *Infoenviro* (Infoenviro, 2006, June, 35–50).
- [250] Trends & Developments in Advanced Energy Recovery Technologies for Desalination, Energy Recovery Inc. (ERI), US, 2013.
- [251] Energy recovery device is designed to make desalination affordable, *Membrane Technology*, 2008 (2008) 9–10, [https://doi.org/10.1016/S0958-2118\(08\)70064-8](https://doi.org/10.1016/S0958-2118(08)70064-8)
- [252] acuamed, Torreveja Desalination Plant, <http://www.acuamed.es/media/actuaciones/109/torreveja-corta-def.pdf> (accessed September 2018).
- [253] Annual Report 2013, acuamed, Madrid, 2014.
- [254] R. Franks, Analyzing three years of SWRO plant operation at elevated feed pH to save energy and improve boron rejection, in: International Desalination Association World Congress on Desalination and Water Reuse 2013, Tianjin, October, 2013.
- [255] acuamed, Valdelentisco Desalination Plant, <http://www.acuamed.es/media/actuaciones/87/valdelentisco-corta-def.pdf> (accessed September 2018).

- [256] A. Belatoui, H. Bouabessalam, O. Rouane Hacene, J.A. De-la-Ossa-Carretero, E. Martinez-Garcia, J. Sanchez-Liza, Environmental effects of brine discharge from two desalination plants in Algeria (South Western Mediterranean), *Desalination and Water Treatment*, 76 (2017) 311–318, <https://doi.org/10.5004/dwt.2017.20812>
- [257] E. Cardona, A. Piacentino, F. Marchese, Energy saving in two-stage reverse osmosis systems coupled with ultrafiltration processes, *Desalination*, 184 (2005) 125–137, <https://doi.org/10.1016/j.desal.2005.03.063>
- [258] Desalination plants developed under Project Finance (P3 model), <http://www.abengoawater.com/export/sites/abengoawater/resources/pdf/Folleto-plantas-desaladoras.pdf> (accessed September 2018).
- [259] Honaine Desalination Plant (Algeria), *Infoenviro*, 2012, April, 29–34.
- [260] M. Samir, K. Ahmed, Assessment of the quality of water discharges from a desalination plant: case of Honaine station (Western Algeria), *International Journal of Sciences: Basic and Applied Research*, 39 (2018) 89–95, <https://www.gssrr.org/index.php/JournalOfBasicAndApplied/article/view/9069>
- [261] Global Water Intelligence (GWI), *Water Desalination Report*, 2013, 49, 32.
- [262] G. Gude, *Renewable Energy Powered Desalination Handbook: Application and Thermodynamics*, Elsevier Science, Oxford, United Kingdom, 2018.
- [263] A.A. Bakr, W.A. Makled, New pretreatment media filtration for SWRO membranes of desalination plants, *Desalination and Water Treatment*, 55 (2015) 718–730, <https://doi.org/10.1080/19443994.2014.944219>
- [264] B. Martinez, Jorf Lasfar: the Largest SWRO Desalination Plant in Morocco, in, presented in part at the International Conference on Desalination and Sustainability, Casablanca, March, 2012.
- [265] S. Le Gallou, S. Bertrand, K.H. Madan, Al Dur SWRO plant: a double challenge for pre- and post-treatments, *Desalination and Water Treatment*, 51 (2013) 101–110, <https://doi.org/10.1080/19443994.2012.694235>
- [266] SUEZ, Al Dur seawater reverse osmosis desalination plant, https://www.suezwaterhandbook.com/content/download/5689/91232/version/5/file/AL_DUR_EN_A4.pdf (accessed September 2018).
- [267] M. Marzooq, M. Alsabbagh, W. Al-Zubari, Energy consumption in the municipal water supply sector in the kingdom of Bahrain, *Computational Water, Energy, and Environmental Engineering*, 7 (2018) 95–110, <https://doi.org/10.4236/cweee.2018.73006>
- [268] G. Schneier-Madanes, M.-F. Courel, Water and sustainability in arid regions, *High Demand in a Land of Water Scarcity: Iran*, Zehtabian, G., H. Khosravi and M. Ghodsi (Eds.). Springer, London, New York, ISBN, 13 (2010) 75–86.
- [269] B. Sauvet-Goichon, Ashkelon desalination plant – a successful challenge, *Desalination*, 203 (2007) 75–81, <https://doi.org/10.1016/j.desal.2006.03.525>
- [270] A. Hermony, I. Sutzkover-Gutman, Y. Talmi, O. Fine, Palmachim Seawater desalination plant – seven years of expansions with uninterrupted operation together with process improvements, *Desalination and Water Treatment*, 55 (2015) 2526–2535, <https://doi.org/10.1080/19443994.2014.940207>
- [271] Y. Hanegbi, Y. Mansdorf, Status of palmachim desalination project, in: 8th Annual Conference, Haifa, Israel, Israel Desalination Society, 2006, pp. 11–16.
- [272] A. Yechiel, Y. Shevah, Optimization of energy costs for SWRO desalination plants, *Desalination and Water Treatment*, 46 (2012) 304–311, <https://doi.org/10.1080/19443994.2012.677561>
- [273] A.H. Gulamhusein, A.S. Al Sheikh Khalil, I.A. Fatah, R. Boda, S. Rybar, IMS SWRO Kindasa – two years of operational experience, *Desalination and Water Treatment*, 10 (2009) 245–254, <https://doi.org/10.5004/dwt.2009.823>

- [274] Pretreatment, AMTA, Winter 2011/2012 (2012).
- [275] K. Tanaka, K. Matsui, T. Hori, H. Iwahashi, K. Takeuchi, Y. Ito, World's first large full triple-pass RO seawater desalination plant, Mitsubishi Heavy Industries Technical Review, 46 (2009) 12–14, <https://www.mhi.co.jp/technology/review/pdf/e461/e461012.pdf>.
- [276] Global Water Intelligence Magazine, 11 (2010).
- [277] V. Van Der Mast, T. Altmann, T. Attenborough, T. Hori, Y. Ito, H. Iwahashi, F. Mubeen, New Shuqaiq SWRO Desalination Plant with Advance BWRO Process, in: IDA World Congress 2007, Mas Palomas, October, 2007.
- [278] A.D. Khawaji, I.K. Kutubkhanah, J.-M. Wie, A 13.3 MGD seawater RO desalination plant for Yanbu Industrial City, Desalination, 203 (2007) 176–188, <https://doi.org/10.1016/j.desal.2006.02.018>
- [279] SUR Desalination plant, Sharqiyah Desalination Company, N/A.
- [280] P. Choules, Update on large scale ocean desal plants, in: Ii Seminario Internacional De Desalacion, Antofagasta, 2012.
- [281] A.D. Khawaji, I.K. Kutubkhanah, J.-M. Wie, Advances in seawater desalination technologies, Desalination, 221 (2008) 47–69, <https://doi.org/10.1016/j.desal.2007.01.067>
- [282] M. Heberger, Australia's millennium drought: impacts and responses, in: P.H. Gleick (Ed.) The World's Water, Island Press, Washington DC, 2012, pp. 97–125. <https://doi.org/10.1007/978-1-59726-228-6>
- [283] C. Harris, Energy recovery for membrane desalination, Desalination, 125 (1999) 173–180, [https://doi.org/10.1016/S0011-9164\(99\)00136-8](https://doi.org/10.1016/S0011-9164(99)00136-8)
- [284] O.M. Al-Hawaj, The work exchanger for reverse osmosis plants, Desalination, 157 (2003) 23–27, [https://doi.org/10.1016/S0011-9164\(03\)00378-3](https://doi.org/10.1016/S0011-9164(03)00378-3)
- [285] M.J. Guirguis, Energy Recovery Devices in Seawater Reverse Osmosis Desalination Plants with Emphasis on Efficiency and Economical Analysis of Isobaric Versus Centrifugal Devices, University of South Florida, US, 2011.
- [286] M. Kurihara, H. Takeuchi, SWRO-PRO system in 'Mega-ton water system' for energy reduction and low environmental impact, Water, 10 (2018) 48, <https://doi.org/10.3390/w10010048>
- [287] M. Nair, D. Kumar, Water desalination and challenges: The Middle East perspective: a review, Desalination and Water Treatment, 51 (2013) 2030–2040, <https://doi.org/10.1080/19443994.2013.734483>
- [288] F. El-Gohary, A. Tawfik, U. Mahmoud, Comparative study between chemical coagulation/precipitation (C/P) versus coagulation/dissolved air flotation (C/DAF) for pre-treatment of personal care products (PCPs) wastewater, Desalination, 252 (2010) 106–112, <https://doi.org/10.1016/j.desal.2009.10.016>
- [289] M. Busch, R. Chu, U. Kolbe, Q. Meng, S. Li, Ultrafiltration pretreatment to reverse osmosis for seawater desalination – three years field experience in the Wangtan Datang power plant, Desalination and Water Treatment, 10 (2009) 1–20, <https://doi.org/10.5004/dwt.2009.702>
- [290] A. Alhadidi, A.J.B. Kemperman, R. Schurer, J.C. Schippers, M. Wessling, W.G.J. van der Meer, Using SDI, SDI+ and MFI to evaluate fouling in a UF/RO desalination pilot plant, Desalination, 285 (2012) 153–162, <https://doi.org/10.1016/j.desal.2011.09.049>
- [291] P. Glueckstern, M. Priel, Comparative cost of UF vs conventional pretreatment for SWRO systems, International Desalination and Water Reuse Quarterly, 13 (2003) 34–39, https://www.researchgate.net/profile/M-Priel/publication/266499481_Comparative_Cost_of_UF_vs_Conventional_Pretreatment_for_SWRO_Systems/links/55016d500cf2de950a727571/Comparative-Cost-of-UF-vs-Conventional-Pretreatment-for-SWRO-Systems.pdf

- [292] A. Sambidge, “Red tide” forces desalination plant closure. *ArabianBusiness.com*, (2008), <http://www.arabianbusiness.com/538468-red-tide-forces-desalination-plant-closure>
- [293] T. Pankratz, Red tides close desal plants, *Water Desalination Report*, 44 (2008).
- [294] A. Alkaisi, R. Mossad, A. Sharifian-Barforoush, A review of the water desalination systems integrated with renewable energy, *Energy Procedia*, 110 (2017) 268–274, <https://doi.org/10.1016/j.egypro.2017.03.138>
- [295] N. Voutchkov, Energy use for membrane seawater desalination – current status and trends, *Desalination*, 431 (2018) 2–14, <https://doi.org/10.1016/j.desal.2017.10.033>
- [296] N. Ghaffour, S. Lattemann, T. Missimer, K.C. Ng, S. Sinha, G. Amy, Renewable energy-driven innovative energy-efficient desalination technologies, *Applied Energy*, 136 (2014) 1155–1165, <https://doi.org/10.1016/j.apenergy.2014.03.033>
- [297] N. Kishizawa, K. Tsuzuki, M. Hayatsu, Low pressure multi-stage RO system developed in ‘Mega-ton water system’ for large-scaled SWRO plant, *Desalination*, 368 (2015) 81–88, <https://doi.org/10.1016/j.desal.2015.01.045>
- [298] K. Spiegler, Y. El-Sayed, The energetics of desalination processes, *Desalination*, 134 (2001) 109–128, [https://doi.org/10.1016/S0011-9164\(01\)00121-7](https://doi.org/10.1016/S0011-9164(01)00121-7)
- [299] A. Blanco-Marigorta, A. Lozano-Medina, J. Marcos, A critical review of definitions for exergetic efficiency in reverse osmosis desalination plants, *Energy*, 137 (2017) 752–760, <https://doi.org/10.1016/j.energy.2017.05.136>
- [300] L. Fitzsimons, B. Corcoran, P. Young, G. Foley, Exergy analysis of water purification and desalination: a study of exergy model approaches, *Desalination*, 359 (2015) 212–224, <https://doi.org/10.1016/j.desal.2014.12.033>
- [301] M.H. Sharqawy, S.M. Zubair, J.H. Lienhard V, Second law analysis of reverse osmosis desalination plants: an alternative design using pressure retarded osmosis, *Energy*, 36 (2011) 6617–6626, <https://doi.org/10.1016/j.energy.2011.08.056>
- [302] M.H. Sharqawy, S.M. Zubair, J.H. Lienhard V, On exergy calculations of seawater with applications in desalination systems, *International Journal of Thermal Sciences*, 50 (2011) 187–196, <https://doi.org/10.1016/j.ijthermalsci.2010.09.013>
- [303] P.W. Atkins, J. De Paula, J. Keeler, *Atkins’ Physical Chemistry*, Oxford University Press, Oxford, United Kingdom, 2018.
- [304] J.M. Smith, H.C. Van Ness, M.M. Abbott, *Introduction to Chemical Engineering Thermodynamics* (8th ed.), McGraw-Hill, New York, 2017.
- [305] R.K. McGovern, On the potential of forward osmosis to energetically outperform reverse osmosis desalination, *Journal of Membrane Science*, 469 (2014) 245–250, <https://doi.org/10.1016/j.memsci.2014.05.061>
- [306] A. Ghobeity, A. Mitsos, Optimal time-dependent operation of seawater reverse osmosis, *Desalination*, 263 (2010) 76–88, <https://doi.org/10.1016/j.desal.2010.06.041>
- [307] S. Loutatidou, N. Liosis, R. Pohl, T.B. Ouarda, H.A. Arafat, Wind-powered desalination for strategic water storage: techno-economic assessment of concept, *Desalination*, 408 (2017) 36–51, <https://doi.org/10.1016/j.desal.2017.01.002>
- [308] K.S. Al-Malahy, T. Hodgkiess, Comparative studies of the seawater corrosion behaviour of a range of materials, *Desalination*, 158 (2003) 35–42, [https://doi.org/10.1016/S0011-9164\(03\)00430-2](https://doi.org/10.1016/S0011-9164(03)00430-2)
- [309] E.M. Hoek, J. Allred, T. Knoell, B.-H. Jeong, Modeling the effects of fouling on full-scale reverse osmosis processes, *Journal of Membrane Science*, 314 (2008) 33–49, <https://doi.org/10.1016/j.memsci.2008.01.025>
- [310] Y. Du, L. Xie, Y. Liu, S. Zhang, Y. Xu, Optimization of reverse osmosis networks with split partial second pass design, *Desalination*, 365 (2015) 365–380, <https://doi.org/10.1016/j.desal.2015.03.019>

- [311] Y. Lu, A. Liao, Y. Hu, Design of reverse osmosis networks for multiple freshwater production, *Korean Journal of Chemical Engineering*, 30 (2013) 988–996, <https://doi.org/10.1007/s11814-013-0009-8>
- [312] Y. Yang, Y. Sun, X. Song, J. Yu, Separation of mono- and di-valent ions from seawater reverse osmosis brine using selective electrodialysis, *Environmental Science and Pollution Research*, 28 (2021) 18754–18767, <https://doi.org/10.1007/s11356-020-10014-9>
- [313] A.P. Straub, A. Deshmukh, M. Elimelech, Pressure-retarded osmosis for power generation from salinity gradients: is it viable?, *Energy & Environmental Science*, 9 (2016) 31–48, <https://doi.org/10.1039/C5EE02985F>
- [314] S. Lin, A.P. Straub, M. Elimelech, Thermodynamic limits of extractable energy by pressure retarded osmosis, *Energy Environmental Science*, 7 (2014) 2706–2714, <https://doi.org/10.1039/C4EE01020E>
- [315] M. Kurihara, H. Yamamura, T. Nakanishi, High recovery/high pressure membranes for brine conversion SWRO process development and its performance data, *Desalination*, 125 (1999) 9–15, [https://doi.org/10.1016/S0011-9164\(99\)00119-8](https://doi.org/10.1016/S0011-9164(99)00119-8)
- [316] Y.-Y. Lu, Y.-D. Hu, X.-L. Zhang, L.-Y. Wu, Q.-Z. Liu, Optimum design of reverse osmosis system under different feed concentration and product specification, *Journal of Membrane Science*, 287 (2007) 219–229, <https://doi.org/10.1016/j.memsci.2006.10.037>
- [317] Q.J. Wei, R.K. McGovern, Saving energy with an optimized two-stage reverse osmosis system, *Environmental Science: Water Research & Technology*, 3 (2017) 659–670, <https://doi.org/10.1039/C7EW00069C>
- [318] T. Trifonova, L. Shirkin, O. Selivanov, M. Ilina, A. Povorov, Evaluating membrane separation effectiveness for highly concentrated aqueous media applying two-stage reverse osmosis plant, *International Journal of Emerging Trends in Engineering Research*, 8 (2020) 906–910, <https://doi.org/10.30534/ijeter/2020/47832020>
- [319] M. Al-Obaidi, C. Kara-Zaitri, I.M. Mujtaba, Simulation and optimisation of a two-stage/two-pass reverse osmosis system for improved removal of chlorophenol from wastewater, *Journal of Water Process Engineering*, 22 (2018) 131–137, <https://doi.org/10.1016/j.jwpe.2018.01.012>
- [320] A. Efraty, in, US Pat., 7.695,614 B2, 2010.
- [321] R.L. Stover, High recovery, low fouling, and low energy reverse osmosis, *Desalination and Water Treatment*, 57 (2016) 26501–26506, <https://doi.org/10.1080/19443994.2016.1168586>
- [322] J.R. Werber, A. Deshmukh, M. Elimelech, Can batch or semi-batch processes save energy in reverse-osmosis desalination?, *Desalination*, 402 (2017) 109–122, <https://doi.org/10.1016/j.desal.2016.09.028>
- [323] D.M. Warsinger, E.W. Tow, K.G. Nayar, L.A. Maswadeh, Energy efficiency of batch and semi-batch (CCRO) reverse osmosis desalination, *Water Research*, 106 (2016) 272–282, <https://doi.org/10.1016/j.watres.2016.09.029>
- [324] A. Efraty, Z. Gal, Closed circuit desalination series No 7: retrofit design for improved performance of conventional BWRO system, *Desalination and Water Treatment*, 41 (2012) 301–307, <https://doi.org/10.1080/19443994.2012.664716>
- [325] B. Sutariya, H. Raval, Analytical study of optimum operating conditions in semi-batch closed-circuit reverse osmosis (CCRO), *Separation and Purification Technology*, 264 (2021) 118421, <https://doi.org/10.1016/j.seppur.2021.118421>
- [326] T. Lee, A. Rahardianto, Y. Cohen, Multi-cycle operation of semi-batch reverse osmosis (SBRO) desalination, *Journal of Membrane Science*, 588 (2019) 117090, <https://doi.org/10.1016/j.memsci.2019.05.015>
- [327] S. Li, K. Duran, S. Delagah, J. Mouawad, X. Jia, M. Sharbatmaleki, Energy efficiency of staged reverse osmosis (RO) and closed-circuit reverse osmosis

- (CCRO) desalination: a model-based comparison, *Water Supply*, 20 (2020) 3096–3106, <https://doi.org/10.2166/ws.2020.208>
- [328] D.M. Warsinger, E.W. Tow, K.G. Nayar, L.A. Maswadeh, J.H. Lienhard, Energy efficiency of batch and semi-batch (CCRO) reverse osmosis desalination, *Water Research*, 106 (2016) 272–282, <https://doi.org/10.1016/j.watres.2016.09.029>
- [329] M. Barello, D. Manca, R. Patel, I.M. Mujtaba, Operation and modeling of RO desalination process in batch mode, *Computers & Chemical Engineering*, 83 (2015) 139–156, <https://doi.org/10.1016/j.compchemeng.2015.05.022>
- [330] T. Qiu, P.A. Davies, Longitudinal dispersion in spiral wound RO modules and its effect on the performance of batch mode RO operations, *Desalination*, 288 (2012) 1–7, <https://doi.org/10.1016/j.desal.2011.11.054>
- [331] T. Qiu, P.A. Davies, Comparison of configurations for high-recovery inland desalination systems, *Water*, 4 (2012) 690–706, <https://doi.org/10.3390/w4030690>
- [332] T. Qiu, P. Davies, Concentration polarization model of spiral-wound membrane modules with application to batch-mode RO desalination of brackish water, *Desalination*, 368 (2015) 36–47, <https://doi.org/10.1016/j.desal.2014.12.048>
- [333] P.A. Davies, J. Wayman, C. Alatta, K. Nguyen, J. Orfi, A desalination system with efficiency approaching the theoretical limits, *Desalination and Water Treatment*, 57 (2016) 23206–23216, <https://doi.org/10.1080/19443994.2016.1180482>
- [334] D.M. Warsinger, E.W. Tow, L.A. Maswadeh, G.B. Connors, J. Swaminathan, J.H. Lienhard V, Inorganic fouling mitigation by salinity cycling in batch reverse osmosis, *Water Research*, 137 (2018) 384–394, <https://doi.org/10.1016/j.watres.2018.01.060>
- [335] J.H. Lienhard, G.P. Thiel, D.M. Warsinger, L.D. Banchik, Low carbon desalination: status and research, development, and demonstration needs, Report of a Workshop Conducted at the Massachusetts Institute of Technology in Association with the Global Clean Water Desalination Alliance (2016).
- [336] M. Li, Dynamic operation of batch reverse osmosis and batch pressure retarded osmosis, *Industrial & Engineering Chemistry Research*, 59 (2020) 3097–3108, <https://doi.org/10.1021/acs.iecr.9b06371>
- [337] M. Li, Y. Heng, J. Luo, Batch reverse osmosis: a new research direction in water desalination, *Science Bulletin*, 65 (2020) 1705–1708, <https://doi.org/10.1016/j.scib.2020.05.032>
- [338] Q.J. Wei, C.I. Tucker, P.J. Wu, A.M. Trueworthy, E.W. Tow, Impact of salt retention on true batch reverse osmosis energy consumption: experiments and model validation, *Desalination*, 479 (2020) 114177, <https://doi.org/10.1016/j.desal.2019.114177>
- [339] J. Swaminathan, E.W. Tow, R.L. Stover, Practical aspects of batch RO design for energy-efficient seawater desalination, *Desalination*, 470 (2019) 114097, <https://doi.org/10.1016/j.desal.2019.114097>
- [340] A. Chougradi, F. Zaviska, A. Abed, J. Harmand, J.-E. Jellal, M. Heran, Batch reverse osmosis desalination modeling under a time-dependent pressure profile, *Membranes*, 11 (2021) 173, <https://doi.org/10.3390/membranes11030173>
- [341] H. Abu Ali, M. Baronian, L. Burlace, P.A. Davies, S. Halasah, M. Hind, A. Hossain, C. Lipchin, A. Majali, M. Mark, Off-grid desalination for irrigation in the Jordan Valley, *Desalination and Water Treatment*, 168 (2019) 143–154, <https://doi.org/10.5004/dwt.2019.24567>
- [342] A. Das, D.M. Warsinger, Batch counterflow reverse osmosis, *Desalination*, 507 (2021) 115008, <https://doi.org/10.1016/j.desal.2021.115008>
- [343] S. Cordoba, A. Das, J. Leon, J.M. Garcia, D.M. Warsinger, Double-acting batch reverse osmosis configuration for best-in-class efficiency and low downtime, *Desalination*, 506 (2021) 114959, <https://doi.org/10.1016/j.desal.2021.114959>

- [344] P. Davies, A. Afifi, F. Khatoon, G. Kuldip, S. Javed, S. Khan, Double-acting batch-RO system for desalination of brackish water with high efficiency and high recovery, *Desalination and Water Treatment*, 224 (2021) 1–11, <https://doi.org/10.5004/dwt.2021.26995>
- [345] Q.J. Wei, C.I. Tucker, P.J. Wu, A.M. Trueworthy, E.W. Tow, J.H. Lienhard V, True batch reverse osmosis prototype: model validation and energy savings, in: *The International Desalination Association World Congress on Desalination and Water Reuse 2019*, International Desalination Association, Dubai, UAE, 2019.
- [346] Q.J. Wei, C.I. Tucker, P.J. Wu, A.M. Trueworthy, E.W. Tow, J.H. Lienhard V, Impact of salt retention on true batch reverse osmosis energy consumption: experiments and model validation, *Desalination*, 479 (2020) 114177, <https://doi.org/10.1016/j.desal.2019.114177>
- [347] Q.J. Wei, C.I. Tucker, P.J. Wu, A.M. Trueworthy, E.W. Tow, J.H. Lienhard V, Batch reverse osmosis: experimental results, model validation, and design implications, in: *2019 AMTA/AWWA Membrane Technology Conference & Exposition*, American Membrane Technology Association, New Orleans, Louisiana, 2019.
- [348] D.M. Warsinger, E.W. Tow, L.A. Maswadeh, G.B. Connors, J. Swaminathan, Inorganic fouling mitigation by salinity cycling in batch reverse osmosis, *Water Research*, 137 (2018) 384–394, <https://doi.org/10.1016/j.watres.2018.01.060>
- [349] E. Jones, M. Qadir, M.T. van Vliet, V. Smakhtin, S.-M. Kang, The state of desalination and brine production: a global outlook, *Science of the Total Environment*, 657 (2019) 1343–1356, <https://doi.org/10.1016/j.scitotenv.2018.12.076>
- [350] T. Tong, M. Elimelech, The global rise of zero liquid discharge for wastewater management: drivers, technologies, and future directions, *Environmental Science & Technology*, 50 (2016) 6846–6855, <https://doi.org/10.1021/acs.est.6b01000>
- [351] K.J. Lu, Z.L. Cheng, J. Chang, L. Luo, T.-S. Chung, Design of zero liquid discharge desalination (ZLDD) systems consisting of freeze desalination, membrane distillation, and crystallization powered by green energies, *Desalination*, 458 (2019) 66–75, <https://doi.org/10.1016/j.desal.2019.02.001>
- [352] R. Schwantes, K. Chavan, D. Winter, C. Felsmann, J. Pfafferoth, Techno-economic comparison of membrane distillation and MVC in a zero liquid discharge application, *Desalination*, 428 (2018) 50–68, <https://doi.org/10.1016/j.desal.2017.11.026>
- [353] Z. Wang, A. Deshmukh, Y. Du, M. Elimelech, Minimal and zero liquid discharge with reverse osmosis using low-salt-rejection membranes, *Water Research*, 170 (2020) 115317, <https://doi.org/10.1016/j.watres.2019.115317>
- [354] Q.J. Wei, R.K. McGovern, J.H. Lienhard V, Saving energy with an optimized two-stage reverse osmosis system, *Environmental Science: Water Research & Technology*, 3 (2017) 659–670, <https://doi.org/10.1039/C7EW00069C>
- [355] T.V. Bartholomew, L. Mey, J.T. Arena, N.S. Siefert, M.S. Mauter, Osmotically assisted reverse osmosis for high salinity brine treatment, *Desalination*, 421 (2017) 3–11, <https://doi.org/10.1016/j.desal.2017.04.012>
- [356] K.H. Chu, J. Lim, S.-J. Kim, T.-U. Jeong, M.-H. Hwang, Determination of optimal design factors and operating conditions in a large-scale seawater reverse osmosis desalination plant, *Journal of Cleaner Production*, 244 (2020) 118918, <https://doi.org/10.1016/j.jclepro.2019.118918>
- [357] S. Haryati, A.B. Hamzah, P.S. Goh, M.S. Abdullah, A.F. Ismail, M.D. Bustan, Process intensification of seawater reverse osmosis through enhanced train capacity and module size – simulation on Lanzarote IV SWRO plant, *Desalination*, 408 (2017) 92–101, <https://doi.org/10.1016/j.desal.2017.01.011>
- [358] K. Jeong, M. Park, S.J. Ki, J.H. Kim, A systematic optimization of internally staged design (ISD) for a full-scale reverse osmosis process, *Journal of Membrane Science*, 540 (2017) 285–296, <https://doi.org/10.1016/j.memsci.2017.06.066>

- [359] S.-J. Im, J. Choi, S. Jeong, A. Jang, New concept of pump-less forward osmosis (FO) and low-pressure membrane (LPM) process, *Scientific Reports*, 7 (2017) 14569, <https://doi.org/10.1038/s41598-017-15274-z>
- [360] T.Y. Cath, N.T. Hancock, C.D. Lundin, C. Hoppe-Jones, J.E. Drewes, A multi-barrier osmotic dilution process for simultaneous desalination and purification of impaired water, *Journal of Membrane Science*, 362 (2010) 417–426, <https://doi.org/10.1016/j.memsci.2010.06.056>
- [361] B.G. Choi, M. Zhan, K. Shin, S. Lee, S. Hong, Pilot-scale evaluation of FO-RO osmotic dilution process for treating wastewater from coal-fired power plant integrated with seawater desalination, *Journal of Membrane Science*, 540 (2017) 78–87, <https://doi.org/10.1016/j.memsci.2017.06.036>
- [362] M. Zhan, Y. Kim, J. Lim, S. Hong, Application of fouling index for forward osmosis hybrid system: a pilot demonstration, *Journal of Membrane Science*, 617 (2021) 118624, <https://doi.org/10.1016/j.memsci.2020.118624>
- [363] D.I. Kim, J. Kim, H.K. Shon, S. Hong, Pressure retarded osmosis (PRO) for integrating seawater desalination and wastewater reclamation: energy consumption and fouling, *Journal of Membrane Science*, 483 (2015) 34–41, <https://doi.org/10.1016/j.memsci.2015.02.025>
- [364] R.V. Linares, Z. Li, V. Yangali-Quintanilla, N. Ghaffour, G. Amy, T. Leiknes, J. Vrouwenvelder, Life cycle cost of a hybrid forward osmosis–low pressure reverse osmosis system for seawater desalination and wastewater recovery, *Water Research*, 88 (2016) 225–234, <https://doi.org/10.1016/j.watres.2015.10.017>
- [365] V. Yangali-Quintanilla, Z. Li, R. Valladares, Q. Li, G. Amy, Indirect desalination of Red Sea water with forward osmosis and low pressure reverse osmosis for water reuse, *Desalination*, 280 (2011) 160–166, <https://doi.org/10.1016/j.desal.2011.06.066>
- [366] J. Kim, G. Blandin, S. Phuntsho, A. Verliefde, P. Le-Clech, H. Shon, Practical considerations for operability of an 8" spiral wound forward osmosis module: hydrodynamics, fouling behaviour and cleaning strategy, *Desalination*, 404 (2017) 249–258, <https://doi.org/10.1016/j.desal.2016.11.004>
- [367] S. Loeb, Method and Apparatus for Generating Power Utilizing Pressure-Retarded Osmosis, Patent in United States, 1980
- [368] A. Achilli, A.E. Childress, Pressure retarded osmosis: from the vision of Sidney Loeb to the first prototype installation – review, *Desalination*, 261 (2010) 205–211, <https://doi.org/10.1016/j.desal.2010.06.017>
- [369] N.Y. Yip, A. Tiraferri, W.A. Phillip, J.D. Schiffman, L.A. Hoover, Y.C. Kim, M. Elimelech, Thin-film composite pressure retarded osmosis membranes for sustainable power generation from salinity gradients, *Environmental Science & Technology*, 45 (2011) 4360–4369, <https://doi.org/10.1021/es104325z>
- [370] K.L. Lee, R.W. Baker, H.K. Lonsdale, Membranes for power generation by pressure-retarded osmosis, *Journal of Membrane Science*, 8 (1981) 141–171, [https://doi.org/10.1016/S0376-7388\(00\)82088-8](https://doi.org/10.1016/S0376-7388(00)82088-8)
- [371] A. Tanioka, M. Kurihara, H. Sakai, Chapter 12 – megaton water system: high salinity pressure retarded osmosis, in: S. Sarp, N. Hilal (Eds.) *Membrane-Based Salinity Gradient Processes for Water Treatment and Power Generation*, Elsevier, 2018, pp. 319–334.
- [372] J. Kim, M. Park, S.A. Snyder, J.H. Kim, Reverse osmosis (RO) and pressure retarded osmosis (PRO) hybrid processes: model-based scenario study, *Desalination*, 322 (2013) 121–130, <https://doi.org/10.1016/j.desal.2013.05.010>
- [373] A. Achilli, J.L. Prante, N.T. Hancock, E.B. Maxwell, A.E. Childress, Experimental results from RO-PRO: a next generation system for low-energy desalination, *Environmental Science & Technology*, 48 (2014) 6437–6443, <https://doi.org/10.1021/es405556s>

- [374] S. Lee, S.-H. Kim, Y.-G. Park, Chapter 11 – high-salinity pressure retarded osmosis using seawater reverse osmosis brine, in: S. Sarp, N. Hilal (Eds.) *Membrane-Based Salinity Gradient Processes for Water Treatment and Power Generation*, Elsevier, Amsterdam, Netherlands, 2018, pp. 297–316.
- [375] S. Lee, T.-S. Park, Y.-G. Park, W.-I. Lee, S.-H. Kim, Toward scale-up of seawater reverse osmosis (SWRO) – pressure retarded osmosis (PRO) hybrid system: a case study of a 240 m³/day pilot plant, *Desalination*, 491 (2020) 114429, <https://doi.org/10.1016/j.desal.2020.114429>
- [376] K. Touati, H.S. Usman, C.N. Mulligan, M.S. Rahaman, Energetic and economic feasibility of a combined membrane-based process for sustainable water and energy systems, *Applied Energy*, 264 (2020) 114699, <https://doi.org/10.1016/j.apenergy.2020.114699>
- [377] R.E. Pattle, Production of electric power by mixing fresh and salt water in the hydroelectric pile, *Nature*, 174 (1954) 660–660, <https://doi.org/10.1038/174660a0>
- [378] P. Długolecki, A. Gambier, K. Nijmeijer, M. Wessling, Practical potential of reverse electrodialysis as process for sustainable energy generation, *Environmental Science & Technology*, 43 (2009) 6888–6894, <https://doi.org/10.1021/es9009635>
- [379] H. Tian, Y. Wang, Y. Pei, J.C. Crittenden, Unique applications and improvements of reverse electrodialysis: a review and outlook, *Applied Energy*, 262 (2020) 114482, <https://doi.org/10.1016/j.apenergy.2019.114482>
- [380] N.Y. Yip, D.A. Vermaas, K. Nijmeijer, M. Elimelech, Thermodynamic, energy efficiency, and power density analysis of reverse electrodialysis power generation with natural salinity gradients, *Environmental Science & Technology*, 48 (2014) 4925–4936, <https://doi.org/10.1021/es5005413>
- [381] D.A. Vermaas, J. Veerman, N.Y. Yip, M. Elimelech, M. Saakes, K. Nijmeijer, High efficiency in energy generation from salinity gradients with reverse electrodialysis, *ACS Sustainable Chemistry & Engineering*, 1 (2013) 1295–1302, <https://doi.org/10.1021/sc400150w>
- [382] D.A. Vermaas, M. Saakes, K. Nijmeijer, Doubled power density from salinity gradients at reduced intermembrane distance, *Environmental Science & Technology*, 45 (2011) 7089–7095, <https://doi.org/10.1021/es2012758>
- [383] W. Li, W.B. Krantz, E.R. Cornelissen, J.W. Post, A.R.D. Verliefde, C.Y. Tang, A novel hybrid process of reverse electrodialysis and reverse osmosis for low energy seawater desalination and brine management, *Applied Energy*, 104 (2013) 592–602, <https://doi.org/10.1016/j.apenergy.2012.11.064>
- [384] E. Farrell, M.I. Hassan, R.A. Tufa, A. Tuomiranta, A.H. Avci, A. Politano, E. Curcio, H.A. Arafat, Reverse electrodialysis powered greenhouse concept for water- and energy-self-sufficient agriculture, *Applied Energy*, 187 (2017) 390–409, <https://doi.org/10.1016/j.apenergy.2016.11.069>
- [385] Ramato A. Tufa, E. Curcio, E. Brauns, W. van Baak, E. Fontananova, G. Di Profio, Membrane distillation and reverse electrodialysis for near-zero liquid discharge and low energy seawater desalination, *Journal of Membrane Science*, 496 (2015) 325–333, <https://doi.org/10.1016/j.memsci.2015.09.008>
- [386] R.A. Tufa, Y. Noviello, G. Di Profio, F. Macedonio, A. Ali, E. Drioli, E. Fontananova, K. Bouzek, E. Curcio, Integrated membrane distillation-reverse electrodialysis system for energy-efficient seawater desalination, *Applied Energy*, 253 (2019) 113551, <https://doi.org/10.1016/j.apenergy.2019.113551>
- [387] J. Choi, Y. Oh, S. Chae, S. Hong, Membrane capacitive deionization-reverse electrodialysis hybrid system for improving energy efficiency of reverse osmosis seawater desalination, *Desalination*, 462 (2019) 19–28, <https://doi.org/10.1016/j.desal.2019.04.003>

- [388] M.A. Anderson, A.L. Cudero, J. Palma, Capacitive deionization as an electrochemical means of saving energy and delivering clean water. Comparison to present desalination practices: will it compete?, *Electrochimica Acta*, 55 (2010) 3845–3856, <https://doi.org/10.1016/j.electacta.2010.02.012>
- [389] N.Y. Yip, M. Elimelech, Comparison of energy efficiency and power density in pressure retarded osmosis and reverse electrodialysis, *Environmental Science & Technology*, 48 (2014) 11002–11012, <https://doi.org/10.1021/es5029316>
- [390] N.Y. Yip, M. Elimelech, Influence of natural organic matter fouling and osmotic backwash on pressure retarded osmosis energy production from natural salinity gradients, *Environmental Science & Technology*, 47 (2013) 12607–12616, <https://doi.org/10.1021/es403207m>
- [391] D.A. Vermaas, D. Kunteng, M. Saakes, K. Nijmeijer, Fouling in reverse electrodialysis under natural conditions, *Water Research*, 47 (2013) 1289–1298, <https://doi.org/10.1016/j.watres.2012.11.053>
- [392] W. Suwaileh, D. Johnson, N. Hilal, Membrane desalination and water re-use for agriculture: state of the art and future outlook, *Desalination*, 491 (2020) 114559, <https://doi.org/10.1016/j.desal.2020.114559>
- [393] S. Hong, I.-C. Kim, T. Tak, Y.-N. Kwon, Interfacially synthesized chlorine-resistant polyimide thin film composite (TFC) reverse osmosis (RO) membranes, *Desalination*, 309 (2013) 18–26, <https://doi.org/10.1016/j.desal.2012.09.025>
- [394] S. Yu, M. Liu, Z. Lü, Y. Zhou, C. Gao, Aromatic-cycloaliphatic polyamide thin-film composite membrane with improved chlorine resistance prepared from m-phenylenediamine-4-methyl and cyclohexane-1, 3, 5-tricarbonyl chloride, *Journal of Membrane Science*, 344 (2009) 155–164, <https://doi.org/10.1016/j.memsci.2009.07.046>
- [395] A.K. Ghosh, B.-H. Jeong, X. Huang, E.M.V. Hoek, Impacts of reaction and curing conditions on polyamide composite reverse osmosis membrane properties, *Journal of Membrane Science*, 311 (2008) 34–45, <https://doi.org/10.1016/j.memsci.2007.11.038>
- [396] M.A. Kuehne, R.Q. Song, N.N. Li, R. J. Petersen, Flux enhancement in TFC RO membranes, *Environmental Progress*, 20 (2001) 23–26, <https://doi.org/10.1002/ep.670200112>
- [397] D. Mukherjee, A. Kulkarni, W.N. Gill, Chemical treatment for improved performance of reverse osmosis membranes, *Desalination*, 104 (1996) 239–249, [https://doi.org/10.1016/0011-9164\(96\)00047-1](https://doi.org/10.1016/0011-9164(96)00047-1)
- [398] M. Elimelech, X. Zhu, A. E. Childress, S. Hong, Role of membrane surface morphology in colloidal fouling of cellulose acetate and composite aromatic polyamide reverse osmosis membranes, *Journal of Membrane Science*, 127 (1997) 101–109, [https://doi.org/10.1016/S0376-7388\(96\)00351-1](https://doi.org/10.1016/S0376-7388(96)00351-1)
- [399] W. Choi, C. Lee, D. Lee, Y.J. Won, G.W. Lee, M.G. Shin, B. Chun, T.-S. Kim, H.-D. Park, H.W. Jung, J. S. Lee, J.-H. Lee, Sharkskin-mimetic desalination membranes with ultralow biofouling, *Journal of Materials Chemistry A*, 6 (2018) 23034–23045, <https://doi.org/10.1039/C8TA06125D>
- [400] O. Heinz, M. Aghajani, A. R. Greenberg, Y. Ding, Surface-patterning of polymeric membranes: fabrication and performance, *Current Opinion in Chemical Engineering*, 20 (2018) 1–12, <https://doi.org/10.1016/j.coche.2018.01.008>
- [401] C. Tang, Z. Wang, I. Petrić, A. G. Fane, C. Hélix-Nielsen, Biomimetic aquaporin membranes coming of age, *Desalination*, 368 (2015) 89–105, <https://doi.org/10.1016/j.desal.2015.04.026>
- [402] Y. Zhao, C. Qiu, X. Li, A. Vararattanavech, W. Shen, J. Torres, C. Helix-Nielsen, R. Wang, X. Hu, A.G. Fane, C.Y. Tang, Synthesis of robust and high-performance

- aquaporin-based biomimetic membranes by interfacial polymerization-membrane preparation and RO performance characterization, *Journal of Membrane Science*, 423 (2012) 422–428, <https://doi.org/10.1016/j.memsci.2012.08.039>
- [403] D. Wu, X. Liu, S. Yu, M. Liu, C. Gao, Modification of aromatic polyamide thin-film composite reverse osmosis membranes by surface coating of thermo-responsive copolymers P (NIPAM-co-Am). I: preparation and characterization, *Journal of Membrane Science*, 352 (2010) 76–85, <https://doi.org/10.1016/j.memsci.2010.01.061>
- [404] X. Zhu, D. Jassby, Electroactive membranes for water treatment: enhanced treatment functionalities, energy considerations, and future challenges, *Accounts of Chemical Research*, 52 (2019) 1177–1186, <https://doi.org/10.1021/acs.accounts.8b00558>
- [405] M. Majumder, N. Chopra, B.J. Hinds, Mass transport through carbon nanotube membranes in three different regimes: ionic diffusion and gas and liquid flow, *ACS Nano*, 5 (2011) 3867–3877, <https://doi.org/10.1021/nn200222g>
- [406] J.K. Holt, H.G. Park, Y. Wang, M. Stadermann, A.B. Artyukhin, C.P. Grigoropoulos, A. Noy, O. Bakajin, Fast mass transport through sub-2-nanometer carbon nanotubes, *Science*, 312 (2006) 1034–1037, <https://doi.org/10.1126/science.1126298>
- [407] E. Yang, A.B. Alayande, K. Goh, C.-M. Kim, K.-H. Chu, M.-H. Hwang, J.-H. Ahn, K.-J. Chae, 2D materials-based membranes for hydrogen purification: current status and future prospects, *International Journal of Hydrogen Energy*, 46 (2020) 11389–11410, <https://doi.org/10.1016/j.ijhydene.2020.04.053>
- [408] C. Siskens, Applications of ceramic membranes in liquid filtration, in: *Membrane Science and Technology*, Elsevier, Amsterdam, Netherlands, 1996, pp. 619–639.
- [409] L. Lia, J. Dong, T.M. Nenoff, R. Lee, Reverse osmosis of ionic aqueous solutions on aMFI zeolite membrane, *Desalination*, 170 (2004) 309–316, <https://doi.org/10.1016/j.desal.2004.02.102>
- [410] N. Liu, L. Li, B. McPherson, R. Lee, Removal of organics from produced water by reverse osmosis using MFI-type zeolite membranes, *Journal of Membrane Science*, 325 (2008) 357–361, <https://doi.org/10.1016/j.memsci.2008.07.056>
- [411] M.C. Duke, J. O'Brien-Abraham, N. Milne, B. Zhu, J.Y. Lin, J.C.D. da Costa, Seawater desalination performance of MFI type membranes made by secondary growth, *Separation and Purification Technology*, 68 (2009) 343–350, <https://doi.org/10.1016/j.seppur.2009.06.003>
- [412] M.L. Lind, A.K. Ghosh, A. Jawor, X. Huang, W. Hou, Y. Yang, E.M. Hoek, Influence of zeolite crystal size on zeolite-polyamide thin film nanocomposite membranes, *Langmuir*, 25 (2009) 10139–10145, <https://doi.org/10.1021/la900938x>
- [413] E. Okumus, T. Gurkan, L. Yilmaz, Development of a mixed-matrix membrane for pervaporation, *Separation Science and Technology*, 29 (1994) 2451–2473, <https://doi.org/10.1080/01496399408002203>
- [414] A. Ismail, P. Goh, S. Sanip, M. Aziz, Transport and separation properties of carbon nanotube-mixed matrix membrane, *Separation and Purification Technology*, 70 (2009) 12–26, <https://doi.org/10.1016/j.seppur.2009.09.002>

