



# General conclusion

---

Among the chemical solutions for disinfecting wastewater that have emerged over the last few decades, performic acid is an adapted solution for wastewater treatment plant outfalls. This book has consolidated the present state of knowledge and moreover provided evidence of its suitability for wastewater disinfection. The purpose here has been threefold: characterize the performance of chemical disinfection by performic acid, define the most suitable implementation conditions (treatment rate, in particular), and ensure environmental protections when implementing this additional treatment step.

To meet these objectives, the Greater Paris Sanitation Authority (SIAAP) and its scientific and industrial partners undertook a two-year research effort on two different scales. On the one hand, tests were carried out at the laboratory scale to define the performance of this disinfection method and, in particular, to identify the links between its effectiveness and implementation conditions. This laboratory scale provided technical and scientific information on the harmlessness of such treatment for the environment, using a large panel of bioassays. On the other hand, trials were conducted at an industrial scale. Disinfection facilities, allowing for the injection of performic acid, were set up at the Seine Valenton wastewater treatment plant (SIAAP, Valenton) in order to assess the performance of this technology in an industrial application while also confirming the lack of impact from the disinfected water on the river.

The effectiveness of performic acid in removing fecal bacteria has been demonstrated. The application of a dose of 1 ppm, corresponding to a  $C \times t$  ranging from 10 to 30 ppm.min in the Seine Valenton configuration, made it

possible to maintain, under all circumstances, fecal bacteria concentrations below the bathing quality thresholds (Directive 2006/7/EC). The introduction of a wide array of biological tools has indeed proven the lack of harmful effects from performic acid within the aquatic environment regarding endocrine disruption (thyroid, estrogenic, androgenic) and so-called general toxicity (effect on the growth of single-cell organisms). The fact that this disinfection method leads to irreversible damage to bacteria, along with its ability to remove some of the other pathogens (sulfate-reducing spores), yields an even broader range of uses.

We are therefore hoping that this book will assist stakeholders and operators in making choices and managing their wastewater flows in light of changes in social expectations and, more broadly, in offering solutions to mitigate water-related challenges through guidance on sustainable use or reuse.

# References

---

## General introduction

- Rocher V. and Azimi S. (2016). Microbial Quality of Waters in the Paris Area: From Wastewaters to Surface Waters. Johanet Publisher, Paris. 94 p. ISBN: 979-10-91089-29-6.
- Rocher V. and Azimi S. (2017). Improvement of the River Seine Quality in Connection with the Sanitation Changes: From 1975 to 2015. Johanet Publisher, Paris. 76 p. ISBN: 979-10-91089-31-9.

## Section 1 – Chapter 1

- Chhetri R. K., Thornberg D., Berner J., Gramstad R., Öjstedt U., Sharma A. K. and Andersen H. R. (2014). Chemical disinfection of combined sewer overflow waters using performic acid or peracetic acids. *Science of the Total Environment*, **490**, 1065–1072. <https://doi.org/10.1016/j.scitotenv.2014.05.079>.
- Chhetri R. K., Flagstad R., Munch E. S., Hørning C., Berner J., Kolte-Olsen A., Thornberg D. and Andersen H. R. (2015). Full scale evaluation of combined sewer overflows disinfection using performic acid in a sea-outfall pipe. *Chemical Engineering Journal*, **270**, 133–139. <https://doi.org/10.1016/j.cej.2015.01.136>.
- Chhetri R. K., Klupsch E., Andersen H. R. and Jensen P. E. (2018). Treatment of Arctic wastewater by chemical coagulation, UV and peracetic acid disinfection. *Environmental Science and Pollution Research International*, **25**, 32851–32859. <https://doi.org/10.1007/s11356-017-8585-5>.
- Directive 2006/7/EC of the European Parliament and of the Council of 15 February 2006 concerning the management of bathing water quality and repealing Directive 76/160/EEC. Official Journal of the European Union, L 64/37, 15 pages.
- Gehr R., Chen D. and Moreau M. (2009). Performic acid (PFA): tests on an advanced primary effluent show promising disinfection performance. *Water Science and Technology*, **59**, 89–96. <https://doi.org/10.2166/wst.2009.761>.
- Goffin A., Guérin S., Rocher V. and Varrault G. (2018). Towards a better control of the wastewater treatment process: excitation-emission matrix fluorescence spectroscopy of dissolved organic matter as a predictive tool of soluble BOD5 in influents of six

- Parisian wastewater treatment plants. *Environmental Science and Pollution Research*, **25**(10), 8765–8776. <https://doi.org/10.1007/s11356-018-1205-1>.
- Karpova T., Pekonen P., Gramstad R., Öjstedt U., Laborda S., Heinonen-Tanski H., Chávez A. and Jiménez B. (2013). Performic acid for advanced wastewater disinfection. *Water Science and Technology*, **68**, 2090–2096. <https://doi.org/10.2166/wst.2013.468>.
- Luukkonen T. and Pehkonen S. O. (2017). Peracids in water treatment: a critical review. *Critical Reviews in Environmental Science and Technology*, **47**, 1–39. <https://doi.org/10.1080/10643389.2016.1272343>.
- Luukkonen T., Heynincq T., Rämö J. and Lassi U. (2015). Comparison of organic peracids in wastewater treatment: disinfection, oxidation and corrosion. *Water Research*, **85**, 275–285. <https://doi.org/10.1016/j.watres.2015.08.037>.
- McFadden M., Loconsole J., Schockling A. J., Nerenberg R. and Pavissich J. P. (2017). Comparing peracetic acid and hypochlorite for disinfection of combined sewer overflows: effects of suspended-solids and pH. *Science of the Total Environment*, **599–600**, 533–539. <https://doi.org/10.1016/j.scitotenv.2017.04.179>.
- Mora M., Veijalainen A.-M. and Heinonen-Tanski H. (2018). Performic acid controls better *Clostridium tyrobutyricum* related bacteria than peracetic acid. *Sustainability*, **10**, 1–8.
- Passerat J., Ouattara N. K., Mouchel J.-M., Vincent R. and Servais P. (2011). Impact of an intense combined sewer overflow event on the microbiological water quality of the Seine River. *Water Research*, **45**, 893–903. <https://dx.doi.org/10.1016/j.watres.2010.09.024>.
- Ragazzo P., Chiucchini N., Piccolo V. and Ostoich M. (2013). A new disinfection system for wastewater treatment: performic acid full-scale trial evaluations. *Water Science and Technology*, **67**, 2476–2487. <https://doi.org/10.2166/wst.2013.137>.
- Ragazzo P., Feretti D., Monarca S., Dominici L., Ceretti E., Viola G., Piccolo V., Chiucchini N. and Villarini M. (2017). Evaluation of cytotoxicity, genotoxicity, and apoptosis of wastewater before and after disinfection with performic acid. *Water Research*, **116**, 44–52. <https://doi.org/10.1016/j.watres.2017.03.016>.
- Rocher V. and Azimi S. (2016). *Microbial Quality of Waters in the Paris Area: From Wastewaters to Surface Waters*. Johanet Publisher, Paris. 94 pages. ISBN: 979-10-91089-29-6.
- Rocher V., Paffoni C., Gonçalves A., Guérin S., Azimi S., Gasperi J., Moilleron R. and Paus A. (2012). Municipal wastewater treatment by biofiltration: comparisons of various treatment layouts. Part 1: assessment of carbon and nitrogen removal. *Water Science and Technology*, **65**, 1705–17–12. <https://doi.org/10.2166/wst.2012.105>.
- Tondera K., Klaer K., Koch C., Hamza I. A. and Pinnekamp J. (2016). Reducing pathogens in combined sewer overflows using performic acid. *International Journal of Hygiene and Environmental Health*, **219**, 700–708. <https://doi.org/10.1016/j.ijheh.2016.04.009>.

## Section 1 – Chapter 2

- Antonelli M., Turolla A., Mezzanotte V. and Nurizzo C. (2013). Peracetic acid for secondary effluent disinfection: a comprehensive performance assessment. *Water Science and Technology*, **68**, 2638–2644. <https://doi.org/10.2166/wst.2013.542>.
- Biancullo F., Moreira N. F. F., Ribeiro A. R., Manaia C. M., Faria J. L., Nunes O. C., Castro-Silva S. M. and Silva A. M. T. (2019). Heterogeneous photocatalysis using UVA-LEDs for the removal of antibiotics and antibiotic resistant bacteria from urban

- wastewater treatment plant effluents. *Chemical Engineering Journal*, **367**, 304–313. <https://doi.org/10.1016/j.cej.2019.02.012>.
- Bohrerova Z. and Linden K. G. (2007). Standardizing photoreactivation: comparison of DNA photorepair rate in *Escherichia coli* using four different fluorescent lamps. *Water Research*, **41**, 2832–2838. <https://doi.org/10.1016/j.watres.2007.03.015>.
- Bohrerova Z., Rosenblum J. and Linden K. G. (2015). Importance of recovery of *E. coli* in water following ultraviolet light disinfection. *Journal of Environmental Engineering*, **141**, 04014094. [https://doi.org/10.1061/\(ASCE\)EE.1943-7870.0000922](https://doi.org/10.1061/(ASCE)EE.1943-7870.0000922).
- Fiorentino A., Ferro G., Alferez M. C., Polo-López M. I., Fernández-Ibañez P. and Rizzo L. (2015). Inactivation and regrowth of multidrug resistant bacteria in urban wastewater after disinfection by solar-driven and chlorination processes. *Journal of Photochemistry and Photobiology B: Biology*, **148**, 43–50. <https://doi.org/10.1016/j.jphotobiol.2015.03.029>.
- Giannakis S., Darakas E., Escalas-Cañellas A. and Pulgarin C. (2015). Solar disinfection modeling and post-irradiation response of *Escherichia coli* in wastewater. *Chemical Engineering Journal*, **281**, 588–598. <https://doi.org/10.1016/j.cej.2015.06.077>.
- Giannakis S., Voumard M., Grandjean D., Magnet A., De Alencastro L. F. and Pulgarin C. (2016). Micropollutant degradation, bacterial inactivation and regrowth risk in wastewater effluents: influence of the secondary (pre)treatment on the effectiveness of Advanced Oxidation Processes. *Water Research*, **102**, 505–515. <https://doi.org/10.1016/j.watres.2016.06.066>.
- Häder D.-P., Williamson C. E., Wängberg S.-Å., Rautio M., Rose K. C., Gao K., Helbling E. W., Sinha R. P. and Worrest R. (2015). Effects of UV radiation on aquatic ecosystems and interactions with other environmental factors. *Photochemical and Photobiological Science*, **14**, 108–126. <https://doi.org/10.1039/C4PP90035A>.
- Li D., Zeng S., Gu A. Z., He M. and Shi H. (2013). Inactivation, reactivation and regrowth of indigenous bacteria in reclaimed water after chlorine disinfection of a municipal wastewater treatment plant. *Journal of Environmental Science*, **25**, 1319–1325. [https://doi.org/10.1016/S1001-0742\(12\)60176-4](https://doi.org/10.1016/S1001-0742(12)60176-4).
- Malvestiti J. A. and Dantas R. F. (2018). Disinfection of secondary effluents by O-3, O-3/H<sub>2</sub>O<sub>2</sub> and UV/H<sub>2</sub>O<sub>2</sub>: influence of carbonate, nitrate, industrial contaminants and regrowth. *Journal of Environmental Chemical Engineering*, **6**, 560–567. <https://doi.org/10.1016/j.jece.2017.12.058>.
- Maraccini P. A., Mattioli M. C. M., Sassoubre L. M., Cao Y., Griffith J. F., Ervin J. S., Van De Werfhorst L. C. and Boehm A. B. (2016). Solar inactivation of Enterococci and *Escherichia coli* in natural waters: effects of water absorbance and depth. *Environmental Science and Technology*, **50**, 5068–5076. <https://doi.org/10.1021/acs.est.6b00505>.
- Mecha A. C., Onyango M. S., Ochieng A. and Momba M. N. B. (2017). Evaluation of synergy and bacterial regrowth in photocatalytic ozonation disinfection of municipal wastewater. *Science of the Total Environment*, **601–602**, 626–635. <https://doi.org/10.1016/j.scitotenv.2017.05.204>.
- Muela A., García-Bringas J. M., Arana I. and Barcina I. (2000). The effect of simulated solar radiation on *Escherichia coli*: the relative roles of UV-B, UV-A, and photosynthetically active radiation. *Microbial Ecology*, **39**, 65–71. <https://doi.org/10.1007/s002489900181>.
- Oguma K., Katayama H. and Ohgaki S. (2002). Photoreactivation of *Escherichia coli* after low- or medium-pressure UV disinfection determined by an endonuclease sensitive

- site assay. *Applied and Environmental Microbiology*, **68**, 6029–6035. <https://doi.org/10.1128/AEM.68.12.6029-6035.2002>.
- Rocher V. and Azimi S. (2016). *Microbial Quality of Waters in the Paris Area: From Wastewaters to Surface Waters*. Johanet Publisher, Paris. 94 pages. ISBN: 979-10-91089-29-6.
- Shang C., Cheung L. M., Ho C.-M. and Zeng M. (2009). Repression of photoreactivation and dark repair of coliform bacteria by TiO<sub>2</sub>-modified UV-C disinfection. *Applied Catalysis B: Environmental*, **89**, 536–542. <https://doi.org/10.1016/j.apcatb.2009.01.020>.
- Voet D. and Voet J. G. (1995). *Biochemistry*. J. Wiley & Sons, New York, pp. 445–466.
- Whitton R., Fane S., Jarvis P., Tupper M., Raffin M., Coulon F. and Nocker A. (2018). Flow cytometry-based evaluation of the bacterial removal effectiveness of a blackwater reuse treatment plant and the microbiological changes in the associated non-potable distribution network. *Science of the Total Environment*, **645**, 1620–1629. <https://doi.org/10.1016/j.scitotenv.2018.07.121>.
- Zhang C., Brown P. J. B. and Hu Z. (2019a). Higher functionality of bacterial plasmid DNA in water after peracetic acid disinfection compared with chlorination. *Science of the Total Environment*, **685**, 419–427. <https://doi.org/10.1016/j.scitotenv.2019.05.074>.
- Zhang C., Brown P. J. B., Miles R. J., White T. A., Grant D. G., Stalla D. and Hu Z. (2019b). Inhibition of regrowth of planktonic and biofilm bacteria after peracetic acid disinfection. *Water Research*, **149**, 640–649. <https://doi.org/10.1016/j.watres.2018.10.062>.
- Zhou X., Li Z., Lan J., Yan Y. and Zhu N. (2017). Kinetics of inactivation and photoreactivation of *Escherichia coli* using ultrasound-enhanced UV-C light-emitting diodes disinfection. *Ultrasonics Sonochemistry*, **35**, 471–477. <https://doi.org/10.1016/j.ulsonch.2016.10.028>.

## Section 1 – Chapter 3

- Alberts J. J. and Takács M. (2004). Comparison of the natural fluorescence distribution among size fractions of terrestrial fulvic and humic acids and aquatic natural organic matter. *Organic Geochemistry*, **35**, 1141–1149. <https://doi.org/10.1016/j.orggeochem.2004.06.010>.
- Barreto J. C., Smith G. C., Strobel N. H. P., McQuillin P. A. and Miller T. A. (1994). Terephthalic acid: a dosimeter for the detection of hydroxyl radicals in vitro. *Life Science*, **56**(4), 89–96.
- Determann S., Lobbes J. M., Reuter R. and Rullkötter J. (1998). Ultraviolet fluorescence excitation and emission spectroscopy of marine algae and bacteria. *Marine Chemistry*, **62**(1), 137–156.
- Domínguez Henao L., Cascio M., Turolla A. and Antonelli M. (2018). Effect of suspended solids on peracetic acid decay and bacterial inactivation kinetics: experimental assessment and definition of predictive models. *Science of the Total Environment*, **643**, 936–945.
- Filippis P. D., Scarsella M. and Verdone N. (2009). Peroxyformic acid formation: a kinetic study. *Industrial & Engineering Chemistry Research*, **48**(3), 1372–1375.
- Lakowicz J. R. (2010). *Principles of Fluorescence Spectroscopy*, 4th edn. Springer Science and Business Media, New York, NY.

- Lawaetz A. J. and Stedmon C. A. (2009). Fluorescence intensity calibration using the raman scatter peak of water. *Applied Spectroscopy*, **63**(8), 936–940.
- Luukkonen T. and Pehkonen S. O. (2017). Peracids in water treatment: a critical review. *Critical Reviews in Environmental Science and Technology*, **47**(1), 1–39.
- Luukkonen T., Heyninck T., Rämö J. and Lassi U. (2015). Comparison of organic peracids in wastewater treatment: disinfection, oxidation and corrosion. *Water Research* **85**, 275–285.
- Parlanti E., Wörz K., Geoffroy L. and Lamotte M. (2000). Dissolved organic matter fluorescence spectroscopy as a tool to estimate biological activity in a coastal zone submitted to anthropogenic inputs. *Organic Geochemistry*, **31**(12), 1765–1781.
- Pinkernell U., Lüke H.-J. and Karst U. (1997). Selective photometric determination of peroxycarboxylic acids in the presence of hydrogen peroxide. *Analyst*, **122**(6), 567–571.
- Santacesaria E., Russo V., Tesser R., Turco R. and Di Serio M. (2017). Kinetics of performic acid synthesis and decomposition. *Industrial & Engineering Chemistry Research*, **56**(45), 12940–12952.
- Watras C. J., Hanson P. C., Stacy T. L., Morrison K. M., Mather J., Hu Y.-H. and Milewski P. (2011). A temperature compensation method for CDOM fluorescence sensors in freshwater. *Limnology and Oceanography: Methods*, **9**(7), 296–301.
- Wenk J., Von Gunten U. and Canonica S. (2011). Effect of dissolved organic matter on the transformation of contaminants induced by excited triplet states and the hydroxyl radical. *Environmental Science and Technology*, **45**(4), 1334–1340.
- Zhang W., Cao B., Wang D., Ma T., Xia H. and Yu D. (2016). Influence of wastewater sludge treatment using combined peroxyacetic acid oxidation and inorganic coagulants re-flocculation on characteristics of extracellular polymeric substances (EPS). *Water Research*, **88**, 728–739.

## Section 1 – Chapter 4

- Alexandrou L., Meehan B. J. and Jones O. A. H. (2018). Regulated and emerging disinfection by-products in recycled waters. *Science of the Total Environment*, **637–638**, 1607–1616. <https://doi.org/10.1016/j.scitotenv.2018.04.391>.
- Bergé A., Cladière M., Gasperi J., Coursimault A., Tassin B. and Moilleron R. (2012). Meta-analysis of environmental contamination by alkylphenols. *Environmental Science and Pollution Research*, **19**, 3798–3819. <https://doi.org/10.1007/s11356-012-1094-7>.
- Bergé A., Buleté A., Fildier A., Mailler R., Gasperi J., Coquet Y., Nauleau F., Rocher V. and Vulliet E. (2018). Non-target strategies by HRMS to evaluate fluidized micro-grain activated carbon as a tertiary treatment of wastewater. *Chemosphere*, **213**, 587–595. <https://doi.org/10.1016/j.chemosphere.2018.09.101>.
- Boccard J., Veuthey J.-L. and Rudaz S. (2010). Knowledge discovery in metabolomics: an overview of MS data handling. *Journal of Separation Science*, **33**, 290–304. <https://doi.org/10.1002/jssc.200900609>.
- Bond T., Huang J., Templeton M. R. and Graham N. (2011). Occurrence and control of nitrogenous disinfection by-products in drinking water – a review. *Water Research*, **45**, 4341–4354. <https://doi.org/10.1016/j.watres.2011.05.034>.
- Chhetri R. K., Thornberg D., Berner J., Gramstad R., Öjstedt U., Sharma A. K. and Andersen H. R. (2014). Chemical disinfection of combined sewer overflow waters using performic

- acid or peracetic acids. *Science of the Total Environment*, **490**, 1065–1072. <https://doi.org/10.1016/j.scitotenv.2014.05.079>.
- Dell'Erba A., Falsanisi D., Liberti L., Notarnicola M. and Santoro D. (2007). Disinfection by-products formation during wastewater disinfection with peracetic acid. *Desalination*, **215**, 177–186. <https://doi.org/10.1016/j.desal.2006.08.021>.
- Domínguez Henao L., Turolla A. and Antonelli M. (2018). Disinfection by-products formation and ecotoxicological effects of effluents treated with peracetic acid: a review. *Chemosphere*, **213**, 25–40. <https://doi.org/10.1016/j.chemosphere.2018.09.005>.
- Gerrity D., Pisarenko A. N., Marti E., Trenholm R. A., Geringer F., Reungoat J. and Dickenson E. (2015). Nitrosamines in pilot-scale and full-scale wastewater treatment plants with ozonation. *Water Research*, **72**, 251–261. <https://doi.org/10.1016/j.watres.2014.06.025>.
- Glover C. M., Verdugo E. M., Trenholm R. A. and Dickenson E. R. V. (2019). N-nitrosomorpholine in potable reuse. *Water Research*, **148**, 306–313. <https://doi.org/10.1016/j.watres.2018.10.010>.
- Guillossou R., Le Roux J., Mailler R., Vulliet E., Morlay C., Nauleau F., Gasperi J. and Rocher V. (2019). Organic micropollutants in a large wastewater treatment plant: what are the benefits of an advanced treatment by activated carbon adsorption in comparison to conventional treatment? *Chemosphere*, **218**, 1050–1060. <https://doi.org/10.1016/j.chemosphere.2018.11.182>.
- Heeb M. B., Criquet J., Zimmermann-Steffens S. G. and von Gunten U. (2014). Oxidative treatment of bromide-containing waters: formation of bromine and its reactions with inorganic and organic compounds – A critical review. *Water Research*, **48**, 15–42. <https://doi.org/10.1016/j.watres.2013.08.030>.
- Held A. M., Halko D. J. and Hurst J. K. (1978). Mechanisms of chlorine oxidation of hydrogen peroxide. *Journal of the American Chemical Society*, **100**, 5732–5740. <https://doi.org/10.1021/ja00486a025>.
- Hogenboom A. C., van Leerdam J. A. and de Voogt P. (2009). Accurate mass screening and identification of emerging contaminants in environmental samples by liquid chromatography–hybrid linear ion trap Orbitrap mass spectrometry. *Journal of Chromatography A*, **1216**, 510–519. <https://doi.org/10.1016/j.chroma.2008.08.053>.
- Ibáñez M., Sancho J. V., Hernández F., McMillan D. and Rao R. (2008). Rapid non-target screening of organic pollutants in water by ultraperformance liquid chromatography coupled to time-of-flight mass spectrometry. *Trends in Analytical Chemistry*, **27**, 481–489. <https://doi.org/10.1016/j.trac.2008.03.007>.
- Keefer L. K. and Roller P. P. (1973). N-nitrosation by nitrite ion in neutral and basic medium. *Science*, **181**, 1245–1247.
- Kitis M. (2004). Disinfection of wastewater with peracetic acid: a review. *Environment International*, **30**, 47–55. [https://doi.org/10.1016/S0160-4120\(03\)00147-8](https://doi.org/10.1016/S0160-4120(03)00147-8).
- Krasner S. W., Weinberg H. S., Richardson S. D., Pastor S. J., Chinn R., Scilimenti M. J., Onstad G. D. and Thurston A. D. (2006). Occurrence of a new generation of disinfection byproducts. *Environmental Science and Technology*, **40**, 7175–7185. <https://doi.org/10.1021/es060353j>.
- Krauss M., Longrée P., Dorusch F., Ort C. and Hollender J. (2009). Occurrence and removal of N-nitrosamines in wastewater treatment plants. *Water Research*, **43**, 4381–4391. <https://doi.org/10.1016/j.watres.2009.06.048>.



- Krauss M., Singer H. and Hollender J. (2010). LC–high resolution MS in environmental analysis: from target screening to the identification of unknowns. *Analytical and Bioanalytical Chemistry*, **397**, 943–951. <https://doi.org/10.1007/s00216-010-3608-9>.
- Lee J.-H. and Oh J.-E. (2016). A comprehensive survey on the occurrence and fate of nitrosamines in sewage treatment plants and water environment. *Science of the Total Environment*, **556**, 330–337. <https://doi.org/10.1016/j.scitotenv.2016.02.090>.
- Le Roux J., Gallard H. and Croué J.-P. (2011). Chloramination of nitrogenous contaminants (pharmaceuticals and pesticides): NDMA and halogenated DBPs formation. *Water Research*, **45**, 3164–3174. <https://doi.org/10.1016/j.watres.2011.03.035>.
- Mailler R., Gasperi J., Coquet Y., Buleté A., Vulliet E., Deshayes S., Zedek S., Mirande-Bret C., Eudes V., Bressy A., Caupos E., Moilleron R., Chebbo G. and Rocher V. (2016). Removal of a wide range of emerging pollutants from wastewater treatment plant discharges by micro-grain activated carbon in fluidized bed as tertiary treatment at large pilot scale. *Science of the Total Environment*, **542**(Part A), 983–996. <https://doi.org/10.1016/j.scitotenv.2015.10.153>.
- Mailler R., Gasperi J., Vulliet E., Buleté A., Azimi S. and Rocher V. (2017). Evaluation of the footprint of pharmaceutical residues and other emergent pollutants in the wastewaters of the Paris urban area (In French). *L'Eau, L'Industrie, Les Nuisances*, **401**, 90–96
- Merel S., Lege S., Yanez Heras J. E. and Zwiener C. (2017). Assessment of N-oxide formation during wastewater ozonation. *Environmental Science and Technology*, **51**, 410–417. <https://doi.org/10.1021/acs.est.6b02373>.
- Mirvish S. S. (1975). Formation of N-nitroso compounds: chemistry, kinetics, and in vivo occurrence. *Toxicology and Applied Pharmacology*, **31**, 325–351. [https://doi.org/10.1016/0041-008X\(75\)90255-0](https://doi.org/10.1016/0041-008X(75)90255-0).
- Mitch W. A., Sharp J. O., Trussell R. R., Valentine R. L., Alvarez-Cohen L. and Sedlak D. L. (2003). N-nitrosodimethylamine (NDMA) as a drinking water contaminant: a review. *Environmental Engineering Science*, **20**, 389–404. <https://doi.org/10.1089/109287503768335896>.
- Müller A., Schulz W., Ruck W. K. L. and Weber W. H. (2011). A new approach to data evaluation in the non-target screening of organic trace substances in water analysis. *Chemosphere*, **85**, 1211–1219. <https://doi.org/10.1016/j.chemosphere.2011.07.009>.
- Nürenberg G., Kunkel U., Wick A., Falås P., Joss A. and Ternes T. A. (2019). Nontarget analysis: a new tool for the evaluation of wastewater processes. *Water Research*, **163**, 114842. <https://doi.org/10.1016/j.watres.2019.07.009>.
- Park S.-H., Wei S., Mizaikoff B., Taylor A. E., Favero C. and Huang C.-H. (2009). Degradation of amine-based water treatment polymers during chloramination as N-nitrosodimethylamine (NDMA) precursors. *Environmental Science and Technology*, **43**, 1360–1366. <https://doi.org/10.1021/es802732z>.
- Plewa M. J., Wagner E. D., Muellner M. G., Hsu K.-M. and Richardson S. D. (2008). Comparative mammalian cell toxicity of N-DBPs and C-DBPs. In: *Disinfection By-products in Drinking Water: Occurrence, Formation, Health Effects, and Control*, T. Karanfil, S. W. Krasner, P. Westerhoff and Y. Xie (eds), American Chemical Society, Washington, DC, pp. 36–50. <https://doi.org/10.1021/bk-2008-0995.ch003>.

- Poulin R. X. and Pohnert G. (2018). Simplifying the complex: metabolomics approaches in chemical ecology. *Analytical and Bioanalytical Chemistry*, **411**, 13–19. <https://doi.org/10.1007/s00216-018-1470-3>.
- Ragazzo P., Chiuchini N., Piccolo V. and Ostoich M. (2013). A new disinfection system for wastewater treatment: performic acid full-scale trial evaluations. *Water Science and Technology*, **67**, 2476–2487. <https://doi.org/10.2166/wst.2013.137>.
- Ramadan Z., Jacobs D., Grigorov M. and Kochhar S. (2006). Metabolic profiling using principal component analysis, discriminant partial least squares, and genetic algorithms. *Talanta*, **68**, 1683–1691. <https://doi.org/10.1016/j.talanta.2005.08.042>.
- R Core Team (2019). R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria.
- Richardson S. D., Plewa M. J., Wagner E. D., Schoeny R. and DeMarini D. M. (2007). Occurrence, genotoxicity, and carcinogenicity of regulated and emerging disinfection by-products in drinking water: a review and roadmap for research. *Mutation Research/Reviews in Mutation Research, The Sources and Potential Hazards of Mutagens in Complex Environmental Matrices – Part II*, **636**, 178–242. <https://doi.org/10.1016/j.mrrev.2007.09.001>.
- Ritchie M. E., Phipson B., Wu D., Hu Y., Law C. W., Shi W. and Smyth G. K. (2015). Limma powers differential expression analyses for RNA-sequencing and microarray studies. *Nucleic Acids Research*, **43**, e47.
- Schollée J. E., Schymanski E. L. and Hollender J. (2016). Statistical approaches for LC-HRMS data to characterize, prioritize, and identify transformation products from water treatment processes. *Assessing Transformation Products of Chemicals by Non-Target and Suspect Screening – Strategies and Workflows Volume 1*, ACS Symposium Series, American Chemical Society, Washington, DC, pp. 45–65. <https://doi.org/10.1021/bk-2016-1241.ch004>.
- Schreiber I. M. and Mitch W. A. (2007). Enhanced nitrogenous disinfection byproduct formation near the breakpoint: implications for nitrification control. *Environmental Science and Technology*, **41**, 7039–7046. <https://doi.org/10.1021/es070500t>.
- Schymanski E. L., Singer H. P., Slobodnik J., Ipolyi I. M., Oswald P., Krauss M., Schulze T., Haglund P., Letzel T., Grosse S., Thomaidis N. S., Bletsou A., Zwiener C., Ibáñez M., Portolés T., de Boer R., Reid M. J., Onghena M., Kunkel U., Schulz W., Guillon A., Noyon N., Leroy G., Bados P., Bogialli S., Stipaničev D., Rostkowski P. and Hollender J. (2015). Non-target screening with high-resolution mass spectrometry: critical review using a collaborative trial on water analysis. *Analytical and Bioanalytical Chemistry*, **407**, 6237–6255. <https://doi.org/10.1007/s00216-015-8681-7>.
- Shah A. D. and Mitch W. A. (2012). Halonitroalkanes, halonitriles, haloamides, and N-nitrosamines: a critical review of nitrogenous disinfection byproduct formation pathways. *Environmental Science and Technology*, **46**, 119–131. <https://doi.org/10.1021/es203312s>.
- Shah A. D., Liu Z.-Q., Salhi E., Höfer T. and von Gunten U. (2015). Peracetic acid oxidation of saline waters in the absence and presence of H<sub>2</sub>O<sub>2</sub>: secondary oxidant and disinfection byproduct formation. *Environmental Science and Technology*, **49**, 1698–1705. <https://doi.org/10.1021/es503920n>.

- Singer H. P., Wössner A. E., McArdell C. S. and Fenner K. (2016). Rapid screening for exposure to “non-target” pharmaceuticals from wastewater effluents by combining HRMS-based suspect screening and exposure modeling. *Environmental Science and Technology*, **50**(13), 6698–6707. <https://doi.org/10.1021/acs.est.5b03332>.
- Wagner E. D. and Plewa M. J. (2017). CHO cell cytotoxicity and genotoxicity analyses of disinfection by-products: an updated review. *Journal of Environmental Sciences*, **58**, 64–76. <https://doi.org/10.1016/j.jes.2017.04.021>.
- West D. M., Wu Q., Donovan A., Shi H., Ma Y., Jiang H. and Wang J. (2016). N-nitrosamine formation by monochloramine, free chlorine, and peracetic acid disinfection with presence of amine precursors in drinking water system. *Chemosphere*, **153**, 521–527. <https://doi.org/10.1016/j.chemosphere.2016.03.035>.
- Wilkinson L. (2011) venneuler: Venn and Euler Diagrams. R package version 1.1-0. <https://CRAN.R-project.org/package=venneuler>.
- Yoon S., Nakada N. and Tanaka H. (2012). A new method for quantifying N-nitrosamines in wastewater samples by gas chromatography – triple quadrupole mass spectrometry. *Talanta*, **97**, 256–261. <https://doi.org/10.1016/j.talanta.2012.04.027>.

## Section 2 – Chapter 1

- Chhetri R. K., Flagstad R., Munch E. S., Hørning C., Berner J., Kolte-Olsen A., Thornberg D. and Andersen H. R. (2015). Full scale evaluation of combined sewer overflows disinfection using performic acid in a sea-outfall pipe. *Chemical Engineering Journal*, **270**, 133–139. <https://doi.org/10.1016/j.cej.2015.01.136>.
- Pigot T., de Casamajor M. N., Sanchez F., Gonzalez P. and Paulin T. (2019). Disinfection of the treated effluent of the Biarritz wastewater treatment plant using DesinFix: assessment after 38 months. Internal Report.
- Ragazzo P., Chiucchini N., Piccolo V. and Ostoich M. (2013). A new disinfection system for wastewater treatment: performic acid full-scale trial evaluations. *Water Science and Technology*, **67**, 2476–2487. <https://doi.org/10.2166/wst.2013.137>.

## Section 2 – Chapter 2

- Angelescu D. E. and Hausot A. (2019). Automating *E. coli* quantification in wastewater and surface waters. *Water Industry Journal*, **December issue** (13), 36–37.
- Angelescu D. E. and Saison O. (2020). Innovative Approaches to Study Microbial Impact of Housing Boats. Carrefour de l'Eau conference, Rennes, January 28–31.
- Angelescu D. E., Huynh V., Hausot A., Yalkin G., Plet V., Mouchel J. M., Guérin-Rechdaoui S., Azimi S. and Rocher V. (2018a). Autonomous system for rapid field quantification of *Escherichia coli* in surface waters. *Journal of Applied Microbiology*, **126**, 332–343.
- Angelescu D. E., Hausot A., Huynh V. and Wong J. (2018b). An in-situ autonomous bacterial pathogen sensor for water quality and environmental monitoring applications. *Proceedings of the Water Environment Federation*, **2018**(9), 4392–4403.
- Baker A., Cumberland S. A., Bradley C., Buckley C. and Bridgeman J. (2015). To what extent can portable fluorescence spectroscopy be used in the real-time assessment of microbial water quality? *Science of the Total Environment*, **532**, 14–19.

- Baudart J. and Lebaron P. (2010). Rapid detection of *Escherichia coli* in waters using fluorescent in situ hybridization, direct viable counting and solid phase cytometry. *Journal of Applied Microbiology*, **109**, 1253–1264.
- Baudart J., Servais P., De Paoli H., Henry A. and Lebaron P. (2009). Rapid enumeration of *Escherichia coli* in marine bathing waters: potential interference of nontarget bacteria. *Journal of Applied Microbiology*, **107**, 2054–2062.
- Bergeron P., Oujati H., Cuenca V. C., Mestre J. M. H. and Courtois S. (2011). Rapid monitoring of *Escherichia coli* and *Enterococcus* spp. in bathing water using Reverse Transcription-quantitative PCR. *International Journal of Hygiene and Environmental Health*, **214**, 478–484.
- Briciu-Burghina C., Heery B. and Regan F. (2015). Continuous fluorometric method for measuring  $\beta$ -glucuronidase activity: comparative analysis of three fluorogenic substrates. *Analyst*, **140**(17), 5953–5964.
- Burnet J.-B., Dinh Q. T., Imbeault S., Servais P., Dorner S. and Prévost M. (2019). Autonomous online measurement of beta-D-glucuronidase activity in surface water: is it suitable for rapid *E. coli* monitoring? *Water Research*, **152**, 241–250.
- Cronin T., Loewenthal M., Huynh V., Huynh V., Angelescu D. E. and Hausot A. (2018). Rapid *E. coli* quantification with field portable devices around UK bathing sites. *Water Industry Journal*, 26–27.
- Edberg S. C., Rice E. W., Karlin R. J. and Allen M. J. (2000). *Escherichia coli*: the best biological drinking water indicator for public health protection. *Journal of Applied Microbiology*, **88**(Suppl. 1), 106S–116S.
- EPA Method 9131 (1986). Total coliform: multiple tube fermentation technique. Available from: <https://www.epa.gov/sites/production/files/2015-12/documents/9131.pdf> (accessed 16 April 2020).
- Heery B., Briciu-Burghina C., Zhang D., Duffy G., Brabazon D., O'Connor N. and Regan F. (2016). ColiSense, today's sample today: a rapid on-site detection of  $\beta$ -d-Glucuronidase activity in surface water as a surrogate for *E. coli*. *Talanta*, **148**, 75–83.
- ISO 9308-1 (2014). Water quality – Enumeration of *Escherichia coli* and coliform bacteria – Part 1: Membrane filtration method for waters with low bacterial background flora. <https://www.iso.org/obp/ui/#iso:std:iso:9308:-1:ed-3:v1:en> (accessed 16 April 2020).
- ISO 9308-2 (2012). Water quality – Enumeration of *Escherichia coli* and coliform bacteria – Part 2: Most probable number method. <https://www.iso.org/obp/ui/#iso:std:iso:9308:-2:ed-2:v1:en> (accessed 16 April 2020).
- ISO 9308-3 (1998). Water quality – Detection and enumeration of *Escherichia coli* and coliform bacteria – Part 3: Miniaturized method (Most Probable Number) for the detection and enumeration of *E. coli* in surface and waste water. <https://www.iso.org/obp/ui/#iso:std:iso:9308:-3:ed-1:v1:en> (accessed 16 April 2020).
- Loewenthal M., Newton A. D., Wright S., Campbell C., Crossley A., Hausot A. and Angelescu D. E. (2018). Rapid microbiology field instrumentation: source tracking in sensitive areas. *Institute of Water Magazine*, **2018**(Q3), pp. 86–87.
- Lopez-Roldan R., Tusell P., Courtois S. and Cortina J. L. (2013). On-line bacteriological detection in water. *Trends in Analytical Chemistry*, **44**, 46–57.
- Mailler R. (2015). Fate of Emerging and Priority Micropollutants in Conventional Wastewater Treatment Facilities, Sludge Treatments and Tertiary Treatment

- Processes Using Activated Carbons. PhD thesis, Université Paris-Est., Paris. <https://www.theses.fr/2015PESC1060>.
- Noble R. T. and Weisberg S. B. (2005) A review of technologies for rapid detection of bacteria in recreational waters. *Journal of Water and Health*, **3**(4), 381–392.
- Prüss A. (1998). Review of epidemiological studies on health effects from exposure to recreational water. *International Epidemiological Association*, **27**, 1–9.
- Rocher V. and Azimi S. (2016). Microbial Quality of Waters in the Paris Area: From Wastewaters to Surface Waters. Johanet Publisher, Paris. 94 p. ISBN: 979-10-91089-29-6.
- US EPA (2014). Site-specific alternative recreational criteria technical support materials for alternative indicators and methods. U.S. Environmental Protection Agency, Office of Water, Document N°. EPA-820-R-14-011.
- Wildeboer D., Amirat L., Price R. G. and Abuknesha R. A. (2010). Rapid detection of *Escherichia coli* in water using a hand-held fluorescence detector. *Water Research*, **44**, 2621–2628.
- World Health Organization (WHO) (2003). Guidelines for Safe Recreational Water Environments, Chapter 4: Fecal Pollution and Water Quality. World Health Organization, Geneva, Switzerland, pp. 51–101.
- Ziegler R. (2019). Viewpoint: water innovation for a circular economy – the contribution of grassroots actors. *Water Alternatives*, **12**(2), 725–738.

## Section 2 – Chapter 3

- Azzellino A., Antonelli M., Canziani R., Malpei F., Marinetti M. and Nurizzo C. (2011). Multivariate modelling of disinfection kinetics: a comparison among three different disinfectants. *Desalination and Water Treatment*, **29**(1–3), 128–139.
- Directive 2006/7/EC of 15 February 2006 concerning the management of bathing water quality and repealing Directive 76/160/EEC, 064.
- Domínguez Henao L., Cascio M., Turolla A. and Antonelli M. (2018). Effect of suspended solids on peracetic acid decay and bacterial inactivation kinetics: experimental assessment and definition of predictive models. *Science of the Total Environment*, **643**, 936–945.
- Eleria A. and Vogel R. M. (2005). Predicting fecal coliform bacteria levels in the Charles River, Massachusetts, USA. *Journal of the American Water Resources Association*, **41**(5), 1195–1209.
- Fernando W. J. N. (2009). Theoretical considerations and modeling of chemical inactivation of microorganisms: inactivation of Giardia Cysts by free chlorine. *Journal of Theoretical Biology*, **259**(2), 297–303.
- Flores M. J., Brandi R. J., Cassano A. E. and Labas M. D. (2016). Kinetic model of water disinfection using peracetic acid including synergistic effects. *Water Science and Technology*, **73**(2), 275–282.
- Hassen A., Mahrouk M., Ouzari H., Cherif M., Boudabous A. and Damelincourt J. J. (2000) UV disinfection of treated wastewater in a large-scale pilot plant and inactivation of selected bacteria in a laboratory UV device. *Bioresource Technology*, **74**, 141–150.
- Herrig I. M., Böer S. I., Brennholt N. and Manz W. (2015) Development of multiple linear regression models as predictive tools for fecal indicator concentrations in a stretch of the lower Lahn River, Germany. *Water Research*, **85**, 148–157.

- Karpova T., Pekonen P., Gramstad R., Öjstedt U., Laborda S., Heinonen-Tanski H., Chávez A. and Jiménez B. (2013). Performic acid for advanced wastewater disinfection. *Water Science and Technology*, **68**, 2090–2096. <https://doi.org/10.2166/wst.2013.468>.
- Luukkonen T. and Pehkonen S. O. (2017). Peracids in water treatment: a critical review. *Critical Reviews in Environmental Science and Technology*, **47**, 1–39. <https://doi.org/10.1080/10643389.2016.1272343>.
- Manoli K., Sarathy S., Maffettone R. and Santoro D. (2019). Detailed modeling and advanced control for chemical disinfection of secondary effluent wastewater by peracetic acid. *Water Research*, **153**, 251–262.
- Montgomery D. C., Peck E. A. and Vining G. G. (2012) Introduction to Linear Regression Analysis, 5th edn. John Wiley & Sons, Hoboken, NJ.
- Murray A., Goldman J., Sarathy S., Hilts B., Bell K., Santoro D., Sun W., Morgan S. and Brower M. (2016). Disinfection of a municipal wastewater secondary effluent with a combination of ultraviolet irradiation and peracetic acid. *Proceedings of the Water Environment Federation*, **2016**(10), 2053–2064.
- Pigot T., de Casamajor M. N., Sanchez F., Gonzalez P. and Paulin T. (2019). Disinfection of the treated effluent of the Biarritz wastewater treatment plant using DesinFix: assessment after 38 months. Internal Report.
- Ragazzo P., Chiucchini N., Piccolo V. and Ostoich M. (2013). A new disinfection system for wastewater treatment: performic acid full-scale trial evaluations. *Water Science and Technology*, **67**, 2476–2487. <https://doi.org/10.2166/wst.2013.137>.
- Rocher V. and Azimi S. (2016). Microbial Quality of Waters in the Paris Area: From Wastewaters to Surface Waters. Johanet Publisher, Paris. 94 p. ISBN: 979-10-91089-29-6.
- Santoro D., Gehr R., Bartrand T. A., Liberti L., Notarnicola M., Dell’Erba A., Falsanisi D. and Haas C. N. (2007). Wastewater disinfection by peracetic acid: assessment of models for tracking residual measurements and inactivation. *Water Environment Research*, **79**(7), 775–787.
- Santoro D., Crapulli F., Raisee M., Raspa G. and Haas C. N. (2015). Nondeterministic computational fluid dynamics modeling of *Escherichia coli* inactivation by peracetic acid in municipal wastewater contact tanks. *Environmental Science and Technology*, **49**(12), 7265–7275.
- Von Gunten U. (2003). Ozonation of drinking water: part II. Disinfection and by-product formation in presence of bromide, iodide or chlorine. *Water Research*, **37**, 1469–1487. [https://doi.org/10.1016/S0043-1354\(02\)00458-X](https://doi.org/10.1016/S0043-1354(02)00458-X).

## Section 3 – Chapter 1

- Alexandrou L., Meehan B. J. and Jones O. A. H. (2018). Regulated and emerging disinfection by-products in recycled waters. *Science of the Total Environment*, **637–638**, 1607–1616.
- Ankley G. T., Kahl M. D., Jensen K. M., Hornung M. W., Korte J. J., Makynen E. A. and Leino R. N. (2002). Evaluation of the aromatase inhibitor fadrozole in a short-term reproduction assay with the fathead minnow (*Pimephales promelas*). *Toxicological Sciences*, **67**(1), 121–130. <https://doi.org/10.1093/toxsci/67.1.121>.
- Becerra-Castro C., Macedo G., Silva A. M. T., Manaia C. M. and Nunes O. C. (2016). Proteobacteria become predominant during regrowth after water disinfection. *Science of the Total Environment*, **573**, 313–323.

- Bond T., Huang J., Templeton M. R. and Graham N. (2011). Occurrence and control of nitrogenous disinfection by-products in drinking water – A review. *Water Research*, **45**(15), 4341–4354.
- Bouteleux C., Saby S., Tozza D., Cavard J., Lahoussine V., Hartemann P. and Mathieu L. (2005). *Escherichia coli* behavior in the presence of organic matter released by algae exposed to water treatment chemicals. *Applied and Environmental Microbiology*, **71**(2), 734–740.
- Chhetri R. K., Thornberg D., Berner J., Gramstad R., Öjstedt U., Sharma A. K. and Andersen H. R. (2014). Chemical disinfection of combined sewer overflow waters using performic acid or peracetic acids. *Science of the Total Environment*, **490**, 1065–1072.
- Dell’Erba A., Falsanisi D., Liberti L., Notarnicola M. and Santoro D. (2007). Disinfection by-products formation during wastewater disinfection with peracetic acid. *Desalination*, **215**(1), 177–186.
- Domínguez Henao L., Cascio M., Turolla A. and Antonelli M. (2018a). Effect of suspended solids on peracetic acid decay and bacterial inactivation kinetics: experimental assessment and definition of predictive models. *Science of the Total Environment*, **643**, 936–945.
- Domínguez Henao L., Delli Compagni R., Turolla A. and Antonelli M. (2018b). Influence of inorganic and organic compounds on the decay of peracetic acid in wastewater disinfection. *Chemical Engineering Journal*, **337**, 133–142.
- Du Pasquier D., Lemkine G., Meynerol K., Sauvignet P., Borsato J., Goncalves A. and Rocher V. (2015). Interest of bio-indicator for the performance monitoring of organic micro-pollutants removal from municipal wastewater with dedicated tertiary treatment processes (In French). *Techniques Sciences Méthodes*, **10**, 33–42.
- Du Pasquier D., Guérin-Rechdaoui S., Azimi S., Féraudet A., Lemkine G. and Rocher V. (2018). Evolution of endocrine disruption of wastewater during treatment in a WWTP – Use of Watchfrog models. In: *To Innovate in Monitoring and Operating Practices for Wastewater Treatment Plants – Scientific and Technical Lessons Learned from Phase I of the Mocopée Program (2014–2017)*, ASTEE Publisher, Nanterre, pp. 117–127.
- Filippis P. D., Scarsella M. and Verdone N. (2009). Peroxyformic acid formation: a kinetic study. *Industrial and Engineering Chemistry Research*, **48**(3), 1372–1375.
- Gerrity D., Pisarenko A. N., Marti E., Trenholm R. A., Geringer F., Reungoat J. and Dickenson E. (2015). Nitrosamines in pilot-scale and full-scale wastewater treatment plants with ozonation. *Water Research*, **72**, 251–261.
- Giannakis S., Darakas E., Escalas-Cañellas A. and Pulgarin C. (2015). Environmental considerations on solar disinfection of wastewater and the subsequent bacterial (re) growth. *Photochemical and Photobiological Sciences*, **14**(3), 618–625.
- Glover C. M., Verdugo E. M., Trenholm R. A. and Dickenson E. R. V. (2019). N-nitrosomorpholine in potable reuse. *Water Research*, **148**, 306–313.
- Heeb M. B., Criquet J., Zimmermann-Steffens S. G. and von Gunten U. (2014). Oxidative treatment of bromide-containing waters: formation of bromine and its reactions with inorganic and organic compounds – A critical review. *Water Research*, **48**, 15–42.
- Heinonen-Tanski H. and Miettinen H. (2010). Performic acid as a potential disinfectant at low temperature. *Journal of Food Process Engineering*, **33**(6), 1159–1172.
- Held A. M., Halko D. J. and Hurst J. K. (1978). Mechanisms of chlorine oxidation of hydrogen peroxide. *Journal of the American Chemical Society*, **100**(18), 5732–5740.

- Jensen K. M., Kahl M. D., Makynen E. A., Korte J. J., Leino R. L., Butterworth B. C. and Ankley G. T. (2004). Characterization of responses to the antiandrogen flutamide in a short-term reproduction assay with the fathead minnow. *Aquatic Toxicology*, **70**(2), 99–110.
- Karpova T., Pekonen P., Gramstad R., Öjstedt U., Laborda S., Heinonen-Tanski H., Chávez A. and Jiménez B. (2013). Performic acid for advanced wastewater disinfection. *Water Science and Technology*, **68**(9), 2090–2096.
- Katsiadaki I., Morris S., Squires C., Hurst M. R., James J. D. and Scott A. P. (2006). Use of the three-spined stickleback (*Gasterosteus aculeatus*) as a sensitive in vivo test for the detection of environmental antiandrogens. *Environmental Health Perspectives*, **114** (Suppl. 1), 115–121.
- Keefer L. K. and Roller P. P. (1973). N-nitrosation by nitrite ion in neutral and basic medium. *Science*, **181**(4106), 1245–1247.
- Kitis M. (2004). Disinfection of wastewater with peracetic acid: a review. *Environment International*, **30**(1), 47–55.
- Krauss M., Longrée P., Dorusch F., Ort C. and Hollender J. (2009). Occurrence and removal of N-nitrosamines in wastewater treatment plants. *Water Research*, **43**(17), 4381–4391.
- Lee J.-H. and Oh J.-E. (2016). A comprehensive survey on the occurrence and fate of nitrosamines in sewage treatment plants and water environment. *Science of the Total Environment*, **556**, 330–337.
- Leloup J. and Buscaglia M. (1977). Triiodothyronine: amphibian metamorphosis hormone. *C. R. Academy of Science*, **284**, 2261–2263.
- Le Roux J., Gallard H. and Croué J.-P. (2011). Chloramination of nitrogenous contaminants (pharmaceuticals and pesticides): NDMA and halogenated DBPs formation. *Water Research*, **45**(10), 3164–3174.
- Leveneur S., Ledoux A., Estel L., Taouk B. and Salmi T. (2014). Epoxidation of vegetable oils under microwave irradiation. *Chemical Engineering Research and Design*, **92**(8), 1495–1502.
- Luukkonen T. and Pehkonen S. O. (2017). Peracids in water treatment: a critical review. *Critical Reviews in Environmental Science and Technology*, **47**(1), 1–39.
- Luukkonen T., Heynincq T., Rämö J. and Lassi U. (2015). Comparison of organic peracids in wastewater treatment: disinfection, oxidation and corrosion. *Water Research*, **85**, 275–285.
- McFadden M., Loconsole J., Schockling A. J., Nerenberg R. and Pavissich J. P. (2017). Comparing peracetic acid and hypochlorite for disinfection of combined sewer overflows: effects of suspended-solids and pH. *Science of the Total Environment*, **599–600**, 533–539.
- Mèche P. (2016). Quality of the Discharged Water from the SIAAP Facilities in 2014 and 2015 with Regard to the Re-Use Regulations. Internal report.
- Mengeot M. A., Musu T. and Vogel L. (2016). Endocrine Disruptors: An Occupational Risk in Need of Recognition. Report of the European Trade Union Institute: ETUI (European Trade Union Institute), Brussels.
- Mirvish S. S. (1975). Formation of N-nitroso compounds: chemistry, kinetics, and in vivo occurrence. *Toxicology and Applied Pharmacology*, **31**(3), 325–351.
- Mitch W. A., Sharp J. O., Trussell R. R., Valentine R. L., Alvarez-Cohen L. and Sedlak D. L. (2003). N-nitrosodimethylamine (NDMA) as a drinking water contaminant: a review. *Environmental Engineering Science*, **20**(5), 389–404.



- Mora M., Veijalainen A.-M. and Heinonen-Tanski H. (2018). Performic acid controls better *Clostridium tyrobutyricum* related bacteria than peracetic acid. *Sustainability*, **10**(11), 1–8.
- Park S.-H., Wei S., Mizaikoff B., Taylor A. E., Favero C. and Huang C.-H. (2009). Degradation of amine-based water treatment polymers during chloramination as N-nitrosodimethylamine (NDMA) precursors. *Environmental Science and Technology*, **43**(5), 1360–1366.
- Pawlowski S., Van Aerle R., Tyler C. R. and Braunbeck T. (2004). Effects of 17 $\alpha$ -ethinylestradiol in a fathead minnow (*Pimephales promelas*) gonadal recrudescence assay. *Ecotoxicology and Environmental Safety*, **57**, 330–345.
- Pigot T., de Casamajor M. N., Sanchez F., Gonzalez P. and Paulin T. (2019). Disinfection of the Treated Effluent of the Biarritz Wastewater Treatment Plant Using DesinFix: Assessment After 38 Months. Internal Report.
- Ragazzo P., Chiucchini N., Piccolo V. and Ostoich M. (2013). A new disinfection system for wastewater treatment: performic acid full-scale trial evaluations. *Water Science and Technology*, **67**(11), 2476–2487.
- Ragazzo P., Feretti D., Monarca S., Dominici L., Ceretti E., Viola G., Piccolo V., Chiucchini N. and Villarini M. (2017). Evaluation of cytotoxicity, genotoxicity, and apoptosis of wastewater before and after disinfection with performic acid. *Water Research*, **116**, 44–52. <https://doi.org/10.1016/j.watres.2017.03.016>.
- Safford H. R. and Bischel H. N. (2019). Flow cytometry applications in water treatment, distribution, and reuse: a review. *Water Research*, **151**, 110–133.
- Santacesaria E., Russo V., Tesser R., Turco R. and Di Serio M. (2017). Kinetics of performic acid synthesis and decomposition. *Industrial and Engineering Chemistry Research*, **56**(45), 12940–12952.
- Sardana A., Cottrell B., Soulsby D. and Aziz T. N. (2019). Dissolved organic matter processing and photoreactivity in a wastewater treatment constructed wetland. *Science of the Total Environment*, **648**, 923–934.
- Schreiber I. M. and Mitch W. A. (2007). Enhanced nitrogenous disinfection by product formation near the breakpoint: implications for nitrification control. *Environmental Science and Technology*, **41**(20), 7039–7046.
- Sebire M., Allen Y., Bersuder P. and Katsiadaki I. (2008). The model anti-androgen flutamide suppresses the expression of typical male stickleback reproductive behavior. *Aquatic Toxicology*, **90**, 37–47.
- Seki M., Yokota H., Matsubara H., Tsuruda Y., Maeda M., Tadokoro H. and Kobayashi K. M. (2002). Effect of ethinylestradiol on the reproduction and induction of vitellogenin and testis-ova in medaka (*Oryzias latipes*). *Environmental Toxicology and Chemistry*, **21**(8), 1692–1698.
- Shah A. D. and Mitch W. A. (2012). Halonitroalkanes, halonitriles, haloamides, and N-nitrosamines: a critical review of nitrogenous disinfection byproduct formation pathways. *Environmental Science and Technology*, **46**(1), 119–131.
- Shah A. D., Liu Z.-Q., Salhi E., Höfer T. and von Gunten U. (2015). Peracetic acid oxidation of saline waters in the absence and presence of H<sub>2</sub>O<sub>2</sub>: secondary oxidant and disinfection byproduct formation. *Environmental Science and Technology*, **49**(3), 1698–1705.
- Shi Y. B., Sachs L. M., Jones P., Li Q. and Ishizuya-Oka A. (1998). Thyroid hormone regulation of *Xenopus laevis* metamorphosis: functions of thyroid hormone receptors

- and roles of extracellular matrix remodeling. *Wound Repair and Regeneration*, **6**, 314–322.
- Sun X., Zhao X., Du W. and Liu D. (2011). Kinetics of formic acid-autocatalyzed preparation of performic acid in aqueous phase. *Chinese Journal of Chemical Engineering*, **19**(6), 964–971.
- Tondera K., Klaer K., Koch C., Hamza I. A. and Pinnekamp J. (2016). Reducing pathogens in combined sewer overflows using performic acid. *International Journal of Hygiene and Environmental Health*, **219**(7, Part B), 700–708.
- West D. M., Wu Q., Donovan A., Shi H., Ma Y., Jiang H. and Wang J. (2016). N-nitrosamine formation by monochloramine, free chlorine, and peracetic acid disinfection with presence of amine precursors in drinking water system. *Chemosphere*, **153**, 521–527.

### Section 3 – Chapter 2

- Alexandrou L., Meehan B. J. and Jones O. A. H. (2018). Regulated and emerging disinfection by-products in recycled waters. *Science of the Total Environment*, **637–638**, 1607–1616.
- Ankley G. T., Kahl M. D., Jensen K. M., Hornung M. W., Korte J. J., Makynen E. A. and Leino R. N. (2002). Evaluation of the aromatase inhibitor fadrozole in a short-term reproduction assay with the fathead minnow (*Pimephales promelas*). *Toxicological Sciences*, **67**(1), 121–130. <https://doi.org/10.1093/toxsci/67.1.121>.
- Becerra-Castro C., Macedo G., Silva A. M. T., Manaia C. M. and Nunes O. C. (2016). Proteobacteria become predominant during regrowth after water disinfection. *Science of the Total Environment*, **573**, 313–323.
- Bond T., Huang J., Templeton M. R. and Graham N. (2011). Occurrence and control of nitrogenous disinfection by-products in drinking water – a review. *Water Research*, **45**(15), 4341–4354.
- Bouteleux C., Saby S., Tozza D., Cavard J., Lahoussine V., Hartemann P. and Mathieu L. (2005). *Escherichia coli* behavior in the presence of organic matter released by algae exposed to water treatment chemicals. *Applied and Environmental Microbiology*, **71**(2), 734–740.
- Chhetri R. K., Thornberg D., Berner J., Gramstad R., Öjstedt U., Sharma A. K. and Andersen H. R. (2014). Chemical disinfection of combined sewer overflow waters using performic acid or peracetic acids. *Science of the Total Environment*, **490**, 1065–1072.
- Dell’Erba A., Falsanisi D., Liberti L., Notarnicola M. and Santoro D. (2007). Disinfection by-products formation during wastewater disinfection with peracetic acid. *Desalination*, **215**(1), 177–186.
- Domínguez Henao L., Cascio M., Turolla A. and Antonelli M. (2018a). Effect of suspended solids on peracetic acid decay and bacterial inactivation kinetics: experimental assessment and definition of predictive models. *Science of the Total Environment*, **643**, 936–945.
- Domínguez Henao L., Delli Compagni R., Turolla A. and Antonelli M. (2018b). Influence of inorganic and organic compounds on the decay of peracetic acid in wastewater disinfection. *Chemical Engineering Journal* **337**, 133–142.
- Du Pasquier D., Lemkine G., Meynerol K., Sauvignet P., Borsato J., Goncalves A. and Rocher V. (2015). Interest of bio-indicator for the performance monitoring of organic micro-pollutants removal from municipal wastewater with dedicated tertiary treatment processes (In French). *Techniques Sciences Méthodes*, **10**, 33–42.

- Du Pasquier D., Guérin-Rechdaoui S., Azimi S., Féraudet A., Lemkine G. and Rocher V. (2018). Evolution of endocrine disruption of wastewater during treatment in a WWTP - Use of Watchfrog models. In: *To Innovate in Monitoring and Operating Practices for Wastewater Treatment Plants – Scientific and Technical Lessons Learned from Phase I of the Mocopée Program (2014–2017)*, ASTEE Publisher, Nanterre, pp. 117–127.
- Filippis P. D., Scarsella M. and Verdone N. (2009). Peroxyformic acid formation: a kinetic study. *Industrial and Engineering Chemistry Research*, **48**(3), 1372–1375.
- Gerrity D., Pisarenko A. N., Marti E., Trenholm R. A., Geringer F., Reungoat J. and Dickenson E. (2015). Nitrosamines in pilot-scale and full-scale wastewater treatment plants with ozonation. *Water Research*, **72**, 251–261.
- Giannakis S., Darakas E., Escalas-Cañellas A. and Pulgarin C. (2015). Environmental considerations on solar disinfection of wastewater and the subsequent bacterial (re) growth. *Photochemical and Photobiological Sciences*, **14**(3), 618–625.
- Glover C. M., Verdugo E. M., Trenholm R. A. and Dickenson E. R. V. (2019). N-nitrosomorpholine in potable reuse. *Water Research*, **148**, 306–313.
- Heeb M. B., Criquet J., Zimmermann-Steffens S. G. and von Gunten U. (2014). Oxidative treatment of bromide-containing waters: formation of bromine and its reactions with inorganic and organic compounds – A critical review. *Water Research*, **48**, 15–42.
- Heinonen-Tanski H. and Miettinen H. (2010). Performic acid as a potential disinfectant at low temperature. *Journal of Food Process Engineering*, **33**(6), 1159–1172.
- Held A. M., Halko D. J. and Hurst J. K. (1978). Mechanisms of chlorine oxidation of hydrogen peroxide. *Journal of the American Chemical Society*, **100**(18), 5732–5740.
- Jensen K. M., Kahl M. D., Makynen E. A., Korte J. J., Leino R. L., Butterworth B. C. and Ankley G. T. (2004). Characterization of responses to the antiandrogen flutamide in a short-term reproduction assay with the fathead minnow. *Aquatic Toxicology*, **70**(2), 99–110.
- Karpova T., Pekonen P., Gramstad R., Öjstedt U., Laborda S., Heinonen-Tanski H., Chávez A. and Jiménez B. (2013). Performic acid for advanced wastewater disinfection. *Water Science and Technology*, **68**(9), 2090–2096.
- Katsiadaki I., Morris S., Squires C., Hurst M. R., James J. D. and Scott A. P. (2006). Use of the three-spined stickleback (*Gasterosteus aculeatus*) as a sensitive in vivo test for the detection of environmental antiandrogens. *Environmental Health Perspectives*, **114** (Suppl. 1), 115–121.
- Keefer L. K. and Roller P. P. (1973). N-nitrosation by nitrite ion in neutral and basic medium. *Science*, **181**(4106), 1245–1247.
- Kitis M. (2004). Disinfection of wastewater with peracetic acid: a review. *Environment International*, **30**(1), 47–55.
- Krauss M., Longrée P., Dorusch F., Ort C. and Hollender J. (2009). Occurrence and removal of N-nitrosamines in wastewater treatment plants. *Water Research*, **43**(17), 4381–4391.
- Lee J.-H. and Oh J.-E. (2016). A comprehensive survey on the occurrence and fate of nitrosamines in sewage treatment plants and water environment. *Science of the Total Environment*, **556**, 330–337.
- Leloup J. and Buscaglia M. (1977). Triiodothyronine: Amphibian metamorphosis hormone. *Czech Republic Academy of Science*, **284**, 2261–2263.

- Le Roux J., Gallard H. and Croué J.-P. (2011). Chloramination of nitrogenous contaminants (pharmaceuticals and pesticides): NDMA and halogenated DBPs formation. *Water Research*, **45**(10), 3164–3174.
- Leveneux S., Ledoux A., Estel L., Taouk B. and Salmi T. (2014). Epoxidation of vegetable oils under microwave irradiation. *Chemical Engineering Research and Design*, **92**(8), 1495–1502.
- Luukkonen T. and Pehkonen S. O. (2017). Peracids in water treatment: a critical review. *Critical Reviews in Environmental Science and Technology*, **47**(1), 1–39.
- Luukkonen T., Heyninck T., Rämö J. and Lassi U. (2015). Comparison of organic peracids in wastewater treatment: disinfection, oxidation and corrosion. *Water Research*, **85**, 275–285.
- McFadden M., Loconsole J., Schockling A. J., Nerenberg R. and Pavissich J. P. (2017). Comparing peracetic acid and hypochlorite for disinfection of combined sewer overflows: effects of suspended-solids and pH. *Science of the Total Environment*, **599–600**, 533–539.
- Mèche P. (2016). Quality of the Discharged Water from the SIAAP Facilities in 2014 and 2015 with Regard to the Re-Use Regulations. Internal report.
- Mengeot M. A., Musu T. and Vogel L. (2016). Endocrine Disruptors: An Occupational Risk in Need of Recognition. Report of the European Trade Union Institute. ETUI (European Trade Union Institute), Brussels.
- Mirvish S. S. (1975). Formation of N-nitroso compounds: chemistry, kinetics, and in vivo occurrence. *Toxicology and Applied Pharmacology*, **31**(3), 325–351.
- Mitch W. A., Sharp J. O., Trussell R. R., Valentine R. L., Alvarez-Cohen L. and Sedlak D. L. (2003). N-nitrosodimethylamine (NDMA) as a drinking water contaminant: a review. *Environmental Engineering Science*, **20**(5), 389–404.
- Mora M., Veijalainen A.-M. and Heinonen-Tanski H. (2018). Performic acid controls better *Clostridium tyrobutyricum* related bacteria than peracetic acid. *Sustainability*, **10**(11), 1–8.
- Park S.-H., Wei S., Mizaikoff B., Taylor A. E., Favero C. and Huang C.-H. (2009). Degradation of amine-based water treatment polymers during chloramination as N-nitrosodimethylamine (NDMA) precursors. *Environmental Science and Technology*, **43**(5), 1360–1366.
- Pawlowski S., Van Aerle R., Tyler C. R. and Braunbeck T. (2004). Effects of 17 $\alpha$ -ethinylestradiol in a fathead minnow (*Pimephales promelas*) gonadal recrudescence assay. *Ecotoxicology and Environmental Safety*, **57**, 330–345.
- Pigot T., de Casamajor M. N., Sanchez F., Gonzalez P. and Paulin T. (2019). Disinfection of the Treated Effluent of the Biarritz Wastewater Treatment Plant Using DesinFix: Assessment After 38 Months. Internal Report.
- Ragazzo P., Chiuccini N., Piccolo V. and Ostoich M. (2013). A new disinfection system for wastewater treatment: performic acid full-scale trial evaluations. *Water Science and Technology*, **67**(11), 2476–2487.
- Ragazzo P., Feretti D., Monarca S., Dominici L., Ceretti E., Viola G., Piccolo V., Chiuccini N. and Villarini M. (2017). Evaluation of cytotoxicity, genotoxicity, and apoptosis of wastewater before and after disinfection with performic acid. *Water Research*, **116**, 44–52. <https://doi.org/10.1016/j.watres.2017.03.016>.

- Safford H. R. and Bischel H. N. (2019). Flow cytometry applications in water treatment, distribution, and reuse: a review. *Water Research*, **151**, 110–133.
- Santacesaria E., Russo V., Tesser R., Turco R. and Di Serio M. (2017). Kinetics of performic acid synthesis and decomposition. *Industrial and Engineering Chemistry Research*, **56**(45), 12940–12952.
- Sardana A., Cottrell B., Soulsby D. and Aziz T. N. (2019). Dissolved organic matter processing and photoreactivity in a wastewater treatment constructed wetland. *Science of the Total Environment*, **648**, 923–934.
- Schreiber I. M. and Mitch W. A. (2007). Enhanced nitrogenous disinfection by product formation near the breakpoint: implications for nitrification control. *Environmental Science and Technology*, **41**(20), 7039–7046.
- Sebire M., Allen Y., Bersuder P. and Katsiadaki I. (2008). The model anti-androgen flutamide suppresses the expression of typical male stickleback reproductive behavior. *Aquatic Toxicology*, **90**, 37–47.
- Seki M., Yokota H., Matsubara H., Tsuruda Y., Maeda M., Tadokoro H. and Kobayashi K. M. (2002). Effect of ethinylestradiol on the reproduction and induction of vitellogenin and testis-ova in medaka (*Oryzias latipes*). *Environmental Toxicology and Chemistry*, **21**(8), 1692–1698.
- Shah A. D. and Mitch W. A. (2012). Halonitroalkanes, halonitriles, haloamides, and N-nitrosamines: a critical review of nitrogenous disinfection byproduct formation pathways. *Environmental Science and Technology*, **46**(1), 119–131.
- Shah A. D., Liu Z.-Q., Salhi E., Höfer T. and von Gunten U. (2015). Peracetic acid oxidation of saline waters in the absence and presence of H<sub>2</sub>O<sub>2</sub>: secondary oxidant and disinfection byproduct formation. *Environmental Science and Technology*, **49**(3), 1698–1705.
- Shi Y. B., Sachs L. M., Jones P., Li Q. and Ishizuya-Oka A. (1998). Thyroid hormone regulation of *Xenopus laevis* metamorphosis: functions of thyroid hormone receptors and roles of extracellular matrix remodeling. *Wound Repair and Regeneration*, **6**, 314–322.
- Sun X., Zhao X., Du W. and Liu D. (2011). Kinetics of formic acid-autocatalyzed preparation of performic acid in aqueous phase. *Chinese Journal of Chemical Engineering*, **19**(6), 964–971.
- Tondera K., Klaer K., Koch C., Hamza I. A. and Pinnekamp J. (2016). Reducing pathogens in combined sewer overflows using performic acid. *International Journal of Hygiene and Environmental Health*, **219**(7, Part B), 700–708.
- West D. M., Wu Q., Donovan A., Shi H., Ma Y., Jiang H. and Wang J. (2016). N-nitrosamine formation by monochloramine, free chlorine, and peracetic acid disinfection with presence of amine precursors in drinking water system. *Chemosphere*, **153**, 521–527.

## Section 4 – Chapter 1

- Andral B., Boissery P., Descamp P. and Guilbert A. (2011). Monitoring of Urban Discharges and Sanitation Systems in the Mediterranean Sea. Report of the Rhône-Méditerranée Corse River Basin Organization, 2nd édition, L'OEil d'Andromède édition, Carnon, France.

- Bachelot M. (2012). Organic UV filter concentration in marine mussels from french coastal regions. *Science of the Total Environment*, **420**, 273–279. <https://doi.org/10.1016/j.scitotenv.2011.12.051>.
- Cabral-Oliveira J., Dolbeth M. and Pardal A. (2014). Impact of sewage pollution on the structure and functioning of a rocky shore benthic community. *Marine and Freshwater Research*, **65**, 750–758. <https://doi.org/10.1071/MF13190>.
- de Casamajor M.-N. (2004). Bay of Biscay: Lack of Knowledge and Diversity. Alexandre Dewez edn, Ascaïn, France.
- De los Ríos A., Juanes J. A., Ortiz-Zarragoitia M., López de Alda M., Barceló D. and Cajaraville M. P. (2012). Assessment of the effects of a marine urban outfall discharge on caged mussels using chemical and biomarker analysis. *Marine Pollution Bulletin*, **64**, 563–573. <https://doi.org/10.1016/j.marpolbul.2011.12.018>.
- Gosling E. (2003). Bivalve Molluscs – Biology, Ecology and Culture. Fishing News Books. Blackwell Publishing Ltd., Oxford.
- Kerambrun E., Henry F., Sanchez W. and Amara R. (2012). Relationships between biochemical and physiological biomarkers responses measured on juvenile marine fish under environmental chemical contamination. *Comparative Biochemistry and Physiology A: Molecular and Integrative Physiology*, **163**, 522–523. <https://doi.org/10.1016/j.cbpa.2012.05.071>.
- Ragazzo P., Chiuccini N., Piccolo V. and Ostoich M. (2013). A new disinfection system for wastewater treatment: performic acid full-scale trial evaluations. *Water Science and Technology*, **67**, 2476–2487. <https://doi.org/10.2166/wst.2013.137>.
- Seed R. and Suchanek T. H. (1992). Population and community ecology of *Mytilus*. In: The mussel *Mytilus*: Ecology, Physiology, Genetic and Culture, E. M. Gosling (ed), Elsevier Science Publishers, Amsterdam, the Netherlands, pp. 87–169.
- Swiacka K., Maculewicz J., Smolarz K., Szaniawaska A. and Caban M. (2019). Mytilidae as model organisms in the marine ecotoxicology of pharmaceuticals – a review. *Internal Pollution*, **254**, 113082. <https://doi.org/10.1016/j.envpol.2019.113082>.
- Terlizzi A., Fraschetti S., Guidetti P. and Boero F. (2002). The effects of sewage discharge on shallow hard substrate sessile assemblages. *Marine Pollution Bulletin*, **44**, 544–550. [https://doi.org/10.1016/s0025-326x\(01\)00282-x](https://doi.org/10.1016/s0025-326x(01)00282-x).
- Turja R., Lehtonen K. K., Meierjohann A., Brozinski J.-M., Vahtera E., Soirinsuo A., Sokolov A., Snoeijls P., Budzinski H., Devier M.-H., Peluhet L., Pääkkönen J.-P., Viitasalo M. and Kronberg L. (2015). The mussel caging approach in assessing biological effects of wastewater treatment plant discharges in the Gulf of Finland (Baltic Sea). *Marine Pollution Bulletin*, **97**, 135–149. <https://doi.org/10.1016/j.marpolbul.2015.06.024>.
- Walne P. R. and Mann R. (1975). Growth and biochemical composition in *Ostrea edulis* and *Crassostrea gigas*. In: Ninth European Marine Biology Symposium, Aberdeen University Press, Scotland, UK, pp. 587–607.
- Williams G. J. (2011). Data Mining with Rattle and R: The Art of Excavating Data for Knowledge Discovery. Springer Science and Business Media, New York.

## Section 4 – Chapter 2

APAT CNR-IRSA Man 29 (2003). Analytical Methods for Water. Report 29/2003. APAT, Roma, Italia.

- APHA, AWWA, WEF (2012). Standard Methods for the Examination of Water and Wastewater. 22nd edn. American Public Health Association, Washington DC.
- Gagnon C., Lajeunesse A., Cejka P., Gagné F. and Hausler R. (2008). Degradation of selected acidic and neutral pharmaceutical products in a primary-treated wastewater by disinfection processes. *Ozone: Science and Engineering*, **30**(5), 387–397. <https://dx.doi.org/10.1080/01919510802336731>.
- Greenspan F. P. and Mackellar D. G. (1948). Analysis of aliphatic per acids. *Analytical chemistry*, **20**(11), 1061–1063.
- Luukkonen T. and Pehkonen S. O. (2017). Peracids in water treatment: a critical review. *Critical Reviews in Environmental Science and Technology*, **47**(1), 1–39. <https://doi.org/10.1080/10643389.2016.1272343>.
- Luukkonen T., Teeriniemi J., Prokkola H., Ramo J. and Lassi U. (2014). Chemical aspects of peracetic acid based wastewater disinfection. *Water SA*, **40**(1), 73–80. <https://dx.doi.org/10.4314/wsa.v40i1.9>.
- Luukkonen T., Heyninck T., Rämö J. and Lassi U. (2015). Comparison of organic peracids in wastewater treatment: disinfection, oxidation and corrosion. *Water Research*, **85**, 275–285. <https://dx.doi.org/10.1016/j.watres.2015.08.037>.
- Maffettone R., Sarathy S., Wen Y., Passalacqua K., Neofotistos P., Wobus C. and Santoro D. (2018). Techno-economic Evaluation of Alternative Chemical Disinfectants and UV For Wastewater Disinfection: inactivation of bacterial indicator, F-specific and somatic coliphages and MNV. EcoSTP2018 – Ecotechnologies for Wastewater Treatment, London, Canada.
- Ragazzo P., Chiuichini N. and Bottin F. (2007). The use of hypochlorite disinfection system in wastewater treatment: batch and full-scale trials. In: Chemical Water and Wastewater Treatment IX, H. H. Hahn, E. Hoffmann and H. Odegaard (eds), IWA Publishing, London, UK, pp. 267–275.
- Ragazzo P., Chiuichini N., Piccolo V. and Ostoich M. (2013). A new disinfection system for wastewater treatment: performic acid full-scale trial evaluations. *Water Science and Technology*, **67**(11), 2476–2487. <https://dx.doi.org/10.2166/wst.2013.137>.
- Ragazzo P., Feretti D., Monarca S., Dominici L., Ceretti E., Viola G., Piccolo V., Chiuichini N. and Villarini M. (2017). Evaluation of cytotoxicity, genotoxicity, and apoptosis of wastewater before and after disinfection with performic acid. *Water Research*, **116**, 44–52. <https://doi.org/10.1016/j.watres.2017.03.016>.
- Ragazzo P., Chiuichini N., Piccolo V., Carrer S., Zanon F. and Gehr R. (2020). Wastewater disinfection: long-term laboratory and full-scale studies on performic acid in comparison with peracetic acid and chlorine. *Water Research*, **184**, 116169. doi: 10.1016/j.watres.2020.116169. Epub 2020 Jul 11. PMID: 32707309.