

# Index

---

## A

Accuracy, 12–13, 21, 34, 51–54, 56–57, 64, 72, 97, 107, 160, 162, 170, 172, 176, 197, 226, 239, 335, 386, 391  
Affinity Laws, 191, 197, 202–203  
Artificial Intelligence (AI), 1–2, 12, 51, 56, 59, 76, 98, 393  
Anaconda, 226–227, 300  
Analytical Hierarchical Process, 391, 396  
Analytics, 1–2, 6–12, 15, 76, 329, 335, 346  
Arima, 12, 75–77, 79, 82–90  
Asset Management, 6–8, 15, 201, 327–328, 334, 336, 355  
Automatic Calibration, 163, 166–167, 169

## B

Bagging, 105, 107–111, 114–118, 120  
Benefits, 7–8, 12, 16, 123, 125–126, 128, 130–132, 196, 241, 256, 295, 336, 355, 386  
Best Efficiency Point (Bep), 189, 189–190, 193–194  
Best Individual, 171  
Bias Correction, 410–411, 414  
Binary Logic, 15, 255, 261, 263–264, 281, 285  
Binary Programming, 202  
Bit String, 200  
Boostrapping, 105, 108, 410  
Boundary Condition, 7, 161, 163–164, 215–218  
Boundary Valves, 14, 237–238, 244, 247  
Business Risk Exposure, 329, 352, 373

## C

Calibration, 7, 13, 136, 143, 147, 156, 159–164, 166–167, 169–173, 175, 179, 200, 243  
Capital Specification, 327, 329  
Carbon Emission, 194  
Cavitation, 190, 193, 221, 223–226  
Cfl (Courant-Friedrichs-Lewy Condition), 220  
Characteristic Curve, 161, 187–189, 191–194  
Chromosome, 169–170, 195, 202, 267  
Classification Problems, 102, 114  
Clustering, 36–37, 239, 242–248, 252, 336, 338, 342–343, 345–347, 349–350, 359  
Column Separation, 221, 224–225, 231  
Combination Of System Parameters, 176–177  
Conflicting Objectives, 14, 188, 196  
Consistency, 145, 220, 393–396  
Constant Speed Pumping (Csp), 194, 194, 196–198, 200–203, 211–212  
Constraint Handling, 199  
Contingent Valuation, 16, 125, 381–383, 386, 396  
Convergence, 170, 196, 219–220, 307, 410–411  
Convergence Criteria, 196  
Cost Per Unit Reliability And Unit Length (Curul), 278–280, 280, 283, 285–286, 289–290  
Cost Reliability Ratio (Crr), 278–280, 280, 283, 285–286, 289  
Cost-Benefit Analysis, 11–12, 123, 346  
Costs, 2, 4, 12, 123–126, 128, 130–132, 172, 184, 187, 201, 206, 247, 256, 264, 298, 305, 329–331, 333

Crisp, 173, 177, 179, 183  
 Critical Combination, 176–177, 182  
 Crossover, 170–171, 200, 249, 251, 259  
 Crossover Probability, 200  
 Cross-validation, 57

**D**

Data cleaning, 51, 53  
 Data collection, 1, 10, 12, 34, 51–53, 72, 162, 239, 382–383, 386  
 Data granularity, 54  
 Data Envelopment Analysis, 16, 409, 411  
 Data Modelling, 12, 76, 98, 338  
 Data transformations, 56  
 Dataset, 54, 72, 107, 340, 347  
 Decision Making, 57–58, 125–126, 336, 346, 381, 410  
 Decision Maker, 7, 16, 184, 211, 269, 298, 391, 395  
 Decision Tree, 102, 107, 109–111, 113–118, 120  
 Decision Variable, 160, 163, 166, 169–171, 177, 195, 197, 199–203, 256–257, 269, 275, 277–278, 285  
 Decision Vector, 166, 171, 195, 197–198, 202  
 Demand, 1–2, 4, 6, 8, 11–14, 16, 21–39, 42, 45–48, 51–55, 57–58, 60, 62–65, 67, 69–71, 75–90, 93, 95, 102, 123–125, 130–131, 135–136, 143–145, 151, 156, 159, 161–163, 166–170, 172–173, 175–179, 181–182, 187–188, 193–194, 196–197, 201, 203, 205–206, 208, 226, 229–230, 233, 238–239, 247, 250, 255–257, 260–263, 265–266, 269–273, 278, 282, 285, 287, 289, 291, 296–297, 299–307, 310, 314–315, 317, 320, 322, 328, 381, 409  
 Demand Management, 6, 11, 123–125, 196  
 Demand Pattern, 13, 21, 23, 37, 39, 90, 144, 159, 161, 166–170, 172–173, 175, 201, 266, 271, 302  
 Demand Pattern Coefficient, 161, 166  
 Dependent Variable, 12, 22–23, 25–27, 30, 35, 38, 47, 91, 163, 166, 173, 177, 195, 201, 268, 337–340, 342, 384–385, 390–391, 400–402, 404, 415  
 Descriptive Analytics, 383  
 Design Variable, 160  
 Deterministic, 164, 173–175, 177–178, 410  
 Disaster, 4–5, 15, 295–298, 302, 304–307, 309–311, 314–315, 317, 322

Discharge, 144, 161, 188, 190–194, 220, 225–226, 231, 233–234  
 Discount Rate, 12, 123, 126, 128, 130–132, 330–331  
 Discrete Vapor Cavity Model, 225  
 Discretization Error, 220  
 Distribution System Modeling, 7  
 District Meter Areas, 7, 14, 237  
 Double Vector, 171, 203, 268–269  
 Duty-Point, 190–191, 193–194, 202  
 Dynamic Link, 14, 165, 196, 255, 265–268

**E**

Earthquake, 296, 301, 303, 305, 317–321  
 Effective Utility Management, 2–3, 5–6, 9, 15  
 Eigenvector, 246, 394  
 Emerging Hot Spots, 346, 371–373  
 Energy And Water Quality Management Systems (EWQMS), 7, 13–14, 187–188, 188, 205–206, 206, 210–212, 212  
 Energy Consumption, 7, 14, 187–188, 193, 196, 202, 205–206  
 Energy Cost, 14, 188, 195–198, 200–201, 203, 205–206, 208–213  
 Energy Tariff, 14, 188, 197  
 Energy/Electricity Tariff Pattern, 196  
 EPANET, 14–15, 135–136, 140, 142–152, 155–156, 164–167, 177, 194, 196–198, 202–203, 207, 227, 229, 248–251, 255, 260, 265–269, 272–275, 284, 296, 298–301, 318  
 EPANET Tool Kit Functions, 14, 255, 266, 268–269  
 EPNAET-Matlab Toolkit (EMT), 165, 171, 196  
 EPNAET-MSX, 135–136, 143, 147–152, 156  
 Exogenous Variables, 16, 409–411, 414–415  
 Extended Period Simulation (EPS), 7, 14, 161–162, 172, 207, 215, 265, 298

**F**

Failure Mode, 6, 327–328  
 Feature engineering, 51, 54  
 Feature importance, 54–55, 58–59, 68–70  
 Feature selection, 51, 54–55  
 Feature permutation, 58, 68, 70, 244  
 Field Measurement, 13, 159, 161–163, 167, 169  
 Final Solution, 171, 211  
 Fine Tuning, 163  
 Fire Flow, 305

Fixed Effects, 38–39, 43–48, 399–401, 404  
 Flow Meters, 14, 237, 239, 243–245, 247, 250  
 Forecasting, 7, 12, 21–22, 30, 35, 39, 45, 51–53, 55, 57, 59–60, 67, 75–76, 86–87, 93, 95, 97–99, 101  
 Fragility Curve, 301, 303, 318  
 Friction Loss, 190, 220  
 Function File, 171  
 Function Handle, 171  
 Fuzzy Logic, 14–15, 255, 257, 260–262, 281, 285  
 Fuzzy Membership Function, 176, 257  
 Fuzzy Sets Theory, 176

**G**

GA Operators, 170–171, 200  
 GA Tool Kit Functions, 267  
 Gate Valves, 237, 239, 242–244, 246–247  
 Gene, 5–7, 11, 13–16, 24–25, 27, 29–30, 47–48, 54–55, 57, 64, 85–87, 89, 97, 101–102, 104, 106, 108, 111–112, 114–115, 124–126, 128, 141, 160–161, 164, 166–167, 169–172, 177, 187–190, 193–198, 200, 202–203, 206, 210–212, 215–216, 218–219, 224–226, 232–233, 237–239, 243, 246–247, 255–257, 267–269, 275–278, 295–296, 298, 300, 303, 308, 311–312, 317, 320, 329–330, 334–336, 338, 340–342, 352, 361, 382–383, 386, 393–394, 400, 410  
 Genetic Algorithm (GA), 14, 164, 164–167, 169, 169–171, 171–173, 194, 194–196, 199–203, 210, 212, 216–218, 247, 255–257, 267, 267–268, 268–269, 275–276, 284, 288, 303  
 Geographical Information System (GIS), 15, 35, 213, 247, 327, 329, 335–337, 359, 366–367  
 Governing Equations, 13, 147, 159, 173, 195, 215–216  
 Greenhouse Gas (GHG), 196, 206, 305

**H**

Hazen-William's equation, 166, 190  
 Head Loss Equation, 160, 265  
 Homoscedasticity, 28  
 Household characteristics, 53  
 Hydrant Flow Test, 162–163  
 Hydraulic Analysis, 13, 145, 159, 164, 206, 266  
 Hydraulic Modeling, 13–14, 194, 215  
 Hydraulic Performance, 14, 187, 238–239, 241, 243–244, 331

Hydraulic Simulation, 166, 238, 243, 245, 247, 250, 266, 300–301  
 Hydraulic Transients, 14, 215–216, 221, 226, 230, 233  
 Hyperparameters, 56, 59, 64

**I**

Individual Conditional Expectation (ICE), 38, 58–59, 71  
 Impact Table, 177–180  
 Independent Variable, 12, 22, 25–27, 30, 91, 163, 166, 173, 177, 195, 201, 268, 337–339, 342, 390–391, 400–402, 404  
 Initial Condition, 145, 150, 227, 243  
 Initial Population, 169, 195, 267–269  
 Initial Water Quality (IWQ), 207, 207  
 Inp File, 164–165, 227, 229, 232–233, 299–301  
 Input Data, 67–68, 164, 286  
 Input Parameters, 195  
 Integer Programming, 202  
 Interpretability, 52, 57–59, 68, 399, 409  
 Interval Analysis (IA), 176, 176–178, 178, 183, 306, 314–315, 319

**J**

Junction, 6, 136, 138, 140–143, 145, 147, 166, 179, 198, 207, 216, 218–219, 227, 229–234, 265–266, 271, 298, 300–305, 307–311, 313, 315–317, 322  
 Junction Impact, 317  
 Jupyter Notebook, 300

**L**

Leakage Detection, 14  
 Leakage Parameter, 161  
 Learning Algorithm, 91, 93, 102, 105, 107, 110  
 Least Squares, 21, 23, 48, 160  
 Linear Regression, 21–23, 30, 48, 335, 337–338, 340, 355  
 Long-Range Planning, 7–8

**M**

Machine learning, 1, 12, 51, 59, 67, 72, 75–76, 89–91, 93, 97, 105, 107, 110, 114, 213, 336  
 Machine Learning Techniques, 76, 114  
 Macro Calibration, 163

Maintenance, 1, 4, 6, 11, 14–15, 128, 190, 193, 199, 201, 237, 239, 247, 304, 327, 329, 335, 354, 401, 405–406

Management, 2–16, 21, 34, 48, 75–76, 105, 123–126, 131, 159, 162, 165, 187–188, 196, 201, 206, 212–213, 215, 237–243, 257, 325, 327–329, 334, 336, 355, 409

MATLAB, 14–15, 75, 77, 85–89, 151, 159, 165, 171, 196, 199–200, 203, 212, 221, 255, 266–269, 272, 275–278

MATLAB Code, 85–88, 171

Matplotlib, 227, 317

Maximum Number Of Generations, 200

Measured Data, 145, 151, 162, 172–174

Measurement Site, 162, 166, 172

Membership Functions, 176, 257–258, 261

Meta-Heuristic Algorithms, 163, 199

Micro Calibration, 163, 166

Minimum Hydraulic Grade Line, 218

Minimum Pressure, 14, 188, 190, 198, 269, 285, 306–307, 310, 314

Minor Loss, 190, 219, 265

Mitigation Strategies, 15, 296–297, 322

Model building, 52, 56

Model evaluation, 52, 57

Model features, 55, 58, 68–69

Model interpretability, 52, 57, 59, 68, 399

Model Result, 13, 25, 33–35, 37, 160, 162–163, 339, 341, 358, 386, 391

Model Runs, 176, 178

Modified Resilience Index (MRI), 305

Monotonic And Non-Monotonic, 177–178

Monte Carlo Simulation (Mcs), 176, 176

Multicollinearity, 26–27, 34, 402

Multi-Objective Approach, 14, 188, 196, 206

Multiple Regression, 25–26, 30, 383–384, 390

Multiple Species, 136, 147, 156

Mutation, 58, 68, 70, 164, 170–171, 200, 244, 249, 251

Mutation Probability, 200

## N

Net Positive Suction Head, 188, 190

Net Present Value (NPV), 12, 12, 126, 126, 128, 128, 130–132

Network Reliability Parameter, 260, 265, 269, 278, 285–286

Network Response, 164, 173, 179

Nodal Demand, 13, 159, 161–163, 173, 178–179, 182, 194, 206, 226

Nodal Pressure, 162, 169, 172–173, 175–180, 184, 195, 278

Nonlinear Optimization, 163

Nonmarket Valuation, 16, 381

Non-Revenue Water, 6, 16, 239, 335, 399, 401

Non-Zero Demand (NZD), 307, 310, 315–316

Normal Decision Variable, 166

NSGA-II, 211, 249

Numerical Method, 216, 219, 226

## O

Objective Function, 163–164, 166, 169–172, 177, 196–197, 199, 201–202, 206, 208, 210–211, 247, 249–250, 256–257, 264–265, 267–269, 284

Off-Springs, 170

On/Off Pump Switches, 194

Operation Condition, 14, 160–161, 187, 193

Operations, 1–4, 6, 11–16, 39, 52, 58, 75, 98, 128, 133, 188, 195, 215, 233, 237, 240, 295, 304, 307, 311, 315, 322, 327, 329, 352, 409–410

Optimal Pump Operation/Scheduling, 13, 187–213

Optimal Replacement, 15, 327, 329–331, 333–334, 336, 346

Optimal Solution, 196, 200, 203, 208, 210–211, 243–245, 264, 269, 278, 280–281, 285

Optimization, 3–8, 13–16, 56–57, 92, 159–160, 163–166, 169–172, 177, 187, 194–196, 198–201, 203, 206–208, 210–213, 238, 243, 247, 255–257, 260, 264–265, 267–269, 284–286, 289, 409, 415

Optimization Engine, 164, 171, 194–195, 199

Optimization Operators, 196

Optimization Parameters, 164

Optimtool, 171, 200, 203

Ordinary Least Squares (OLS) Assumptions, 25, 27–28, 38, 43, 48

Ordinary Least Squares (OLS) Estimation, 21, 25, 27–28, 38, 43, 48

Overfitting, 54–55, 57, 93, 107, 120

## P

Packages, 40, 54, 56, 59–61, 213, 227, 256, 305, 309, 314, 317, 357, 401, 403

Panel Data Regression, 29–30, 39

Parameter Calibration, 13, 160, 164, 172, 175, 179

- Parameter Estimation, 13, 160, 162–163  
 Pareto Optimal Front, 196, 211–213  
 Partitioning, 14, 237–239, 241, 243–247  
 Partial Dependence Plots (PDP), 58–59, 71  
 Peak Ground Acceleration (PGA), 301, 303, 318–319  
 Peak Ground Velocity (PGV), 301, 303, 318–319  
 Penalty Factors, 199  
 Performance Indices, 239, 247  
 Performance Management, 6, 327  
 Periodic Behavior, 207–208  
 Pipe Age, 331, 338  
 Pipe Break, 305, 307  
 Pipe Burst, 14, 53–54, 58, 215, 226–227, 229, 233  
 Pipe Diameter, 136, 141, 161, 163, 190, 229, 265, 269, 288, 300, 306, 314–315, 339  
 Pipe Flow, 162, 166, 174, 177, 219, 221, 234  
 Pipe Leak, 300, 302–303, 319–320, 336  
 Pipe Material, 13–14, 160–162, 170, 173, 215, 338–340, 393, 395  
 Pipe Networks, 15, 160, 174, 188, 255, 260, 264–265  
 Pipe Roughness, 13, 159–163, 167, 170, 172, 175, 179, 182  
 Planning, 1–3, 6–12, 14–15, 19, 21, 39, 48, 54, 58, 75, 123, 126, 162, 172, 206, 210, 215, 237, 256, 296, 336  
 Plot Function, 171  
 Pooled Effects, 30, 38–39, 42–44  
 Pooled Ordinary Least Square, 23, 38, 48  
 Population Impact, 301, 308–309, 312–313, 316–317,  
 Population Size, 171, 200, 268–269, 275  
 Predictive Analytics, 1–2, 25, 58, 69, 93, 95, 103, 105  
 Prescriptive Analytics, 1  
 Pressure Constraint, 198, 273, 285  
 Pressure Dependent Demand Analyses (PDD), Numpy, 300, 306–308, 310–311, 314–316, 319  
 Pressure Head, 161, 167, 169–170, 172–180, 182–183, 188, 190, 198, 200, 230, 233, 241, 269, 278, 282, 290, 292  
 Pressure Management, 7, 241  
 Prioritization, 6–8, 327, 329, 331, 352, 354  
 Probability Density Function (Pdf), 86, 176, 176, 323  
 Pump Characteristics, 161, 187, 190–191  
 Pump Efficiency, 188–189, 191–193, 203  
 Pump Pattern, 197, 201–202  
 Pump Performance, 163, 188, 211  
 Pump Switches, 193–194, 199  
 Pumps Schedule/Scheduling, 14, 188  
 Python, 22, 38, 75, 102, 226–227, 237, 247, 298–301, 305, 309, 314, 317, 322  
 Python Package, 298
- R**  
 R Studio, 40, 58–62, 401, 411–412  
 Rainwater Harvesting System, 130  
 Random Effects, 30, 38–39, 54, 400  
 Random Forest, 116  
 Reaction Rate Coefficient, 13, 159, 162  
 Real-Time Operation, 187  
 Regression Methods, 21–22, 37, 45  
 Regression Model, 21–22, 25, 27–30, 32–33, 36–38, 42, 45–48, 67, 87, 93, 335, 337–338, 340–342, 355, 358, 386, 391, 400–401  
 Regulation/Regulating Valve, 161, 241, 243  
 Relative Error Of Estimation (REE), 172, 172, 174  
 Relative Rotational Speed, 194, 196, 202  
 Reliability, 4, 6, 8, 14–16, 27, 78, 82, 184, 246, 255–257, 260, 264–265, 268–270, 272, 278, 280–281, 284–286, 289, 328, 336, 382  
 Repair Rates (Rr), 190, 303, 318–319  
 Replacement, 2, 4, 8, 15, 105, 160, 322, 327–331, 333–336, 346, 354–355, 369, 373, 377–378, 410  
 Required Pressure, 265, 269, 304–306, 310, 314  
 Reservoir, 7, 124–125, 128, 130, 136, 140–142, 145, 147, 150, 167, 175, 216, 218, 221–222, 224–227, 229, 241, 250, 265–266, 270–271, 285–286, 289–290, 292, 298, 301, 304, 337, 353  
 Residence Time, 136, 206, 212  
 Residential Water Demand, 21–22, 24–25, 32, 38–39, 45  
 Residual Pressures, 260–263, 269, 272, 280, 285  
 Resilience Metrics, 15, 296, 298, 304–305  
 Resilience, 15–16, 247, 295–296, 336  
 Risk, 4, 6–8, 10, 15, 55, 57, 128, 131, 136, 143, 190, 242, 257, 297, 327, 329, 331, 336, 346, 352, 354–355, 369, 373  
 Rotational Speed, 187–188, 191, 193–194, 196, 202, 231

**S**

SARAMI, 12, 75–77, 82, 85–89  
 Satisfaction Index, 260–264, 285  
 Segment Isolation, 305  
 Selection, 11, 51, 54–56, 59, 105, 114, 117, 141, 145, 154, 164, 170–171, 211, 267, 315, 382, 386, 410  
 Sensitivity Analysis, 160, 163, 172  
 Simulation Model, 163, 165–166, 176, 194–196, 198, 201–203, 256  
 Simulation-Optimization, 163, 165, 187, 194–196, 201, 211–212  
 Single-Objective Approach, 196, 211  
 Single-Species, 145  
 Spatiotemporal Analysis, 337  
 Spectral Analysis, 239, 246–248  
 Spreadsheet, 16, 23, 31, 126–127, 129, 131, 355, 357, 388  
 Spyder, 226, 228, 300  
 Stability, 3–4, 97, 107, 219–220  
 Statistical Analysis, 155–156  
 Statistical Feature, 173  
 Statistical Verification, 153  
 Stopping Criteria, 170–171  
 Storage Tank, 136, 162, 167, 178, 196, 198–199, 203, 205–208, 265, 303  
 Strength Pareto Evolutionary Algorithm, 210  
 Supervised learning, 12, 51, 93  
 Supply, 4, 6, 8, 11, 14–16, 21, 38, 48, 75, 123–126, 130, 159, 187–188, 196–197, 201, 203, 205, 243, 245, 255–257, 260, 301–302, 336, 373, 375, 409  
 Supply And Demand Management, 6  
 Supply Enhancement, 123–125  
 SVM (Support Vector Machine), 91, 91–97  
 SWANP, 239, 247, 252  
 System Optimization, 8  
 System Parameter, 160, 173–174, 176–178, 194  
 System Response, 160, 174, 177–178, 184, 195, 226  
 System/Resistance Curve, 190

**T**

Tank Flushing, 206–207  
 Target variable, 12, 51, 55, 58, 60, 64, 66  
 Temperature, 12–13, 24, 27, 31, 33–34, 42–43, 51, 53–54, 56, 58, 60, 62–63, 69, 71, 90, 135–136, 156, 190, 338, 340  
 Temporal characteristics, 53  
 Theory of Probability, 176

Throttling Control Valve, 190  
 Time Horizon, 126, 128  
 Time Period (T), 16, 29–30, 30, 32, 32, 38, 45–46, 46–47, 47, 54–55, 76–77, 87–89, 92, 98, 113, 126, 130, 137–138, 166, 190, 196–197, 197–199, 202–205, 207–209, 211, 216–218, 220, 222, 225, 230, 233, 264–265, 281, 300–302, 305, 307–321, 323, 329–330, 346–348, 368, 381, 385, 387, 391, 400, 402, 405, 412  
 Time-Series Analysis, 29–31, 78, 82, 104, 109, 114, 146, 348  
 Todini Index, 304  
 Total Cost, 131, 264, 269, 278, 280, 329–331  
 Total Duration, 143, 206–207  
 Total Dynamic Head – TDH, 188, 197  
 Total Energy Cost (TEC), 197, 197, 200, 200, 202–205  
 Training, 1, 10–12, 51–52, 54–57, 59, 63–64, 66–68, 71–72, 90–95, 99–102, 105, 108, 110–111, 114, 117–118, 197  
 Truncation Error, 220  
 TSNet, 14, 215–216, 226–227, 229–234

**U**

Uncertain Parameter, 160  
 Uncertainty Analysis, 13, 159–160, 173, 179–180  
 Uncertainty Quantification, 13, 160, 173  
 Unknown Parameter, 161, 163, 166  
 Usability, 52, 58

**V**

Validation, 7, 57, 64, 93  
 Valve, 14, 140–141, 161, 163, 190, 194–195, 216, 218–220, 226–227, 229–233, 237–239, 241–244, 246–247, 256, 265, 298, 302–303, 311, 313, 329, 337  
 Valve Layer, 303, 311  
 Variable Frequency Drive (VFD), 196–197, 202–203  
 Variable Speed Pump/Pumping, 191, 196, 205, 211  
 Velocity of Flow, 137, 265

**W**

Water Age, 2, 7, 13, 135–136, 145–147, 206–210, 212, 265, 305  
 Water Age Measure (WAM), 208, 208–212, 212–213

- Water Age Threshold, 208
- Water Analytics, 6, 9, 165
- Water Balance, 14, 237, 239–241, 243, 399–400
- Water Demand Forecast Methods, 12, 21, 30, 51–52, 55, 57, 67, 75–76, 93
- Water Demand Forecasting, 12, 22, 30, 51–52, 55, 57, 67, 75–76, 93
- Water Distribution Network (WDN), 12–13, 13–14, 14–15, 76, 93, 136, 142, 159, 159–161, 163, 165, 173, 173, 176–179, 188, 196, 205, 208, 211–213, 226, 237, 242, 244–249, 256–257, 260, 267–268, 281, 285–286, 289
- Water Distribution System (WDS), 8, 12–15, 75, 135–136, 141–142, 146, 155–156, 188, 215, 238–239, 241–243, 248–249, 255–257, 265, 286, 295, 295–296, 296–298, 298, 302–303, 303, 305, 322, 322, 329, 352, 399, 405
- Water End-Use Consumption, 104
- Water Industry, 1–2, 6, 11–12, 15–16, 76, 123, 237, 240, 243, 334, 336
- Water Leakage, 14, 237, 239–241, 346
- Water Main, 15, 163, 327–329, 335–348, 351–359, 362–363, 365–369, 373–378
- Water Main Failures, 15, 335–338, 340, 342–343, 345–348, 351–352, 362–363, 366–369, 373, 376
- Water Network Partitioning, 245
- Water Network Tool For Resilience (WNTR), 15, 227, 295–305, 308, 310, 312, 314, 318–320, 322
- Water Policy, 123, 125
- Water Pressure, 238–243, 300, 303, 336
- Water Quality Analysis, 13, 205, 207–208
- Water Quality Deterioration, 206
- Water Quality Indices, 195, 205
- Water Quality Management, 7, 162, 187–188, 196, 206, 212
- Water Quality Measure, 14, 188, 196
- Water Service Availability (WSA), 237, 240, 304, 304
- Water Supply, 6, 11, 15–16, 21, 38, 75, 124, 126, 130, 159, 188, 196–197, 201, 203, 243, 245, 255–257, 260, 336, 373, 375, 409
- Water Usage, 104, 116
- Water Utility, 2–3, 5–6, 8, 11, 13, 15–16, 39, 52, 57, 124, 131, 211, 239, 296–297, 303, 322, 327–329, 335, 337, 346, 352, 354, 401–402, 409–411, 415
- Water-Energy-Environment Nexus, 188
- Wear And Tear, 193
- Weather, 11, 21–22, 24, 27, 31–32, 34, 38, 42, 46–47, 53, 60, 130, 298, 352
- WNTRsimulator, 299

