

Index

Page numbers in *italic* denote figures, page numbers in **bold** denote tables.

- accretionary complexes *122*, *123*
Africa
 mineral deposits 65–68
 south Atlantic coast 234–236
 diamond mega-placers 231, 236–241
Altaid orogenic collage 153
Amazonia Craton, minerals 59, *61*, **61**, **62**, *64*
America, drainage networks 228–229, *229*
Ames impact structure, USA, hydrocarbons **7**, 20
anatexis 121
antimony, Archaean cratons *62*, *64*, 65–69
Appalachians, Eastern Canada, granitoid-related mineralization 146, **147**
Arbuckle dolomite 20
arc, magmatic *122*, *123*, *124*, *125*, **126**
 Urals 154, 158–164
Archaean
 biological signatures 195–209
 carbon isotope signatures 195–209
 cratons 59–69, 220–224
 greenschist facies 31
 juvenile crust formation 73
 plate tectonics 60, 73, 76, *91*
 sulphur isotope signatures 167–176, 195–209
Ashanti gold belt 103–116
 geological model *108–109*, 110–111
 geology 104, *105*, 106
 thermal model 111–112
 thermal properties 106–108
Athabasca Basin 9–10, 86
atmosphere
 evolution 85–86, 167, 171, 174–175
 mineral distribution 86–88
Australia, mineral deposits 65–68
autometasomatism 12
Avak impact structure, Alaska **7**, 21

bacteria, sulphate reducing 180, 181, 196, 204–209
Bajo de la Alumbra copper–gold deposit 248, *250*, 251, 256
Baltic Sea, iron enriched sediment 189, 191
Barberton Greenstone belt 108
barite
 Archaean 171, 172
 MVT deposits 88–89
barium *62*, *64*, 65–69, 145
basins
 deep-sea
 iron enrichment 179–191
 shelf-basin ratio 188–191
 drainage 226, 227, *228*
 intra-cratonic 214, 216–217, 223–224
 sedimentary 34, 88–89
bauxite, Urals 153
beaches, diamond-bearing 234–237
Belingwe Greenstone Belt 202–207

Beltau-Kurama arc 154, 158, *161*
Bingham copper–gold deposit 256, *257*, 258
biosphere, evolution 85–86
Black Sea, iron enriched sediment 179, 181, 185, 187–189, 190–191
Boltsh impact structure, Ukraine **7**, 22
Bouma sequence 198, 199, **200**, 202
breccia, in impact structures 2, 9, 12, 13, 20, 21–22, 35
buoyancy, SCLM 77, 80, 84, 163, 222
Bushveld Igneous Complex 35, 50, 84
 Kaaapaal Craton 60, 65

Caledonian Orogeny 133, *134*
Calonda Formation 216, *217*
Calvin impact structure, USA **7**, 22
Campeche Bank, Gulf of Mexico 21, 23
Canada, Appalachians, granitoid-related mineralization 146, **147**
Canadian Shield
 drainage basin 229
 kimberlite 221, *224*
Carawine dolomite 171–173
carbon, polymorphs 5, 12–13
carbon cycle 208–209
carbon isotope analysis, Archaean mineralization 195–209
Carbon Leader reef 37, **38**, 39, 41, 42, 43, *44–45*, 50, 52
carbonate 88–89, 196, 201, 215
Cariaco Basin, iron enriched sediment 179, 188, 189, 191
Carswell impact structure 8–10, 8, 9
 uranium **7**, 9–10
Central Asian fold belt 153
Central Rand Group 31, 32, 33, 34, *34*, 35
 gold
 chemistry 39–54
 mineralization 82–83
 paragenesis 33, 37, **38–39**, 39, 49–50
Cheshire Formation, Belingwe Greenstone Belt **200**, 203, 203, 205, 207, 209
Chicxulub impact structure 2, 4, **7**, 21–22, 23
chlorite, association with gold 33, 37, **38**, 39, 46–47, 49–50
chromium, Archaean cratons *62*, *64*, 65–69
coesite 5, 10
Congo Craton, mineral deposits *61*, **61**, **62**, 63, *64*, 65
Congo River drainage basin 226, 227, 228, 230
copper
 Archaean cratons *62*, *64*, 65–69
 porphyry **74**, 78, 79, 90, 247–260
 Urals 153, 159, 160
 see also iron oxide copper–gold deposits
copper sulphide, Sudbury 14–19, **74**
crater, impact *see* impact structures, craters
cratons
 Archaean
 geology 222–224, *227*

- glaciation 238
- mineral deposits 59–69, *61*, **61**, **62**, 77
 - diamonds 213–214, 220–224, 225
 - fingerprinting 60–70
 - SCLM 77
- Cretaceous–Tertiary (K/T) boundary 21–22
- crust
 - Archaean, mineral deposits 62–65, 68–69
 - continental 76–77
 - as source of gold 121
 - juvenile, formation 73, 76, 77
- deformation, brittle
 - Central Rand Group 48, 49–50, 52–53
 - Sudbury Basin 14–15
- deformation structures, planar 5, *10*, 21
- deposits, mineral
 - contact 19
 - epigenetic 2, **6**, 7, 7, 19–22, 23, 78–81
 - footwall 19
 - Frood-Stobie 19
 - heterogeneous 71–92
 - hydrothermal 2, 6, 8, 198, 200–201
 - offset 19
 - porphyry-style ore 247–250
 - progenetic 2, **6**, 6, 7–12, 7, 23
 - related to environmental change 86–88
 - secular variation 78–85
 - in sedimentary rocks 88–90
 - Sudbury 19
 - syngenetic 2, **6**, **6**, 7, 12–19, 23
 - tectonic control 91
 - temporal distribution 71–92, 72, 86
 - unconformity related 86–87
- diagenesis, iron recycling 179, 182–188, 190
- diamond 5, **75**
 - cratons 220–224
 - impact 12–14
 - mega-placers 213–241, **214**, *215*
 - drainage network 224, 226, 227, 228–230
 - Kaapvaal craton 215
 - in karst 214–215
 - Namaqualand 235, 238–240
 - Namibia 233, 236–238
 - primary 84–85, *91*, 213, **214**, 222, 224, 226
 - sulphide inclusions 173
- domains
 - classification 123, *124*, **125**, **126**, *127*
 - gold prospectivity 126–128, **129–130**
- drainage, diamond mega-placers 224, 226, 227, 228–230
- Dwyka sedimentary formation 233, 237–238, 239, 240
- earth, evolution 72, 73, 76–78, 85–86, 171
- East Driefontein mine 41, 42–43, *44–45*, 46, 50
- East European craton 153–155, 159, 160–163
- East Uralian megazone 154, *155*, 156–158, 163
- Eburnian orogeny 104, 106
- electron probe microanalysis 37
- Elsburg reef 39, 40, 41, 50, 52
- enrichment
 - in impact-melt rock 4
 - magmatic-hydrothermal fluid 247
 - reactive iron 179–191, *181*
- Evander goldfield 31, *34*, 37, **38**, 39, 41, 42, 43, 50, 52
- evolution
 - atmosphere–hydrosphere–biosphere 85–86
 - earth 72, 73, 76–78, 85–86, 171
 - SCLM 76–77
 - sulphur cycle 167–176
 - tectonic 73
- Farallón Negro Volcanic Complex 250–254, *250*
 - see also* Bajo de la Alumbrera
- fingerprints
 - metalogenic, Archaean cratons 60–69
 - microbial 195
- fluids
 - gold-carrying 121–122
 - in porphyry deposits 247–260
- fluorite, MVT deposits 88–89
- flux, benthic 182–190
- fractionation, isotopic 168–170, 196
- fractures, planar 5–6
- Frood-Stobie deposit 19
- galena 37, **38**, 89
- gas *see* hydrocarbons
- geochemistry, Kaapvaal Craton 60
- geophysics, impact structures 6
 - Sudbury 18–19
- Ghana, Ashanti gold belt 103–116, *105*
- glass 4, 5
- gold
 - Archaean cratons 59, *62*, *64*, 65–69
 - Ashanti belt 103–116
 - carrying fluids 121–122
 - chemistry 33, 39–46, 50–54
 - detrital *see* gold, placer/palaeoplacer
 - electron probe microanalysis 37
 - epigenetic 78–81
 - epithermal **74**, 78, 90, *91*
 - giant deposits 119–131, *120*, **129–130**
 - hydrothermal 11, 39
 - intrusion-related **74**, 80, *91*
 - iron oxide copper–gold deposits **74**, 83–84, *91*
 - mineralization
 - Witwatersrand Basin 31–54
 - electron probe analysis 37
 - gold fields 32
 - models 32, 50–54
 - orogenic **74**, 79–80, 103–104, 160–161, *161*
 - paragenesis 33, 37, **38–39**, 39
 - placer model 32–33
 - placer/palaeoplacer **74**, 81–83, *91*
 - porphyry copper **74**, 78, 90, 247, 248, 251
 - remobilization 11, 12, 32–33
 - sources
 - crustal 121
 - mantle 119, 121
 - Urals 153, 160–161, *161*
 - Vredefort impact structure 10–12
 - Gondwana, mineral deposits 60–61, 65
 - Grampian terrane 134, *135*, 138
 - sulphur isotope analysis **137**, 139–141, 142, *143*, *144*
 - granitoid-hosted mineralization 134, *135*, 136, **137**, 138, 140–142, *144*, 145–146

- graphite
 Isua Greenstone belt 198
 polymorphs 5, 12–13
- Great Britain
 Caledonian terranes 133–148
 geology 134, 135, 136, 138
- greenschist facies 31, 35, 80, 112, 114, 121, 122, 138
- greenstone, Archaean
 Ashanti belt 104, 105, 112, 114
 Barberton Greenstone belt 207, 208, 209
 Belingwe Greenstone belt 202–207
 Isua Greenstone belt 87, 196–202, 197
 Kaapvaal Craton 60
- Grenvillian Orogeny 80, 223
- hydrocarbons 20–22
 hydrosphere, evolution 85–86
 hydrothermal activity 9, 12, 19, 32–33
 hydrothermal mineral deposits 2, 6, 8, 10, 11, 39, 87, 247
 hydrothermal/biological signatures 195–209
- Iapetus Suture 133, 134, 136, 144, 145
- impact structures 1–23
 craters, morphology 2–3
 economic resource deposits 1, 6, 7, 22–23
 characteristics 6–22
 geology 3–6
 geophysics 6
 multi-ring 2–3
 shock-metamorphism 3–6
- inclusion
 fluid 248, 250–253
 mafic 16, 17–18
- iron
 banded iron formation 75, 87, 171, 172
 Isua Greenstone Belt 197–202
 benthic flux 182–189
 diagenetic recycling 182–188, 190
 Mn-rich formation 75
 reactive, enrichment 179–191, 181
- Iron Mountain, Isua Greenstone Belt 198, 200, 201
- iron ore
 Ternovka 8
 Urals 153, 159
- iron oxide copper–gold deposits 74, 83–84, 91
- iron sulphide 180, 181
- ironstone, minette-type 75
- isotope analysis 73
 carbon 195–209
 sulphur 195–209
 British Caledonian terranes 133–148, 137
 earth's environmental evolution 167–176
 fractionations 168–170
- Isua Greenstone Belt, Archaean isotopes 171, 172, 196–202, 197
- Jet Rock, iron enriched sediment 189–190, 191
- K/T boundary *see* Cretaceous–Tertiary boundary
- Kaapvaal Craton 34
 drainage network 227, 228, 229–230
 gold 59, 60, 61, 61, 62, 64, 79
 placer diamonds 215, 216, 222, 223, 224, 227, 238
 platinum group elements 59, 60, 61, 61, 62, 64, 65
 Kalahari, manganese deposits 87–88
 Kalahari basin, diamond production 216, 216, 217
 Kalahari Craton
 diamond production 213, 214, 221
 kimberlite 225, 226, 238
- Kara impact structure, impact diamonds 7, 13
- Karoo Basin 223, 225, 230, 234
- Karoo River 238–240
- karst, placer diamonds 214–215
- Kartaly reflection zone 157, 158
- Kazakh–Tien Shan structures 154, 158, 162, 163
- Kimberley reef 37, 38, 39, 41, 42, 43, 45, 52
- kimberlite 84, 213, 214, 215, 216, 217, 219, 220–224, 221, 225
 erosion 225, 226, 230, 238
 sulphide inclusions 173
- Kinross mine 32, 42, 43, 45
- Klerksdorp goldfield 31, 32, 41
- komatiites 76, 78
- Lakesman–Leinster terrane 135, 136
 sulphur isotope analysis 137, 141–142, 143, 144
- lamproite 84, 220, 221
- Laurentia 89, 134, 134
- lead
 Archaean cratons 62, 64, 65–69
 MVT deposits 88–89
 SEDEX deposits 89–90
- Lena River drainage basin 226, 227
- Leo-Man Craton, mineral deposits 61, 61, 62, 64
- Limpopo Craton, mineral deposits 61, 61, 62, 64
- lithosphere
 sub-continental 73, 76–77
see also mantle, sub-continental lithosphere
- lonsdaleite 12–13
- magma, formation of ore metals 247–260
- magma chamber evolution 248, 250–254
- magmatism
 arc, Uralides 154, 158–164
 granitic, uranium deposits 86
- magnetite
 banded iron formations 87
 'skarn' deposits, Urals 160, 161
- Magnitogorsk zone, Urals 154, 155–156, 158
 mineralization 159–160, 163
- manganese deposits 75, 87–88
- Manicouagan impact structure 1, 4, 4
- Manjeri Formation, Belingwe Greenstone Belt 200, 202–205, 203, 206–207, 208
- mantle
 heat flow, Ashanti gold belt 103–104, 112, 113, 114–116
 as source of gold 119, 121, 247
 sub-continental lithospheric 74, 90, 91
 buoyancy 77, 80, 83, 84, 222
 evolution 76–77
 upwelling 73, 76
see also plumes, mantle; superplume events
- Mbuji Mayi, diamond deposit 213, 214, 218
- mega-placers, diamond 213–241, 214, 215
 definition 213
 drainage 224, 226, 227, 228–230

- formation 240–241, 2
- retained 214–217, 215
- terminal 214, 215, 219–220, 231–241
- transient 215, 217–219, 226, 236, 238
- melting, impact 4, 10, 13, 14, 52
- melts, magmatic 247–260
- mercury, in gold 39–46
- metallogenesis, Archaean 60–69
 - Urals 158–164
- metamorphism
 - post-impact 11–12, 15
 - regional 19, 35, 121
 - shock 1, 3–6, 14, 15, 21, 52
- microstructures, planar 5–6
- mineralization
 - Archaean, organic 195–209
 - gold, Witwatersrand, models 32–33
 - sulphide, British Caledonian terranes 134–148
 - Uralides 153–164
 - uranium 10, 86–87
- mining, gold, Witwatersrand 31, 32
- Mississippi Valley type deposits 75, 88–89, 91
- molybdenum 145, 247, 248
- Morokweng impact structure, South Africa 7, 22
- Mugodzhazhar massif 155, 157, 163

- Namaqualand, diamond mega-placer 214, 231, 235, 238–240
- Namibia, diamond mega-placer 214, 231, 233, 236–238
- Newport impact structure, USA 20, 22
- nickel
 - Archaean cratons 62, 64, 66, 67, 68, 74
 - Urals 153
- nickel–copper sulphide
 - impact structures 22
 - Sudbury 14–19
- Northern Highland terrane 134, 135, 138
 - sulphur isotope analysis 137, 138–139, 142, 143, 144

- Obolon impact structure, Ukraine 7, 22
- oil *see* hydrocarbons
- Oil Creek shale 20
- Olifants River 231, 238, 239, 240
- ophiolites 121, 141, 158
- Orange River
 - drainage basin 226, 227, 228, 229, 230, 232–238, 239
 - terminal diamond placers 231–241
 - transient diamond placers 217–219, 218, 219, 236
- Orange-Vaal drainage basin *see* Orange River, drainage basin
- ore
 - distribution 73, 74, 75, 78–92
 - porphyry-style 247–260
 - grade 254–255, 258
 - sulphide and platinum group, Sudbury 14–19
 - see also* deposits, mineral
- orogens, types 123, 124, 125, *see also* domains, classification
- oxidation 85
- oxygen, Archaean atmosphere 167, 174–175

- palaeoplacers 81–83, 86
- Pangea 73, 89
- paragenesis, gold 33, 37, 38–39, 39, 49–50
- Penokean Orogeny 14, 19

- photolysis, sulphur dioxide 169, 174–175
- phyllosilicate mineralization 33, 49
- Pilbara Craton, mineral deposits 61, 61, 62, 63, 64, 65, 79
- placer deposits
 - diamond *see* mega-placers, diamond
 - gold 32–33, 81–83
 - uraninite 32, 86
- Placer Dome mine 32, 50
- plate tectonic processes
 - Archaean 60, 73, 76, 91
 - evolution 72, 73, 76–78, 79, 80
 - modern 76
 - as source of gold 119, 121, 122–123
- platinum, Urals 153
- platinum group elements
 - Archaean cratons 65–69, 74, 84, 91
 - Kaapvaal Craton 59, 60
 - Sudbury 14–19
 - Urals 153, 154, 158, 159
- plumes, mantle 73, 76, 77, 79
 - see also* superplume events
- plutonism, Ghana 104, 105
- polymorphs
 - diamond/graphite 5, 12–13
 - high-pressure 5
- Popigai impact structure, Russia 4
 - impact diamonds 7, 12–14, 13, 14
- porphyry copper–gold 72, 74, 78, 79, 90, 91, 159, 160, 161, 163
 - formation 247–260
 - metal ratio 258–259
- Posidonia schiefer, iron enrichment 189–190
- pyrite 32, 33, 35, 37, 38, 39, 49–50, 52, 171, 172
 - formation 180, 181
- pyrrhotite 33, 37, 38, 39, 49, 52

- quartz
 - association with gold 37, 38, 39, 49–50
 - polymorphs 5, 10

- rare earth elements 16, 18
 - Archaean cratons 62, 64, 65–69
- Red Wing Creek impact structure, USA 7, 20–21
- redox
 - iron recycling 182–187
 - sulphur recycling 167, 175
- redox-sensitivity 85, 86–88, 92
- remobilization
 - gold 11–12, 32–33
 - hydrothermal 19, 32–33
- Requibath Craton, mineral deposits 61, 61, 62, 64
- Ries, Germany, impact diamonds 7, 12, 13, 14
- rock-buffering 53
- Rodinia 65, 80, 89
- Rotmistrovka impact structure, Ukraine 7, 22

- Sakmara zone
 - Urals 154, 155
 - mineralization 158, 163
- São Francisco Craton, minerals 59, 61, 61, 62, 64, 65
- SCLM *see* mantle, sub-continental lithospheric
- SEDEX deposits 75, 88, 89–90, 91
- sediment
 - diamond-bearing, African coast 234–241

- euxinic, iron enrichment 179–191
- sediment load, African rivers 230
- shale
 - black 88, 189–190, 191
 - oil 20, 22
- shatter cones 5, 6, 10, 14, 15, 21, 52
- shock-metamorphism 1, 3–6, 21, 52
 - diamond formation 12–14
- silver
 - epithermal **74**, 78, 91
 - in gold 39–46
- skarn magnetite, Urals 160, 161
- snowball events 80
- South Africa, gold mineralization 31–54
- South America, mineral deposits 65–68
- Southern Uplands–Longford Down terrane 135, 136
 - sulphur isotope analysis **137**, 141, 142, 143, 144
- sphalerite 89
- Steen River impact structure, Canada **7**, 22
- stishovite 5, 10
- subduction
 - Archaean 76
 - as source of gold 119, 121, 122
 - Urals 163
- Sudbury Basin 14, 15
- Sudbury Breccia 19
- Sudbury Igneous Complex 4, 14–19, 15, 18
- Sudbury impact structure, Canada
 - geology 15–16, 17
 - Ni–Cu sulphide and platinum group ore **7**, 14–19, 15, 23
- suevite 13, 14
- sulphate
 - oceanic 172, 173, 174, 175
 - reduction 172
 - microbial 180, 181, 196, 204–209
- sulphide
 - iron 179, 180, 181
 - mineralization 33, **74**, 78
 - British Caledonian terranes 138–142, 143, 145, 146, **147**, 148
 - Canadian Appalachian terranes 146, **147**
 - Isua Greenstone Belt 198–200
 - Sudbury 14, 16–19, 78
 - precipitation 255–260
 - volcanic hosted massive (VHMS) **72**, **74**, 81, 89–90, 91, 171, 172
 - Uralides 153–154, 158, 159, 163
- sulphur
 - in porphyry copper formation 254
 - redox recycling 167
- sulphur cycle, terrestrial 167–176, 196, 207–208
- sulphur isotope analysis 138, 142
 - Archaean mineralization 195–209
 - British Caledonian terranes 133–148, **137**, 143
 - earth's environmental evolution 167–176
- Superior Craton, mineral deposits 61, **61**, **62**, 64
- superplume events 87, 103, 164
- Tagil zone
 - Urals 154, 154–155, 155
 - mineralization 159, 163
- Tanzania Craton, mineral deposits 61, **61**, **62**, 63, 64
- Target goldfield 31, 32, 39, 41, 50, 52
- Ternovka impact structure, iron and uranium **7**, 8
- terrane
 - Caledonian
 - Canadian Appalachians 146, **147**
 - Great Britain 133–148
 - in domain classification 123, 125, **125**, **126**
 - thorium, Archaean cratons **62**, 64, 65, **66**, **67**, **68**
 - tin, Archaean cratons **62**, 64, 65, **66**, **67**, **68**
 - titanium, Archaean cratons **62**, 64, **66**, **68**
 - Trans-Uralian zone 154, 155, 157–158, 163
 - Transvaal Basin 35
 - trap, structural 20, 21
 - tungsten
 - Archaean cratons 62, 64, 65–69
 - Zimbabwe Craton 63
- Uralides
 - evolution 161–164, 162
 - orogen 153
- Urals
 - magmatic arcs 154, 158–164
 - metallogenesis 158–164
 - tectonic zonation 153–164, 155, 156
- uraninite 8, 33, 35, 37, **38**, 39, 49, 86
- uranium
 - Archaean cratons 62, 64, 65–69
 - Carswell 9–10
 - distribution 86–87
 - placer/palaeoplacer 86–87
 - remobilization 11, 12
 - sandstone-type **75**
 - Ternovka 8
 - unconformity-related **75**, 86–87
 - Vredefort 11
- Valerianovka zone, Urals 154, 155, 158
 - mineralization 160, 161, 163
- Ventersdorp Contact Reef 31, 33, 35, 37, **38**, 39, 42, 44, 50, 51–52
- VHMS/VMS *see* sulphide, volcanic hosted massive
- Viewfield impact structure, Canada **7**, 22
- Vredefort Dome 10, 11, 32, 35, 50
- Vredefort impact structure 2, 35
 - gold **7**, 10–12, 23, 34, 52, 53
- weathering 85, 175
- Welkom goldfield 31, 32, 34, 40
- West Wits goldfield 31, 32, 34, 37, **38**, 39, 41, 42–43, 50, 52
- Witwatersrand Basin 10–12, 11, 32, 34–35, 37
 - gold mineralization 10–12, 31–54, 82–83
 - Kaapvaal Craton 60
 - uraninite deposits 86
- Yilgarn Craton, minerals 59, 61, **61**, **62**, 64, 121
- Zapadnaya, Ukraine, impact diamonds **7**, 13
- Zimbabwe Craton
 - minerals 59, 61, **61**, **62**, 64
 - tungsten 63
- zinc
 - Archaean cratons 62, 64, 65–69
 - MVT deposits **75**, 88–89
 - SEDEX deposits **75**, 89–90
 - Urals 153, 159

