

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Aber Dinlle Fault 164  
Adaiyah anticline 398  
Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) 424  
Agbami field 105  
Akpo field 105  
Allochthonous Zone 398, 399, 405  
analogue modelling, evaluation 9, 23–26  
  *see under* Diapir Fold Zone  
Anatolian Basins 363  
  map 364  
Anglesey (Môn) 154–155  
Angolan passive margin, salt tectonic influence 362  
anticlines, toe thrust 105–106  
  modelling  
    application  
      structure (1) 117–122  
      structure (2) 122–126  
    parameters **108**  
      fold neutral surface 110  
      shale compaction 113–115  
      shale pore pressure 110–113  
      shale stress tensor 107–110  
      thrust growth summary 115–117  
  results discussed  
    1-D approach 126  
    application 126–129  
    overview 130–131  
Apeninnc Carbonate Platform 223  
Apennines  
  Maiella Anticline 241, 244  
    petroleum potential assessment  
      methods of study 244–245  
      results  
        evolutionary models 245, 246, 247, 248  
          model (1) 248–249, 248  
          model (2) 248, 249, 249  
          model (3) 248, 249–250, 250  
        field views 251, 252, 253, 2554  
        model evaluation 259–261, 260, 262, 264  
        platform to basin transition 250, 254, 256, 257, 258, 259  
        role of faults 254, 255, 258, 259, 263  
        significance for hydrocarbon exploration 261, 263–264  
        stratigraphy and structure 242, 245  
        summary 265  
  Southern Apennines Fold and Thrust Belt 241, 242, 243  
    cross-section 222, 243  
    geological framework 221, 223, 223–224  
    tectonic evolutionary phases 222, 224  
    hydrocarbon province 224–225  
    Benevento Field 225–226  
      central sector exploration  
        depth-structure map 228, 236  
        kinematic restoration 235  
        methods 226–227  
        proven and prospective structures 227–234  
      seismic data 227  
      seismic sections 229, 231, 232, 233, 234  
      significance of inversion 235–237  
      well correlations 230  
      summary 237  
    syn-kinematic sedimentation and structural geometry  
      North Po Plain 60–61, 61  
      South Basilicata 61–62, 61  
      summary 62  
Appalachian foreland 33, 36  
Apulian Carbonate Platform 223  
  Maiella Anticline 241, 244  
    petroleum potential assessment  
      methods of study 244–245  
      results  
        evolutionary models 245, 246, 247, 248  
          model (1) 248–249, 248  
          model (2) 248, 249, 249  
          model (3) 248, 249–250, 250  
        field views 251, 252, 253, 2554  
        model evaluation 259–261, 260, 262, 264  
        platform to basin transition 250, 254, 256, 257, 258, 259  
        role of faults 254, 255, 258, 259, 263  
        significance for hydrocarbon exploration 261, 263–264  
        stratigraphy and structure 242, 245  
        summary 265  
  Apulian Thrust Belt, depth structure map 225  
Argo-Tanimbar-Seram Ocean 331  
Askriigg Block 156  
Askriigg Line 154  
Assynt 12  
ASTER (Advanced Spaceborne Thermal Emission and Reflection Radiometer) 424  
Atrush Anticline 405  
Axel Heiberg Basin, salt tectonic influence 362  
  
Bakhtian Formation 400  
Bala Fault 154  
Ballycogly Mylonite Zone 154  
Banda Arc 329, 330, 351  
  BandaSeis study  
    methods 333–334, 334, 335, 352  
    results 335, 336, 337, 338, 339, 340  
      eastern sector 338–340  
      seismic sections 354, 355, 356, 357, 358  
      western sector 335–338  
    results discussed 356–358  
      deep tectonics 343–344  
      geographical analogues 344–345  
      inherited structures 345  
      structural analysis 341–342, 342  
      structural framework 340–341  
      thin-skinned deformation 342–343  
      summary 345  
  bathymetry 353

- Banda (*Continued*)  
 chronostratigraphy 332  
 geological setting 330–333  
 map 352  
 palaeogeography 331
- Banda Embayment 331
- Barnoldswick Fault 159
- Beduh Shale Formation 405
- Ben More Thrust 10
- Benevento Field 225–226  
 porosity-permeability cross-plot 226
- Beni Sub-Andean (Bolivia) Petroleum  
 Tectonic Analysis  
 cross-section 91  
 map 80  
 pre-orogenic architecture 87  
 stratigraphy 86  
 summary 94–96, 97  
 system architecture 82
- Berw Fault 165
- Biscay, Bay of 178, 178
- Bitlis-Zagros suture zone 363
- Borneo (NW) fold-thrust belt 105  
 geological setting 106–107  
 leak-off pressures 109  
 map 106  
 seal integrity modelling  
 fold neutral surface 110  
 parameters **108**  
 shale compaction 113–115  
 shale pore pressure 110–113  
 shale-stress tensor 107–110  
 thrust growth model  
 application  
 model results  
 structure (1) 117–122  
 structure (2) 122–126  
 results discussed  
 1-D approach 126  
 application 126–129  
 final overview 130–131  
 summary models 129–130  
 summary 115–117
- Bouguer anomaly 179, 290
- Bowland Basin  
 offshore 165–169  
 onshore 162–165  
 Variscan inversion 153
- Bowland Line 163
- Bowland Shale Group 153, 162, 164
- Bryneglwys Fault 154
- Butmah Formation 405  
 summary of results 18–21  
 thrust continuity 15–16  
 fieldwork 2, 9, 10–11, 10, 13, 14, 16, 17, 18  
 legacy 21–23
- Caledonian terrane (southern Britain) 153, 154
- Caledonides fold and thrust belt 36
- Canadian Rockies 36
- Cantabrian Mountains 179
- Carmel Head Thrust 154
- Carpathians  
 Diapir Fold Zone (DFZ) 267, 269  
 cross-section 270  
 geological setting 269  
 map 268  
 modelling structural style  
 data capture 273–275  
 experimental set-up 273  
 limitations 275  
 methods 269, 271, 272  
 results 275  
 kinematic evolution 275, 276, 277, 278  
 penetrative strain 278–279  
 salt movements 278  
 results discussed 279–280  
 summary 280
- Catlow Anticline 156, 159
- Causey Pike Fault System 154
- Central Anatolian Fault Zone 363
- centroid concept 106
- Chia Zairi Formation 405
- Church Stretton Fault Zone 154
- Clitheroe Anticline 159
- Clitheroe-Abbeystead Fault 159
- Conamheall Ridge 16
- contractional environment  
 deformation, thin v. thick skinned 199  
 structural styles in shortening 33, 35
- Craven Basin Complex 153
- crust-ramp basement (thick-skinned) models 224
- Darai Limestone 311, 314, 315
- Darende Basin 363
- décollement level rheology 362
- deformation simulation (shortening environment)  
 methodology for study  
 discrete element modelling (DEM) 37–38  
 experimental set-up 39–41, 41  
 strength calibration 38–39  
 results  
 strain rate 49–50, 49  
 structural style v. rock property 41, 42, **42**, 43, 44, 45,  
 46, 47, 48  
 results discussed 50  
 summary 50–51
- Dent Line 154
- detachment (thin-skinned) dominated models 224
- Diapir Fold Zone (DFZ) 267, 269  
 cross-section 270  
 geological setting 269  
 map 268  
 modelling structural style  
 data capture 273–275  
 experimental set-up 273  
 limitations 275
- Cadell, Henry Moubray (1860–1934)  
 experimental work 14, 17, 18, 19, 20, 21, 22, 23, 24  
 basement 16–18  
 fold-thrust structures 15  
 imbricate thrusting 14–15  
 lessons from work 27–28  
 limitations of experiments  
 experimental biases 26–27  
 inherent biases 27  
 subsequent validation 23–26  
 summary of conclusions 28–29

- methods 269, 271, 272
  - results 275
    - kinematic evolution 275, 276, 277, 278
    - penetrative strain 278–279
    - salt movements 278
  - results discussed 279–280
  - summary 280
- Dinorwic Fault 165
- discrete-element numerical models 33, 37–38
- disharmonic deformation 57
- displacements on thrust sheets 58
- Divrigi Ridge 363
- Dowsing South Hewett Lineament 154
- duplexes 10, 57
  
- Eakring Glinton Lineament 154
- East Irish Sea Basin 155, 156
- East Swara Tika Anticline 405
- emergent thrust systems 57, 59
- Eriboll, Loch 13, 16
- Eriboll Quartzite Formation 13
- exhumed mantle 177–178
- experimental work
  - see* Cadell, Henry Moubray
  - see also* deformation simulation
  
- facies change, impact on structural style 36
- fan structure 16
- Fars Province 417, 418
  - chronostratigraphy 420
  - geological setting 418–419, 419, 423
  - regional cross-section 422
  - remote sensing studies
    - methods 418
    - results 426
      - cross-section construction 432, 433
      - dip data extraction 429, 429, 430
      - fold analysis 430, 431–432, 431
      - geological mapping 426–427, 428, 429
      - geomorphic analysis 432, 434, 435
        - river profiles 436, 436, 437, 438, 439, 440
      - topography 435–436
    - interferometry 437, 439
    - satellite studies 423, 425, 426
      - digital elevation models 424, 425
      - optical data 423–424
    - results discussed 439–441
  - salt tectonic influence 362
  - structural cross-section 422
  - summary 441–442
- fault-related folds
  - detachment folds 33, 35, 36
  - fault propagation folds 35, 36
  - fault-bend folds 33, 34, 35–36, 35
  - structural wedge 35, 36
- Foinaven Ridge 16
- fold and thrust belts (FTB)
  - active-roof thrusts 362
  - contractional structures 362
  - décollement level rheology 362
  - frictional décollement 362
  - horizontal v. vertical movement studies 397
  - internal stacking 362
  - passive-roof thrusts 362
  - salt influence 362
  - shortening accommodation 361
  - structural analysis 361
  - triangle zone geometry 362
  - viscous décollement 362
- Foreland (Low or Simple) Folded Zone 398, 399, 405
- Formby Basin 163
- France
  - Subalpine Chain (NW) 138, 139, 140, 141
    - case study with Raman spectroscopy 135
      - methods
        - kerogen isolation 141–142
        - sampling 140–141
        - TOC analysis 141
      - results 142, 142
        - technique validation 144–145
        - temperature in relation to structure 143–144
    - results discussed 145
      - carbon at low temperature 147
        - geometry and evolution 145
      - Prealpine nappe extent 145
      - Prealpine nappe thickness 145, 147
        - relationship summary 146
    - introduction 136, 137, 138
      - summary 147–148
  - frictional décollement 362
- Ganderian Basement 169–171
- Gara Anticline 405
- Geike, Archibald 10
- Geli Khana Formation 400, 401, 405
- Gisburn Anticline 163
- Glen Coul Thrust 10
- Gloddaeth Syncline 164
- gravity studies 179, 290
- Great Orme Syncline 164, 165
- Great Slide Plane 13
- Guadalquivir Basin, salt tectonic influence 362
- Gumusut field 105, 106
- Gundizkoy minibasin 381
  
- Hakmhan Basin 363
- Hamrin anticline 398
- Harrogate Basin 163
- Highlands of Scotland, NW 10, 11
- Hikurangi subduction margin
  - map 286, 289
  - setting 287–288, 290
  - syn-subduction sedimentation patterns across FTB
    - methods of study 290
    - results
      - bathymetry and topography 290, 292–293
      - gravity data 290
      - seismic data 291, 293, 294, 295, 296, 298, 299, 299, 300, 300, 301
      - seismofacies 297
      - sub-basins 292
    - results discussed 301, 305
      - generic model 305
      - hydrocarbon prospectivity 306
      - morphostructural elements 302–303, 304
      - sub-basin analogues 305–306
    - summary 306–307

- Himalayas (NW)  
 syn-kinematic sedimentation and structural geometry  
 comparisons 72  
 deformation timing 69–70  
 E Salt Range 65–67, 66, 67  
 lateral variations 70–71  
 NW arc 64–65  
 serial sections 67–69  
 summary 69  
 thrust trajectory 70
- Horne, John 9–10
- Horrickford Hall Thrust 159
- Horton inlier 154
- hydrocarbon prospectivity 135  
 petroleum tectonic analysis (PTA) case studies  
 case studies  
 Beni Sub-Andean (Bolivia)  
 cross-section 91  
 map 80  
 pre-orogenic architecture 87  
 stratigraphy 86  
 summary 94–96, 97  
 system architecture 82  
 Pyrenees (Spain)  
 cross-section 89  
 map 80  
 pre-orogenic architecture 87  
 stratigraphy 86  
 summary 92–93, 97  
 system architecture 82  
 Sevier (USA) 33, 34  
 cross-section 90  
 map 80  
 pre-orogenic architecture 87  
 stratigraphy 86  
 summary 93–94, 97  
 system architecture 82  
 Zagros (Iraq/Iran)  
 cross-section 88  
 map 80  
 pre-orogenic architecture 87  
 stratigraphy 86  
 summary 89–92, 97  
 system architecture 82
- case studies discussed  
 comparisons 96–98  
 lower v. upper plate 98  
 orogenic process implications 98–99  
 role of shortening 99  
 summary 99–100  
 critical taper 83, 84, 85  
 introduction 79–82  
 orogenic processes 87, 89  
 pre-orogenic architecture 85  
 stratigraphy 85
- seal integrity modelling in Toe Thrust Anticlines 105–106  
 application in Borneo 105  
 geological setting 106–107, 106  
 leak-off pressures 109  
 seal integrity model  
 fold neutral surface 110  
 parameters 108  
 shale compaction 113–115  
 shale pore pressure 110–113  
 shale-stress tensor 107–110
- thrust growth model  
 application  
 model results  
 structure (1) 117–122  
 structure (2) 122–126  
 results discussed  
 1-D approach 126  
 application 126–129  
 final overview 130–131  
 summary models 129–130  
 summary 115–117
- thermal maturation studies by Raman spectroscopy 135, 136, 137, 138
- French Subalpine Chain case study  
 methods  
 kerogen isolation 141–142  
 sampling 140–141  
 TOC analysis 141  
 results 142, 142  
 technique validation 144–145  
 temperature in relation to structure 143–144  
 results discussed 145  
 carbon at low temperature 147  
 geometry and evolution 145  
 Prealpine nappe extent 145  
 Prealpine nappe thickness 145, 147  
 relationship summary 146  
 summary 147–148  
*see also* Maiella Anticline modelling
- Iapetus Suture Zone 154
- Ieru Formation 312, 315
- illite crystallinity 135
- imbricate fans 57
- imbricate thrusts 10
- Imbricated Zone 398, 399, 405
- Imburu Formation 312, 315
- Ingleton Group 155
- Ingleton inlier 154
- Inner Tauride suture zone 363
- InSAR 426
- interferometry 437, 439
- Iran *see* Zagros Mountains of Iran
- Iraq, Kurdistan  
 chronostratigraphy 401  
 geological setting 397–398  
 introduction to structural domains 398, 399  
 methods of FTB study 397  
 results  
 erosion 408–409, 410  
 subsidence 398, 400, 402, 402, 403  
 uplift by region 402, 404, 405, 406, 407  
 uplift quantification 407–408, 408  
 well logs 406  
 results discussed 410–411, 411, 412  
 summary 412
- Irish Sea Basin 155, 156, 161, 170
- Irish Sea Lineament 154
- Italy *see* Apennines
- Izmir-Ankara-Erzincan suture zone 363
- Jura Mountains  
 Mandach Thrust 201

- mechanical stratigraphy 204–205
  - methods of study
    - datasets 205
    - workflow 205–207
  - results 207
    - section 11NS02 207
    - section 11NS04 208–209
    - section 11NS06 209, 210–211, 210
    - section 11NS08 211, 212
    - section 11NS10 211
    - section 82NF10 207, 208
    - section 83NF15 207–208, 209
    - section 83NF31 211
  - results discussed 211–213
    - along-strike structural variation 213–214
    - inherited normal faults 214–215
    - overview 214
    - secondary detachments 215
    - shortening estimates **215**
    - strain gradient transfer 215–216
    - thin v. thick skinned tectonics 213
  - summary 216
  - tectonic evolution 201–204
  - salt tectonic influence 362
  - tectonic setting 199–201, 200
- Kangal Basin 363
- Karsani Anticline 405
- Kebabangan field 106
- Kikeh field 105, 106
- Kirkuk oil field 397
- Kırşehir Block 363
- Kizilovraz minibasin 381
- Koi-Langi Formation 312
- Kurdistan (Iraq)
  - chronostratigraphy 401
  - geological setting 397–398
  - introduction to structural domains 398, 399
  - methods of FTB study 397
- results
  - erosion 408–409, 410
  - subsidence 398, 400, 402, 402, 403
  - uplift by region 402, 404, 405, 406, 407
  - uplift quantification 407–408, 408
  - well logs **406**
- results discussed 410–411, 411, 412
- summary 412
- Kurra Chine Formation 400, 401, 405
- Lagonegro-Molise-Sanio Basins 223
- landsat use 424
- Lask Edge Fault 154
- Liguride-Silicidic Basinal Domains 223
- Link, Theodore (Ted) 23
- Llŷn Peninsula 154
- Llŷn Shear Zone 154
- Lothersdale Anticline 156
- Lowther Lodge Fault 154
- magnetic anomaly 180
- Maiella Anticline 241, 244
  - methods of study 244–245
- results
  - evolutionary models 245, 246, 247, 248
  - model (1) 248–249, 248
  - model (2) 248, 249, 249
  - model (3) 248, 249–250, 250
  - field views 251, 252, 253, 2554
  - model evaluation 259–261, 260, 262, 264
  - platform to basin transition 250, 254, 256, 257, 258, 259
  - role of faults 254, 255, 258, 259, 263
  - significance for hydrocarbon exploration 261, 263–264
  - stratigraphy and structure 245
- stratigraphy 242
- summary 265
- Main Boundary Thrust 398
- Makhul anticline 398
- Malakai field 106
- Malvern Line 154
- Mandach Thrust *see under* Jura Mountains
- mantle exhumation 177–178
- Maqlub Anticline 405
- Maryport-Lagman Fault System 162
- Menai Strait Fault System 154, 164
- Mendi Limestone 315
- Mexico, Gulf of 33, 34
  - fold-and-thrust belt 105
- Mirga Mir Formation 405
- modelling types
  - analogue 9, 23–26
    - see also* Diapir Fold Zone
- deformation simulation
  - methodology
    - discrete element modelling (DEM) 37–38
    - experimental set-up 39–41, 41
    - strength calibration 38–39
- results
  - strain rate 49–50, 49
  - structural style v. rock property 41, 42, **42**, 43, 44, 45, 46, 47, 48
- results discussed 50
- summary 50–51
- seal integrity modelling in Borneo
  - fold neutral surface 110
  - parameters **108**
  - shale compaction 113–115
  - shale pore pressure 110–113
  - shale-stress tensor 107–110
- thrust growth model
  - application
    - model results
      - structure (1) 117–122
      - structure (2) 122–126
- results discussed
  - 1-D approach 126
  - application 126–129
  - final overview 130–131
  - overview models 129–130
  - summary 115–117
- toe thrust anticlines 105–106
  - application
    - structure (1) 117–122
    - structure (2) 122–126
  - parameters **108**
  - fold neutral surface 110
  - shale compaction 113–115

- modelling types (*Continued*)  
 shale pore pressure 110–113  
 shale stress tensor 107–110  
 thrust growth summary 115–117  
 results discussed  
 1-D approach 126  
 application 126–129  
 overview 130–131
- Moine Thrust Belt 9, 10, 11, 13, 25
- Môn-Deemster-Ribblesdale fold-thrust belt (FTB)  
 153–155  
 classification  
 Bowland Basin  
 offshore 165–169  
 onshore 162–165  
 Ganderian basement 169–171  
 Môn-Deemster FTB 154, 159–162, 160, 161  
 Ribblesdale FTB 155–156, 157, 158, 159  
 results  
 seismic interpretations and section balancing  
 171–172  
 results discussed 172  
 summary 172–173
- Monian Complex 155
- Morley-Campsall Fault Zone 154
- Mountain Front 398, 399, 405
- Najmah Formation 400
- Naokelekan Formation 400, 401
- Neotethys, opening v. closure 397
- New Zealand, Hikurangi subduction margin  
 map 286, 289  
 syn-subduction sedimentation patterns across  
 fold-thrust belts  
 methods of study 290  
 results  
 bathymetry and topography 290, 292–293  
 gravity data 290  
 seismic data 291, 293, 294, 295, 296, 298, 299,  
 299, 300, 300, 301  
 seismofacies 297  
 sub-basins 292  
 results discussed 301, 305  
 generic model 3065  
 hydrocarbon prospectivity 306  
 morphostructural elements 302–303, 304  
 sub-basin analogues 305–306  
 summary 306–307  
 tectonostratigraphic setting 287–288, 290
- Niger Delta, fold and thrust belt 33, 105
- North Iberian Margin *see* Pyrenees
- Northern Apennines Arc 223
- Olevano-Antrodoco-Sibillini (OAS) Line 223
- orogen, characteristics 177
- Papua New Guinea, Western Highlands fold-thrust-belt  
 fold analysis study  
 methods 312, 316  
 fold type 312, 315  
 morphotectonics 315–317  
 sinuosity 315  
 results 318, 319, 320  
 relative ages 317–321  
 surface expression/spatial arrangement 317  
 time relationships 321, 322, 323  
 results discussed 322, 324, 324, 325  
 summary 325  
 geological setting 312, 313, 314  
 introduction 311–312  
 stratigraphy 315
- Paradox Basin (Utah), salt tectonic influence 362
- Peach, Ben 9–10
- Pendle Fault System 156, 159, 163
- Pendle Lineament 154
- Pendle Monocline 156, 159, 164
- Pennine Axis 154
- Pennine Block 156
- Perdido Fold Belt (Mexico), salt tectonic influence 362
- petroleum tectonic analysis (PTA)  
 case studies  
 Beni Sub-Andean (Bolivia)  
 cross-section 91  
 map 80  
 pre-orogenic architecture 87  
 stratigraphy 86  
 summary 94–96, 97  
 system architecture 82
- Pyrenees (Spain)  
 cross-section 89  
 map 80  
 pre-orogenic architecture 87  
 stratigraphy 86  
 summary 92–93, 97  
 system architecture 82
- Sevier (USA) 33, 34  
 cross-section 90  
 map 80  
 pre-orogenic architecture 87  
 stratigraphy 86  
 summary 93–94, 97  
 system architecture 82
- Zagros (Iraq/Iran) PTA  
 cross-section 88  
 map 80  
 pre-orogenic architecture 87  
 stratigraphy 86  
 summary 89–92, 97  
 system architecture 82
- case studies discussed  
 comparisons 96–98  
 lower v. upper plate 98  
 orogenic process implications 98–99  
 role of shortening 99  
 summary 99–100  
 critical taper 83, 84, 85  
 introduction 79–82  
 orogenic processes 87, 89  
 pre-orogenic architecture 85  
 stratigraphy 85
- Pila Spi Formation 398, 401
- Pipe Rock Member 13, 16
- Pontesford-Linley Fault 154
- Pyrenean foreland, salt tectonic influence 362
- Pyrenees (Spain)  
 North Iberian Margin studies  
 balanced cross-section 184, 185  
 continental subduction orogen 177

- deep structure geophysics 179
- geological setting 178–179, 178
- methods of study, gravimetric/magnetic data 179–181
- results 182, 183
  - deep seismic reflection profile 186
  - palinspastic restoration 189
  - transects
    - Ansó 187–188
    - Gernika 187
    - Lennemezan 188–189
    - Polientes-MARCONI L11 181, 186–187
  - results discussed 189–193
  - summary 193
- Petroleum Tectonic Analysis (PTA)
  - cross-section 89
  - map 80
  - pre-orogenic architecture 87
  - stratigraphy 86
  - summary 92–93, 97
  - system architecture **82**
- quantitative fallacy 26
- Raman spectroscopy 135
  - French Subalpine Chain case study
    - methods
      - kerogen isolation 141–142
      - sampling 140–141
      - TOC analysis 141
    - results 142, **142**
    - technique validation 144–145
    - temperature in relation to structure 143–144
  - results discussed 145
    - carbon at low temperature 147
    - geometry and evolution 145
    - Prealpine nappe extent 145
    - Prealpine nappe thickness 145, 147
    - relationship summary 146
  - introduction 136, 137, 138
  - summary 147–148
- Red Rock Fault 154
- remote sensing 417–418
  - studies in Fars Province
    - methods 418
    - results 426
      - cross-section construction 432, 433
      - dip data extraction 429, 429, 430
      - fold analysis 430, 431–432, 431
      - geological mapping 426–427, 428, 429
      - geomorphic analysis 432, 434, 435
      - river profiles 436, 436, 437, 438, 439, 440
      - topography 435–436
      - interferometry 437, 439
      - satellite studies 423, 425, 426
      - digital elevation models 424, 425
      - optical data 423–424
    - results discussed 439–441
    - salt tectonic influence 362
    - structural cross-section 422
    - summary 441–442
- Ribblesdale fold-thrust belt (FTB) 153–155
  - classification
    - Bowland Basin
      - offshore 165–169
      - onshore 162–165
      - Ganderian basement 169–171
      - Môn-Deemster FTB 154, 159–162, 160, 161
      - Ribblesdale FTB 155–156, 157, 158, 159
    - results
      - seismic interpretations and section balancing 171–172
    - results discussed 172
    - summary 172–173
- Romania, Diapir Fold Zone 267, 269
  - cross-section 270
  - geological setting 269
  - map 268
  - modelling structural style
    - data capture 273–275
    - experimental set-up 273
    - limitations 275
    - methods 269, 271, 272
    - results 275
      - kinematic evolution 275, 276, 277, 278
      - penetrative strain 278–279
      - salt movements 278
    - results discussed 279–280
    - summary 280
- roof thrusts 362
- Rossendale Block 156
- Salt Range (Pakistan), salt tectonic influence 362
- salt and thrust belt (STB) 365
- Sangro-Volturno (SV) Line 223
- Sargelu Formation 400
- seal integrity modelling in toe thrust anticlines 105–106
  - application in Borneo 105
    - geological setting 106–107, 106
    - leak-off pressures 109
  - seal integrity model
    - fold neutral surface 110
    - parameters **108**
    - shale compaction 113–115
    - shale pore pressure 110–113
    - shale-stress tensor 107–110
- thrust growth model
  - application
    - model results
      - structure (1) 117–122
      - structure (2) 122–126
    - results discussed
      - 1-D approach 126
      - application 126–129
      - final overview 130–131
      - summary models 129–130
      - summary 115–117
- sedimentation, thrust sheet toe environment 57
- seismic risk characterization 35
- sentinel satellites 424
- Seram Island 351, 352
- Seram Trough 351, 352
- Sevier (USA) petroleum tectonic analysis 33, 34
  - cross-section 90
  - map 80
  - pre-orogenic architecture 87
  - stratigraphy 86
  - summary 93–94, 97
  - system architecture **82**

- Shaikan Anticline 405
- Shiranish Formation 400
- shortening (contractional) styles 33, 35–36  
mechanical influences 36–37
- Shuttle Radar Topography Mission (STRM) system 424
- Sivas Basin (Turkey)  
geodynamic setting 363, 365  
geological framework 363–365  
introduction 362  
map 366  
methods of study 365  
results  
architecture 368, 370–371, 372  
seismic sections 369, 370  
sequential evolution 382  
Eocene-Oligocene 384  
Maastrichtian-Eocene 382–384  
Oligocene-Miocene 384  
Pliocene-Present 385  
structural domains 371  
structural styles 373, 381  
Central domain 373, 376, 377, 381  
Eastern domain 378, 379, 381–382  
perpendicular seismic line 380, 382  
Western domain 373, 374, 375  
tectonostratigraphy 367–368, 367  
results discussed  
erosion 389  
inherited structures 385  
multidécoulement system 385–386  
salt décollement 386, 388–389  
salt tectonic influence 362  
stratigraphy 367  
summary 389–390
- Skiddaw Thrust 154
- Skipton Anticline 159
- Skipton Rock Fault 159
- sole thrusts 10, 13, 13
- South Craven Fault System 154, 156, 159
- Southern Apennines Thrust Belt  
cross-section 222  
geological framework 223–224  
hydrocarbon province 224–225  
Benevento Field 225–226  
central sector exploration  
depth-structure map 228, 236  
kinematic restoration 235  
methods 226–227  
proven and prospective structures 227–234  
seismic data 227  
seismic sections 229, 231, 232, 233, 234  
significance of inversion 235–237  
well correlations 230  
summary 237  
introduction 221, 223  
tectonic evolutionary phases 224  
tectonic map 222
- Southern Apennines-Calabrian Arc 223
- Southern Borrowdale Lineament 154
- Stainmore Trough 163
- stratigraphic variation, impacts of 57
- structural evolution, factors affecting 57  
syn-kinematic strata  
association with geometry 60
- case studies  
Apennines 60  
North Po Plain 60–61, 61  
South Basilicata 61–62, 61  
summary 62  
Himalayas 62–63, 62  
comparisons 72  
deformation timing 69–70  
E Salt Range 65–67, 66, 67  
lateral variations 70–71  
NW arc 64–65  
serial sections 67–69  
summary 69  
thrust trajectory 70  
results discussed  
emergent thrust allochthons 72–73  
lateral variation 73–74  
out-of-sequence behaviour 73  
summary 74–75, 74
- Subalpine Chain (NW)  
geological setting 138, 139, 140, 141  
Raman spectroscopy case study  
methods  
kerogen isolation 141–142  
sampling 140–141  
TOC analysis 141  
results 142, 142  
technique validation 144–145  
temperature in relation to structure 143–144  
results discussed 145  
carbon at low temperature 147  
geometry and evolution 145  
Prealpine nappe extent 145  
Prealpine nappe thickness 145, 147  
relationship summary 146  
introduction 136, 137, 138  
summary 147–148
- Subandean fold-thrust belt (Bolivia) 25
- subduction, significance of 177
- Switzerland, Jura Mountains 362  
Mandach Thrust 199–201, 200, 201–204  
mechanical stratigraphy 204–205  
methods of study  
datasets 205  
workflow 205–207  
results 207  
section 11NS02 207  
section 11NS04 208–209  
section 11NS06 209, 210–211, 210  
section 11NS08 211, 212  
section 11NS10 211  
section 82NF10 207, 208  
section 83NF15 207–208, 209  
section 83NF31 211  
results discussed 211–213  
along-strike structural variation 213–214  
inherited normal faults 214–215  
overview 214  
secondary detachments 215  
shortening estimates 215  
strain gradient transfer 215–216  
thin v. thick skinned tectonics 213  
summary 216
- Sykes Anticline 156, 159



- syn-kinematic sediments 57
    - association with geometry 60
    - case studies
      - Apennines 60
        - North Po Plain 60–61, 61
        - South Basilicata 61–62, 61
        - summary 62
      - Himalayas 62–63, 62
        - comparisons 72
        - deformation timing 69–70
        - E Salt Range 65–67, 66, 67
        - lateral variations 70–71
        - NW arc 64–65
        - serial sections 67–69
        - summary 69
        - thrust trajectory 70
    - results discussed
      - emergent thrust allochthons 72–73
      - lateral variation 73–74
      - out-of-sequence behaviour 73
      - summary 74–75, 74
  - syn-subduction sedimentation patterns across
    - fold-thrust belt
      - Hikurangi margin
        - map 286, 289
        - setting 287–288, 290
      - methods of study 290
      - results
        - bathymetry and topography 290, 292–293
        - gravity data 290
        - seismic data 291, 293, 294, 295, 296, 298, 299, 299, 300, 300, 301
        - seismofacies 297
        - sub-basins 292
      - results discussed 301, 305
        - generic model 3065
        - hydrocarbon prospectivity 306
        - morphostructural elements 302–303, 304
        - sub-basin analogues 305–306
        - summary 306–307
- Synthetic Aperture Radar (SAR) 426
- Taiwan fold and thrust belt 34
- Tanimbar Trough 351, 352
- Tawke oil field 398
- Tecer fault 363
- Tecer Ridge 363
- temperature/thermal history 135
- thick v. thin skinned contractional deformation 26, 199, 224, 361
- thin v. thick skinned contractional deformation 26, 199, 224, 361
- Thornley Anticline 156
- Thringstone Fault 154
- thrust
  - allochthons 58
  - localization 57–58, 58
  - major v. minor 15
  - term first used 10
- Timor and Timor Orogen 329, 330, 331, 351, 352
  - BandaSeis study
    - methods 333–334, 334, 335, 352
    - results 335, 336, 337, 338, 339, 340
      - eastern sector 338–340
      - seismic sections 354, 355, 356, 357, 358
      - western sector 335–338
  - results discussed 356–358
    - deep tectonics 343–344
    - geographical analogues 344–345
    - inherited structures 345
    - structural analysis 341–342, 342
    - structural framework 340–341
    - thin-skinned deformation 342–343
    - summary 345
  - bathymetry 353
  - chronostratigraphy 332
  - geological setting 330–333
  - map 352
  - palaeogeography 331
- Timor Trough 351, 352
- toe thrust anticlines 105–106
  - modelling
    - application
      - structure (1) 117–122
      - structure (2) 122–126
    - parameters 108
      - fold neutral surface 110
      - shale compaction 113–115
      - shale pore pressure 110–113
      - shale stress tensor 107–110
      - thrust growth summary 115–117
    - results discussed
      - 1-D approach 126
      - application 126–129
      - overview 130–131
- Toro Sandstone 312, 315
- triangle zone geometry 362
- Turkey, Sivas Basin
  - geodynamic setting 363, 365
  - geological framework 363–365
  - introduction 362
  - map 366
  - methods of study 365
  - results
    - architecture 368, 370–371, 372
    - seismic sections 369, 370
    - sequential evolution 382
      - Eocene-Oligocene 384
      - Maastrichtian-Eocene 382–384
      - Oligocene-Miocene 384
      - Pliocene-Present 385
    - structural domains 371
    - structural styles 373, 381
      - Central domain 373, 376, 377, 381
      - Eastern domain 378, 379, 381–382
      - perpendicular seismic line 380, 382
      - Western domain 373, 374, 375
    - tectonostratigraphy 367–368, 367
    - results discussed
      - erosion 389
      - inherited structures 385
      - multidécoulement system 385–386
      - salt décollement 386, 388–389
    - salt tectonic influence 362
    - stratigraphy 367
    - summary 389–390
- Ulukışla Basin 363
- Uplifted (High) Folded Zone 398, 399, 405

- upper flat 58
- USA
  - Sevier petroleum tectonic analysis 33, 34
  - cross-section 90
  - map 80
  - pre-orogenic architecture 87
  - stratigraphy 86
  - summary 93–94, 97
  - system architecture **82**
- Vale of Pickering-Flamborough Head Fault Zone 154
- Variscan fold and thrust belt (FTB)
  - Northern England and Irish Sea Basin 153–155
    - Bowland Basin
      - offshore 165–169
      - onshore 162–165
    - Ganderian basement 169–171
  - Môn-Deemster FTB 154, 159–162, 160, 161
  - Ribblesdale FTB 155–156, 157, 158, 159
  - results
    - seismic interpretations and section balancing 171–172
  - results discussed 172
  - summary 172–173
- vertical motion studies in Kurdistan
  - chronostratigraphy 401
  - geological setting 397–398
  - introduction to structural domains 398, 399
  - methods of FTB study 397
  - results
    - erosion 408–409, 410
    - subsidence 398, 400, 402, 402, 403
    - uplift by region 402, 404, 405, 406, 407
    - uplift quantification 407–408, 408
    - well logs **406**
  - results discussed 410–411, 411, 412
  - summary 412
- viscous décollement 362
- vitrinite reflectance 135
- wall and basin structure (WABS) 365
- wedge structure 15, 19
- Welsh Borderland Fault System 154
- Wem Fault 154
- Zagros Fold and Thrust Belt (FTB) 33, 397–398
  - Fars Province 417, 418
  - chronostratigraphy 420
  - geological setting 418–419, 419, 423
  - regional cross-section 422
  - remote sensing studies
    - methods 418
    - results 426
      - cross-section construction 432, 433
      - dip data extraction 429, 429, 430
      - fold analysis 430, 431–432, 431
      - geological mapping 426–427, 428, 429
      - geomorphic analysis 432, 434, 435
      - river profiles 436, 436, 437, 438, 439, 440
      - topography 435–436
      - interferometry 437, 439
  - satellite studies 423, 425, 426
    - digital elevation models 424, 425
    - optical data 423–424
  - results discussed 439–441
  - salt tectonic influence 362
  - structural cross-section 422
  - summary 441–442
- petroleum tectonic analysis (PTA)
  - cross-section 88
  - map 80
  - pre-orogenic architecture 87
  - stratigraphy 86
  - summary 89–92, 97
  - system architecture **82**
  - salt tectonic influence 362
- Zap Anticline 405