

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Acanthosphaera* 128  
*Acanthostomella norvegica* 181, 201  
*Acarinina* 272  
*Acartia* 183, 185  
    *bifilosa* 184  
    *tonsa* 183, 183, 184  
acetolysis 66–67, 69, 70, 71–72, 125  
*Achomospaera* 203  
acid digestion 64, 68–69, 69, 70, 125  
*Acritarcha* 16–17, 16, 160, 163–169, 166, 323–324  
    in deltaic environments 209  
    geological age range 5, 6, 174, 175  
    history of research 2, 4  
    in low salinity, semi-enclosed seas 205, 207  
    polar assemblages 170, 171, 172, 193, 194, 195, 196  
    sediment types 46  
    temperate assemblages 197–198, 200, 201  
    tropical assemblages 202, 203  
*Acrogenospora* 110  
aDNA analysis 48  
*Adnatosphaeridium multispinosum* 286  
aeciospores 100  
*Agaricus bisporus* 98  
*Agrostis* 32  
*Aimia* 331  
Akinbo Formation 286  
Aktumsuk, Uzbekistan 288, 289  
*Alexandrium* 164  
    *tamarense* 162  
algal pigments 48  
Alinya Formation 333  
alkali digestion 65, 69, 71, 71  
*Alnus* 34  
*Alona rustica* 30  
*Alternaria* 109  
    *alternata* 101, 104  
    *brassicicola* 94  
*Ambrosia* 138, 141, 142  
*Ammobaculites ponticus* 168  
*Ammonia* 186  
    *ammoniformis* 168  
    *compacta* 168  
    *tepida* 168  
*Amphisphaerella dispersella* 36, 36  
*Amphitrema*  
    *flavum* 26, 26  
    *wrightianum* 26, 153  
Amuri Limestone Formation 291  
*Anabaena* 19, 19, 123, 128, 131, 138, 139, 140, 195, 205, 207  
*Ancyrochitina* 18  
Anglo-Welsh Basin 311, 314, 315, 316  
Angmaat Formation 332  
*Angochitina* 18  
annelids *see* scolecodonts  
*Annella*  
    *capitata* 44  
    *pulchra* 44  
Antarctic, marine non-pollen palynomorphs 172–173, 178, 179, 190, 196–197, 208–209, 213  
Anthering, Austria 283, 285, 292  
*Anthostoma turgidum* 102  
*Anthostomella fuegiana* 35  
*Anuraeopsis fissa* 31, 32  
*Apectodinium* 293–295  
    *augustum* 273, 274, 275, 275, 276, 277, 278–280, 282, 283, 286, 287, 288, 289, 291, 292  
    *homomorphum* 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 286, 287, 288, 289, 290  
    *longispinosum* 290  
    *paniculatum* 280, 286, 287, 288, 289  
    *parvum* 276, 279, 280, 281, 283, 284, 286, 287, 288  
    *quinquelatum* 276, 278, 279, 280, 281, 283, 284, 286, 288, 289  
    *summissum* 279, 286, 287, 288  
    *see also* Paleocene/Eocene Thermal Maximum (PETM)  
*Aphanizomenon* 19, 128, 131, 139, 140, 205  
*Apiosordaria* 41, 237, 238, 240, 248, 254  
    *verruculosa* 39, 40, 235  
*Aquadulcum awendae* 185  
*Arborispora* 111  
arbuscular mycorrhizal fungi (AMF) 44–45, 44, 235  
*Arcella* 26, 154, 199  
    *artocrea* 153, 154  
    *stellaris* 154  
arcellinids 26, 26, 124, 129, 133–134  
Archaea 321, 327  
*Archeomonas* 166, 208  
*Archerella* 154  
    *flavum* 154  
Arctic  
    marine non-pollen palynomorphs 170–171, 179, 192–196, 194, 208–209, 213, 215–217  
    PETM deposits 274, 278–279, 278, 285, 287, 289  
*Areoligera senonensis* 274  
*Arniium* 39, 40, 41, 235, 238, 248, 249, 250, 254, 257  
*Arthrinium* 236  
    *puccinioides* 35–36  
arthropods 27, 29  
    geological age range 5, 6  
    oribatid mites 27, 29, 46, 246, 258, 259  
    sediment types 46  
    *see also* crustaceans; insects  
*Ascaris* 30, 31, 238  
*Ascobolus* 248, 254, 257  
    *furfuraceus* 102  
    *immersus* 102  
*Ascodesmis* 41, 248, 250, 254  
Ascomycota 34, 92–93, 92  
    coprophilous fungi 40, 102, 237–238, 247, 248, 254–256  
    in freshwater environments 109–110, 110  
    parasitic fungi 42–43, 43  
    spore release and dispersion 101–102, 102, 104–105  
    spore types and features 92, 94, 95–98, 97, 97  
    in terrestrial environments 108–109  
    wood-decay fungi 36–37  
*Ascotaivania* 110  
*Ascozonus* 248, 254  
*Asgard* archaea 327  
*Assulina* 155  
    *muscorum* 26, 26, 155  
    *scandinavica* 155  
    *seminulum* 26, 155  
*Astrononion gallowayi* 168  
Atar Group 331, 332  
*Ataxiodinium choane* 213  
*Atrotorquata lineata* 38  
Australia  
    marine non-pollen palynomorphs 201, 202  
    PETM deposits 290, 291  
    Precambrian non-pollen palynomorphs 322, 325, 326, 328, 329, 330, 333, 336  
Austria, PETM deposits 283, 285, 292

- Balanion masanensis* 177  
ballistospores 98–99, 99, 102–103  
Baltic Sea 181, 182, 183, 204, 206–207, 213  
*Baltisphaeridium* 16, 201  
Banda Sea 185, 188, 191, 201–202  
*Bangiomorpha pubescens* 332  
Barberton Greenstone Belts 325  
Bashi Member 276–277  
Basidiomycota 34, 92–93, 92  
  coprophilous fungi 40, 103, 237, 247  
  rust fungi 41–42, 42, 46, 100, 103  
  smut fungi 42, 43, 46, 100  
  spore release and dispersion 98–99, 99, 102–103,  
  **104–105**  
  spore types and features 92, 94, 98–100, 98  
  wood-decay fungi 36  
Bass River, New Jersey 274–275, **278**  
Bastani Lake, Corsica 236  
Bastrop County, Texas 277, **278**, 292  
Beaufort–Mackenzie Basin, Canada 274, 292  
Belgium, PETM deposits 282–283, **285**  
Belt Supergroup 330  
*Beltrania* 111  
*Beringiella* **170**, **171**, **172**, 179–180, 200  
  *fritilla* 179–180, 181, 182  
*Betula* 32, 34  
biomarkers 48, 246  
*Bitetatodinium spongium* 200, 203, 211, 212  
Black Sea 161, 167, **168**, 174, 178, 180, 181, 184, 185, 186, 188,  
  189, 190, 191, 204–206, 207, 209, 213, 258  
Blackheath Formation 281  
*Blastanosphaera kokkoda* 331  
*Blysmatodinium argoi* 202  
*Bolivina pseudopunctata* **168**  
*Bombardioides* **41**, **248**, 250, **254**, 257  
*Bosmina* 129, 130, 181, 188, 209  
  *longirostris* 189  
  *longispina* 206, 207  
*Botryococcus* 20, 21, **46**, **123**, 132, 136, 137, 137, 138, 142, **170**,  
  **171**, **172**, 195, 197, 203, 204, 205, 207, 208  
  *braunii* 20, 128  
  *neglectus* 21  
*Brachionus* 32  
*Brachysporisporites* 37  
*Brachysporium* 37  
  *bloxami* 36, 37  
  *brevius* 37  
  *britannicum* 37  
  *pendulisporum* 36, 37  
  *pulchrum* 37  
*Branchinella longirostris* 336  
Brazil  
  marine non-pollen palynomorphs 199, 210  
  megaherbivore studies 259  
  PETM deposits 277  
*Brazilea* 132  
*Breomia rexroadii* 16  
*Brigantedinium* 162, 202, 203, 204, 208, 211  
  *simplex* 164  
*Brizalina subaeriensis* **168**  
bryophytes 32, 312–314, 315  
*Bryophytomyces sphagni* 43–44, 43  
budworm, spruce 28, 48  
*Bulbochaete* 21  
*Bulimina*  
  *exilis* **168**  
  *marginata* **168**  
*Bullinella elegantissima* **168**  
*Bullinularia indica* 153  
Bylot Supergroup 329  
*Bysmatrum* 161  
*Byssothecium circinans* 236  
*Calanus finmarchicus* 215  
calcareous nannofossils *see* Paleocene/Eocene Thermal Maximum (PETM)  
*Camarosporidiella mackenziei* 94  
Cameroon, PETM deposits 286, **287**  
*Camposporium pellucidum* 111  
Canada  
  Lake Simcoe, Ontario 137, 140, 141, 142  
  marine non-pollen palynomorphs 192–196, 194, 215–217  
  PETM deposits 274, **278**, 292  
  Precambrian non-pollen palynomorphs 328, 329, 332  
*Canalisporium* 38  
  *pulchrum* 38, 38  
*Canthocamptus* 30  
*Capillaria* 30, 31  
Carbon Isotope Excursion (CIE) 137, 270–271, 272–273, 292  
carbonicolous fungi 40, 41, **46**, 48, 235–237  
*Carcinomyces* 98  
Cariaco Basin 201, 203, 204, 211, 214–215, 216  
*Caryospora callicarpa* 36, 37  
Caspian Sea 188, 204–205, 209, 212–213  
*Cassidulina laevigata* **168**  
Caucasus  
  PETM deposits 288, **289**  
  textile fibres 45, 45  
*Cenococcum geophilum* 45  
Central America  
  PETM deposits 277  
  *see also* Mexico  
centrifugation 64–65, 66, 70, 72  
*Centropages* 185  
  *hamatus* 183  
  *typicus* 210  
*Centropyxis* **124**, 154  
  *aculeata* 129, 153  
  *constricta* 129  
  *elongata* 26  
  *spinosa* 26  
*Cephalodella exiqua* 32  
*Ceratiopsis speciosa* 274  
*Ceratophyllum* 33, 33  
*Ceratophyton* 335  
*Cercophora* 39, 40, **41**, 235, 236, 237, 238, 240, **248**, 253, **254**  
*Cerebrosphaera* 322, 333  
  *buicki* 328  
*Chaetomidium* **248**, **254**  
*Chaetomium* 39, 40, **41**, 235, 237, 238, 240, **248**, 253, **254**  
*Chaetosphaeria elsikii* 106  
Changcheng Group 322, 326, 329–330  
chaoborids **124**, 135, 136  
*Chaoborus* **124**  
Charophyta 21–22, 22  
  in lacustrine sediments **123**, 128, 131, 131, 132, 136–137,  
  141, 142  
  in marine sediments 195  
  in peat deposits 22  
  sediment types **46**  
*Chatonella* 201  
*Cheilymenia* **248**, 251, 253, **254**  
Chicotepec Formation 277  
Chicxulub impact crater 277  
Chile  
  marine non-pollen palynomorphs 200, 210  
  PETM deposits 277  
China  
  PETM deposits 289–290, **291**  
  Precambrian non-pollen palynomorphs 322, 326, 328, 329–331,  
  330, 332, 333, 334, 335–336  
chironomids 28, 29  
  in lacustrine sediments **124**, 130, 135, 142  
  in marine sediments 190, 196, 205  
  pastoralism studies 239

- Chironomus* **124**, *130*  
 Chitinozoa **5**, *18*, *18*, *174–176*, *174*, *214*  
*Chlamydomonas* **170**  
*Chlamydomonas glacialis* *195*, *208*  
*Chlorophyllum molybdites* *94*  
 Chlorophyta *19–21*, *20*  
   geological age range **5**, *6*  
   in lacustrine sediments **123**, *128*, *131–132*, *131*, *136*, *137*, *137*, *138*, *139*, *140*, *141*, *142*  
   in marine sediments  
     in deltaic environments *209*  
     in lacustrine sediments *206–207*  
     nearshore–offshore gradients *210*  
     palaeoproduction studies *214*  
     polar assemblages *195*  
     temperate assemblages *201*  
     tropical assemblages *204*  
   sediment types **46**  
   see also *Botryococcus*; *Coelastrum*; *Pediastrum*; prasinophytes;  
     *Scenedesmus*; *Tetraedron*
- Chomotrites* *205*  
   *minor* *165*  
 Chrysophyceae **5**, *6*, *23*, **46**  
 Chuar Group *330*, *333*, *334*  
 Chytridiomycetes *43*, *44*  
*Cibicides lobatulus* **168**  
*Cicatricosisporites* *278*  
 Ciliophora *177–181*, *180*, *181*, *182*  
   climate change studies *215–217*  
   in low salinity, semi-enclosed seas *207*  
   molecular studies *177*, *213*  
   polar assemblages **170**, **171**, **172–173**, *193–195*, *194*, *197*, *208*  
   temperate assemblages *198–199*, *201*  
   see also tintinnids
- cladocerans *28–30*  
   in lacustrine sediments **124**, *130*, *135*, *136*, *140*  
   in marine sediments *181*, *209*  
   sediment types **46**
- Cladophora* *332*  
*Cladosporium* *109*  
   *herbarum* **105**  
 Clutha Formation *325*  
 Cobham Lignite Bed *280*  
*Cobricosphaeridium* *184*  
   *spiniferum* *184*, *185*, *205*  
*Cochleatina* *336*  
*Cochlodinium polykrikoides* *201*, *204*, *211*  
*Codinaea*  
   *aristata* *106*  
   *paniculata* *106*  
*Codonaria* *210*  
*Codonella* **123**, *133*, *210*  
   *cratera* *24*, *25*, *129*, *137*, *142*  
*Codonellopsis* *178*, *201*, *210*  
   *glacialis* **172**  
   *pacifica* *176*  
   *pusilla* *178*  
*Coelastrum* *20*, *21*, *132*, *136*, *137*, *138*, *139*, *205*  
   *reticulatum* *128*, *136*, *140*  
*Colletotrichum* *106*  
   *graminicola* *106*  
*Concentricystes* *17*, *198*, *205*  
*Concentricystis* *165*, *198*, *199*, *202*, *203*, *205*  
*Coniochaeta* **41**, *235*, *236*, *238*, **248**, *250*, **254**, *257*  
   *lignaria* *39*, *40*, *235*  
   *xylariispora* *235*  
*Conochilus*  
   *hippocrepis* *32*  
   *natans* *32*  
*Conomelus* *28*  
*Constrictitubulus* *311*
- copepods *29*, *30*  
   in freshwater environments *135*  
   geological age range *174*  
   in marine sediments *174*, *181–185*, *183*, *184*  
   climate change studies *215*  
   low salinity, semi-enclosed seas *205*, *207*  
   nearshore–offshore gradients *210*  
   palaeoproduction studies *214–215*, *216*  
   polar assemblages **170**, **171**, **173**, *196*, *197*, *208*  
   temperate assemblages *198*, *200*, *201*  
   tropical assemblages *202*, *203*, *204*  
   in peat deposits *30*  
   sediment types **46**
- Coprinus* *103*  
*Copromyces* **248**, **254**  
 coprophilous fungi *39–40*, *39*, **41**, *245–260*  
   competition with other dung-dwelling organisms *252*  
   environmental conditions and *47*, *251–252*, *253*  
   growth *251–252*  
   human impact studies *234*, *235*, *236*, *237–240*, *239*  
   megaherbivore studies *245–247*, *247*, *258–260*  
   correlation with other proxies *258*  
   Late Quaternary extinctions *258–259*  
   past megafauna diet *259–260*  
   pre-Last Glacial records *258*  
   preparation methods *253–257*  
   quantification *257–258*  
   reproduction *249–251*, *251*  
   sediment types **46**  
   spore characteristics *253–257*, **254–256**  
   spore dispersal and transportation *102*, *103*, *252–253*  
   spore identification *249*, *250*  
   spore types *247–249*, **248**
- Coprotus* **248**, *253*, **254**  
 Corsica, pastoralism *236*  
*Cosmarium* **123**, *142*, **170**, **171**, *195*  
   *botrytis* *22*, *142*  
   *controversum* *22*  
   *formosulum* *128*  
   *protractum* *22*, *142*  
   *pyramidatum* *142*  
   *sportella* *22*  
   *turpinii* *22*, *22*
- Côte d'Ivoire, PETM deposits *286*  
 Crimea, PETM deposits *288*  
 crustaceans  
   in marine sediments *174*, *181–185*, *183*, *184*, *191*  
   climate change studies *215*  
   low salinity, semi-enclosed seas *205*, *207*  
   nearshore–offshore gradients *210*  
   ostracods *188*, *189*, *190*, *196*  
   palaeoproduction studies *214–215*, *216*  
   polar assemblages **170**, **171**, **173**, *196*, *197*, *208*  
   temperate assemblages *198*, *200*, *201*  
   tropical assemblages *202*, *203*, *204*, *211*  
   see also cladocerans; copepods
- Cryodinium meridianum* *197*, *208*  
 Cryogenian glaciations *333–334*, *335*  
*Cryptocaryon irritans* *177*  
*Cyrtostrombidium* *201*  
*Ctenodaphnia* *136*  
*Ctenosporites* *37*  
*Cumulospora* *110*, *110*  
   *marina* *98*  
*Curvularia* *109*  
 cyanobacteria *19*, *19*, *195*, *315–316*  
   evolution of *326*  
   geological age range **5**, *6*  
   in lacustrine sediments **123**, *125–131*, *128*, *136*, *138*, *139*, *140*  
   in marine sediments *207*, *209*  
   sediment types **46**
- Cyathinema digermulense* *335*

- Cyclopsiella* **170, 171, 172**, 195, 199  
*Cylindrocystis brebissonii* 22  
*Cymatiosphaera* 132, 160, 167, 169, **171, 172, 173**, 194, 195, 197, 201, 207  
     *cristatum* 167  
     *globosa* 166, 167, 209  
     *globulosa* 20, 21  
     *icenorum* 166  
     *invaginata* 166, 175  
     *latisepta* 175  
*Cymatocylis* 213  
     *affinis* **172**  
     *convallaria* **172, 178**  
*Cyrtostrombidium boreale* 201
- Dababiya, Egypt 284, **287**, 292  
*Daedalosphaera* 332  
 Dahomey Basin, Nigeria 286, **287**  
 Danube Delta 181, 189, 204, 205–206, 209, 213  
*Daphnia* 30, **124, 130, 136**  
     *pulex* 30  
*Dapsilidinium pastielsii* 211  
*Debarya* 22, 132, 199  
     *glyptosperma* 22  
 deep-time palynology *see* Precambrian non-pollen palynomorphs  
*Delitschia* **41**, 235, 236, 237, 238, 240, **248, 250, 254**, 257  
     *griffithsii* 39, 40  
     *marchlii* 39, 40  
 Denmark, PETM deposits 282  
 desmids 22, 22  
     in lacustrine sediments **123, 128, 132, 136–137, 141, 142**  
     in marine sediments 195  
     in peat deposits 22  
     sediment types **46**  
*Desmochitina minor* 18  
*Desmodesmus* 201  
*Diaptomus*  
     *sanguineus* 185  
     *spatulocrenatus* 185  
 diatoms 136, 206, 214  
*Dicrocoelium* 30, 31  
*Dictyoarthrinium sacchari* 35  
*Dictyocysta* **172**, 210  
     *mitra* 176  
*Dictyosphaera* 330  
     *macroreticulata* 328, 330  
*Dictyosporites* 37, 38  
*Dictyosporium* 37  
     *australiense* 36, 37  
     *digitatum* 36, 37  
     *heptasporum* 36, 37  
*Dictyotidium* 165  
     *dictyotum* 167  
 Dieppe Basin, France 137, 281–282, **285**  
*Diexallophasis remota* 16  
*Diffugia oblonga* 129  
 Dikarya 92, 92, 94  
     *see also* Ascomycota; Basidiomycota  
 Dilwyn Formation 290  
 dinoflagellates 23–24, 24  
     geological age range **5, 6, 174**  
     history of research 2, 4  
     human impact studies 237  
     in lacustrine sediments **123, 129, 130, 132–133, 136, 137, 137, 142**  
     life cycle 161, 161  
     in marine sediments 160–163, 161, 163, 164, 174, 181  
     climate change studies 215  
     low salinity, semi-enclosed seas 204–205, 206, 207  
     molecular studies 212–213  
     nearshore–offshore gradients 209, 210  
     palaeoproduction studies 213–215, 216  
     polar assemblages **170, 171, 172**, 193, 194, 196–197, 208  
     temperate assemblages 197–201  
     tropical assemblages 202–204, 211, 212  
     upwelling areas 210–211  
     nomenclature issues 78, 162  
     sediment types **46**  
     *see also* Paleocene/Eocene Thermal Maximum (PETM)  
 dinosporin 23, **123, 132, 161, 327**  
*Diphyllobothrium* 30, 238  
*Diplocadiella* 110  
     *scalaroides* 111  
 Diptera **124, 130, 135**  
     chaoborids **124, 135, 136**  
     chironomids 28, 29  
     in lacustrine sediments **124, 130, 135, 142**  
     in marine sediments 190, 196, 205  
     pastoralism studies 239  
*Discoaster*  
     *anartios* 272  
     *araneus* 272  
 DNA studies 48, 212–213, 238, 246  
 Doel borehole, Belgium 283, **285**  
*Domasiella* 203  
 Douala Basin, Cameroon 286, **287**  
 Doushantuo Formation 334, 335–336  
*Drechslera* 109  
*Dubridinium* 194, 198  
 dung beetles 47, 246, 252  
 dung fungi *see* coprophilous fungi  
*Dyctiosporium* 94
- early land plant phytodebris 309–317  
     dispersed cuticles and cuticle-like sheets 310, 311, 312–315, 313  
     dispersed spores 312  
     dispersed tubular structures 310, 311, 313, 315–316  
     early fungal phytodebris 310, 313, 317  
     nematophytes 310, 311, 313, 314, 315, 316  
     origin and early evolution of land plants 310–312  
     stratigraphical distribution 310  
*Echinidinium* 162, 164, 203, 204, 211  
     *granulatum* 164  
     *karaense* 208  
 ectomycorrhizal fungi 44, 45, 103, 108–109  
 Egypt, PETM deposits 284, **287, 292**  
 El Mreiti Group 331, 332  
 El Niño Southern Oscillation 204, 210–211  
 Elles, El Kef Basin, Tunisia 284, **287**  
*Elphidium*  
     *excavatum* **168**  
     *incertum* **168**  
*Endophragma collapsa* 37  
 England  
     marine non-pollen palynomorphs 199  
     PETM deposits 280–281, 281, **285**  
*Encusulifera carinata* 201  
*Entolingulina deplanata* **168**  
*Epelidinium*  
     *brinkhuisii* 289  
     *pechoricum* 287, 288  
*Ephydatia fluviatilis* 27  
*Epicoccum* 109  
     *nigrum* 94  
*Epilidinium* 273  
*Equisetum* 34  
 ericoid mycorrhizal fungi 44, 44, 45, **46**  
*Eriophorum* 33  
*Euastrum* 142  
     *ansatum* 22  
     *bidentatum* 128, 142  
     *insulare* 22  
     *oblongum* 22

- Eucalamus elongatus* 185  
 euglenid loricae **5**, 6, 23, 23, **46**, **123**, 133  
*Euglypha* 199  
   *cristata* 153  
 eukaryote evolution *see* Precambrian non-pollen palynomorphs  
*Eupoikilofusa striatifera* 16  
*Eurycercus* 140  
   *glacialis* 30  
   *lamellatus* 30  
*Eurytemora affinis* 183  
 eustatic sea-level rise 272, 284, 292  
 eutrophication  
   Baltic Sea 206, 207  
   cultural 136–142, 138, 139, 140, 141, 237  
   indicators  
     cladocerans 135  
     cyanobacteria 19, 136, 207  
     dinoflagellates 137, 206, 237  
     flatworms 134  
     green algae 21, 136–137  
     rotifers 31  
     testate amoebae 26, 133  
     tintinnids 24, 137, 169  
 evolution of early life 5  
   *see also* Precambrian non-pollen palynomorphs  
*Excultibrachium concinnum* 16  
 extraction techniques *see* processing techniques
- Farrell Quartzite 325  
*Fasciola hepatica* 30, 31  
*Favella* 210  
   *serrata* 177  
 Fifteenmile Group 334  
 File Haidar Formation 335  
*Filinia* 32, 130, 140, 181, 209  
   *longiseta* 32, 206  
*Fimetariella* **248**, **254**  
*Fissurina*  
   *fragilis* **168**  
   *lucida* **168**  
 flatworms *see* Platyhelminthes  
 Florissant Beds 136  
 foraminifera 24–26, 25, **168**, 186–188, 187  
   geological age range **5**, 6, 174  
   history of research 2  
   in low salinity, semi-enclosed seas 204, 205–206  
   nearshore–offshore gradients 209–210  
   palaeoproduction studies 214–215, 216  
   polar assemblages **170**, **171**, 195–196, 197, 208  
   sediment types **46**  
   temperate assemblages 198, 199, 200, 201  
   tropical assemblages 202–203, 204  
   *see also* Paleocene/Eocene Thermal Maximum (PETM)  
 Forties Formation 280  
 France  
   pastoralism in Corsica 236  
   PETM deposits 137, 281–282, **285**  
*Frasnacritetus* 35  
 freshwater environments  
   fungi 37–39, 38, **46**, 109–111, 110  
   human impacts on 136–142, 138, 139, 140, 141, 237  
   sponges **5**, 6, 26–27, 27, **46**  
   *see also* lacustrine sediments  
 Freshwater West Formation 311  
 Frysjaodden Formation 278  
 FTIR *see* micro-Fourier transform infrared (FTIR) spectroscopy  
 Fungal Names **82**, 85  
 fungi 34–45, 91–112  
   assemblages and diversity patterns 107–111  
   in freshwater environments 109–111, 110  
   functional approach 107–108, 112  
   in terrestrial environments 108–109  
   earliest fossil record 310, 313, 317, 332  
   functional guilds 107–108  
   geological age range **5**, 6  
   history of research 2, 4  
   human impact studies 234, 235–240, 235, 236, 239  
   identification problems 93–95  
   life cycle 93  
   melanins and preservation 105–107  
   modern v. palaeo approaches to ecology 107  
   mycorrhizal fungi 44–45  
     arbuscular 44–45, 44, 235  
     ectomycorrhizal 44, 45, 103, 108–109  
     ericoid 44, 44, 45, **46**  
     nomenclature issues 15, 34, 78–80, 85, 95  
   in peat deposits 34–35, 34, 37, 40, 43–44, 45, 46, 47  
   plant parasites 41–44, 234, 236  
     other parasitic fungi 42–44, 43, **46**  
     rust fungi 41–42, 42, **46**, 100, 103  
     smut fungi 42, 43, **46**, 100  
   saprotrophs 34–41, **46**  
     carbonicolous fungi 40, 41, **46**, 48, 235–237  
     freshwater fungi 37–39, 38, **46**, 109–111, 110  
     on herbaceous plants 35–36, 35  
     in peat bogs 34–35, 34  
     soil fungi 40–41, 42, **46**, 109  
     wood-decay fungi 36–37, 36, **46**  
   sediment types **46**  
   spore release and dispersion 98–99, 99, 100–103, 102, **104–105**, 252–253  
   spore types and features 92, 94, 95–100, **97**, 97, 98, 247–249, **248**, 253–257, **254–256**  
   *see also* coprophilous fungi  
*Fusififormisporites* 38  
*Fusiperidinium* **123**  
   *wisconsinense* 129, 132  
*Fusopsis* 176
- Ganoderma*  
   *applanatum* **104**  
   *australe* **104**  
*Geiselodinium* 132, 136, 281  
   *tyonekensis* 132  
*Gelasinospora* 40, **41**, 41, 237, **248**  
   *cratophora* 40  
   *dictyophora* 40  
   *reticulispora* 41, 235  
*Gemmulooides* 331  
*Geoglossum sphagnophilum* 34, 34  
 Georgia, textile fibres 45, 45  
 Germany  
   lacustrine sediments 132, 135, 136, 137  
   PETM deposits 283  
*Germinosphaera* 329  
 Ghana, PETM deposits 286  
*Gigantospheeridium* 327, 330–331  
 Gilsonryggen Member 278  
*Gleocapsomorpha* 203  
*Gleotrichia* 205  
 global warming *see* Paleocene/Eocene Thermal Maximum (PETM)  
*Globobulimina auriculata* **168**  
*Gleomargarita* 136  
*Gleotrichia* 19, 19  
 gloiospores 101–102  
 Glomeromycota 34, 44–45, **46**, 47, 235  
*Glomosporium leptideum* 42, 43  
*Glomus* 41, 44–45, 44, 47, 234–235, 258  
   *fasciculatum* 44  
*Glyptotendipes*  
   *glaucus* 28  
   *pallens* 28

- Gonyaulax*  
*baltica* 205, 213  
*polygramma* 213  
*verior* 213
- Grand Banks, Canada 274
- Great Oxidation Event 326
- green algae *see* Charophyta; Chlorophyta; prasinophytes
- Green River Formation 136
- Greenland  
 Lake Igaliku 239  
 marine non-pollen palynomorphs **170–171**, 179, 192–196, 194  
 pastoralism and erosion 239  
 PETM deposits 274, 278–279, 292
- Gromia* 186
- Gubbio, Italy 284, **285**
- Gulf of California 200, 202, 210, 214
- Gulf of Mexico 185, 203, 210, 211, 276, 277
- Gyalosphaeridium* 336
- Gymnoascus* **248**, 253, **254**
- Gymnodinium* 164  
*nolleri* 204
- Gymnopilus* 94
- Gyratrix* **124**, 130, 134
- Habrotricha angusticolis* 30, 31
- Halenospora* 94, 110, 110  
*varia* 98
- Halodinium* **170**, **171**, **172**, **173**, 177, 180, 182, 193–195, 194, 197, 199, 200, 201, 203, 204, 207, 208  
*major* 207  
*minor* 182, 201  
*scopaeum* 199  
*verrucatum* 177, 182
- Halosphaera* 21, 164, 167, 336
- Hampshire Basin, England 280–281, 281, **285**
- Hapalophragmites* 42
- Harknessia* 94
- Harpacticoida* 30
- Harrell Core, Mississippi 276–277, **278**
- Harwich Formation 280
- Hatchetigbee Formation 276–277
- Hebeloma* 94
- Helianthus* 142
- Helicodendron paradoxum* 111
- Helicoon pluriseptatum* 34, 34
- Helicoöntes* 34–35
- Helicosporiates* 35
- Helicostomella* 201, 210  
*subulata* 176
- helminth eggs **5**, 6, 30, 31, **46**, 177, 178, 238
- Hemileia vastatrix* 103
- Hesperodiptomus* 30
- Hexarthra mira* 32
- Hexasterias* **170**, **171**, 177, 180–181, 180, 195, 199, 201, 207  
*problematica* 177, 182, 198
- Hilidicellites* 42
- history of palynology 2–5, 3
- Hoegisphaera* 176
- Holmehus Formation 282
- Holzer Formation 283
- Hooper Formation 258
- human impacts 233–241, 235  
 erosion 234–237  
 fire 235–237  
 on freshwater ecosystems 136–142, 138, 139, 140, 141, 237  
 literature review 233–234  
 modern-analogue studies 238–240  
 pastoralism 236, 237–238, 239, 240  
 on peatlands 237  
 textile fibres **5**, 6, 45, 45, **46**
- Hyalosphenia* 154  
*papilio* 153  
*subflava* 26
- Hypocopra* **248**, **254**  
*stercoraria* 250
- Hypomyces lactifluorum* 102
- Hypoxylon*  
*fragiforme* 102, 102  
*howeanum* 102
- Hypoxylonites* 36–37
- Hystrichosphaera* 24
- identifying acronyms (IAs) 14–15, **14**, 79, 81, 85
- Igaliku Lake, Greenland 239
- Imo Shale Formation 286
- Impagidinium* 202, 210, 211, 213  
*aculeatum* 211, 212  
*caspiense* 205  
*pallidum* 193, 197, 208, 213  
*variaseptum* 208
- Impagidium, caspiense* 212–213
- Inapertisporites decani* 42
- Index Fungorum **82**, 83–85
- India  
 PETM deposits 288–289, **289**  
 Precambrian non-pollen palynomorphs 322, 329, 330
- Indonesia  
 Banda Sea 185, 188, 191, 201–202  
 PETM deposits 290
- ingoldian fungi 110, 110
- Inocybe lacera* 103
- insects 27–28, 29, **46**  
 lepidopteran wing scales 28, 29, 48, 204  
*see also* Diptera
- International Code of Nomenclature for Algae, Fungi, and Plants (ICN) 77, 78, 79, 80–81, **80**, 83–85, 84, 162
- International Code of Nomenclature of Prokaryotes (ICNP) **80**, **80**
- International Code of Zoological Nomenclature (ICZN) 77, 78, 80–81, **80**, 83, 84
- International Society of Protistologists 80
- Iodophanus* **248**, 253, **254**
- Isla Grande de Tierra del Fuego, Argentina 111
- Islandiella helenae* **168**
- Islandinium*  
*cezare* 198, 208  
*minutum* 193, 194, 197, 208, 213
- Isochrysis galbani* 167
- Isthmospora spinosa* 43, 43
- Italy, PETM deposits 283–284, **285**
- Itersonilia perplexans* 98, 98
- Jacutianema* 332–333
- Jadammina macrescens* **168**
- Juniperus communis* 32
- Kaibabia* 333
- Kallo borehole, Belgium 283, **285**
- Kaltasy Formation 330
- Kamo Group 330
- Kamyshin Formation 288
- Kazakhstan, PETM deposits 288, **289**
- Kellicottia* 31  
*longispina* 130
- Keratella* 32, **124**, 201  
*cochlearis* 130, 134  
*earlinae* 130  
*hiemalis* 130  
*quadrata* 130
- Kernia* **248**, 253, **254**
- Khasi Hills, India 289, **289**
- Kilwa Group 286
- Kionochaeta* 111

- Kivinje Formation 286  
*Kosmymatomyces alatophylus* 94  
*Kretzschmaria deusta* 47, 234, 236  
*Kwoniella* 98
- Laackmanniella* 213  
*naviculaefera* 178  
*Labidocera* 185  
*aestiva* 183  
*Laboea* 215  
 Labrador Shelf, Canada 274  
*Laccaria laccata* 103  
*Lactarius rufus* 103  
*Lacunalites* 132  
 lacustrine sediments 45–46, **46**, 47, 121–143, 122  
   common non-pollen palynomorphs 125  
   arcellinid tests **124**, 129, 133–134  
   cladoceran appendages, carapaces and eggs **124**, 130, 135, 136, 140  
   cyanobacteria **123**, 125–131, 128, 136, 138, 139, 140  
   dinoflagellate cysts **123**, 129, 130, 132–133, 136, 137, 137, 142  
   dipteran head capsules **124**, 130, 135, 142  
   euglenid loricae **123**, 133  
   flatworm egg cases **124**, 130, 134  
   green algae **123**, 128, 131–132, 131, 136–137, 137, 138, 139, 140, 141, 142  
   nematode eggs **124**, 134, 137  
   rotifer loricae and resting eggs **124**, 130, 134, 140  
   tintinnid loricae **123**, 129, 133, 137, 142  
   methodological considerations 125  
   palaeolimnological applications 135–142, 137, 138, 139, 140, 141  
   quick identification guide 126–127
- Lagena mollis* **168**  
 Lakadong Sandstone Member 288, 289  
 Lakhanda Formation 331, 333  
 Lambeth Group 280  
*Lanulatisphaera* 333  
*laufeldii* 330  
*Lasiobolidium* **248**, **255**  
*Lasiobolus* **248**, **255**  
*Lasiodiplodia* 43  
*Lasiosphaeria caudata* 37  
*Lavradospaera* 169  
*crista* 175  
*lucifer* 175  
*rockallensis* 175  
*Lecaniella* 199  
*Leiofusa stoumonensis* 16  
*Leiosphaera* 193, 195  
*Leiosphaeridia* 165, 167, **170**, **171**, **172**, 194, 195, 197, 199, 208  
*kulgunica* 330  
 Lentin and Williams Index of Fossil Dinoflagellates 81, 162  
 lepidopteran wing scales 28, 29, 48, 204  
*Leposida ponomarenkoi* 135  
*Leprotintinnus* 210  
*pellucidus* 176  
*Leptodorosida zherikhini* 135  
*Leptosphaeria acuta* 102  
*Leydigia* 30  
*Lingulodinium*  
*machaerophorum* 24, 24, 164, 198, 200, 204, 205, 211, 212  
*polydrum* 206  
 Lista Formation 280  
 Liulaobei Formation 333  
 Lodo Formation 276  
 Lodo Gulch, California 276, **278**, 292  
 Lomonosov Ridge, Arctic 274, 287, **289**  
 London Basin, England 280–281, 281, **285**
- London Clay Formation 280, 281, 281  
*Longinebela tubulosa* 153  
*Lophocolea heterophylla* 32  
 loricate Euglenophyta 5, 6, 23, 23, **46**, **123**, 133  
*Lycoperdon perlatum* 98  
*Lycopodium* 257
- Macrobiotus* 27  
*ambiguous* 28  
*hufelandi* 28  
 Mallapunyah Formation 329  
*Mantoniella squamata* 167  
 marine non-pollen palynomorphs 45, **46**, 159–217  
   applications 191–217  
   biomolecular studies 212–213  
   climate change and seasonality shifts 215–217  
   deltaic environments 209  
   low salinity, semi-enclosed seas 204–207  
   nearshore–offshore gradients 209–210  
   palaeoproduction and food webs 213–215, 216  
   polar assemblages **170–171**, **172–173**, 191–197, 194, 208–209  
   temperate assemblages 197–201  
   tropical assemblages 201–204, 211, 212  
   upwelling areas 210–211  
 overview of groups 160–191  
   acritarchs 160, 163–169, 166, 174, 175  
   arthropod exoskeletons 191  
   chitinozoans 174–176, 174  
   crustacean and copepod eggs 174, 181–185, 183, 184  
   dinoflagellates 160–163, 161, 163, 164, 174, 181  
   flatworm eggs 190–191  
   foraminifera **168**, 174, 186–188, 187  
   ostracods 188, 189, 190  
   other ciliophorans 177–181, 180, 181, 182  
   prasinophytes 160, 163–169, 166, 174  
   scolecodonts 174, 188–190, 190  
   tintinnids 169–177, 174, 176, 178  
   see also Paleocene/Eocene Thermal Maximum (PETM)
- Marlboro Clay 275  
 Marmara Sea 161, 164, 174, 204–205, 206  
 Massanutten Sandstone 315  
 Mauritania, Precambrian non-pollen palynomorphs 331, 332  
 Mead Stream, New Zealand 291, **291**  
*Mecsekia* 165, **172**, 197  
*Mediaverrucites* 37  
 megaherbivore studies 245–247, 247, 258–260  
   correlation with other proxies 258  
   Late Quaternary extinctions 258–259  
   past megafauna diet 259–260  
   pre-Last Glacial records 258  
*Megalohypha aqua-dulces* 37–38, 38  
*Melanconis alni* 44  
 melanins, fungal 105–107  
*Melanospora* **248**, 249, **255**  
*Meliola* 94  
*ellisii* 42–43, 43  
*Meliolinites* 43  
*Melitisphaeridium choanophorum* 211  
*Melonis zandami* **168**  
 Messel Beds 132, 135, 136, 137  
*Messelodinium thielepfeifferae* 132, 136  
*Metacylis* 210  
 Mexico  
   lacustrine sediments 131  
   marine non-pollen palynomorphs 202–203, 209–210  
   PETM deposits 277  
   see also Gulf of Mexico  
*Micodalyellia* 130, 134  
*Micrhystridium* 16, 165, 199, 201, 202, 203  
*bifurcatum* 167  
*Microcrocis* 128

- Microcystis* **123**, *128*, *131*  
 micro-Fourier transform infrared (FTIR) spectroscopy *161–162*,  
*169–174*, *177–179*, *180*, *181*, *200*, *213*, *327*, *332*, *333*
- Micromonas* *167*
- Microthyrium* *236*
- Miliammina fusca* **168**, *187*
- Miroedikha Formation *333*
- mites *see* oribatid mites
- Molinaea* *43*
- Mongolia, Precambrian non-pollen palynomorphs  
*333–334*, *335*
- Monodictys paradoxa* *37*
- Monodinium* *215*
- Mont Bernon Group *281*
- Moodies Group *325*
- Moor Cliffs Formation *311*
- Morozovella* *272*
- Mortemer Formation *281*
- Mougeotia* *22*, *22*, *128*, *136*, *199*, *207*
- mounting techniques *68*, *70*, *72*
- Moyeria* *133*
- Multiplicisphaeridium* *16*
- Muribasidiopora* *98*
- Muscoclitina* *18*
- Muzzle Group *291*
- Mycoarctium* **248**, **255**
- Mycobank **82**, *83–85*
- mycorrhizal fungi *44–45*  
 arbuscular *44–45*, *44*, *235*  
 ectomycorrhizal *44*, *45*, *103*, *108–109*  
 ericoid *44*, *44*, *45*, **46**
- Naiadinium polonicum* *129*
- Nanfen Formation *332*
- Nanhermannia nanus* *27*
- Nannobarbophora walldalei* *166*
- Nebela flabellulum* *153*
- Nectria lagodes* *96*
- nematodes, eggs *30*, *31*, **124**, *134*, *137*
- Nematosketum* *316*
- Nematosphaeropsis* *202*, *211*  
*labyrinthus* *164*, *211*
- Nematothallus* *313*, *314*, *316*
- Neorhabdocoela *see* Rhabdocoela/Neorhabdocoela
- Netherlands, PETM deposits *282*, **285**
- Neurospora* *40*, **41**, *41*, *48*, *235*, *237*
- New Zealand, PETM deposits *290–291*, **291**
- Nigeria, PETM deposits *284–286*, **287**
- Nigrosabulum* **248**, **255**
- Nkapa Formation *286*
- nomenclature *77–86*  
 challenges *78–80*  
 citing taxonomic names *85*  
 codes *77*, *78*, *79*, *80–81*, **80**, *83–85*, *84*, *95*  
 erecting new taxa *81–85*, *84*  
 identification resources *81*, **82–83**  
 identifying acronyms (IAs) *14–15*, **14**, *79*, *81*, *85*  
 taxonomic housekeeping *85*
- Nonesuch Formation *333*
- Nonion matagordanus* **168**
- North America  
 cyanobacteria *315*  
 early terrestrial animals *317*  
 lacustrine sediments *128*, *129*, *130*, *136*, *138*  
 Lake Simcoe, Ontario *137*, *140*, *141*, *142*  
 marine non-pollen palynomorphs *192–196*, *194*, *215–217*  
 megaherbivore studies *258–260*  
 PETM deposits *274–277*, **278**, *292*  
 Precambrian non-pollen palynomorphs *328*, *329*, *330*, *330*, *332*,  
*333*, *334*
- North Atlantic Igneous Province (NAIP) *278–279*
- North Atlantic Oscillation (NAO) *199*, *206*
- North Sea  
 marine non-pollen palynomorphs *166*, *177*, *185*, *190*, *207*  
 PETM deposits *277*, *279–280*, *292*
- Norway, Precambrian non-pollen palynomorphs *335*, *336*
- Nostoc* *131*
- Nucicla umbiliphora* *197*
- Nunatsiaquus* *332*
- Nussbaumersee, Switzerland *137–140*, *139*, *142*
- Nyborg Formation *335*, *336*
- Nymphaeaceae *33*, *33*
- Oedogoniales *20*, *21*, **46**
- Oedogonium* *20*, *21*  
*henriquesiisimilar* *21*  
*ibadanense* *21*  
*pseudo-cleveanum* *21*  
*sphaerocephalum* *21*  
*subspirale* *21*
- Oldhaven Formation *280*
- Olpidium pendulum* *44*
- Ølst Formation *282*
- Operculodinium*  
*centrocarpum* *24*, *162*, *164*, *194*, *200*, *207*, *211*, *212*, *213*  
*israelianum* *211*, *212*
- Ophryotrocha* *190*  
*orensanzi* *197*
- Orbilina* **248**, **255**
- organic-walled microfossils (OWM), use of term *324*
- oribatid mites *27*, *29*, **46**, *246*, *258*, *259*
- Orthomorphina*  
*calonesis* **168**  
*drammamensis* **168**
- Orthosphaeridium chondrododora* *16*
- Oshosun Formation *286*
- Østerrende Clay *282*
- ostracods *188*, *189*, *190*, *196*
- Ostreichion* *96*
- Otway Basin, Australia *290*, **291**
- Ourasphaira* *322*, *337*  
*giraldae* *328*, *332*
- Ovoidites* *136*, *201*  
 oxidation *67*, *70*, *72*, *125*
- Pachysphaera* *167*
- Pacific Decadal Oscillation (PDO) *211*
- Pacillina arctica* *179*
- Pakistan, PETM deposits *288*
- Palacanthus ledanoisii* *166*, *167*
- palaeoenvironmental DNA (PalEnDNA) studies *246*
- Palaeoperidinium pyrophorum* *278*
- Palaeostomocystis* **170**, **171**, **172**, *179–180*, *180*, *195*, *203*  
*frutilla* *129*, *133*, *179*, *180–181*  
*reticulata* *179*  
*subtilitheca* *179*, *180–181*, *182*
- Palambages* *165*
- Paleocene/Eocene Thermal Maximum (PETM) *269–297*  
*Apectodinium* *272–297*, *273*, *275*  
 Africa *284–286*, **287**, *292*  
 Arctic *274*, *278–279*, **278**, **285**, *287*, **289**  
 Australia *290*, **291**  
 Central America *277*  
 Central Asia *288*, **289**  
 China *289–290*, **291**  
 New Zealand *290–291*, **291**  
 North America *274–277*, **278**, **289**  
 North Atlantic Igneous Province (NAIP) *278–279*  
 North Sea *277*, *279–280*, *292*  
 Russia *287–288*, **289**  
 South America *277*  
 South Asia *288–289*, **289**  
 South East Asia *290*  
 Spitsbergen *278*, **285**, *292*



- Paleocene/Eocene Thermal Maximum (PETM)  
 (Continued)  
 Western Europe 280–284, 281, **285**, 292  
 calcareous nannofossils 272, 275  
 Africa 284, 286, **287**  
 Central America 277  
 Central Asia 288, **289**  
 New Zealand 291, **291**  
 North America 275, 276, 277, **278**  
 North Sea 279  
 Russia 287, **289**  
 South Asia 288  
 Western Europe 280, 283, 284, **285**  
 foraminifera 270, 271, 272, 275  
 Africa 284, 286, **287**  
 Australia 290, **291**  
 Central America 277  
 Central Asia 288, **289**  
 China 289, **291**  
 New Zealand 291, **291**  
 North America 276, **278**  
 South America 277  
 Western Europe 283, 284, **285**  
 global warming 270, 291–292  
 biological effects 271, 272–273, 292  
 Carbon Isotope Excursion (CIE) 137, 270–271,  
 272–273, 292  
 climate effects 271–272, 292  
*Paleopyrenomyces devonicus* 96  
*Papulospora sepenoides* 98  
*Papulosporonites mohgaensis* 42  
*Paracalanus* 185  
*Parafavella* 169, 177  
*denticulata* 176  
*Parafissurina*  
*dzemetinica* **168**  
*lateralis* **168**  
 Paris Basin, France 137, 281–282, **285**  
*Parundella caudata* 176  
*Parvodinium* 132  
*inconspicuum* 129, 132  
*umbonatum* 130  
 pastoralism 236, 237–238, 239, 240  
 peat deposits 46, **46**, 48  
 copepods 30  
 desmids 22  
 freshwater sponges 27  
 fungi 34–35, 34, 37, 40, 43–44, 45, 46, 47  
 human impacts on 237  
 rotifers 30, 31  
 testate amoebae 26, 48, 152, 154  
 vascular plant remains 33, 34, 46  
 Pebble Point Formation 290  
*Pediastrum* 20, 20, **123**, 132, 136, 137, 137, 138, 139, 141, 142,  
**170**, **171**, **172**, 193, 194, 195, 198, 199, 200, 204, 205, 207,  
 208, 281, 282  
*angulosum* 20  
*argentinense* 20  
*biwae* 201  
*boryanum* 20, 128, 205, 206–207  
*duplex* 20, 206  
*gatumense* 137  
*kawraiskyi* 206–207  
*simplex* 201, 205, 206  
 Pember Mudstone 290  
*Penium* 22  
*Pentapharsodinium*  
*dalei* 162, 197, 200  
*faroense* 167  
*tyrrhenicum* 201  
*Peridinium* **123**, 237  
*bipes* 129  
*cinctum* 129, 212  
*faroense* 167  
*gatumense* 129  
*limbatum* 129  
*ponticum* 24, 206  
*willei* 129, 132, 137  
*Pestaliopsis* 94  
*Pestaliopsis guepinii* 111  
*Petriella* **248**, **255**  
*Peziza* **248**, 253, **255**  
*Phaeosphaeria nodorum* **104**  
*Phakopsora pachyrhizi* 103  
*Phomatospora* **248**, **255**  
*Phragmidium violaceum* 94  
*Phragmites* 33  
*Phryganella* 154  
*nidulus* 154  
 phycomata 20, 21, 165–167, 166, 195, 214, 331  
*Phytophthora* 47  
*Picea* 33  
*Pinus* 32, 33, 33  
*Pistillipollenites macgregorii* 283  
*Pithomyces chartarum* 36, 43  
*Placocista spinosa* 153  
*Plagiocampa* 177  
*Planorotalites pseudomenardii* 286  
 plants, vascular 32–34, 33  
 bark and xylem remains 33, 34  
 conifer stomata 33, 33, **46**  
 epidermal cells and hairs 33, 33, **46**  
 geological age range 5, 6  
*see also* early land plant phytodebris  
 Platyhelminthes 30, 31, 32, 32  
 geological age range 5, 6  
 human impact studies 238  
 in lacustrine sediments **124**, 130, 134  
 in marine sediments 177, 178, 190–191, 196  
 sediment types **46**  
*Pleuroascus* **248**, **255**  
*Pluricellaesporites* 39  
 Poaceae 33  
*Podosordaria* **248**, **255**  
*Podospora* 40, **41**, 235, 237, 238, 239–240, **248**, 250,  
**255**, 257  
*anserina* 39, 40  
*decipiens* 39, 40, 102, 102  
*fimiseda* 102, 102  
*inflatala* 39, 40  
*Polarella glacialis* 193, 197, 208, 213  
 Polosataya Formation 288  
*Polyadosporites suescaae* 42  
*Polyancistrodorus cf. intricatus* 16  
*Polyarthra dolichoptera* 32  
*Polyasterias* **172**, 197  
*problematica* 24, 25, 177  
 polychaete worms *see* scolecodonts  
*Polykrikos* 162, 164, 208, 211  
*kofoidii* 200  
*schwartzii* 164  
 polymerase chain reaction (PCR) methods 212–213  
*Polysphaeridium zoharyi* 198, 202, 210, 211, 212  
*Pontella* 185  
*mediterranea* 183, 183  
 Ponto-Caspian seas 204–206, 209, 212–213  
*see also* Black Sea; Marmara Sea  
*Populus tremula* 32  
*Poronia* **248**, **255**  
*Porosonion subgranosus* **168**  
*Potamogeton* 33  
*Potamozyces* 37  
*nepalensis* 38  
 Prasinophyceae 20, 21, 132, 167

- prasinophytes 20, 21, 131  
   geological age range 174  
   history of research 2, 4  
   in marine sediments 160, 163–169, 166, 174  
   molecular studies 213  
   nearshore–offshore gradients 210  
   polar assemblages 172, 173, 194, 195, 197, 208  
   temperate assemblages 198, 199, 200, 201  
   sediment types 46
- Precambrian non-pollen palynomorphs 321–337  
   anatomy of 323, 326  
   Archean Eon 322, 325–326  
   early eukaryote evolution 321, 322–323, 326–334  
     cellular complexity 326–329, 328  
     Mesoproterozoic Era 322, 327, 328, 330–332, 330  
     multicellularity 322, 332–333, 335, 336, 337  
     Neoproterozoic Era 322, 328, 330, 332–334, 335  
     ocean oxygenation and 326, 331, 333, 334  
     Paleoproterozoic Era 322, 322, 326, 329–330, 329  
   eukaryotic diversity through Proterozoic 334  
   identification of early eukaryotes 326  
   preparation methods 324–325, 324  
   protistan and animal evolution at the Ediacaran–  
     Cambrian transition 322, 335–337, 335  
   terminology 323–324
- Preussia* 40, 238, 248, 249, 255
- processing techniques 63–72  
   acetolysis 66–67, 69, 70, 71–72, 125  
   acid digestion 64, 68–69, 69, 70, 125  
   alkali digestion 65, 69, 71, 71  
   centrifugation 64–65, 66, 70, 72  
   enzymes 67  
   heavy liquid separation 64–65, 69, 70–71  
   mounting 68, 70, 72  
   oxidation 67, 70, 72, 125  
   sieving and filtering 65–66, 70, 72, 154  
   sonication 66, 71  
   for specific groups  
     coprophilous fungi 253–257  
     lacustrine sediments 125  
     Precambrian non-pollen palynomorphs 324–325, 324  
     testate amoebae 153–155
- Prorocentrum* 161
- Proterocladus* 337  
   *antiquus* 332
- Protoceratium reticulatum* 213
- Protocolletotrichum* 106
- Protoperidinium* 162, 200, 202  
   *americanum* 164, 211  
   *fukuyoi* 204  
   *stellatum* 167, 204, 215
- Protorhabdonella* 201
- Prototaxites* 316
- Pseudoarachniotus* 248, 254
- Pseudocalanus elongatus* 185
- Pseudokomewuia* 132  
   *granulata* 133
- Pseudobrophila* 248, 255
- Pseudoschizaea* 16, 17, 165, 199  
   *rubina* 201
- Pterosperma* 164, 167, 172, 197, 198, 201  
   *cristatum* 20, 21, 167  
   *marginatum* 20, 21  
   *moebii* 20, 21  
   *moesii* 166  
   *vanhoeffenii* 21
- Pterospermella* 160, 165, 194
- Pterospermopsimorpha* 329, 331  
   *insolita* 328
- Pterosphaera* 198
- Ptychocylis* 178, 201
- Puccinia* 41, 42, 103
- graminis* 42, 103  
   *sorghii* 41–42  
   *striiformis* 103
- Pyramimonas* 167
- Pyxidiniopsis*  
   *psilata* 24, 205, 213  
   *reticulata* 211
- Pyxidiophora* 248, 255
- Qimugen Formation 289–290
- Quinquecupis concreta* 24, 164
- Radiosperma* 24, 129, 170, 195, 197, 198, 199, 201, 205, 207  
   *corbiferum* 24, 136, 173, 177–179, 182, 207
- Ramochitina* 18
- Reading Formation 280
- Red Hot Truck Stop (RHTS) exposure 276
- Reindeer Formation 274
- Reophax scottii* 168
- Rhabdocoela/Neorhabdocoela 5, 6, 32, 32, 46, 124, 130, 134, 177,  
   190–191, 196
- Rheno-Danubian Group 283
- Rhombaster*  
   *calcitrapa* 272  
   *spineus* 272
- Rhyncomeliola lomatae* 94
- Rhynie Chert 45, 96, 132, 310, 313, 316, 332
- Rhysotritia ardua* 27, 29
- Rivularia* 19, 19, 207
- Rockall Plateau, North Atlantic 279
- Roper Group 330, 331
- rotifers 30–32, 31  
   geological age range 5, 6  
   in lacustrine sediments 124, 130, 134, 140  
   in marine sediments 181, 206, 209  
   in peat deposits 30, 31  
   sediment types 46
- Russia  
   PETM deposits 287–288, 289  
   Precambrian non-pollen palynomorphs 330, 333
- rust fungi 41–42, 42, 46, 100, 103
- Ruyang Group 328, 330–331, 330
- Sabinetown Formation 276
- Sables et Argiles à Ostracodes et Mollusques (SAOM) 282
- Saccobolus* 41, 248, 250, 253, 255, 257  
   *citrinus* 39, 40
- Saepotodinium* 132
- Salisbury Embayment 271, 274–275, 296
- Salix* 32
- Saturni* 198
- Savoryella* 110
- Scaglia Rossa Formation 284
- Scenedesmus* 20, 21, 128, 132, 138, 205, 207
- Schizofusa* 329
- Schizothecium*  
   *aloides* 102  
   *conicum* 102  
   *tetrasporum* 102
- Scleroderma citrinum* 98, 98
- scolecodonts 18–19, 18, 188–190, 190  
   geological age range 5, 6, 174  
   in low salinity, semi-enclosed seas 205  
   palaeoproduction studies 214  
   polar assemblages 196, 208  
   temperate assemblages 199  
   tropical assemblages 204
- Scopinella pyramidospora* 94
- Scotian Shelf, Canada 274
- Scotland  
   cyanobacteria 316  
   early fungal fossils 45, 96, 332

- early land plant phytodebris 313, 316  
 early terrestrial animals 317  
 green algal palynomorphs 132  
 PETM deposits 279
- Scrippsiella* 162, 212  
*plana* 212
- sea-level rise 272, 284, 292  
 sedaDNA analysis 48
- Selenopemphix*  
*antarctica* 197, 208  
*nephroides* 200
- Selinia* **248, 255**
- Semidelitschia* **248, 255**
- Semri Group 329
- Senegalinium obscurum* 278
- Septobasidium* 98
- Sergipe Basin, Brazil 277
- Shaler Supergroup 328, 332
- Shuiyousphaeridium* 322, 330, 331  
*macroreticulatum* 328
- Sialis lutaria* 28
- sieving and filtering 65–66, 70, 72, 154
- Sigmoidipollis* 165, **171**, 195, 199, 202, 207  
*psilatam* 205  
*psilatus* 193
- Simcoe Lake, Ontario, Canada 137, 140, 141, 142
- Simia* 331, 333
- Simocephalus* 30
- Sirobasidium* 98
- Sluice Pond, Massachusetts 128, 129, 136, 138
- small carbonaceous fossils (SCF) 322, 324, 325, 335, 336
- Smirnovidaphnia testacea* 135
- smut fungi 42, 43, **46**, 100
- Snowball Earth events 333–334, 335
- soil deposits 46–47, **46**  
 soil fungi 40–41, 42, **46**, 109
- Soissonais Formation 281
- Solisphaeridium* 202
- Sololovsky, Kazakhstan 288, **289**
- sonication 66, 71
- Sophismatia conopia* 274
- Sordaria* 40, **41**, 235, 236, 237, 238, 239–240, **248**, 249, 250, 252, 255, 257, 259  
*fimicola* 39, 40, 238  
*macrospora* 102
- South Africa, Precambrian NPP 325
- South America  
 megaherbivore studies 259  
 PETM deposits 277
- South Dover Bridge, Maryland 275, **278**
- Spain, PETM deposits 284, **285**
- Spegazzinia tessarthra* 35, 35
- Spegazzinites* 35
- Sphaerodes* 41  
*episphaeria* 40–41  
*retispora* 40, 42
- Sphaeronaemella* **248, 255**
- Sphaeropleales 19–21, 20, **46, 123**  
*see also Coelastrum; Pediasstrum; Scenedesmus; Tetradron*
- Sphagnum* 22, 30, 31, 34, 43–44, 46, 48, 152, 154
- Spiniferites* 162, 194, 197, 202, 203, 207, 213, 215, 286  
*bentorii* 24, 164  
*bulloideus* 200, 202  
*cruciformis* 24, 204, 205  
*delicatus* 200  
*elongatus* 181  
*mirabilis* 164, 200, 211, 212  
*ramosus* 200, 211, 213  
*scabratus* 203
- Spirogyra* 22, 22, 132, **172**, 199, 205
- Spiroplectammina bififormis* **168**
- Spitsbergen, PETM deposits 278, **285**, 292
- sponges, freshwater 5, 6, 26–27, 27, **46**
- Spongila lacustris* 27
- Sporisorium scitamineum* **105**
- Sporormia* **248, 255**
- Sporormiella* 40, **41**, 235, 236, 237–238, 239–240, 239, **248**, 249, 250, 252, 253, **255**, 257, 258–259  
*intermedia* 39
- Sporoschisma*  
*nigroseptatum* 38–39  
*saccardoii* 38, 38–39
- statismospores 98, 99, 102
- Staurostrum* 22, 132, 201, 207  
*chaetoceras* 142  
*pentacerum* 128  
*planctonicum* 142
- Staurodesmus patens* 22, 22
- staurospores 94, 101–102
- Stelladinium robustum* 212
- Stenosemella* 169, 177, 207, 210
- Stephanoceros eichhornii* 31
- Stichodinium* 273  
*parisiense* 289
- Stolle Klint Clay 282
- Stratosphaeria* 107
- Strattonia* **248, 255**
- Strelley Pool Formation 326
- Streptophyta 5, 6  
*see also* desmids; Zygnematophyceae
- Striatosphaeria, castanea* 106, 107
- Strombidium* 174, 178, 201, 209, 215  
*crassulum* 199
- Strombomonas* 23, **123**
- Strongylostoma* 134
- Sturtian glacial event 334
- Subbotina* 286
- Suillus*  
*brevipes* 103  
*tomentosus* 103
- Svalbard  
 PETM deposits 278, **285**, 292  
 Precambrian non-pollen palynomorphs 332–333  
 Svanbergfjellet Formation 332–333
- Sweden, Precambrian non-pollen palynomorphs 333, 335
- Switzerland  
 Nussbaumersee 137–140, 139, 142  
 PETM deposits 283
- Sylhet Limestone 288
- Taenia* 238
- Taishir Formation 333–334, 335
- Taiwan, PETM deposits 290
- Tanana Formation 328
- Tanarium* 327  
*anozos* 328
- Tanytarsus* 130
- Tanzania, PETM deposits 286, **287**
- Tappania* 322, 327, 330, 331  
*plana* 328
- tardigrades 27, 28  
 geological age range 5, 6  
 in marine sediments **173**, 181, 197, 208  
 sediment types **46**
- Tarim Basin, China 289–290, **291**
- Tasman Sea 290, **291**
- Tasmanites* 21, 160, 165, **172**, **173**, 197, 198
- Tawanui, New Zealand 290, **291**
- Tectatodinium pellitum* 24
- Teleutospora* 42
- teliospores 41, 42, 43, 94, 100, 103, **105**
- Temora* 185  
*discaudata* 185  
*longicornus* 185

- terrestrial animals, early 317
- testate amoebae 26, 26, 151–156, 152, 153  
 geological age range 5, 6  
 human impact studies 237  
 in lacustrine sediments 124, 129, 133–134  
 in peat deposits 26, 48, 152, 154  
 preparation methods 153–155  
 sediment types 46
- Tethys Ocean 287–288, 289–290
- Tetraedron 20, 139, 205  
*minimum* 20, 128, 132, 136, 140  
*trigonum* 128
- Tetraploa 94, 101–102, 110, 110, 111  
*aristata* 35, 35
- Tetraporina 132
- textile fibres 5, 6, 45, 45, 46
- Thanet Formation 281
- Thecaphora 42, 43
- Thecotheus 248, 256
- Thelebolus nanus 102, 102
- Thelephora americana 103
- Thomsonipollis magnificus 283
- Tienen Formation 282, 283
- Tilletia caries 42, 43
- Tintinnidium 209
- tintinnids 24, 25  
 geological age range 5, 6, 174  
 in lacustrine sediments 123, 129, 133, 137, 142  
 in marine sediments 169–177, 174, 176, 178  
 low salinity, semi-enclosed seas 207  
 molecular studies 213  
 nearshore–offshore gradients 210  
 palaeoproduction studies 214–215, 216  
 polar assemblages 170, 171, 172, 173, 195, 197, 209  
 temperate assemblages 198–199, 200, 201  
 tropical assemblages 202, 204  
 sediment types 46
- Tintinnopsis 169, 207, 210
- Trachelomonas 23, 23, 133  
*hispida* 23  
*similis* 23
- Trachyhystichosphaera 331–332  
*aimika* 331–332  
*polaris* 331–332  
*vidalii* 132
- Transversopontis pulcher 288
- Trichocerca 31, 32
- Trichodelitschia 41, 235, 238, 240, 248, 250, 256, 257
- Trichuris 30, 31, 124, 134, 137, 238
- Trinovantidium 197  
*variable* 200
- Tripterospora 248, 256
- Tripterosporella 248, 256
- Trochammina inflata 168
- truffles 94, 108–109
- Tuber 94, 108–109  
*aestivum* 94  
*melanosporum* 94
- Tuberculodinium vancampoae 212
- Tumey Gulch, California 276, 278
- Tunisia, PETM deposits 284, 287
- Turbellaria *see* Rhabdocoela/Neorhabdocoela
- Tuscahoma Formation 276–277
- Tuscarora Formation 317
- Upnor Formation 280, 281, 281
- uredospores 41, 42, 100
- Urocystis 42, 43
- Uromyces  
*appendiculatus* 42  
*pisi-sativi* 94
- Urotricha 177
- USA  
 cyanobacteria 315  
 lacustrine sediments 128, 129, 130, 136, 138  
 megaherbivore studies 258–260  
 PETM deposits 274–277, 278, 292  
 Precambrian non-pollen palynomorphs 330, 330, 333, 334
- Ustilago  
*maydis* 42, 43, 100, 142  
*nuda* 105
- Ustulina deusta 36, 36, 102, 102
- Uzbekistan, PETM deposits 288, 289
- Valeria 322, 329  
*lophostriata* 329
- Valkyria 333
- Vallodinium 273  
*picardicum* 289
- van Geel types *see* identifying acronyms (IAs)
- Van Mijenfjorden Group 278
- Vaugirard Formation 281
- Velatasphaera hudsonii 196
- Venetian Pre-Alps, Italy 283–284, 285
- Venturia inaequalis 104
- Veryhachium 194  
*trispinosum* 16
- Vincetown–Marlboro formation boundary 274–275
- Vindhyan Supergroup 329, 330
- Visingsö Group 333
- Votadinium  
*calvum* 194  
*pontifossatum* 164  
*spinosum* 181
- Walden Pond, Massachusetts 128, 129, 130, 136
- Wangerrip Group 290
- waterfleas *see* cladocerans
- Wetzeliiella 274, 286  
*articulata* 274  
*astra* 273, 279, 281, 294, 295–296  
*hyperacantha* 279, 280, 284, 290, 296–297  
*meckelfeldensis* 280
- wetzeliielloideans 273, 289
- Wilcox Group 258, 276–277
- Wilson Lake, New Jersey 274–275, 278, 292
- Wiwaxia 322, 335, 336
- Woensdrecht, Netherlands 282, 285
- wood-decay fungi 36–37, 36, 46
- Woolwich Formation 280
- Woolwich Shell Beds 280, 281, 281
- xerospores 101
- Xylaria  
*longipes* 102  
*polymorpha* 102
- Xylomyces  
*chlamydosporus* 38, 39  
*giganteus* 39
- Xylosphaeria polymorpha 102
- Zoobank 83
- Zopfiella 35, 248, 256, 257  
*submersa* 35, 35
- Zumaya, Spain 284, 285
- Zwieselalm Formation 283
- Zygnema 22, 22, 123, 128, 132, 136, 199, 207
- Zygnematophyceae 21–22, 22, 46, 123, 128, 131, 132, 136  
*see also* desmids
- Zygomycota 34, 40, 237, 247
- Zygopleurage 248, 256, 257
- Zygospermella 248, 256