

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.
LIP, large igneous province, SLIP, silicic large igneous province.

- Afar LIP 18, 35, 36
African Large Low Shear Velocity Province (LLSVP) 457–459
Afro-Arabian LIP 8, 436
 see also East African Eocene LIP
Água Boa pluton, Brazil 505, **506**, 507
Aguapeí Belt 508, 509–510, 511
Ailao Shan-Red River shear zone 227–228, 228, 229, 230, 231, 244, 247, 248–249, 248
Akobo Basalt *see* East African Eocene LIP
Alta Floresta Mineral Province 504–505, 505, **506**
Alta Floresta SLIP, Amazonian craton 8, 494–495, 510, 513
 age matches with other magmatic events 505–507
 distribution 495, 503–504, 504
 mineral resources 504–505, 505, **506**, 507
 palaeomagnetic poles 514
Amaro Basalt *see* East African Eocene LIP
Amazonian craton 4, 5, 8, 69, 493–518, 495
 Alta Floresta SLIP 8, 494–495, 510, 513
 age matches with other magmatic events 505–507
 distribution 495, 503–504, 504
 mineral resources 504–505, 505, **506**, 507
 palaeomagnetic poles 514
Avanavero LIP 8, 494, 510, 513
 age matches with other magmatic events 508
 distribution 495, 507
 mineral resources 507–508
 palaeomagnetic poles 512, 513–514, **515**
LIP/SLIP events and geological timescale boundaries 510, 513
Orocaima SLIP 8, 494, 513
 age matches with other magmatic events 499
 distribution 495–496, 495, 497
 mineral resources 496–498, **498**
palaeogeography 510–517
 Amazonia in Nuna/Columbia 511–517, 514, **515**, 516
 Amazonia in Rodinia 517
Rincón del Tigre–Huanchaca LIP 8, 495, 517
 age matches with other magmatic events 510
 distribution 495, 508
 mineral resources 508–510, 509, 511, **512**
Uatumã SLIP 8, 494, 513
 age matches with other magmatic events 503
 distribution 495, 499
 mineral resources 499–503, 500, **501**, 502
 palaeomagnetic poles 512
Ambenali Formation *see* Koyna (KBH1) core
 chemical stratigraphy
Anantpur LIP, Indian Shield 5, **177**, 182, 183, 184, 185, 188
Animikie Group 44, 46–48, 93
Antanetilava Formation 333
Antanimena Plateau 333
Antarctica 4, 5, 6, 189, 189
 see also Dronning Maud Land Karoo dykes;
 Vestfold Hills mafic dykes
Aravalli craton 5, 174, 175, 185
 see also Proterozoic magmatism in northern India
Aricheng deposit, Guyana 496, **498**
Avanavero LIP, Amazonian craton 8, 494, 510, 513
 age matches with other magmatic events 508
 distribution 495, 507
 mineral resources 507–508
 palaeomagnetic poles 512, 513–514, **515**
Baltica 503, 507, 508, 512–517, 514, **515**, 516
Baltica craton 133, 141
Ban Xeo granite 230, 244
Bangalore LIP, Indian Shield 5, **177**, 182, 183, 184, 185, 186, 188
barcode records 2, 173, 174
 Dharwar, Bastar and Singhbhum cratons 182–183, 184, 185
 global 5
 North China craton 130
 see also Belomorian Province barcode reconstruction
Bastanar LIP, Indian Shield 5, **177**, 183, 183, 184, 185, 188
Bastar craton 6, 166, 167, 201, 212
 see also Dharwar–Bastar–Singhbhum (DHABASI) megacraton
Beaver Bay Complex 93–94
Belomorian Province barcode reconstruction 6, 101–123
 discussion 118–119, 119, 120
 Belomorian Province tectonics 119–120
 Fennoscandian barcode correlations 120–122, 121
 implications for LIP reconstructions 122
 palaeocontinental implications 122–123
 geological background 102–104, 103
 methods and samples 104–105
 results **106**, 107, **108**
 c. 2.12 Ga event 115–118, 117
 c. 2.23 Ga event 115, 116

- Belomorian Province barcode reconstruction (*Continued*)
 c. 2.30 Ga event 113–115, *114*
 c. 2.40 Ga event 110–113, *112*
 c. 2.45 Ga event 107–110, *111*
 c. 2.50 Ga event 105–107, *108*
- Betul belt *see* Proterozoic magmatism in northern India
- Boonadgin dyke swarm, Australia 149, 167
- Borborema Province 287, 288, 296
- braided lava flows 378–379, *379*
- Brasiliano Orogeny 286
- break-up LIPs *see* East Greenland volcanic rifted margin
- British Tertiary Igneous Province 19, *19*, 20
- Broken Hill mineral deposit, Australia 483, 486–487, 489
- Bundelkhand craton 174, *175*, 185, 198, 200–201, 212
- Bushveld Complex 475–476, **477**, 482, 483
- Canindé dyke swarm, Brazil *see* unspiked K–Ar dating of giant dyke swarms
- Carajás Mineral Province 502–503, *502*
- carbonatites 1, 8, 185, *470*, 472, 480–482, *481*, 483, 488, 577
- Cenomanian–Turonian boundary 333, *335*
- Central Atlantic Magmatic Province (CAMP) 18, 287, 296, 297, *297*
- Central Brazil Shield *see* Amazonian craton
- Central Indian Tectonic Zone (CITZ) 174, *175*, 185, 198
see also Proterozoic magmatism in northern India
- Chail group 198, 202–203, *204*, 206, 208–209, *208*, 210, *211*, **216**
- channelized lava flows 379
- Chicxulub impact 398–399, *429*, 430, 431
- Chifeng flood basalts 95
- Closepet Granite **176**, 180, 186
- Colfider Group 503, *504*, **506**, 514
- Columbia 133, *140*, 141, 149, 150, 164, 182, 185, 186, 189, 510, 516–517, *570*
- Comei–Bunbury LIP *see* Greater Kerguelen LIP
- Copper Harbor Andesite 70, 71, *71*
- Coringa deposit, Brazil 498, **498**
- craton stability *see* North China craton (NCC)
- Cretaceous–Paleogene boundary (K–PgB) 7, 397
- Cuiú-Cuiú gold district, Brazil 500, **501**, 502
- Dahongyu Formation 133, 138
- Damara Orogeny 470, 472
- Dashigou LIP, North China craton 5, **132**, *135*, *136*, 137, 138, 140, 141
- Deccan LIP 4, 5, 7–8, 35, 36, 95, 185, 212, 326, 341–342, *342*, 397–399, 398, 457
see also Koyna (KBH1) core chemical stratigraphy; morphologies and emplacement dynamics of Deccan LIP
- Dharwar–Bastar–Singhbhum (DHABASI) megacraton 6, 173–189
 discussion
 DHABASI reconstruction *183*, 184–186, *187*
 formation of Proterozoic sedimentary basins 186–187
 location of LIP plume centres 188
 palaeocontinental reconstructions 188–189, *189*
 predicting mineral resources 187–188
 geological and tectonic background
 Archean basement geology 176, **176**
 Archean greenstone belts **176**, *178*, *179*, 180
 Indian Shield architecture 174–176, *175*, *178*, *179*, *180*, *181*
 Neoproterozoic–Paleoproterozoic granitoids **176**, 180–182
 Precambrian large igneous provinces **176**, **177**, 182–183, *183*, *184*
 Proterozoic intracratonic/rift sedimentary basins **176**, 182
- Dharwar craton 6, 141, 166, 326
see also Dharwar–Bastar–Singhbhum (DHABASI) megacraton
- Dronning Maud Land Karoo dykes 4, 5, 7, 255–280
 discussion
 geochronology 274–280, **275–276**, *277*, *278*, *279*
 Gondwana breakup 7, 255–256, 256, 257, 274–280
 palaeomagnetism 271–274, *274*
 southern Africa to East Antarctica reconstruction 274, *274*
 methods and samples 257, 258, 262–263
 previous studies 256
 geochronology **259–261**, 261
 palaeomagnetism 258, 261–262
 results
 geochronology **259**, 263, 264, 265–267, 265
 palaeomagnetism 266, 267–271, 267, 268, **269–270**, 271, **272–273**
 petrography 263–265
- Duluth Complex 69, 85, 93, 94, 435, 456–457
- Eagle Mountain deposit, Guyana 496–498, **498**
- Early Cretaceous Equatorial Atlantic Magmatic Province (EQUAMP) 4, 5, 7
see also unspiked K–Ar dating of giant dyke swarms
- East African Eocene LIP 4, 5, 8, 435–459
 discussion 445
 African Large Low Shear Velocity Province (LLSVP) 457–459

- evolution of magmatic plumbing system
 452–454, 453
 magmatic differentiation, conceptual model
 447–448
 magmatic differentiation, REAFC modelling
 448–451, 450, 456, 458
 melt generation 447
 relationship to Oligocene LIP 454–456
 rifting of African continent 456–457
 unified volcano-stratigraphic framework 445,
 446–447, 458
 geochemistry
 methods and samples 439–441, 439
 results 440, 441–445, 442, 443, 445
 geological background 436–439, 439
 East African Rift System 471–472, 471, 473, 474,
 483, 488
 Red Sea brine pools 473, 474, 483, 484–486,
 485, 487, 489
see also East African Eocene LIP
 East Antarctica 4, 5, 6, 189, 189
see also Dronning Maud Land Karoo dykes;
 Vestfold Hills mafic dykes
 East Greenland volcanic rifted margin 4, 4, 5, 17–38
 discussion
 geological v. geophysical continent–ocean
 boundary 33–34, 33
 magma plumbing model 31–33, 32
 significance of triple rift centres 34–37, 35
 geological background 19, 19
 methods 20
 results
 Agetertia dyke profile 20–26, 21, 23,
 25, 29, 30
 I.C. Jakobsens Fjord lava-dyke profile 21,
 26–30, 28, 29
 Kap Edward Holm lava-dyke profile 21,
 26–30, 27, 29
 Langø dyke profile 20–26, 21, 22, 25, 29, 30
 previous studies 20
 Eastern Ghats Mobile Belt 150, 164, 165, 179
 Eastern Himalayan Syntaxis *see* Siang window of
 Eastern Himalayan Syntaxis
 Ellsworth–Whitmore Mountains 256, 277, 279, 280
 Emeishan LIP 4, 5, 7, 17–18, 95, 227–228, 228,
 538, 546
see also Phan Si Pan-Tu Le silicic rocks
 Etendeka LIP 470
see also Paraná–Etendeka LIP
 Ethiopian–Arabian LIP 8, 436
see also East African Eocene LIP
 Etna, Mt 349–350, 368, 371, 379
 ‘Expanded Ur’ supercontinent 189, 189

 Falkland Islands 256, 261, 261, 262, 274–276,
 277–279, 280
 Fennoscandian Shield 4, 5, 6

see also Belomorian Province barcode
 reconstruction
 Ferrar LIP 255, 262, 273
 flood basalt morphologies *see* morphologies and
 emplacement dynamics of Deccan LIP

 Gairdner dyke swarm, Australia 475, 476
 Gamo Basalt *see* East African Eocene LIP
 Garhwal volcanics and dykes 202, 204, 205–206,
 207, 207, 208–209, 209, 210, 211, 215
 Ghatgaon dyke swarm 182, 554, 556
 Ghatgaon LIP, Indian Shield 182
 Giants Range Batholith 69, 85, 93
 gold deposits 493
 Amazonian craton
 Alta Floresta SLIP 504, 505, 505, 506
 Orocaima SLIP 496–498, 498
 Rincón del Tigre–Huanchaca LIP 508–510,
 511, 512
 Uatumã SLIP 499–500, 500, 501, 502
see also iron oxide–copper–gold (IOCG)
 deposits
 Gondwana 150, 164, 166, 175–176, 182, 189,
 286–287, 288
 breakup of 7, 255–256, 256, 257, 274–280, 287,
 319, 319
 Gondwana Group 302, 303
 Great Dyke, Zimbabwe 475, 477
 Greater Himalayan Crystalline complex 302, 303
 Greater Kerguelen LIP 4, 5, 7, 185
see also Siang window of Eastern Himalayan
 Syntaxis; Sung Valley pyroxenites
 Greenland *see* East Greenland volcanic
 rifted margin
 Grenvillian Orogeny 43, 69, 164, 517
 Guiana Shield *see* Amazonian craton
 Gunflint Formation 45, 46, 48
 Gwalior basin, India *see* Proterozoic magmatism in
 northern India

 Haag Nunataks 256, 277, 279, 280
 Hawaii 349, 352, 364, 368, 369, 370, 379, 404, 580,
 583, 583
 Hengling LIP, North China craton 131, 133
 highly magmatic break-up LIP centres *see* East
 Greenland volcanic rifted margin
 Himalaya 6
see also platinum-group element geochemistry of
 Panjal Traps; Proterozoic magmatism in
 northern India; Siang window of Eastern
 Himalayan Syntaxis
 Holuhraun, Iceland 371, 372, 373, 375
 hydrocarbon resources 8, 138, 484

 Iceland 19, 19, 34–36, 35, 37, 349, 350, 352, 357,
 359, 363, 364, 368, 372
 Holuhraun 371, 372, 373, 375

- Indian Shield *4, 5, 6, 554*
 India–East Antarctica connection in Proterozoic
6, 150, 164–166, 166
see also Dharwar–Bastar–Singhbhum
 (DHABASI) megacraton; Pipilia mafic
 dyke swarm; Proterozoic magmatism in
 northern India; Siang window of Eastern
 Himalayan Syntaxis; Sung Valley
 pyroxenites
- Ippaguda LIP, Indian Shield *5, 177, 182, 183, 184,*
185, 188
- Iron Ore Group *176, 180, 181, 182, 554, 556*
 iron oxide–copper–gold (IOCG) deposits *493*
 Amazonian craton *496, 501, 503*
 links with mantle plumes *474, 475, 478–480,*
478, 479, 489
- Jinchuan mineral deposit, China *138, 475*
 Jutogh group *198, 202–203, 204, 206, 208–209,*
208, 210, 211, 216
- K–Ar dating, unspiked *see* unspiked K–Ar dating of
 giant dyke swarms
- Kaapvaal craton *482, 488*
- Kalahari craton *189, 189*
- Kallander Creek Volcanics *70, 70, 71*
- Kangerlussuaq triple rift centre *see* East Greenland
 volcanic rifted margin
- Kap Edward Holm igneous centre *see* East
 Greenland volcanic rifted margin
- Kaptipada dyke swarm *177, 554, 556*
- Karelian craton *6, 102, 103, 113, 115, 118, 120,*
121–122, 121
- Karoo LIP *18, 35, 36, 255, 470*
see also Dronning Maud Land Karoo dykes
- Kenorland *189*
- Kerguelen mantle plume *7, 9, 212*
see also Siang window of Eastern Himalayan
 Syntaxis; Sung Valley pyroxenites
- Keshargaria dyke swarm *182, 554, 555, 556*
- Keweenawan LIP *4–6, 4, 5, 435*
see also Logan Igneous Suite; Portage Lake
 Volcanics
- kimberlites *1, 185, 470, 472, 478, 482*
- Kola Province *102, 103, 113, 120, 121, 122*
- Koyna (KBH1) core chemical stratigraphy *7–8,*
397–431
 discussion *422–430, 425, 426, 427, 428, 429*
 location *398*
 methods and samples
 analytical methods *404–407, 409–411,*
412–414
 petrography *407–415, 415, 416–418, 419*
 physical stratigraphy *399–404, 400–404,*
405–407, 408
 results *415–419*
 chemical groups of lava flows *419–421, 422,*
423, 423, 424–425
 correlation with southwestern Deccan
 stratigraphy *421–422*
 lava-flow boundaries *419, 420, 421*
- Laiwu LIP, North China craton *131, 133, 136, 138*
- lamproites *1, 185, 478, 482*
- Lapland–Kola Orogeny *102, 120, 122–123*
- large igneous provinces (LIPs)
 definition *1*
 geological timescale boundaries and *510, 513*
 global barcode record *5*
 global distribution *4*
 overview *1–3, 3*
- Laurentia *69, 141, 164, 510, 513, 514, 515, 516,*
516, 517
- lava morphologies *see* morphologies and
 emplacement dynamics of Deccan LIP
- Lesser Himalayan Sequence *302, 303*
- Licheng LIP, North China craton *5, 132, 135, 136,*
137, 138, 141
- Logan Igneous Suite *4–5, 4, 43–61*
 discussion
 geochemistry of intrusive units *52–56*
 geodynamic evolution of Logan Basin *56–59*
 magmatic evolution of Midcontinent Rift
 System *59–61, 60*
 geological background *44, 45, 46–50, 47, 49*
 methods and samples *50–51*
 results
 isotope geochemistry *52, 52, 57*
 whole-rock geochemistry *51, 53, 54, 55,*
56, 57
- Mackenzie LIP *95*
- Madagascar LIP *4, 5, 7, 185*
see also Mailaka area of western Madagascar
- Madeira pluton, Brazil *505, 506, 507*
- Mahabaleshwar Formation *397, 425, 426, 427, 428,*
428, 430
- Mahajanga basin, Madagascar *333*
- Mailaka area of western Madagascar *7, 325–337*
 discussion
 age and duration of magmatism *333–335, 335*
 India–Madagascar break-up *335, 336*
 Marion hotspot *335–337, 336*
 geochronology results *331–333, 332, 333, 334*
 geological background *326, 327, 327*
 petrography and geochemistry *327–331, 328,*
329, 330, 331
 samples *331*
- Makonnen Basalt *see* East African Eocene LIP
- mantle plumes
 overview *2, 3, 3*
see also mineral system–mantle plume links

- Marion hotspot 7, 335–337, 336
- Maurice Ewing Bank 256, 274, 277, 279, 280
- megacontinents, definition 173
- Mellen Complex 69, 71
- Midcontinent Rift Intrusive Supersuite *see* Logan Igneous Suite
- mineral resources 8–9, 493–494
- Amazonian craton
- Alta Floresta SLIP 504–505, 505, **506**, 507
 - Avanavero LIP 507–508
 - Orocaima SLIP 496–498, **498**
 - Rincón del Tigre–Huanchaca LIP 508–510, 509, 511, **512**
 - Uatumã SLIP 499–503, 500, **501**, 502
- Dharwar–Bastar–Singhbhum (DHABASI) megacraton 187–188
- North China craton **131–132**, 134, 135, 138, 140
- see also* mineral system–mantle plume links; Pipilia mafic dyke swarm; platinum-group element geochemistry of Panjal Traps; Sung Valley pyroxenites
- mineral system–mantle plume links 8, 467–489, 468, 469, 470
- hydrothermal ore deposits 8, 482–487
- in passive margin settings 483, 484
 - Red Sea brine pools 473, 474, 483, 484–486, 485, 487, 489
 - sedimentary rock-hosted metalliferous deposits 8, 482–483, 486–487, 487, 488, 489
- magma-associated ore deposits 8, 475–482, **477–478**
- anorogenic magmatism 470, 474, 475, 476–480, **477–478**, 479, 487–489
 - carbonatites 8, 470, 472, 480–482, 481, 483, 488
 - iron oxide–copper–gold (IOCG) deposits 8, 474, 475, 478–480, **478**, 479, 489
 - kimberlites and lamproites 470, 472, 478, 482
- mantle plumes and rift systems 467–472, 471, 473, 474, 476
- Miri–Buxa Group 302, 303, 304
- Miyun LIP, North China craton **131**, 133, 136, 138
- Molopo Farms Complex 482, 483
- morphologies and emplacement dynamics of Deccan LIP 7, 341–388, 342
- discussion 380
 - mapping of flood basalts 385–387, **386**
 - parametric progression of morphologies 381–385, 381, **382–384**
- factors governing lava movement 363–365, **364**, **365**
- cooling rate **365**, 369–370, 370
 - mode of emplacement and dispersal **365**, 373–375, 374
 - nature of vapour loss **365**, 375–376, 376
 - presence/absence of aqueous interface **365**, 368
 - rate of emplacement **365**, 372–373
 - surface gradient **365**, 368
 - surface roughness and topography 365–368, **365**, **366–367**
 - surface tension **365**, 369
 - temperature of emplacement **364**, **365**, 368–369
 - vapour phase within lava **365**, 372
 - viscosity **364**, **365**, 370–372, 371
- morphological types 351
- ãã 351–352, 352
 - hummocky pāhoehoe 354, 355
 - pāhoehoe (typical) 352–354, 353
 - rubbly pāhoehoe 358, 359–363, 360, 362
 - sheet pāhoehoe 355–357, 356
 - slabby pāhoehoe 357–359, 357
 - toothpaste lavas 355
- synthesis 376
- comparisons of morphologies **366–367**, 376–377, 377
 - lateral variations 377–378
 - vertical stacking 374, 378–380, 379
- terminology 343, 343
- grouping of lava units 347–349, 348
 - implications of hierarchical terminology 349–351, 350
 - internal layering 343–347, 344, 346
- Mount Isa mineral deposit, Australia 483, 486, 489
- Mount Weld carbonatites, Western Australia 481–482, 481, 488
- Muong Hum Complex *see* Phan Si Pan-Tu Le silicic rocks
- Murmansk Province 102, 103, 121, 122
- Nabwal Formation 438, 439, 439
- Nam Xe–Tam Duong Complex *see* Phan Si Pan-Tu Le silicic rocks
- Neotethys Ocean 532, 545
- Newer Dolerite Dyke Swarms 555, 556
- see also* Pipilia mafic dyke swarm
- Nipigon Embayment *see* Logan Igneous Suite
- Noril'sk–Talanakh deposits, Siberia 95, 435, 471, 475
- North Atlantic LIP 4, 5, 18, 19, 19
- see also* East Greenland volcanic rifted margin
- North China craton (NCC) 4, 5, 6, 129–142, 164, 166, 499
- basement geology 129–133, 130, **131–132**, 134
 - correlation of LIPs and rifts 133–138, 134–135, 136, 139
 - mineral resources **131–132**, 134, 135, 138, 140
 - propagation of LIPs and rifts 138–140, 139, 140
 - role of LIPs in breakup of proto-NCC 139, 140–141
 - role of LIPs in destruction of NCC 139

- North Shore Volcanic Group (NSVG) 43, 69, 73, 85, 93, 94–95
- Nuna megacontinent 123, 510, 512–517, 514, **515**, 516, 570
- Older Metamorphic Tonalite Gneisses (OMTG) 554, 555, 556, 557
- Olympic Dam mineral deposit, Australia 478, **478**, 479, 479, 480, 489
- Orocaima SLIP, Amazonian craton 8, 494, 513
age matches with other magmatic events 499
distribution 495–496, 495, 497
mineral resources 496–498, **498**
- Orosirian–Statherian boundary 510, 513
- Pan-African Orogeny 286
- Pangaea 17–18, 36, 140, 149, 164, 189
- Panjal Traps 4, 5, 8, 185, 203, 212, 302
see also platinum-group element geochemistry of Panjal Traps
- Paraná–Etendeka LIP 18, 35, 36, 255, 287, 457, 470
- Paranaíta Suite 503, 504, 504, **506**
- Parnaíba basin, Brazil 287, 288, 296, 297
- Pechenga–Onega LIP, Baltic Shield 499
- Phan Si Pan-Tu Le silicic rocks 7, 227–249
discussion
 emplacement ages 241–244
 granitic intrusions in Muong Hum complex 244
 petrogenesis 244–248, 245, 246, 247
 reconstructed location 248–249, 248
 geological background 228, 229, 230, 231
 methods and samples 230–231, 231, 233–234
 petrography 231–233, 232, **233**
 results
 geochronology 234–235, 235, 236
 in situ zircon Hf–Lu isotopes 235–236, 241
 whole-rock geochemistry 236–241, 237, 238, 239, 240, 241, **242**
- Phu Sa Phin Complex *see* Phan Si Pan-Tu Le silicic rocks
- Pilbara craton 167, 189, 189
- Pipilia LIP, Indian Shield 4, 5, **177**, 183, 183, 184, 185, 188
see also Pipilia mafic dyke swarm
- Pipilia mafic dyke swarm 8–9, **177**, 553–570
discussion
 formation of sulfide assemblage 569–570
 significance of sulfides for mineral exploration 569–570
 textural variations in oxide minerals 558, 567–569
 thermometry and oxygen fugacity 564–567, **567**, 567, **568**
 geological background 554, 555, 556
 methods and samples 555, 557
- mineral chemistry results
 Fe–Ti oxide minerals 563–564, **563**, 566
 silicate minerals 559–563, **560–562**, 565
 sulfide minerals 564, **564**, 566
 petrography results 557–558, 558–559
- Pitinga Mineral Province 505, **506**, 507
- platinum-group element geochemistry of Panjal Traps 8, 531–547
 background
 geochemistry of Panjal Traps 534, 535
 regional geology 532–534, 533
 discussion
 implications for mineral exploration 545–546
 origin of PGE-undepleted magmas 538–544, 542, 543
 PGE-depleted signature 542, 544–545, 545, 546
 methods and samples 533, 534
 results 534–538, **536–537**, 539, **540**, 540, 541, 542
- plumbing systems of large igneous provinces
 overview 2–3, 3
 see also East Greenland volcanic rifted margin
- Poladpur Formation *see* Koyna (KBH1) core
 chemical stratigraphy
- ponded lava flows 379–380, 379
- Porcupine Mountains, Michigan *see* Portage Lake Volcanics
- Portage Lake Volcanics 4–6, 4, 67–96
 discussion 80–81
 comparison with Beaver Bay Complex 93–94
 comparison with Duluth Complex 93
 comparison with other continental flood basalt provinces 95–96
 geochemical and petrographic stratigraphy 81–84, 82
 magma chamber processes 81
 melts modelling 91–93, **92**
 REAFc modelling 84–91, **86**, 87–89, 90
 spatial heterogeneity in Main stage volcanism 94–95
 geological background 68–72, 69, 70, 71
 methods and samples 72–73
 results
 burial metamorphism 80
 geochemistry 74–79, 77, 78, 79
 oxidation/hydration alteration 80
 petrography 73, **74**, 75, 76
- Proterozoic magmatism in northern India 4, 5, 6, 197–217
 geochemical characterization
 Aravalli craton 203, 204, 205, **213**
 Betul belt–Central Indian Tectonic Zone 204, 205, 206, **214**
 Gwalior basin 203–205, 204, 206, **214**
 Himalayan terrain 204, 205–206, 207, 208, **215**, **216**
 geology

- Aravalli craton 199, 200
 Betul belt–Central Indian Tectonic Zone 199, 201–202
 Gwalior basin 199, 200–201
 Himalayan terrain 199, 202–203
 petrogenesis and source characterization 206–210, 209, 210, 211
 plume–lithosphere interaction 209, 210–217, 211
 Prutivka–Novogol LIP, Ukrainian Shield 508
 Prydz Bay, Antarctica *see* Vestfold Hills
 mafic dykes
 Putumayo Orogeny 517
 pyroxenites *see* Sung Valley pyroxenites
- Qianlishan LIP, North China craton 5, 132, 135, 136, 137, 138, 141
 Quingtang Orogeny 17–18
- Rayner Orogeny 164, 165
 REAFC (recharge, evacuation, assimilation and fractional crystallization) modelling 68, 95–96, 436
 East African Eocene LIP 448–451, 450, 456, 458
 Portage Lake Volcanics 84–91, 86, 87–89, 90
 Red Sea brine pools 473, 474, 483, 484–486, 485, 487, 489
 Ribeira Orogeny 472
 Rincón del Tigre–Huanchaca LIP, Amazonian craton 8, 495, 517
 age matches with other magmatic events 510
 distribution 495, 508
 mineral resources 508–510, 509, 511, 512
 Rio Ceará–Mirim dyke swarm, Brazil *see* unspiked K–Ar dating of giant dyke swarms
 Rodinia 69, 140, 141, 149, 150, 182, 186, 189, 472, 475, 510, 517
 Rondonian Tin Province 509, 509
 Rove Formation 45, 46–48, 49, 57
- SAMBA model reconstruction 512–517, 514, 515, 516
 Santa Bárbara massif, Brazil 509, 509
 São Francisco craton 133, 141
 Sargur LIP, Indian Shield 5, 177, 182, 184, 185, 188
 Satkosia, India *see* Pipilia mafic dyke swarm
 sedimentary exhalative (SEDEX) ore deposits 8, 472, 482–483, 486, 487, 489
 sedimentary rock-hosted metalliferous deposits 8, 482–483, 486–487, 487, 488, 489
 Seiland Igneous Complex 456, 457
 Shawinigan Orogeny 69
 Shillong Plateau, India 201, 212, 576, 577
 Siang window of Eastern Himalayan Syntaxis 7, 301–320
 geological background 302, 303
 methods and samples
 analytical techniques 305–307
 field and petrographical observations 304–305, 304, 306
 results and discussion
 geochronology 310, 314, 315
 geodynamic implications 318–319, 319
 petrogenesis 314–318, 316, 317, 318
 whole-rock geochemistry 307–314, 308–309, 311, 312, 313
- Siberia craton 141
 Siberian LIP 18, 95, 435, 469–471, 538, 542, 546
 Sibley Group 44, 48
 Siemens Creek Volcanics 70, 70
 silicic large igneous provinces (SLIPs)
 definition 1–2
 geological timescale boundaries and 510, 513
 global distribution 4
see also Amazonian craton
 Singhbhum craton 166, 212, 554
see also Dharwar–Bastar–Singhbhum (DHABASI) megacraton; Pipilia mafic dyke swarm
 Siwalik Group 302, 303
 Skagerak LIP 17–18
 Song Da rift zone 227–228, 228, 229, 230, 245, 246, 247
 South Indian block 150, 164, 165–166, 166
 South Kawishiwi intrusion 69, 93
 Sukma LIP, Indian Shield 5, 177, 182, 183, 184, 185
 sulfide mineralization 8–9, 575
 Amazonian craton 501, 508, 509, 510, 511
 links with mantle plumes 472, 474, 475, 477, 485–487, 488
see also Pipilia mafic dyke swarm; platinum-group element geochemistry of Panjal Traps; Sung Valley pyroxenites
 sulfur, concentration in mantle 8–9
 Sullivan mineral deposit, Canada 483, 486, 489
 Sung Valley pyroxenites 4, 5, 9, 575–587
 discussion
 origin of sulfides 585–586
 petrogenesis 583–585
 sulfur saturation in parental melt 583, 585
 geological background 576, 577
 methods and samples 576, 577–579
 results
 mineral chemistry 578, 579, 580–581, 582, 584
 silicate and sulfide petrography 579–580, 581
 sulfur content at sulfide saturation (SCSS) calculations 580, 581–583, 583
- Sunsás Orogeny 508, 517
 supercontinents, definition 173
 Svecoffian magmatism, Baltica 503, 508

- tabular lava flows 379, 379
- Taihang LIP, North China craton 5, **131**, 133, *134*, 136, 138, 141
- Taishan LIP, North China craton **131**, 133, *136*, 138
- Tapajós Mineral Province 498, **498**, 499–502, *500*, **501**, 507–508
- Tethyan Himalayan Sequence 302, *303*
- Tocantinzinho deposit, Brazil 498, **498**, *500*
- Trans-Hudson Orogeny 510
- Transamazonian Orogeny 496, 499, 517
- Transscandinavian Igneous Belt 505
- triple rift centres *see* East Greenland volcanic rifted margin
- Tu Le Complex *see* Phan Si Pan-Tu Le silicic rocks
- Turkana Volcanics *see* East African Eocene LIP
- Uatumã SLIP, Amazonian craton 8, 494, *513*
 age matches with other magmatic events 503
 distribution 495, 499
 mineral resources 499–503, *500*, **501**, *502*
 palaeomagnetic poles 512
- unspiked K–Ar dating of giant dyke swarms 7, 285–298
 discussion
 age variability v. sample inhomogeneity 294–296, 295
 comparison with data from literature 296–297, 297
 dyke swarms studied 286–287, 288, 289
 methods and samples 287–292, 290, 291
 results 292–294, **292**, 293
- ‘Ur’ supercontinent 189, *189*
- Vaalbara 189
- Vaikrita group 198, 202–203, *204*, 206, 208–209, 208, 210, 211, **216**
- Variscan Orogeny 17–18
- Vestfold Hills mafic dykes 4, 5, 6, 149–167
 discussion
 East Antarctica in the Proterozoic 164, *165*
 India–East Antarctica connection in Proterozoic 164–166, *166*
 mantle source and petrogenesis of dykes 161–164, *161*, *162*, *163*
 geological background 150–153, *151*, *152*
 petrography 152–153, *153*
 methods and samples
 palaeomagnetic analysis 155
 whole-rock geochemistry 153–155
 results
 palaeomagnetic analysis **155**, 158–161, *160*, *165*, *166*
 whole-rock geochemistry **154**, 155–158, *156*, *157*, *159*
- Vietnam *see* Phan Si Pan-Tu Le silicic rocks
- Wai Subgroup *see* Koyna (KBH1) core chemical stratigraphy
- West African craton 508, 510, 511–517, *514*, **515**, *516*
- Western Australia 6, 149–150, 167, 189, *189*
 Mount Weld carbonatites 481–482, *481*, 488
- Yanliao LIP, North China craton 5, **131**, 133, *135*, *136*, 137, 138, 141
- Ye Yen Sun granite 229, 230, *231*, 244
- Yilgarn craton 167, 189, *189*, 481–482, *481*, 488
- Yinkiong Formation 302, *303*
- Zimbabwe craton 189, *189*