

Contents

Section I: Synthesis

| | | |
|------------------|--|----------|
| Chapter 1 | Covalent Methods for Functional Carbons' Synthesis | 3 |
| | <i>J.-P. Tessonnier, R. G. Rao, G. Giambastiani and G. Tuci</i> | |
| 1.1 | Towards a Molecular Understanding of the Reactivity of Carbon Surfaces | 3 |
| 1.1.1 | Role of Curvature and Topological Defects on Surface Reactivity | 3 |
| 1.1.2 | Surface Modification through Heteroatom Insertion | 4 |
| 1.2 | Strategies for the Synthesis of Functional Carbon Catalysts | 6 |
| 1.2.1 | Catalytic Chemical Vapor Deposition | 6 |
| 1.2.2 | Post-synthetic Functionalization | 7 |
| 1.2.3 | Tethering Discrete Active Sites Through Nanomaterials' Surface Functionalization | 11 |
| 1.3 | Oxidized Carbon Nanomaterials in Catalysis | 11 |
| 1.3.1 | Oxidation Reactions | 12 |
| 1.3.2 | Reduction Reactions | 14 |
| 1.3.3 | C–C and C–N Bond Forming Reactions | 15 |
| 1.3.4 | Cycloaddition and Polymerization Reactions | 17 |

Catalysis Series No. 31

Metal-free Functionalized Carbons in Catalysis: Synthesis, Characterization and Applications

Edited by Alberto Villa and Nikolaos Dimitratos

© The Royal Society of Chemistry 2018

Published by the Royal Society of Chemistry, www.rsc.org

| | | |
|------------------|---|-----------|
| 1.4 | Tuning Chemical and Electronic Surface Properties of Carbon Nanomaterials in Catalysis <i>via</i> Tailored Chemical Functionalization Protocols | 18 |
| 1.4.1 | Acid- and Base-catalyzed Reactions with Functionalized Nanocarbons | 18 |
| 1.4.2 | Chemically Decorated Nanocarbons with Tailored Functional Groups for the Electrochemical Oxygen Reduction Reaction (ORR) | 21 |
| 1.5 | Conclusion | 21 |
| | Acknowledgements | 22 |
| | References | 23 |
| Chapter 2 | Non-covalent Methodologies for the Preparation of Metal-free Nanocarbons for Catalysis | 29 |
| | <i>Anastasios Stergiou, Nikolaos Karousis and Dimitrios Tasis</i> | |
| 2.1 | Introduction | 29 |
| 2.2 | Graphene | 31 |
| 2.2.1 | Functionalization <i>via</i> Physisorption | 31 |
| 2.2.2 | Graphene/Polymer Assemblies by <i>In situ</i> Polymerization | 36 |
| 2.2.3 | Preparation of Porous Supramolecular Architectures | 38 |
| 2.2.4 | Other Approaches | 40 |
| 2.3 | Fullerenes | 43 |
| 2.4 | Carbon Nanotubes | 45 |
| 2.4.1 | Solubilization of CNTs and Physisorption of Small Molecules | 45 |
| 2.4.2 | Functionalization with Polymers | 46 |
| 2.4.3 | Encapsulation of Molecules (Peapods) | 47 |
| 2.4.4 | Functionalization with Other Graphitic Carbons | 48 |
| 2.4.5 | Doping of CNTs | 49 |
| 2.5 | Carbon Nanohorns | 51 |
| 2.6 | Nanodiamonds | 52 |
| 2.7 | Carbon Dots | 54 |
| 2.7.1 | Functionalization <i>via</i> Physisorption | 54 |
| 2.7.2 | Functionalization with Graphitic Nanostructures | 55 |
| 2.8 | Conclusions | 59 |
| | References | 60 |

| | | |
|------------------|--|-----------|
| Chapter 3 | Carbon Nitrides ($g\text{-C}_3\text{N}_4$) and Covalent Triazine Frameworks (CTFs) | 67 |
| | <i>Devadutta Nepak, Vijay K. Tomer and Kamalakannan Kailasam</i> | |
| 3.1 | Introduction | 67 |
| 3.2 | Methods of Synthesis of $g\text{-C}_3\text{N}_4$ | 70 |
| 3.2.1 | Bulk $g\text{-C}_3\text{N}_4$ | 70 |
| 3.2.2 | Template-assisted Method | 72 |
| 3.2.3 | Ionothermal Approach | 79 |
| 3.2.4 | Bottom-up and Top-down Strategies | 79 |
| 3.3 | Methods of Synthesis of Covalent Triazine Frameworks (CTFs) | 81 |
| 3.3.1 | Ionothermal Synthesis | 81 |
| 3.3.2 | Low-temperature and Microwave-assisted Synthesis | 83 |
| 3.3.3 | Solid-state Synthetic Method | 85 |
| 3.4 | Miscellaneous | 86 |
| 3.4.1 | Heteroatom Doping | 87 |
| 3.5 | Remarks and Future Prospects | 90 |
| | References | 91 |

Section II: Characterization

| | | |
|------------------|--|------------|
| Chapter 4 | Raman, IR and INS Characterization of Functionalized Carbon Materials | 105 |
| | <i>E. Groppo, F. Bonino, F. Cesano, A. Damin and M. Manzoli</i> | |
| 4.1 | Raman Spectroscopy Applied to Carbons | 105 |
| 4.1.1 | Raman Spectroscopy of Perfect and Defective Graphite | 106 |
| 4.1.2 | Raman Spectroscopy of Activated Carbons | 107 |
| 4.1.3 | Raman Spectroscopy of Graphene, Graphene Oxide and Reduced Graphene Oxide | 108 |
| 4.1.4 | Raman Spectroscopy of Carbon Nanotubes (CNTs) | 109 |
| 4.1.5 | Raman Spectroscopy of Other C-containing Materials | 110 |
| 4.2 | IR Spectroscopy Applied to Carbons: Principles, Problems and Solutions | 111 |
| 4.2.1 | FT-IR Spectroscopy of Activated Carbons | 114 |

| | |
|---|------------|
| 4.2.2 FT-IR Spectroscopy of GO, RGO, and Doped GO | 117 |
| 4.2.3 FT-IR Spectroscopy of CNTs | 119 |
| 4.2.4 FT-IR Spectroscopy of Fullerenes | 120 |
| 4.2.5 FT-IR Spectroscopy of Other Carbon-based Materials | 121 |
| 4.3 Neutron Properties, and Inelastic Neutron Scattering Applied to Carbons | 125 |
| 4.3.1 INS Spectra of Activated Carbons | 126 |
| 4.3.2 INS Spectroscopy of Other Carbonaceous Materials | 129 |
| 4.4 Conclusions and Future Perspectives | 131 |
| References | 131 |
| Chapter 5 XPS Characterization of Metal-free Functionalized Carbons | 138 |
| <i>W. Luo and S. Zafeirotos</i> | |
| 5.1 Introduction | 138 |
| 5.1.1 Physical Principles and Practical Aspects of XPS | 139 |
| 5.1.2 XPS Instrumentation | 142 |
| 5.1.3 XPS Peak Characteristics, Chemical Shift and Quantification | 143 |
| 5.2 Analysis of the C 1s Spectra of Carbonaceous Materials | 146 |
| 5.2.1 Peak Fitting or Peak Deconvolution Procedure | 148 |
| 5.2.2 Use of a Difference C 1s Spectra Peak Fitting Procedure | 150 |
| 5.3 XPS Studies of Pristine Carbon Materials | 150 |
| 5.4 XPS Characterization of Defects on Carbon Materials | 154 |
| 5.5 XPS Characterization of Carbon Materials with Oxygen Functional Groups | 156 |
| 5.6 XPS Characterization of Carbon Materials with Heteroatom Dopants | 158 |
| 5.6.1 XPS Characterization of Carbon Materials Doped with Nitrogen | 159 |
| 5.6.2 XPS Characterization of Carbon Materials with Other Heteroatoms | 162 |
| 5.7 Conclusions | 166 |
| References | 166 |

Section III: Applications

| | | |
|----------------------|--|----------------|
| Chapter 6 | Metal-free Functionalized Carbon in Liquid Phase Reactions | 179 |
| | <i>Carine Edith Chan-Thaw</i> | |
| | 6.1 Introduction | 179 |
| | 6.2 Hydrocarbon Oxidation | 180 |
| | 6.2.1 Cyclohexane Oxidation | 181 |
| | 6.2.2 Ethylbenzene Oxidation | 182 |
| | 6.2.3 Selective Oxidation of Toluene | 183 |
| | 6.3 Alcohol Oxidation | 184 |
| | 6.4 Acid or Base Catalysis | 186 |
| | 6.4.1 Knoevenagel Condensation Reaction | 186 |
| | 6.4.2 Transesterification | 187 |
| | 6.4.3 Hydrolysis Reactions | 188 |
| | 6.5 Coupling Reactions | 189 |
| | 6.6 Reduction Reactions | 190 |
| | 6.7 Discussion | 191 |
| | References | 193 |
| Chapter 7 | Carbon-based Metal-free Catalysts for Dehydrogenation of Hydrocarbons | 196 |
| | <i>Xi Liu, Ajin Cheruvathur and Ryan Sharpe</i> | |
| | 7.1 Introduction | 196 |
| | 7.2 Oxidative Dehydrogenation of Ethylbenzene | 198 |
| | 7.3 Catalytic Oxidation of Alkenes and Alkanes | 212 |
| | 7.4 Direct Dehydrogenation | 219 |
| | 7.5 Conclusion | 222 |
| | Acknowledgements | 222 |
| | References | 223 |
| Chapter 8 | Electrochemistry Reactions Catalyzed by Metal-free Functionalized Carbons | 228 |
| | <i>Cheng Tang and Qiang Zhang</i> | |
| | 8.1 Introduction | 228 |
| | 8.2 Oxygen Electrochemistry Reactions | 230 |
| | 8.3 Metal-free Functionalized Carbons for ORR Catalysis | 231 |
| | 8.3.1 Heteroatom or Molecular Doping | 232 |
| | 8.3.2 Edge Effects or Edge Sites | 236 |
| | 8.3.3 Intrinsic Topological Defects | 239 |

| | | |
|-------------------|---|------------|
| 8.4 | Metal-free Functionalized Carbons for OER Catalysis | 247 |
| 8.4.1 | N-doped Carbons for OER Catalysis | 247 |
| 8.4.2 | Oxidized Carbons for OER Catalysis | 249 |
| 8.4.3 | Dual-doped Carbons for OER Catalysis | 250 |
| 8.5 | Multifunctional Metal-free Carbon Catalysts | 253 |
| 8.5.1 | ORR/OER Bifunctional Catalysts | 253 |
| 8.5.2 | HER-containing Multifunctional Catalysts | 257 |
| 8.6 | Conclusions | 259 |
| | Acknowledgements | 260 |
| | References | 260 |
| Chapter 9 | Metal-free Functionalised Carbons in Photocatalysis | 266 |
| | <i>Ren Su</i> | |
| 9.1 | Overview, Basic Concepts, and Key Terminologies | 266 |
| 9.1.1 | Overview | 266 |
| 9.1.2 | Key Terminologies | 269 |
| 9.2 | Organic Polymer Photocatalysts | 270 |
| 9.2.1 | Linear Structured Polymers | 270 |
| 9.2.2 | Polymeric Networks | 273 |
| 9.2.3 | Covalent Organic Frameworks | 277 |
| 9.3 | Graphitic Carbon Nitrides (g-C ₃ N ₄) | 279 |
| 9.3.1 | Geometric and Electronic Structures | 280 |
| 9.3.2 | Pristine Bulk g-C ₃ N ₄ | 282 |
| 9.3.3 | Modified g-C ₃ N ₄ and Carbon Nitride Derivatives | 286 |
| 9.3.4 | Other Applications Beyond Photocatalytic HER | 298 |
| 9.4 | Concluding Remarks and Perspectives | 300 |
| | Acknowledgements | 300 |
| | References | 300 |
| Chapter 10 | Metal-free Doped Carbons for Electroanalytical Sensors | 304 |
| | <i>V. Pifferi, A. Testolin and L. Falciola</i> | |
| 10.1 | Introduction | 304 |
| 10.2 | Modified Electrode Fabrication | 306 |
| 10.3 | Carbon Materials for the Preparation of Modified Electrodes | 310 |
| 10.3.1 | Carbon Paste and Ordered Carbons | 310 |

| | |
|--|------------|
| <i>Contents</i> | xv |
| 10.3.2 Glassy Carbon (GC), Boron-doped Diamond (BDD) and Tetrahedral Amorphous Carbon (ta-C) | 311 |
| 10.3.3 Carbon Nanotubes (CNTs) | 313 |
| 10.3.4 Graphene | 316 |
| References | 320 |
| Subject Index | 326 |