

# Contents

<b>Chapter 1 Grinding of Waste Rubber</b>	<b>1</b>
<i>Jaideep Adhikari, Anindya Das, Tridib Sinha, Prosenjit Saha and Jin Kuk Kim</i>	
1.1 Introduction	1
1.2 Sources of Waste Rubbers	3
1.3 Waste Rubber Grinding Routes	3
1.4 Different Grinding Conditions	5
1.4.1 Ambient Grinding	6
1.4.2 Cryogenic Grinding	8
1.4.3 Solution Grinding	10
1.4.4 Grinding by Ozone Cracking	10
1.4.5 Elastic Deformation Grinding	12
1.5 Devulcanization Methods of Rubber	17
1.5.1 Chemical	17
1.5.2 Ultrasonic Devulcanization	17
1.5.3 Microwave Devulcanization Method	18
1.5.4 Biological Devulcanization Technique	18
1.5.5 Other Devulcanization Techniques	19
1.6 Relationship Between Energy and Particle Size for Grinding Routes	19
1.7 Classification of Powdered Rubber	20
1.8 Conclusion	21
References	21

---

Green Chemistry Series No. 59

Rubber Recycling: Challenges and Developments

Edited by Jin Kuk Kim, Prosenjit Saha, Sabu Thomas, Józef T. Haponiuk and M. K. Aswathi

© The Royal Society of Chemistry 2019

Published by the Royal Society of Chemistry, [www.rsc.org](http://www.rsc.org)

<b>Chapter 2</b>	<b>Surface Treatment of Rubber Waste</b>	<b>24</b>
	<i>X. Colom, M. Marín-Genescà, K. Formela and J. Cañavate</i>	
2.1	Introduction	24
2.2	Experimental	29
2.2.1	Materials	29
2.2.2	Equipment	30
2.3	Surface Oxidation of the Rubber Waste Particles	30
2.3.1	Results and Discussion	33
2.3.2	Treatment of Gtr Using Oxidation Acids	38
2.4	Coupling Agent and Chlorination Treatment on Rubber Waste Particle Surface	39
2.4.1	Surface Treatment of GTR by TCI and Silane A-174	40
2.4.2	Results and Discussion	40
2.4.3	Treatment of GTR Using TCI and Silane	42
2.5	Effect of Surface Modification of Rubber Waste Grafted with EPDM	43
2.5.1	Results and Discussion	45
2.5.2	Surface Modification of GTR Grafted with EPDM	51
2.6	Global Conclusions	52
	References	53
<b>Chapter 3</b>	<b>Thermoplastic Elastomers Filled With GTR</b>	<b>56</b>
	<i>K. Formela, J. Haponiuk, S. Wang and X. Colom</i>	
3.1	Introduction	56
3.2	Thermodynamics of Polymer Blends Containing GTR	60
3.3	Preparation of Thermoplastics/GTR Blends in Variable Conditions	61
3.3.1	Statistical Methods Used in Extrusion	61
3.3.2	Importance of Extrusion Temperature	62
3.3.3	Effect of Extrusion Settings	64
3.3.4	Combined Impact of Thermoplastic Matrix Type and Screw Configuration	65
3.4	Routes for Compatibilization of Thermoplastics/GTR Blends	66
3.4.1	Cross-linking	67
3.4.2	Oxidization or Reclamation of GTR	68
3.4.3	Application of Additional Elastomer Phase	68

3.4.4 Grafted Polymers	70
3.4.5 Other Possibilities	72
3.5 Conclusions	73
References	73
<b>Chapter 4 Waste Rubber Based Composite Foams</b>	<b>83</b>
<i>Mapoloko Mpho Phiri, Motshabi Alinah Sibeko, Shanganyani Percy Hlangothi and Maya Jacob John</i>	
4.1 Introduction	83
4.2 Processing of Rubber Foam Composites	85
4.2.1 Processing of Foamed Composites with GTR	85
4.3 Properties of Foamed/GTR Composites	87
4.3.1 Morphological Properties	87
4.3.2 Physical Properties	90
4.3.3 Mechanical Properties	90
4.3.4 Damping Properties	91
4.3.5 Thermal Properties	93
4.4 Studies of Waste Rubber Foams	93
4.5 Applications of Waste Rubber Foam Composites	96
4.5.1 Non-structural Applications	96
4.5.2 Lightweight Applications	97
4.5.3 Sound and Vibration Absorption	97
4.5.4 Insulation and Impact Isolation	97
4.5.5 Drainage Systems	97
4.6 Concluding Remarks	97
References	98
<b>Chapter 5 Recycling of Tire Rubbers and Their Re-usability</b>	<b>102</b>
<i>Partheban Manoharan and Kinsuk Naskar</i>	
5.1 Introduction	102
5.2 Tire Composition, Tire Parts and End-of-life Tires	104
5.3 Why Recycle Tire Rubbers?	106
5.4 Recycling of Waste/Used Tire Rubbers	107
5.4.1 Chemical De-vulcanization Method	109
5.4.2 Mechanical Method	111
5.4.3 Energy Recovery Method	114
5.4.4 Microwave Method	117
5.4.5 Ultrasonic Method	118
5.4.6 Biological Method	120
5.5 Reusability and Application of Tire Rubbers	121
5.5.1 Civil Engineering Applications	121

5.5.2 Commercial Application of De-vulcanized/Reclaimed Rubber	122
5.5.3 Energy Production and Zinc Fertilizer	122
5.5.4 Sound-proof Barriers	123
5.6 Advantages of Reclaimed/De-vulcanized Rubber	123
5.7 Disadvantages of Reclaimed/De-vulcanized Rubber	124
5.8 Conclusion	124
References	124
<b>Chapter 6 Testing and Industrial Characterization of Waste Rubber</b>	<b>128</b>
<i>Suprabha Bandyopadhyay, Md. Minhajur Rahman, Soumanti Hazra, Jin Kuk Kim and Prosenjit Saha</i>	
6.1 Introduction	128
6.2 What is Rubber?	130
6.2.1 Natural Rubber	130
6.2.2 Synthetic Rubber	130
6.2.3 Some Specific Elastomers	131
6.3 Rubber Testing and Techniques	131
6.3.1 Instrumentation	131
6.3.2 Physical Testing	133
6.4 Disposal of Waste Rubber: A Serious Threat to Ecology	137
6.5 Possible Explorations of Waste Rubber	139
6.5.1 Rubber–Rubber Blends	139
6.5.2 Concrete Modified by Waste Rubber	139
6.5.3 Asphalt Binders	139
6.6 Recycling of Rubber	139
6.6.1 Thermo-mechanical Recycling of Rubber	140
6.6.2 Waste Rubber Recycling by Microwave Devulcanization	143
6.6.3 Devulcanization of Natural Rubber by Mechanochemical Means	145
6.7 Characterizing Recycled Rubber Products	148
6.7.1 Characterizing Cross-link Density in Rubber–Rubber Blends	148
6.7.2 Morphological Characterizations for Rubber–Rubber Composites	149
6.7.3 Characterizing the Mechanical and Thermal Properties of Devulcanized Rubber/Polypropylene Blends	152
6.7.4 Concrete Modified by Waste Rubber	154

6.8	Rheological Properties of Asphalt Binders Modified with Devulcanized Rubber	155
6.8.1	Apparent Viscosity	155
6.8.2	Performance Grade Critical Temperature	156
6.8.3	Rutting Resistance Factor	156
6.8.4	Phase Angle	156
6.9	Conclusion	156
	References	157
<b>Chapter 7</b>	<b>High Performance Flooring Materials from Recycled Rubber</b>	<b>160</b>
	<i>Raghendra Mishra, M. K. Aswathi and Sabu Thomas</i>	
7.1	Introduction	160
7.2	Types of Flooring Materials	162
7.3	Recycled Rubber as Flooring Materials	167
7.4	Recycling and Processing of Scrap Rubber	171
7.4.1	Mechanical Reclaiming Process	173
7.4.2	Thermo-mechanical Reclaiming Process	173
7.4.3	Cryomechanical Reclaiming Process	174
7.4.4	Wet or Solution Grinding	174
7.4.5	Microwave Method	174
7.4.6	Ultrasonic Method	174
7.4.7	Chemical Reclaiming Processes	174
7.5	High Performance Flooring Applications of Recycled Rubber	175
7.6	Advantages and Disadvantages of Rubber Flooring	178
7.6.1	Advantages	178
7.6.2	Disadvantages of Rubber Tile Floorings	180
7.7	Conclusions	180
	References	181
<b>Chapter 8</b>	<b>Recycling of Individual Waste Rubbers</b>	<b>186</b>
	<i>S. Saiwari, W. K. Dierkes and J. W. M. Noordermeer</i>	
8.1	Introduction	186
8.2	Theoretical Background	188
8.2.1	Agents for Selective Scission of Sulfur Crosslinks	188
8.2.2	Radical Scavengers	190

8.2.3	Model for Analysis of De-vulcanization Efficiency	194
8.3	De-vulcanization of SBR	203
8.3.1	Thermal De-vulcanization of SBR	203
8.3.2	Thermo-chemical De-vulcanization of SBR	206
8.3.3	Chemical De-vulcanization of SBR with the Aid of Stabilizers	211
8.4	De-vulcanization of BR	216
8.5	De-vulcanization of NR	218
8.6	De-vulcanization of CIIR	219
8.7	De-vulcanization of EPDM	223
8.7.1	Example of the Re-use of De-vulcanized Rubber: EPDM Roofing Foil	226
8.8	Concluding Remarks	229
	References	230
<b>Chapter 9</b>	<b>Recycling of Latex Waste and Latex Products</b>	<b>233</b>
	<i>A. R. Azura and D. N. Syuhada</i>	
9.1	Introduction	233
9.2	Latex Waste	234
9.3	Recycling of Liquid Latex Waste	235
9.3.1	Laminated Mould Cleaning	235
9.3.2	Outdoor Cleaning	242
9.3.3	Former Cleaning	246
9.3.4	Blending of Waste NR Latex	249
9.3.5	Recycling of Latex Paint	250
9.4	Recycling of Latex Products	251
9.4.1	Reclaiming of Latex Waste Products	251
9.4.2	Latex Waste Products as Filler	253
9.5	Conclusions	255
	References	255
<b>Chapter 10</b>	<b>Recycling of Rubber Blends for Durable Construction</b>	<b>259</b>
	<i>Sathish Kumar Palaniappan, Rajasekar Rathanasamy, Samir Kumar Pal and Ganesh Chandra Nayak</i>	
10.1	Introduction	259
10.2	Recycling of Rubber Based Blends for Durable Construction	261
10.3	Conclusion	271
	References	271

<b>Chapter 11</b>	<b>Recycling of Rubber Composites and Nanocomposites</b>	<b>275</b>
	<i>Ramakrishnan Shanmugam, Sathish Kumar Palaniappan, Rajasekar Rathanasamy, Krishnamurthy Kasilingam and Ganesh Chandra Nayak</i>	
11.1	Introduction	275
11.2	Various Nanofillers	277
11.3	Recycling of Rubber Nanocomposites	278
11.4	Reclamation of Rubber Composites/Waste Tires	281
11.5	Application of Rubber in Construction	298
11.6	Conclusion	304
	References	305
<b>Chapter 12</b>	<b>Hybrid Nano-filler for Value Added Rubber Compounds for Recycling</b>	<b>310</b>
	<i>Kishor Kumar Sadasivuni, Sunita Rattan, Kalim Deshmukh, Aqib Muzaffar, M. Basheer Ahamed, S. K. Khadheer Pasha, Payal Mazumdar, Sadiya Waseem, Yves Grohens and Bijendra Kumar</i>	
12.1	Introduction	310
12.2	Fabrication of Hybrid Nanofillers/Rubber Nanocomposites	314
	12.2.1 Intercalation Method	315
	12.2.2 <i>In situ</i> Polymerization	315
	12.2.3 Mechanical Mixing Method	315
	12.2.4 Sol–Gel Method	316
	12.2.5 Melt Compounding Method	317
	12.2.6 Solution Blending Method	318
	12.2.7 Latex Compounding Method	318
12.3	Methods of Recycling	318
	12.3.1 Biological Method	319
	12.3.2 Ambient Mechanical Recycling Method	319
	12.3.3 Thermal Process of Recycling	321
	12.3.4 Pan Technique	321
	12.3.5 Digester Technique	321
	12.3.6 Alkaline Technique	321
	12.3.7 High-pressure Steam Technique	322
	12.3.8 Thermo-mechanical Recycling Process	322
	12.3.9 Cryogenic Grinding Process	322
	12.3.10 Pyrolysis Process	323
	12.3.11 Microwave Recycling Technique	323
12.4	Effect of Nano-fillers on Rubber Recycling	324
12.5	Conclusion	325
	References	326
	<b>Subject Index</b>	<b>330</b>