

Index

Note: Page numbers followed by *f* and *t* indicate figures and tables.

- Abdallah, C., 47
- Absolute consistency, 98, 108, 109, 110, 199, 201
- A/C Index. *See* Aggression/Character Index
- Activation network, REM, 235
- Activation-synthesis theory of dreaming
- bizarreness in large group samples of reports, 255–256
 - brainstem and, 250–251, 291, 294, 295
 - children and, 253–255
 - emotions in reports, 257–260
 - lawfulness and, 295
 - meaning and, 294
 - psychosis and, 250
 - putative brainstem basis for dreaming, 251–252
 - rejection of developmental studies, 252–255
 - summarizing criticisms of, 260–261
- Adaptive function of dreaming
- emotions-related theories of, 267–273
 - general findings, 263–264
 - with meaning, lawfulness, and function, 294–296
- Adaptive theories, 286, 292, 294
- Adolescents. *See also* Children; Dream reports, of adolescents and preadolescents
- with emotions in dream reports, 225–227
- Adults. *See also* Men; Women
- emotions in dream series, 224–225
 - fMRI scans in, 298
 - Freudian dream theory and, 242
- A/F% (Aggression/Friendliness Percent), 64*t*, 85*t*, 90, 91, 91*t*, 110, 110*t*, 114–118, 123–124, 188*t*, 191, 192, 192*t*, 204
- Affection/eroticism, 258, 259
- African Americans, 89
- A/F/S (aggression, friendliness, sexuality), 73–75, 74*f*, 76, 77, 110, 114
- Age
- differences in dream reports in different countries, 79–81
 - dream content and, 79–83
- Aggression
- friendliness and, 75, 75*t*, 80, 82, 91*t*
 - Physical Aggression Percent, 63–64, 64*t*, 78, 83, 90, 93, 188, 190–192
 - United States and, 83
- Aggression, friendliness, sexuality (A/F/S), 73–75, 74*f*, 76, 77, 110, 114

- Aggression/Character (A/C) Index, 64, 67, 108, 148, 172, 190
- Aggression/Friendliness Percent (A/F%), 64*t*, 85*t*, 90, 91, 91*t*, 110, 110*t*, 114–118, 123–124, 188*t*, 191, 192, 192*t*, 204
- Aggressor Percent, 64*t*, 80–81, 114, 115, 123, 188*t*, 190, 191, 192, 192*t*
- “Allison,” dream series, 131–133
- Alpha waves
decoupling and, 43
8–13 Hz, 34
REM dreaming and, 48
sleep onset and, 36, 38
theta and, 22, 24, 34, 35, 35*t*, 37
- Amygdala, 17, 18, 29, 228–231, 233
- AN (Anger), 209, 210, 211*t*, 226, 234
- Analyses, dream content, 3–4
- Anger
AN, 209, 210, 211*t*, 226, 234
AP+AN+SD, 210, 211*t*, 212*t*, 214, 220
AP+AN+SD+ all emotions, 210, 211*t*, 212*t*, 225*t*
- Angular gyrus, 18*t*
- Animal Percent, 64*t*, 85*t*, 120
adolescents and, 185, 190, 192
with children and development of dreaming, 171–172, 180
with cross-national studies of dream content, 82
defined, 63
with familiar and unfamiliar in dream reports, 84
nonlab dream reports and, 72
- Animal rights activists, 182
- Animals
cats, 276
dreamer and, 77–78
mammalian brain, 227, 228, 276
REM sleep in ancient, 281
rodents and REM sleep, 268, 269, 272
Yir Yoront people and, 88
- Anterior medial prefrontal cortex, 18*t*
- Anterior temporal lobes, 18*t*
- Antidepressants, 270, 285
- Antipsychotic drugs, 249
- Antrobus, J., 256
- Anxiety, 213
- Anxiety/fear, 258. *See also* Fear/ Apprehension
- AP (Fear/Apprehension), 209, 210, 211*t*, 213, 226, 234, 258
- AP+AN+SD (Fear/Anger/Sadness), 210, 211*t*, 212*t*, 214, 220
- AP+AN+SD+ all emotions (Fear/Anger/ Sadness Percent), 210, 211*t*, 212*t*, 225*t*
- Apprehension/Fear. *See* Fear/ Apprehension
- Approximate randomization, 60, 67, 101, 103, 297
- Argentina, 89
- Arousals, brief, 6–7
- Artemidorus (physician), 139
- Artistic creativity, 295
- Assimilation, of positive emotions, 272, 273
- Association, laws of, 143, 144*t*, 145
- Association networks, 13, 17
brain and location of four major, 20*f*
default network control by, 19–22
during sleep onset, sleeping, and dreaming, 22–23
as small-world networks, 16
- Atonia, REM sleep and, 7, 270
- Atypical states
of dreaming, 46–50
with drugs, 46, 266, 293
of waking consciousness, 45–46
- Auditory
activities, 75
waking thresholds, 40
- Australia, 87–88, 165
- Autobiographical self, 174, 177, 179–180, 235, 253, 276
- Autocorrelation, 101–102, 194, 297

- Avocations
 "Izzy" and waking, 199
 "Jasmine," 202–203
- Bach, Johann Sebastian, 287
- Baldwin-Wallace College, Cleveland, 65
- Bangor University, Wales, 278
- "Barb Sanders," 100–101, 103, 136–137, 148, 224
 character networks in dream series, 127–128
 consistency in dream series, 114
 continuity in dream series, 114–119
 daydreaming and, 117
 DreamBank.net, 114, 149
 dream journal of, 113, 134
 dream reports of, 112–114
 potential symbolism in dream series, 149–151, 153
- Barrett, Lisa Feldman, 227
- Basal ganglia, 17, 26, 233
- Bay Area Girls, 187–189, 188*t*, 226–227
- "Bea," dream series, 193–194, 227
- Beethoven, Ludwig van, 287, 289
- Befriender Percent, 64*t*, 114, 115, 123, 188*t*, 192*t*
- Benjamini-Hochberg statistic, 71, 103
- "Beverly," dream series, 133–136, 137
- The Biopsychology of Waking, Sleeping and Dreaming course, 257–258, 259
- Bizarreness
 hyperassociativity and, 272–273, 295
 in large group samples of dream reports, 255–256
- Blindness, 105, 174–176, 196–197
- Bodily Misfortunes Percent, 123, 124
- Boston/Cape Cod study, 253, 254, 255
- Brain
 mammalian, 227, 228, 276
 triune, 228, 229, 231
- Brain, human
 activation and nightmares, 208
 amygdala, 17, 18, 29, 228–231, 233
 with atypical states of dreaming, 46–50
 basal ganglia, 17, 26, 233
 cognitive factors in dream recall, 54–55
 with cognitive insufficiencies in dreaming, 55–56
 conditions for dreaming, 57
 dreaming as form of embodied simulation, 50–53
 dreaming with areas of, 33*f*
 dreaming during sleep onset, NREM 2 sleep, and drifting waking thought, 33–44
 Freudian dream theory and, 242
 frontoparietal cortex, 141
 hypothalamus, 16, 29, 57, 252
 lesion and electrical stimulation studies, 28–33
 lesions and illness, 14, 56
 lobotomies and, 242, 243, 249
 network organization of, 16–23, 18*t*, 20*f*
 with neural substrate supporting dreaming, 15, 23–28
 pons, 17, 27*t*, 28, 33*f*, 251–252, 256
 prefrontal cortex, 228–231
 regions subserving waking and dreaming, 27*t*
 retrosplenial cortex, 18*t*, 167, 282, 284–285
 synapse formation, 164
 thalamus, 16, 57, 235, 291
 waking consciousness and, 45–46
 waves during drowsiness, sleep onset, and sleep stages, 35*t*
- Brainstem, 17, 29, 276
 activation-synthesis theory of dreaming and, 250–251, 291, 294, 295
 dreaming and putative, 251–252
 phasic events and, 255
 REM sleep and damaged, 270
- Brazil, 164
- Brief arousals, 6–7

- Canada, 10, 30, 62
- Case studies, 29, 31, 98, 249, 289
- Case Western Reserve University, Cleveland, 65
- Cats, decorticated, 276
- Caudate nucleus, 26, 27*t*
- Central Institute of Mental Health, Mannheim, 213–214, 216
- Cerebellum, 29, 33*f*
- Cerebral blood flow, 39–40
- Chang, C., 22, 43
- Characters
- A/C Index, 64, 67, 108, 148, 172, 190
 - aggression/friendliness percent for male and female, 91*t*
 - F/C Index, 63, 67, 81, 83, 108–109, 114–118, 172, 194, 204
 - “Izzy” with personally known, 197–199
 - “Jasmine” with personally known, 201–202
 - metamorphoses, 149–150, 152
 - networks in dream series, 126–128
 - perception/cognition of other, 77
 - unfamiliar, 81, 83
- Children. *See also* Dream reports, of adolescents and preadolescents dreaming and preschool, 242, 253–255, 263
- with emotions in dream reports, 225–227
 - experimental studies with waking and, 254
 - imagination in preschool, 179, 235
 - MRD findings with adolescents and, 182–183, 189–193
 - sleep-dream laboratory and, 169
 - sleep terrors, 7
 - smartphone apps and, 296
 - Swiss, 183, 184
 - threat simulation during dreaming and, 276–277
- Children, development of dreaming in conclusions and implications, 179–180
- default network maturation, 163–170, 165*f*
 - dream origins and preschool, 178–179, 181
 - with gradual cognitive achievement, 170–179
 - laboratory studies of, 168–170
 - with parallels between waking cognition, 174–178
 - recall and, 176
- China, 165–166
- Chi-square, 66, 68
- CO (Confusion), 209, 210, 226, 258
- Coding systems. *See also* Hall/Van de Castle coding system
- emotions with rating and, 221–224
 - future, 297
 - measurement and, 222
 - waking predictive codes, 282–285
- Cognition
- cognitive appraisals in dreams with, 85–87
 - dreaming and waking, 174–178
 - with dreaming as gradual achievement, 170–179
 - perception/cognition, 77
 - social, 25, 165
- Cognitive appraisals, in dreams, 85–87
- Cognitive dissonance, Freudian dream theory and, 246–247
- Cognitive factors, in dream recall, 54–55
- Cognitive insufficiencies, 15, 55–56, 58, 150, 161, 208
- Cognitive linguistics
- limits of metaphoric analyses, 156–160
 - symbolism with figurative thinking and, 153–160
 - theory and typical dreams, 154–156

- Cognitive processes, dream-work, 244–245
- Cognitive theory of dream symbols, 143
- Cohen, J., 69
- “*d*” statistic, 68, 103
- kappa coefficient, 65–66
- Computers
- Perl language, 104
- programmers with dreams, 267
- technology and desktop, 12, 60
- text-to-speech and screen-magnifying programs, 196, 202
- Condensation, 245
- Confabulations, 10, 250
- Confusion (CO), 209, 210, 226, 258
- Consciousness, waking, 15, 45–46, 50, 267
- Consistency, 108*t*, 110*t*
- absolute, 98, 108, 109, 110, 199, 201
- developmental, 98, 197
- in four dream series, 193–205
- relative, 98, 108, 110, 197, 201
- in three unusual dream series, 112–126, 263
- in two different dream series, 107–112
- Content analysis
- DreamBank.net and, 103–105
- systematic empirical studies of symbolism based on, 143–147
- Continuity
- between dreaming and waking thought, 87–93
- in four dream series, 193–205
- in three unusual dream series, 112–126, 263
- Convergent validity, 58, 292
- Conversion, Freudian dream theory and, 246
- Countries, age differences in dream reports, 79–81
- COVID-19, 99
- “Allison” and “Jasmine,” 131–133
- “Beverly,” 133–136, 137
- dream reports from 2020 relating to, 128–136
- “Penelope,” 130, 132
- “Rebecca,” 129–130, 132
- “Zelda,” 130, 131, 132
- Creativity, 6
- artistic, 295
- dreaming, music and, 289
- waking, 266
- Cross-cultural differences, dream reports, 79–83
- Cross-cultural studies, of dream content, 83
- Cross-national differences, dream reports, 79–83
- Cross-national studies, of dream content, 81–83
- Cult-like settings, with dream-oriented therapeutic group, 246
- Culture
- with dreaming as by-product for individual use, 286–289
- music and, 287–288, 289, 290
- negative emotions and new practices, 264
- Darwin, Charles, 228–231
- Daydreaming, 253
- “Barb Sanders” and, 117
- ESP with dreaming and, 289
- “Izzy” and, 204
- mind-wandering and, 3, 6, 8, 20, 26, 40, 42, 58
- Day residue, 243
- Deactivation network, REM, 235
- Dead and Imaginary Percent, 194
- Decoupling, 21–22, 24, 26, 35, 37, 43
- Default network
- association networks and control of, 19–22
- brain regions and, 18*t*
- drifting waking thought and, 14
- emotions and, 233, 235

- Default network (cont.)
 frontoparietal control and, 20–21, 164
 imagination and, 19, 25, 52
 maturation, 163–170, 165*f*
 role of, 2–3, 291
 sleep-onset process, dreaming and,
 13–14, 33–37
- Delta waves, 35*t*, 271
- Delusions, 10, 250, 252, 256
- Demand characteristics, Freudian dream
 theory, 246–247
- Desktop computers, technology, 12, 60
- Developmental consistency, 98, 197
- Developmental studies of dreaming,
 rejection of, 252–255
- Development of dreaming in children.
See Children, development of
 dreaming in
- A Dictionary of Slang and Unconventional
 English from the Fifteenth Century to
 the Present Day* (Partridge), 143
- Directed activities, 75–79, 94
- Directed thinking, 6, 13
- Disgust, 208, 209, 231, 233–234, 238
- Disorders of arousal, 7
- Displacement, 245
- Dopamine, 47, 242, 249
- “Dorothea,” dream series, 279, 280
- Dorsal attention network, 17, 19, 20*f*,
 21–22, 24, 26, 35, 43, 56–57
- Dorsal cingulate cortex, 27*t*
- Dorsal medial prefrontal cortex, 18, 18*t*,
 232
- Dorsal medial prefrontal cortex
 subsystem, 17, 18*t*, 25
- Dorsolateral frontal cortex, 27*t*
- Dorsomedial prefrontal cortex, 27*t*, 231
- DreamBank.net, 99, 174, 188
 “Barb Sanders,” 114, 149
 “Bea,” 194
 content analysis and, 103–105
 “Dorothea,” 280
 “Ed,” 122
 “Izzy,” 195
 “Jasmine,” 195, 196
 “Kenneth,” 107, 111
 “Merri,” 280
 “Phil,” 204
 Swiss children, 184
- Dream content. *See also* Symbolism, in
 dreams
 analysis, 3–4
 changes in, 266
 cross-cultural studies of, 83
 cross-national studies of, 81–83
 experimental studies of symbolic
 elements, 140–143
 lack of evidence for dream-work as
 basis for, 247–248, 295
 studies and limitations, 10–12
- Dream content, in individual dream
 series
 autocorrelation issue, 101–102
 character networks as small-world
 networks, 126–128
 consistency and continuity in three
 unusual, 112–126, 263
 consistency in two different, 107–112
 DreamBank.net with content analysis,
 103–105
 methodological and statistical issues,
 100–101
 multiple tests on same sample, 103
 religious elements and HVdC
 normative reports, 105–106
 reports from 2020 relating to
 COVID-19, 128–136
 safeguards, methodological strategies,
 and statistical rationales, 99–106
 sample sizes, 101
 word strings, 106
- Dream content, methodological and
 statistical issues
 four basic steps, 61
 HVdC content indicator formulas, 64*t*
 multiple testing of same sample, 70–71

- reliability in, 65–66
- replication studies, 70
- reports in laboratory and nonlaboratory settings, 71–72
- sample sizes, 68–69
- statistical significance and magnitude of effect sizes, 66–68
- study of, 60–72
- Dream content, quantitative analysis of
 - age, cross-national, and cross-cultural differences, 79–83
 - cognition and cognitive appraisals, 85–87
 - continuity between dreaming and waking thought, 87–93
 - embodied simulations, 72–79
 - familiar and unfamiliar in dream reports and, 83–85, 85*t*
 - methodological and statistical issues in study of, 60–72
- Dream-diary study, of preadolescents and adolescents, 187–188
- Dream distortion, 245
- Dreamers
 - animals and, 77–78
 - embodied simulations, 77–79
 - only, 78–79
- Dream function
 - general types of, 264
 - mastery and rehearsal theories of, 273–286
 - problem-solving theories of, 265–267
 - threat-simulation theory of, 274–281
- Dreaming. *See also* Children, development of dreaming in; Neurocognitive theory of dreaming
 - activation-synthesis theory of, 250–261, 291, 294, 295
 - association networks during sleep onset, sleeping, and, 22–23
 - atypical states of, 46–50
 - The Biopsychology of Waking, Sleeping and Dreaming course, 257–258, 259
 - brain areas needed and not needed for, 33*f*
 - brain regions subserving, 27*t*
 - cognitive insufficiencies in, 55–56
 - conditions for, 57
 - creativity and, 289
 - defined, 268
 - drifting waking thought and, 9, 22, 24, 57, 298
 - as embodied simulation, 50–53
 - ESP with daydreaming and, 289
 - experimental studies of lesions and, 32
 - function of, 268–269
 - high-density EEG studies and NREM 2, 41–42
 - “how” of (simulation), 3, 50–53
 - hypnosis and, 46, 141, 143
 - lesion studies of, 28–32, 263
 - memory and, 243–244
 - music and, 287–288, 289, 290
 - neural substrate and, 15, 23–28, 27*t*
 - neurocognitive definition of, 8–9
 - in NREM 2 and slow-wave sleep, 14, 37–40
 - preschool children and, 242, 253–255, 263
 - psychosis and, 250
 - putative brainstem and, 251–252
 - schizophrenics with loss of, 30
 - six conditions for, 3
 - sleep and, 9
 - during sleep onset, 13–14, 33–37
 - spontaneity of, 32–33
 - studies and limitations, 10–12
 - technology and, 12
 - during times of illness, 289
 - wake-state bias and, 9
 - during waking, 42–44
 - waking cognition and, 174–178
 - waking predictive codes and, 282–285
 - waking thought and, 87–93
 - “what” of (dream content), 3–4

- Dreaming (cont.)
 “when” of (conditions necessary for it to occur), 3, 57, 180
 “where” of (neural substrates that support it), 2–3
 “why” of (as a by-product), 4, 264, 286
 wish-fulfillment and, 244, 249
- Dreaming, adaptive functions, and cultural uses
 conclusions and implications, 289–290
 emotions-related theories, 267–273
 mastery and rehearsal theories, 273–286
 problem-solving theory, 265–267
 as useful by-product, 286–289
- Dream journals, 193, 297
 of “Barb Sanders,” 113, 134
 dream series in, 97, 100
 of “Kenneth,” 107
 of “Natural Scientist,” 119–121
- Dream-oriented therapeutic group, as cult-like, 246
- Dream recall
 children, 176
 cognitive factors in, 54–55
 infrequent, 263, 265
- Dream reports
 age, cross-national, and cross-cultural differences in, 79–83
 age differences in, 79–81
 aggression/friendliness percent for male and female characters in, 91*t*
 Animal Percent and nonlab, 72
 bizarreness in large group samples of, 255–256
 children and adolescents with emotions in, 225–227
 “Ed” and potential symbolism in, 151–153
 emotions in, 257–260
 familiar and unfamiliar in, 83–85, 85*t*
 with family, 82, 83–84, 198, 200*f*, 201
 gender differences in, 87, 88–89, 90, 92, 297
 “Jason” at ages 37–54, 55–59, and 70–73, 107–108
 in laboratory and nonlaboratory settings, 71–72
 men, 76, 80–81, 82, 84–85, 87, 90–92
 neurocognitive theory of emotions in, 227–238
 as novels and expressive writing, 61
 percentage of negative emotions in, 214, 215, 218
 quantitative content analysis of, 107, 119–121
 quantitative content analysis of emotions in, 208–216
 religious elements in dream series and HVdC normative, 105–106
 REM sleep, 213
 from 2020 relating to COVID-19, 128–136
 women, 76, 80, 81, 82, 84–85, 87, 90–92
- Dream reports, of adolescents and preadolescents
 Animal Percent and, 185, 190, 192
 Bay Area girls at grades 5, 6, 7, and 8 compared with HVdC female norms, 188*t*
 “Bea” at age 15, 193–194, 227
 conclusions and implications, 205
 consistency and continuity in four dream series, 193–205
 dream-diary study, 187–188
 Greek girls ages 8–12 and 13–18 compared with HVdC normative findings for women, 192*t*
 “Izzy,” 195–200
 “Jasmine,” 195–197, 201–204
 lab and nonlab findings in Zurich longitudinal study, 183–187
 Male/Female Percent and, 185, 188, 190, 191–192

- MRD findings with children and,
182–183, 189–193
- “Phil” with consistency at ages 14–15,
204–205
- preschool children and dream origins,
181
- Dreamresearch.net, 67–68
- Dreams. *See also* Emotions, in dreams
of computer programmers and physi-
cists, 267
inducing, 289
religious conversion with, 287
Sleep and Dream database, 106
- DreamSAT spreadsheet, 67–68
- Dream series. *See also* Dream content, in
individual dream series
“Allison,” 131–133
“Barb Sanders,” 100–101, 103, 112–119,
127–128, 134, 136–137, 148–151,
153, 224
“Bea,” 193–194, 227
“Beverly,” 133–136, 137
case studies and, 98
consistency and continuity in three
unusual, 112–126, 263
consistency in two different, 107–112
“Dorothea,” 279, 280
in dream journals, 97, 100
“Ed,” 121–126, 148, 151–153, 162,
224–225, 288
“Emma,” 224
HVdC and, 98, 100
“Izzy,” 195–200, 200*f*, 201, 202*t*,
203–204, 266
“Jasmine,” 131–133, 195–197, 201–204,
202*t*, 266
“Jason,” 107–110, 108*t*, 114, 136
“Kenneth,” 107, 110–112, 110*t*, 111*t*,
114, 136
“Merri,” 280
“Natural Scientist,” 119–121, 224, 225
“Penelope,” 130, 132
rating scales and, 100
of “Rebecca,” 129–130, 132
“Zelda,” 130, 131, 132
- Dream themes, 155
- Dream theories. *See also* Neurocognitive
theory of dreaming
activation-synthesis, 250–261, 291,
294, 295
Freudian, 241–249
- Dream-work
cognitive processes comprising,
244–245
dream distortion and, 245
with lack of evidence as basis for
dream content, 247–248, 295
repression and, 247
speech and, 244
- Drifting waking thought
default network and, 14
dreaming and, 9, 22, 24, 57, 298
dreaming during sleep onset, NREM
2 sleep and, 33–44
hyperassociativity and, 273
polysomnograph and, 12
REM reports and, 256
sleep onset and, 267
- Drowsiness, brain waves during, 35*t*
- Drugs
antidepressants, 270, 285
antipsychotic, 249
atypical states with, 46, 266, 293
hallucinogens, 289
“*d*” statistic, Cohen’s, 68, 103
- Durbin-Watson test, 102
- “Ed,” 148, 162
consistency and continuity in dream
series, 122–126
- DreamBank.net, 122
- dream reports and potential symbolism,
151–153
- dreams of deceased wife, 121–122
with emotions, 224–225
religion and, 288

- EEG. *See* Electroencephalogram
- Effect sizes, statistical significance and magnitude of, 66–68
- Eiser, A., 248
- Electrical brain stimulation studies, lesion and, 28–33
- Electroencephalogram (EEG)
high-density studies and NREM 2 dreaming, 41–42
mental states with waking monitored by, 43^f
with neuroimaging studies, 10, 12
studies and fMRI, 24, 34, 239
- Embodied simulation, 15
A/E/S, 73–75, 76, 77
directed and joint activities, 75–79
dreamer and animals only, 77–78
dreamer only, 78–79
dreaming as, 50–53
dreams with five categories of, 72–79
perception/cognition of other characters, 77
role of, 3
“Emma,” dream series and, 224
- Emory University, 170
- Emotional regulation, memory-consolidation theory of, 268–272
- Emotions
absence of, 207, 215, 216, 218, 219, 230, 238, 271
in dream reports, 257–260
HVdC coding system and, 207, 208–209
negative, 210, 211^t, 213, 214, 215–216, 218–221, 223, 225–227, 225^t, 233, 236–237, 259, 264, 271, 273
neurocognitive theory of dreaming and, 208, 235–236
in nonlab-collected dreams vs. sleep-dream laboratory, 212^t
positive, 211^t, 213, 214, 215–221, 223, 236, 259, 272, 273
wake-state bias and, 9
- Emotions, in dreams
AN, 209, 210, 211^t
adults and frequency of, 224–225
AP, 209, 210, 211^t, 213, 226, 234, 258
AP+AN+SD, 210, 211^t, 212^t, 214, 220
AP+AN+SD+all emotions, 210, 211^t, 212^t, 225^t
from children and adolescents, 225–227
CO, 209, 210, 226, 258
coding and rating systems comparisons, 221–224
conclusions and implications, 238–239
disgust, 208, 209, 231, 233–234, 238
F/A/S, 211^t, 213, 224, 225^t, 227, 236–237
HA, 209, 210, 211^t, 212^t, 213, 214, 215, 220, 225, 227, 228
men and women with, 207, 217–218, 220–221
negative, 210, 211^t, 213
neurocognitive theory of, 227–238
quantitative content analyses, 208–216
SD, 209, 210, 211^t, 226, 234
self-ratings by participants, 207–208, 216, 217, 218, 219, 223, 224, 225, 236, 258, 273, 293
studies using rating scales, 213–214, 216–221
surprise, 86–87, 209, 210, 213, 214, 215, 255, 258
- Emotions-assimilation theory of dreaming, 272–273
- Emotions-related theories
of adaptive function of dreaming, 267–273
emotions-assimilation theory of dreaming, 272–273
memory-consolidation theory of emotional regulation, 268–272

- Empirical studies
- Freudian dream theory and inadequacies of, 248–249
 - of symbolism based on content analysis, 143–147
- Entorhinal cortex, 27*t*, 33*f*
- Epilepsy, 28, 33*f*, 52, 230
- ESP, with dreaming and daydreaming, 289
- Euler diagram of social interactions, 74*f*
- Exams, failed, 156, 158–159
- Experimental studies
- with antidepressants and REM sleep, 270
 - children and waking, 254
 - of dreaming and lesions, 32
 - frontoparietal control and default networks, 20–21
 - limitations, 11
 - problem-solving theories and, 265
 - with rodents and REM sleep, 268, 269, 272
 - of symbolic elements in dreams, 140–143
 - of symbolism in dreams, 140–143
 - therapeutic relationships, 246
 - threat detection, 277
- Expressive communication activities, 75
- Expressive writing, dream reports as, 61
- Extrastriate (V2–5), 25, 27*t*
- Familiarity Percent, 64*t*, 82, 84–85, 90, 114, 192
- Family members, dream reports with, 82, 83–84, 198, 200*f*, 201
- Family Percent, 64*t*, 192
- F/A/S (Negative emotions), 211*t*, 213, 224, 225*t*, 227, 236–237
- F/C Index (Friendliness/Character Index), 63, 67, 81, 83, 108–109, 114–118, 172, 194, 204
- Fear/Anger/Sadness (AP+AN+SD), 210, 211*t*, 212*t*, 214, 220
- Fear/Anger/Sadness Percent (AP+AN+SD+ all emotions), 210, 211*t*, 212*t*, 225*t*
- Fear/Apprehension (AP), 209, 210, 211*t*, 213, 226, 234, 258
- Figurative thinking. *See also* Metaphors
- speech and, 145
 - symbolism with cognitive linguistics and, 153–160
- Figurative thought, theory of, 153
- Figures of speech, 145
- Fisher, Charles, 141
- Five Factor Personality Inventory, 55
- Flying dreams, 154, 155, 156, 255
- fMRI (functional magnetic resonance imaging)
- alpha and theta waves, 22
 - EEG studies and, 24, 34, 239
 - fNIRS technology and, 298–299
 - REM and, 282, 285
 - studies, 24, 34, 37–38, 40, 49–50, 52, 165–166, 168, 230, 237, 239
- fNIRS (functional near-infrared spectroscopy) technology, 298–299
- Foulkes, D., 189
- Foundational models, traditional and, 9–10
- Foundational research, 9
- Free association, 157, 245–246, 248, 290, 294, 295
- Freud, Sigmund, 157, 267
- dream distortion and, 245
 - libido and, 249
 - on subconscious mind, 119
 - symbolism in dreams and, 139–141, 142, 143, 150
- Freudian dream theory
- assessment of, 241–249, 292
 - brain and, 242
 - condensation and, 245
 - displacement and, 245
 - dreaming, wish-fulfillment and, 244, 249

- Freudian dream theory (cont.)
 inadequacies of empirical studies to support, 248–249
 lack of evidence for dream-work as basis for dream content, 247–248, 295
 lawfulness and, 295
 lobotomy and, 242, 243, 249
 meaning and, 294
 memory and, 243–244
 as neuro-psychoanalysis, 249
 with persuasion and conversion, 246
 problem-solving and, 265
 regard for representability and, 245
 repression and, 247
 secondary revision and, 245
 speech and, 244
 suggestion, demand characteristics, cognitive dissonance, and persuasion in therapeutic settings, 246–247
 symbolism and, 248, 249
- Friedman two-way analysis of variance, 66
- Friendliness
 A/F/S, 73–75, 74*f*, 76, 77, 110, 114
 aggression and, 75, 75*t*, 80, 82, 91*t*
- Friendliness/Character Index (F/C Index), 63, 67, 81, 83, 108–109, 114–118, 172, 194, 204
- Friends Percent, 64*t*, 188*t*, 192, 192*t*
- Frontal lobe, 56, 167
- Frontoparietal control network, default and, 20–21, 164
- Frontoparietal cortex, 141
- Functional magnetic resonance imaging. *See* fMRI
- Functional near-infrared spectroscopy (fNIRS) technology, 298–299
- Gender
 differences in dream reports, 87, 88–89, 90, 92, 297
- Male/Female Percent, 82, 89, 92–93, 108, 114, 171–172, 180, 185, 188, 190, 191–192
- “Generic is specific” concept, 156–158
- Germany, 62, 82, 84, 85, 89, 137, 155
- Goal-directed thinking, 6
- Greece, 62, 182, 191–193
- Guardians-of-sleep theory, 242, 243, 295
- Guilt, 213
- HA (Happiness/Joy), 209, 210, 211*t*, 212*t*, 213, 214, 215, 220, 225, 257, 258
- Hall, Calvin S., 101, 143, 144*t*, 145–146, 156, 159, 211, 234, 277
- “Jason” and, 107
 with unusual elements in dream series, 147–148
- Hallucinations, 242, 249, 252, 256
 atypical states of waking consciousness and, 45
 brief arousals and, 7
 psychiatric patients and, 10
 visuomotor, 250
- Hallucinogens, 289
- Hall/Van de Castle (HVdC) coding system, 258
 aggression/friendliness percent for male and female characters in, 91*t*
- Bay Area girls at grades 5, 6, 7, and 8 compared with female norms, 188*t*
 with children and development of dreaming, 171–172
 content indicator formulas, 64*t*
 dream reports with religious elements, 105–106
 dream series and, 98, 100
 emotions and, 207, 208–209
 frequency of emotions for men, 211*t*, 213
 frequency of emotions for women, 211*t*, 214
 future and, 297

- Greek girls ages 8–12 and 13–18
 compared with normative findings
 for women, 192*t*
 normative dreams and social inter-
 actions, 74*f*
 norms with aggression and friendliness,
 75*t*
 with novelty in dreams, 146–147
 social simulations in, 77*t*
- Hall/Van de Castle (HVdC) norms,
 frequency of emotions in dream
 series and, 225*t*
- Handel, George Frideric, 287
- Happiness/Joy (HA), 209, 210, 211*t*, 212*t*,
 213, 214, 215, 220, 225, 257, 258
- Harvard Extension School, 257–258, 259
- Harvard Medical School, 147
- Hayden, Joseph, 287
- Healing ceremonies, 264, 287, 288
- Hippocampal formation, 18*t*
- Hippocampus, 16, 27*t*, 32, 269
- Holm-Bonferroni correction, 70
- Home sleep-awakening devices, 299
- Homicide, 92–93
- Hong Kong, 182
- Hopi women, 83
- “How” of dreaming (simulation), 3, 50–53
- HVdC coding system. *See* Hall/Van de
 Castle coding system
- Hyperassociativity, 272–273, 295
- Hypnosis, 46, 141, 143
- Hypothalamus, 16, 29, 57, 252
- Illness, 30, 109, 116, 295
 atypical states of dreaming and, 46
 brain lesions and, 14, 56
 dreaming during times of, 289
 in dream series of “Ed,” 122–126
 nightmares and, 238–239
 psychiatric, 10
 shamans and psychotherapists with,
 287
 Urbach Wiethe disease, 29
- Imagination, 3, 13, 51, 180, 204,
 205
 default network and, 19, 25, 52
 mammals and, 276
 neurocognitive theory of dreaming
 and, 295
 in preschool children, 179, 235
 waking, 4, 58, 264
- India, 62, 82
- Indigenous societies, 59, 79, 83, 87–89,
 94, 286–287, 288
- Individual differences in dream content.
See Dream content, in individual
 dream series
- Individual uses, dreaming with cultural
 and, 286–289
- Inferior frontal gyrus, 27*t*, 161
- Inferior parietal lobule, 18*t*, 27*t*, 242
- Inferior temporal cortex, 18*t*
- Insufficiencies. *See* Cognitive
 insufficiencies
- Internally generated thought, 3, 6, 8,
 18
- The Interpretation of Dreams* (Freud), 139,
 241, 243
- Introductory Lectures on Psychoanalysis*
 (Freud), 139–140
- Iran, 62, 182
- Irony, laws of association and, 145
- Italy, 62, 128, 182
- “Izzy,” 266
 daydreaming and, 204
 DreamBank.net, 195
 dream content and waking avocations,
 199
 dream reports of adolescents and
 preadolescents, 195–200
 dream reports with family and
 “crushes” by age, 198, 200*f*, 201
 number of dreams with character
 subclasses, 202*t*
 personally known characters, 197–199
 sexual interactions, 200, 203–204

- Japan, 62, 82
- "Jasmine," 266
- absence of sexual interactions, 203–204
 - avocations, 202–203
 - with COVID-19 dream reports, 131–133
 - DreamBank.net, 196
 - dream reports of adolescents and preadolescents, 195–197, 201–204
 - number of dreams with character subclasses, 202*t*
 - personally known characters, 201–202
- "Jason," 114, 136
- consistency and change from ages 37–42 and 48–53, 109
 - consistency at ages 40+ and 70+, 109–110
 - consistency types at ages 37–54, 108*t*
 - dream reports at ages 37–54, 55–59, and 70–73, 107–108
 - dream series, 107–110
- Joint activities, 75–79, 94
- Jones, Barbara E., 252
- Jones, Richard M., 273–274
- Joy/Elation, 213, 258. *See also* Happiness/Joy
- Kamiya, J., 40
- Kappa coefficient, Cohen's, 65–66
- K-complexes, 35*t*
- "Kenneth," 114, 136
- consistency in social interactions in four sets of 100 dream reports, 110*t*
 - DreamBank.net, 107, 111
 - dream journal of, 107
 - dream series, 107, 110–112
 - frequency of search terms in four subsets of dream series, 111*t*
- Krusak-Wallis one-way analysis of variance, 66
- Lakoff, George, 153, 156–157
- Language, 26, 208, 233, 244, 265
- metaphoric thinking and, 154
 - music and, 287
 - Perl, 104
- Laramie, Wyoming, 168–169
- Laramie longitudinal study, 173, 182, 184, 186, 189
- Lateral parietal cortex, 27*t*
- Lateral temporal cortex/temporal pole, 18, 18*t*, 27*t*, 231
- Lawfulness, in dreams
- activation-synthesis theory of dreaming and, 295
 - Freudian dream theory and, 295
 - with meaning and adaptive function, 294–296
- Laws, of association, 143, 144*t*, 145
- Learning
- implicit, 274–275, 281, 290, 296
 - implicit sequence, 275
 - transfer of, 275, 281
- LeDoux, Joseph, 227, 228
- Lesions, illness and, 14, 56
- Lesion studies
- of dreaming, 28–32, 263
 - electrical brain stimulation and, 28–33
 - experimental dreaming and, 32
 - neural substrate and, 14
 - neuroimaging and, 2
 - REM sleep and, 251
- Libido, 249
- Likert scales, 61
- Limbic network, 18–19, 231, 233, 237, 239
- Limbic system, 229, 230
- Lingual gyrus, 26, 27*t*
- Linguistic Inquiry and Word Count methodology, 61
- Lobotomy, Freudian dream theory and, 242, 243, 249
- Location change activities, 75
- Locus coeruleus, REM sleep and, 251

- Malaysia, Temiar people in, 288
- Male/Female Percent, 64*t*, 82, 89, 92–93, 108, 108*t*, 114, 188*t*, 192*t*
with children and development of dreaming, 171–172, 180
with preadolescents and adolescents, 185, 188, 190, 191–192
- Mammalian brain, 227, 228, 276
- Mastery and rehearsal theories
adaptive and, 286, 292
of dream function, 273–286
social rehearsal and, 281–282
threat simulation and, 274–281
waking predictive codes and, 282–285
- Maturation, default network, 163–170, 165*f*
- Meaning, in dreams
activation-synthesis theory of dreaming and, 294
Freudian dream theory and, 294
with lawfulness and adaptive function, 294–296
- Measurement, coding systems and, 222
- Media, COVID-19 and, 128
- Medial temporal cortex, 27*t*, 32
- Medial temporal cortex subsystem, 17, 18, 18*t*, 25
- Memory
consolidation theory of emotional regulation, 268–272
dreaming and, 243–244
negative emotions and formation of, 271
planted, 246
- Men
African American, 89
aggression/friendliness percent for dream reports of, 91*t*
dream reports, 76, 80–81, 82, 84–85, 87, 90–92
with emotions in dreams, 207, 217–218, 220–221
familiar and unfamiliar dream reports of, 85*t*
frequency of emotions in HVdC norms for, 211*t*, 213
homicide and, 92–93
with penile erections and REM sleep, 142–143
Physical Aggression Percent for, 90, 93
threat-simulation theory and, 277–278
Yir Yoront, 87–88
- Mental activity. *See also* Dreaming during waking and night, 6–8
- Mental imagery, 3, 7–8, 15, 19, 51–52, 105, 174–176, 179–180, 253, 276, 292
- Mental states, with waking monitored by EEG, 43*f*
- “Merri,” dream series, 280
- Mesopotamia, 139
- Metamorphoses, character, 149–150, 152
- Metaphors
conceptual, 154
dream symbolism and, 140, 160–161
figurative thought theory and, 153
laws of association and, 145
limits of analyses, 156–160
resemblance, 157, 158
wake-state bias and, 9
- Metonymy, laws of association and, 145
- Mexico, 89
- Meyer-Gomes, Katrin, 84–85
- Miami sleep-dream laboratory, 71, 211, 212, 214, 220, 221
- Midbrain/pons, 17, 27*t*, 28, 33*f*, 251–252, 256
- Military, US, 47, 237
- Mind-wandering, 25, 44, 50, 53–55, 179, 267, 275, 298
daydreaming and, 3, 6, 8, 20, 26, 40, 42, 58
during sleep and waking, 8
- Money, finding, 155

- Most Recent Dream (MRD) method
 findings with adolescents and children,
 182–183, 189–193
 studies, 296–297
- Movement activities, 75
- MRD method. *See* Most Recent Dream
 method
- Multiple testing, 70–71, 123, 297
- Music
 creativity and, 289
 dreaming and, 287–288, 289, 290
- N3 (slow-wave) sleep, 14, 23, 35*t*,
 37–40, 47, 268, 269
- Naps, 266, 271, 272
- Narrative skills, 174, 176, 179, 235,
 253
- “Natural Scientist,” dream series,
 119–121, 224, 225
- Negative emotions. *See also* Emotions,
 in dreams
 in adult dream series, 225
 categories, 210
 coding and rating systems, 223
 cultural practices and, 264
 in dream reports of children and
 adolescents, 226–227
 F/A/S, 211*t*, 213, 224, 225*t*, 227,
 236–237
 memory formation, 271
 with neurocognitive theory in dream
 reports, 233, 236
 percentage in dream reports, 214, 215,
 218
 positive and, 211*t*, 213, 214, 215–216,
 259, 273
 rating scales, 219, 220, 221
- Negativity bias, 87–88, 95, 221, 223–224,
 236
- Netherlands, 62
- Network organization, of human brain
 default network control and, 19–22
 four major association networks, 20*f*
 with primary regions of default
 network, 18*t*
 during sleep onset, sleeping, and
 dreaming, 22–23
- Neural substrates. *See also* Default
 network
 brain regions subserving waking and
 dreaming, 27*t*
 dreaming and, 15, 23–28, 27*t*
 lesion studies and, 14
- Neurocognitive networks, types of, 16
- Neurocognitive theory of dreaming,
 12–14, 23–25, 30, 40–41, 46, 50–53,
 56, 58, 86–87, 93–94, 99, 128,
 135–136, 138, 163, 167, 177, 180,
 182, 186, 227, 234, 238–239, 290
 controversy, 2
 definitions, 8–9
 emotions and, 208, 235–236
 future and, 296–299
 imagination and, 295
 with meaning, lawfulness, and
 adaptive function, 294–296
 negative emotions and, 233, 236
 with neuroimaging and lesion
 studies, 2
 neuroimaging studies and, 10
 with other dream theories, 291–299
 overview, 1–6
 positive emotions and, 236
 three levels of analysis, 1
- Neurocognitive theory of emotions, in
 dream reports
 from Darwin to prefrontal cortex,
 228–231
 neuroimaging findings and infre-
 quency of emotions, 234–238
 neuroimaging studies during waking,
 231–234
 steps leading to, 227–238
- Neuroimaging
 findings and infrequency of emotions
 in dreams, 234–238

- with lesion and electrical brain stimulation studies, 28–33
- Neuroimaging studies of dreaming
 - EEG and, 10, 12
 - of emotions during waking, 231–234
 - lesion and, 2
 - neurocognitive networks and, 16
 - neurocognitive theory of dreaming and, 10
 - of waking metaphoric thinking, 160–161
- Neurons, brainstem and, 252
- Neuro-psychoanalysis, 249
- Neurosurgery, 10, 30
- New York Times*, 128
- Night, mental activity during waking and, 6–8
- Nightmares, PTSD and, 47, 293
 - with high levels of brain activation, 208
 - illness and, 238–239
 - PTSD and, 237–238
- Nonadaptation, 264
- Nonlab-collected dreams, emotions in sleep-dream laboratories vs., 212*t*
- Nonlaboratory findings
 - children, REM sleep with lab and, 183
 - Zurich longitudinal study with lab and, 183–187
- Nonlaboratory settings, dream reports in lab and, 71–72
- Novels, dream reports as, 61
- NREM sleep, 34, 248, 251, 268, 270, 271, 275
- NREM 2 dreaming, high-density EEG studies and, 41–42
- NREM 2 sleep, dreaming in, 14, 37–40
- Nudity, 154–155
- Occipital lobe, 26, 27*t*, 250
- Opium, 266
- Orbitofrontal cortex, 18, 27*t*, 231
- Parahippocampal cortex, 18*t*, 27*t*
- Parahippocampus, 16
- Parietal lobe, 27*t*, 31, 242
- Partridge, Eric, 143
- Patients, psychiatric, 10, 14, 47
- Pearson *r*, 66, 68
- “Penelope,” dream series, 130, 132
- Penile erections, REM sleep and, 142–143
- Perception/cognition, of other characters, 77
- Perl language, 104
- Persuasion, Freudian dream theory and, 246
- Peru, 89
- Phasic events, 255–256, 260
- “Phil”
 - DreamBank.net, 204
 - dream report at ages 14–15, 204–205
- Physical activities, 75
- Physical Aggression Percent, 63–64, 64*t*, 78, 83, 85*t*, 90, 93, 188, 188*t*, 190–192, 192*t*
- Physicists, dreams of, 267
- Polysomnograph, 12, 24, 42, 258
- Pons/midbrain, 17, 27*t*, 28, 33*f*, 251–252, 256
- Positive emotions. *See also* Emotions, in dreams
 - assimilation of, 272, 273
 - coding and rating systems, 223
 - negative and, 211*t*, 213, 214, 215–216, 259, 273
 - with neurocognitive theory in dream reports, 236
 - rater/coders and, 219
 - rating scales, 216–221
- Posterior cingulate cortex, 18*t*, 26, 27*t*, 37, 166, 167, 282, 284–285
- Posterior inferior parietal lobule, 18*t*
- Posttraumatic stress disorder (PTSD), 10, 47, 237–238, 239, 293
- Predictive-coding theory, 282, 285

- Prefrontal cortex, 228–231
- Primary visual area (V1), 27*t*
- Primary visual cortex, 29, 32, 33*f*, 283
- Principles and Practices of Sleep Medicine* (M. Schmidt), 142–143
- Problem-solving theories
of dream function, 265–267
experimental studies and, 265
- Psilocybin, 46
- Psychiatric illness, 10
- Psychiatric patients, 10, 14, 47
- Psychodynamic therapists, 286–287
- Psychosis
antipsychotic drugs, 249
dreaming and, 250
schizophrenics, 30, 242, 249
- Psychotherapists, 246, 287
- PTSD (posttraumatic stress disorder), 10, 47, 237–238, 239, 293
- Quantitative content analysis. *See also*
Dream content, quantitative analysis of
of dream reports, 107, 119–121
of emotions in dream reports, 208–216
- Rankings, rating systems and, 222
- Rapid eye movements, 282–284
- Rapid eye movement sleep. *See* REM sleep
- Rater/coders, 219–221
- Rating scales
dream series and, 100
negative emotions, 219, 220, 221
positive emotions, 216–221
studies of emotions using, 213–214, 216–221
- Rating systems, emotions with coding and, 221–224
- “Rebecca,” dream series, 129–130, 132
- Recency, in dream recall, 54–55, 72
- Regard for representability, 245
- Relative consistency, 98, 108, 110, 197, 201
- Reliability, in studies of dream content, 65–66
- Religion
conversion with dreams, 287
in dream series and HVdC normative dream reports, 105–106
“Ed” and, 288
“Kenneth” and, 110–111
- REM (rapid eye movement) awakenings
with absence of emotions, 271
with dreaming as gradual cognitive achievement, 171–173
dream recall and, 54, 183, 242–243
emotions in dream content and, 214
with emotion studies and rating scales, 221
with loss of dreaming, 30
NREM 2 sleep and, 38–39
sleep-onset process and, 36–37
- REM (rapid eye movement) sleep
activation network, 235
in ancient animals, 281
atonia and, 7, 270
brainstem damage and, 270
deactivation network, 235
dopamine and, 249
dream reports, 213
experimental studies with antidepressants and, 270
experimental studies with rodents and, 268, 269, 272
fMRI and, 282, 285
hypnosis and, 141
lab and nonlab findings, children and, 183
locus coeruleus and, 251
penile erections and, 142–143
reports and drifting waking thought, 256
- Replication studies, 25, 34–35, 42, 70, 93, 267

- Repression, dream-work and, 247
- Research
 - foundational, 9
 - translational, 9–10
- Resemblance metaphors, 157, 158
- Retrosplenial cingulate cortex, 25, 27*t*
- Retrosplenial cortex, 18*t*, 167, 282, 284–285
- Right anterior insula, 22, 27*t*, 235
- Rodents, REM sleep and, 268, 269, 272
- Rosch, Eleanor, 158
- Rostral anterior cingulate cortex, 27*t*
- Rostrolateral cortex, 27*t*

- Sadness, 213
 - AP+AN+SD, 210, 211*t*, 212*t*, 214, 220
 - AP+AN+SD+ all emotions, 210, 211*t*, 212*t*, 225*t*
 - SD, 209, 210, 211*t*, 226, 234
- Saliency/ventral network, 233, 237–239, 272, 291
 - atypical states and, 46–47
 - default and, 19–20, 22
 - dreaming and, 25, 26, 57–58
 - neuroimaging studies, 161
 - role of, 17
- Sample sizes, dream content, 68–69, 101
- San Francisco Bay Area, 187
- Santa Cruz County, California, 190, 191
- Schizophrenics
 - Freudian dream theory and lobotomized, 242
 - with loss of dreaming, 30
 - psychosis, 249
- Schmidt, M., 142–143
- Schneider, Adam, 211
- Schweickert, Richard, 126
- Screen-magnifying programs, 196, 202
- SD (Sadness), 209, 210, 211*t*, 226, 234
- Secondary revision, 245
- Secondary visual cortex, 29, 33*f*

- Self-ratings, emotions in dreams, 207–208, 216, 217, 218, 219, 223, 224, 225, 236, 258, 273, 293
- Sensorimotor networks, 3, 16, 17, 20, 26, 52, 168, 234–235
- Sensory input, 2, 21, 282
- Sensory networks, 16, 17, 19, 26
- Sequence learning, implicit, 275
- Sexual interactions, 117
 - “Ed,” 125–126
 - “Izzy,” 200, 203–204
 - “Jasmine” and absence of, 203–204
- Sexuality, 64*t*, 77*t*, 82, 94, 110*t*, 123, 125, 143, 145, 150, 200, 203–204
- A/F/S, 73–75, 74*f*, 76, 77, 110, 114
- “Kenneth,” 110–111
- libido and, 249
- Sexual symbolism, 150
- Shamans, 286–287
- Shame, 213
- Sharp-wave ripples, 269
- Shevrin, H., 248
- Short stories study, 92
- Sikka, Pilleriin, 218
- Simulation, 3. *See also* Embodied simulation
- Sleep. *See also* REM sleep
 - association networks during sleep onset, dreaming, and, 22–23
 - The Biopsychology of Waking, Sleeping and Dreaming course, 257–258, 259
 - brain waves during drowsiness, sleep onset, and stages of, 35*t*
 - dreaming and, 9
 - dreaming in NREM 2, 14, 37–40
 - guardians-of-sleep theory, 242, 243, 295
 - home sleep-awakening devices, 299
 - mind-wandering during, 8
 - N3, 14
 - naps, 266, 271, 272

- Sleep (cont.)
 NREM, 34, 248, 251, 268, 270, 271, 275
 slow-wave, 14, 23, 35*t*, 37–40, 47, 268, 269
- Sleep and Dream database, 106
- Sleep-dream laboratories, 8, 34, 38–40, 42, 46, 49, 56, 100, 142, 155, 162, 181, 215, 266, 291
 with brief arousals and talking, 7
 children and, 169
 emotions in nonlab-collected dreams vs., 212*t*
 Miami, 71, 211, 212, 214, 220
 polysomnographs in, 12
 University of Cincinnati, 147, 213, 255, 257
 Zurich, 81
- Sleep onset
 with alpha and theta waves, 36, 38
 brain waves during drowsiness, sleep stages, and, 35*t*
 dreaming during, 13–14, 33–37
 drifting waking thought and, 267
- Sleep paralysis, 7
- Sleep spindles, 34, 35, 35*t*, 36
- Sleep talking, 8
- Sleep terrors, 7
- Slow-wave (N3) sleep, 14, 23, 35*t*, 37–40, 47, 268, 269
- Small-world networks
 association networks as, 16
 characters networks in dream series as, 126–128
- Smartphone apps, 296, 299
- Social cognition, 25, 165
- Social-rehearsal theories, 281–282
- Social simulations, 77, 77*t*
- Soldiers, with PTSD, 237
- Solms, Mark, 31, 243, 249
- South Africa, 28, 182, 278
- Spain, 62, 182, 191
- Speech
 dream-work and, 244
 text-to-speech programs, 196, 202
- Speech, figures of, 145
- Spirits
 of dead animals, 88
 world of, 264, 286–287, 288
- Spiritual leaders, 105
- Spontaneous thought, 6, 40
- States, drug, 46, 266, 293
- Strauch, Inge, 183
- Studies. *See also* Children, development
 of dreaming in
 Boston/Cape Cod, 253, 254, 255
 case, 29, 31, 98, 249, 289
 children, dreaming and laboratory studies, 168–170
 dream content with methodological and statistical issues, 60–72
 dream-diary, preadolescents and adolescents, 187–188
 dreaming and dream content, 10–12
 electrical brain stimulation, 28–33
 of emotions using rating scales, 213–214, 216–221
 empirical, 143–147, 248–249
 experimental, 11, 20–21, 32, 140–143, 246, 254, 265, 268, 270, 277
 fMRI, 24, 34, 37–38, 40, 49–50, 52, 165–166, 168, 230, 237, 239
 high-density EEG, 41–42
 lesion, 2, 14, 28–33, 251, 263
 MRD method, 296–297
 neuroimaging, 2, 10, 12, 16, 160–161, 231–234
 rejection of dreaming and developmental, 252–255
 replication, 25, 34–35, 42, 70, 93, 267
 short stories, 92
 symbolism and empirical, 143–147
 of unusual elements in lengthy dream series, 147–153

- Zurich longitudinal, 173, 182, 183–187, 190, 194, 226–227
- Subconscious mind, Freud on, 119
- Subcortical regions, 17, 22, 27*t*, 28, 231
- Subliminal stimulation, 141–142, 143, 248
- Substance use disorder, 46
- Suggestion, demand characteristics, cognitive dissonance, and persuasion in therapeutic settings, 246–247
- Sullivan, K., 158
- Superior frontal gyrus, 18*t*
- Supramarginal gyrus, 27*t*, 29, 31, 33*f*
- Surprise, 86–87, 209, 210, 213, 214, 215, 255, 258
- Survival circuits, 227, 229–230
- Sweetser, E., 158
- Swiss children, 183, 184
- Switzerland, 62, 81–82, 89, 182, 183, 184
- Symbolic elements, experimental studies of in dreams, 140–143
- Symbolism, in dreams, 4 cognitive linguistics and figurative thinking, 153–160 cognitive theory of, 143 content analysis and systematic empirical studies of, 143–147 experimental studies of, 140–143 Freud and, 139–141, 142, 143, 150 Freudian dream theory and, 248, 249 metaphors and, 140, 160–161 neuroimaging studies of waking metaphoric thinking, 160–161 sexual, 150 studies of unusual elements in lengthy series, 147–153 subliminal stimulation and, 141–142, 143, 248
- Synapse formation, brain, 164
- Synecdoche, 145, 148
- Talking brief arousals and, 7 sleep, 8
- Task-oriented thinking, 2, 6
- Technology desktop computers, 12, 60 fNIRS, 298–299 home sleep-awakening devices, 299 smartphone apps, 296, 299
- Teeth falling out, 155
- Temiar people, in Malaysia, 288
- Temporal lobe, 18*t*, 26, 27*t*, 32
- Temporal pole/lateral temporal cortex, 18, 18*t*, 27*t*, 231
- Temporoparietal junction, 18*t*, 27*t*, 29, 30, 31, 33*f*
- Text-to-speech programs, 196, 202
- Thalamus, 16, 57, 235, 291
- Therapeutic groups, with cult-like settings, 246
- Therapeutic relationships, experimental studies, 246
- Thessaloniki, Greece, 191–193
- Theta waves alpha and, 22, 24, 34, 35, 35*t*, 37 decoupling and, 43 4–7.5 Hz, 34 sleep onset and, 36, 38
- Thinking directed, 6, 13 drifting waking thought, 9, 12, 14, 22, 24, 33–44, 57, 256, 267, 273, 298 goal-directed, 6 internally generated, 3, 6, 8, 18 neuroimaging studies of waking metaphoric, 160–161 speech and figurative, 145 spontaneous, 6, 40 symbolism with cognitive linguistics and figurative, 153–160 task-oriented, 2, 6 undirected, 57

- Thinking/cognition activities, 75
- Threat-detection system, 227, 229
- Threat-simulation theory, of dream function, 274–281
- Tonay, Veronica, 65
- Traditional models, foundational and, 9–10
- Training, transfer of, 275, 281
- Transfer of learning, 275, 281
- Translational research, 9–10
- Triune brain, 228, 229, 231
- Trump, Donald, 133
- Turkey, 177
- Tylor, Edward B., 287
- Undirected thinking, 57
- Unfamiliar characters, 81, 83
- Unfamiliar settings, 81, 94
- United States
- aggression and, 83
 - animal rights activists in, 182
 - dream reports, 85, 87
 - HVdC coding system, 62
 - military and PTSD, 47, 237
- University of California, Berkeley, 65, 100
- University of California, Santa Cruz, 65, 155–156
- University of Cape Town, 29, 31, 278
- University of Cincinnati, sleep-dream laboratory, 147, 213, 255, 257
- University of North Carolina, Chapel Hill, 152, 155
- University of Richmond, 65
- University of Tehran, 82
- University of Tokushima, Japan, 82
- University of Turku, Finland, 218, 221
- University of Wyoming, 169
- University of Zurich, 71, 81, 183
- Unusual elements
- categories, 146
 - dream series and studies of, 147–153
 - dream series with consistency and continuity, 112–126
 - other categories, 146–147
- Urbach Wiethe disease, 29
- V1 (Primary visual area), 27*t*
- V2–5 (Extrastriate), 25, 27*t*
- Valence of expression, 232
- Van de Castle, R., 101, 234, 277
- Ventral medial prefrontal cortex, 18, 27*t*, 29–31, 33*f*, 232
- Verbal activities, 75
- Visual activities, 75
- Visual imagery, 26, 29–30, 36, 51–52, 174–176, 283–284
- Visual network, 16, 20, 25
- Visuomotor hallucinations, 250
- Wake-state bias, 5, 9, 129, 217–218, 222–223, 260, 293
- Waking. *See also* REM awakenings
- The Biopsychology of Waking, Sleeping and Dreaming course, 257–258, 259
 - brain regions subserving, 27*t*
 - consciousness, 15, 45–46, 50, 267
 - creativity, 266
 - dreaming during, 42–44
 - experimental studies with children and, 254
 - imagination, 4, 58, 264
 - mental activity during night and, 6–8
 - mental states with EEG monitoring, 43*f*
 - metaphoric thinking with neuroimaging studies, 160–161
 - mind-wandering during, 8
 - neuroimaging studies of emotions during, 231–234
 - problem-solving theories and, 265
 - sleep paralysis and, 7
 - threats, 274
- Waking cognition, dreaming and, 174–178

- Waking predictive codes, dreaming and, 282–285
- Waking thought
dreaming and, 87–93
drifting, 9, 12, 14, 22, 24, 33–44, 57, 256, 267, 273, 298
- Wald, A., 102
- Wald-Wolfowitz test, 102, 194
- Wales, 182, 278
- “What” of dreaming (dream content), 3–4
- “When” of dreaming (conditions necessary for it to occur), 3, 57, 180
- “Where” of dreaming (neural substrates that support it), 2–3
- “Why” of dreaming (as a by-product), 4, 264, 286
- Wilcoxon signed-rank test, 66, 67
- Wish-fulfillment, dreaming and, 244, 249
- Wolfowitz, J., 102
- Women
African American, 89
aggression/friendliness percent for dream reports of, 91*t*
with COVID-19 dreams, 129–136
dream reports, 76, 80, 81, 82, 84–85, 87, 90–92
with emotions in dreams, 207, 217–218, 220–221
familiar and unfamiliar dream reports of, 85*t*
frequency of emotions in HVdC norms for, 211*t*, 214
Greek girls ages 8–12 and 13–18 compared with normative findings for, 192*t*
homicide and, 92–93
Hopi, 83
negativity bias and, 88
Physical Aggression Percent for, 90
threat-simulation theory and, 277–278
at University of California, Berkeley, 65, 100
- Word strings, generic and individually tailored, 103–106, 111, 113–114, 133, 137, 155, 174–175, 194, 204, 297
- Yale Human Relations Area database, 286
- Yir Yoront people, 87–88
- “Zelda,” dream series, 130, 131, 132
- Zones of integration, 18, 18*t*, 26
- Zurich longitudinal study, 173, 182, 190, 194, 226–227
lab and nonlab findings in, 183–187

This is a section of [doi:10.7551/mitpress/14679.001.0001](https://doi.org/10.7551/mitpress/14679.001.0001)

The Neurocognitive Theory of Dreaming

The Where, How, When, What, and Why of Dreams

By: G. William Domhoff

Citation:

The Neurocognitive Theory of Dreaming: The Where, How, When, What, and Why of Dreams

By: G. William Domhoff

DOI: [10.7551/mitpress/14679.001.0001](https://doi.org/10.7551/mitpress/14679.001.0001)

ISBN (electronic): 9780262370882

Publisher: The MIT Press

Published: 2022

The open access edition of this book was made possible by generous funding and support from MIT Press Direct to Open



The MIT Press

© 2022 Massachusetts Institute of Technology

This work is subject to a Creative Commons CC-BY-ND license. Subject to such license, all rights are reserved.



The MIT Press would like to thank the anonymous peer reviewers who provided comments on drafts of this book. The generous work of academic experts is essential for establishing the authority and quality of our publications. We acknowledge with gratitude the contributions of these otherwise uncredited readers.

This book was set in Stone by Westchester Publishing Services, Danbury, CT.

Library of Congress Cataloging-in-Publication Data

Names: Domhoff, G. William, author.

Title: The neurocognitive theory of dreaming : the where, how, when, what, and why of dreams / G. William Domhoff.

Description: Cambridge, Massachusetts : The MIT Press, 2022. | Includes bibliographical references and index.

Identifiers: LCCN 2021051383 | ISBN 9780262544214 (paperback)

Subjects: LCSH: Dreams. | Cognitive neuroscience. | Neural networks (Neurobiology)

Classification: LCC BF1078 .D583 2022 | DDC 154.6/3—dc23/eng/20211122

LC record available at <https://lcn.loc.gov/2021051383>