

Index

- AAAI Fall Symposium on Cognitive Robotics, 4, 12
- Abstract concepts, 401–402, 433–452
four domains, 437
neuroscience/psychology, 434–438
- Action representation, 403, 418, 428
- Action selection, 6, 20, 90, 193, 197, 257, 427, 438, 445, 464
- Actions structuring, 418–419
- ACT-R, 194, 196, 199, 207
- Adaptive control architecture, 341
- Affordance, 129, 131, 286, 401
- Aibo Robot, 50, 123–124, 128
- A.L.I.C.E. conversation agent, 403
- Altruistic Behavior, 135, 364–365, 370
- Android robots, 35, 37, 383–384, 403
- Animal-inspired soft robots, 100
- Ant colonies, 79
- Architectures. *See* Cognitive Architectures
- ARGoS simulator, 94
- Artificial consciousness. *See* Consciousness
- Artificial Consciousness Test (ACT), 467
- Artificial life, 9–10, 13, 459
- Asimov laws of robotics, 240
- Atari game, 71, 260, 262
- ATLAS robot, 136
- Attention, 88, 131, 191, 196, 197, 207, 257, 281–282, 287, 363–364, 441, 455. *See also* Joint attention
- Autism spectrum disorder (ASD), 222, 361, 371–372, 390
- Autobiographical memory, 204, 445
- Autoencoder, 69, 165, 176, 171–172, 179, 263, 316, 369, 405. *See also* Deep learning
- Automation and Employment, ethics, 234–236
- AutoMoDe, design, 85
- Autonomous Mental Development, 12, 32, 41
- Autonomous Systems, 237–239
- Autonomous vehicles, 237–238, 353–354
- Autonomous weapons, 238–239
- Babbling, language, 396–397
- Babbling, motor, 46, 70, 199, 261, 263
- BatSLAM, 302
- Baxter robot, 124–125, 127, 129, 130, 137, 321–329, 403
- BCI, manipulation, 316, 320–323
- Behavior-based robotics, 8–9, 10, 12, 84
- Biomimetic, 13, 22, 108, 145–159, 302
- Biomimetic skin (eskin), 145–159
- Blender simulator, 125
- Body Motion Query, 416–418
- Brain-Based Device, 23–24
- Braitenberg, vehicles, 9–10, 19–20
- CAN navigation, 301
- Care, robotics, 251, 233–234, 332, 339, 344
- CB2 robot, 11, 13
- CERA-CRANIUM cognitive architecture, 464, 468, 470
- Chatterbot, 403
- Choregraphe, robot software, 136
- CiceRobot robot, 467
- CLARION, 194, 196, 199, 207
- Coevolution, 66, 85, 223
- Cognition
attributes, 6
definition, 3
off-line, 7, 217
swarm, 87
theories, 218–221
- Cognitive abilities, core, 196–200
- Cognitive architectures, 123, 126, 191–213, 273, 289, 340–343, 349, 351, 354, 355, 444–445, 463–464
desirable characteristics, 195
consciousness, 456–457
- Cognitive consciousness, 456
- Cognitive Control, Decision, 337–356
- Cognitive control architecture, 342
- Cognitive dialogue, 282
- Cognitive map, Tolman, 295
- Cognitive map building, 300–306
- Cognitive science, foundations, 191–193
- Cognitive system, 3, 6, 13–14, 49, 191, 193–199, 217, 283, 468
- Cognitivist Paradigm, 192, 194
- COG robot, 8
- Collaboration, human-robot, 337–361. *See also* Human-robot interaction

- Collective
 - behavior, 65–67, 77–98
 - decision-making, 90–92
 - memory, 88
 - perception, 88
- Commonsense knowledge, 289, 413, 418, 424, 428
- Communication, 395–412. *See also* Language
 - direct, 82–83
 - indirect, 83–84
 - underwater, 84
- Competence-based intrinsic motivation, 50, 252–253, 257
- Complexity, 61, 84, 104–105, 112–113, 168, 182, 302, 338, 468
- Consciousness
 - machine, 453–474
 - neuroscience, 455
- ConsScale, consciousness scale, 468, 470
- Constructive developmental science, 374
- Control
 - cognitive, 337–360
 - robotics, 337–339
 - soft robot, 101–104
- Control in cognitive robotics and HRI, 343–344
- Conversational agents, 403
- Convolutional neural networks (CNNs), 165–166, 166–170, 286–287, 331, 405. *See also* Deep learning
- Counting gestures, 442
- CRAM Cognitive Architecture, 201–205, 207, 209, 429
- Crawling, 51
- Cyc ontology, 424

- Darwin robots, 20–26, 455
- Data collection, efficient, 181–183
- Deception, 233
- Decision and control action scheme (DCAS), 344–351, 353, 354
- Deep belief networks (DBNs), 405
- Deep learning (Deep neural networks), 166–181, 183, 208, 286–287, 427
 - language, 405–408
 - vision, 286–287
- Deep reinforcement learning, 179, 181, 208, 316, 330, 427
 - Grasping and Manipulation, 330–332
- Definition
 - abstractness, 433
 - cognition, 3, 196
 - cognitive robotics, 3–4, 12
 - consciousness, 453
 - embodiment, 215, 216
- Deontic cognitive event calculus (DCEC), 456–457
- Development, language, 395–397
- Development, nonlinear stages, 51, 52–53, 273, 395, 398, 438
- Developmental robotics, 6, 8, 12–13, 41–58, 99, 104, 107–111, 154, 197, 208, 252, 310, 374, 398–403, 442, 444
 - language, 398–403
 - soft robotics, 104–108
- Direction tuning, navigation, 298–299
- DolphinSLAM, 302
- Domain-adaptive meta-learning (DAML), 178
- Domain randomization, 181
- Driver assistance systems (Advanced DAS), 353
- Dynamical systems, 47–49, 107, 170, 274, 325
- Dynamic Movement Primitive (DMP), 318, 328–330, 332

- EASE project, 202–203, 207
- EcceRobot, 467, 468
- Education, abstract concepts, 434–438
- Education robotics, 389–390
- EEG/EMG, manipulation, 316, 318–320
- Electromagnetic actuators (EMAs), 155
- ELIZA, 403
- ELMER robot, 9, 19
- ELSIE robot, 9, 19
- Embodied cognition, 6–8, 12–13, 60, 193, 213–218, 224–227, 398, 402, 435, 438
- Embodiment, 5, 8, 14, 30, 36, 46–50, 105, 213–230, 272, 289, 396, 436–437, 441, 447, 469
 - abstract concepts, 433–436, 446
 - AI, 221–222
 - cognitive robotics, 222–225
 - cognitive science, 218–221
 - language, 396–397
 - learning through body, 113
 - vision, 272–274
- Emergent behavior, 47–48, 107–108, 112, 192
- Emergent paradigm, 192, 194
- eMODUL emotion system, 445
- Emotions, 206, 218, 368, 380, 387–389, 433–434, 438, 444–446, 453, 456, 465
- Empathy, artificial, 46, 52–49, 53
- Enactive cognition, 46–47, 49, 192, 222, 227
- Encyclopedic Knowledge Bases, 423–425
- Epigenetic Robotics (EpiRob), 12, 41, 52, 104, 252, 339
- Episodic memory, cognitive navigation, 308–309
- Epistemic intrinsic motivations (eIMs), 251
- ERA cognitive architecture, 399–400
- ERICA robot, 403
- Ethics, 42, 231–248, 453, 477
- Evolution, intrinsic motivation, 264–265. *See also* Intrinsic motivation
- Evolutionary algorithm, 60, 111–112
- Evolutionary robotics, 12–14, 22, 59–76, 85–89, 223
- Exploration and navigation, 309–310
- Extended Phenotype, 110
- External memory, 88
- Extrinsic motivations, 253–259

- FARSA simulator, 125
- Fault Tolerance, 81
- Fetus model, 5, 44–46, 52, 365
- Finger counting, 402–403, 442–444
- FOL reasoning system, 459
- Functional morphology, 105–107

- Gaussian Mixture Model (GMM), 173, 317–318, 332
- Gazebo simulator, 125–126, 135–136
- General control architecture, 338
- Generalized plan, knowledge base, 414, 418
- Global workspace theory (GWT), 455, 462–465
- Goal Formation, intrinsic motivation, 261
- Goal formation by imagination, 263
- Goal manifold search, 263

- Goal marking, 262
 Goal sampling, 261
 GOFAL, 3, 8, 219, 220, 221
 GRAIL cognitive architecture, 266
 Grasping, 69–71, 10, 104, 126, 130, 167–169, 203, 217, 255, 276, 278, 315–317, 330–333, 417
 Grid cell, 297–300, 306
 Grounding, language, 7, 14, 49, 170–172, 216, 218–220, 227, 285, 398–403, 407, 422, 436, 438–441, 446, 456
 Grounding transfer, 434, 438–441
 Group selection, 20, 92
 Growth, soft robot, 110
- Hand (in-hand) object manipulation, 170
 Hand (in-hand) object pose estimation, 169
 HCA cognitive architecture, 464–465, 468
 H-CogAff cognitive architecture, 461
 Head direction cell, 297, 299, 305
 Hebbian learning, 199, 263, 300–301, 399
 Hick's law, 93
 Hidden Markov Models (HMMs), 170–173, 386
 Historical Embodiment, 215
 History, Cognitive robotics, 10–14
 HOAP-3 robot, 178
 Honeybees, 92–93
 Human in the Loop, design, 84
 Humanoid robots, 8, 12, 20, 41, 112–113, 124–129, 134–138, 148, 205, 214, 216, 222–224, 233, 277, 289, 337, 351, 355, 382–384, 395, 408, 439. *See also* Robot platforms review
 Human-robot collaboration, 337–356. *See also* Human-Robot Interaction
 Human-Robot Interaction (HRI), 14, 123, 159, 207, 231, 233–234, 277–281, 332, 343–344, 379–394, 408
 applications, 389–390
 autonomous systems, 351–354
 control, 343–344
 dynamic Decision and Action Framework, 344–347
 ethics, 233–234
 neuroscience, 380–381
 non-verbal interaction, 386–388
 verbal interaction, 384–386
 vision, 277–281
 Hybrid Systems, 193, 195
 Hyperdimensional computing, 427–428
 HyperSlate logical framework, 468
- IBM Watson, 5, 425, 427
 iCub robot, 12, 69–71, 124, 126–129, 138, 278, 281, 369–370, 399–402, 439–440, 443–444, 445
 iCub simulator, 134–135
 Imitation, 46, 50, 89, 129, 137, 172–174, 176–179, 152, 222, 363, 368–369, 419, 467
 Imitation Learning, 172–179
 one-shot, 178–179
 Implicit/explicit social signs, 277
 Infant development, 46, 351
 Inference, for perception, 272
 Information integration theory (IIT) of consciousness, 457–458
 Inner speech, 453, 468
 Intelligent Robotics (AI robotics), 3
 Intention reading, 6, 362, 364–365, 369–370
- Interaction, robot-robot, 81–82, 88
 Internal model, 68–69, 344–345, 349–352, 317 hypothesis, 465–467
 Intrinsic motivation, 14, 46–47, 49–50, 179, 251–270
 Intrinsic tactile sensing, 148–152
 iRat robot, 125
 ISAC cognitive architecture, 197, 201, 205–207
 IsaacSim simulator, 135
- Joint attention, 46, 50–53, 279, 362–364, 367–368, 372, 374
- Kilobot, 78
 KISMET robot, 8, 444
 Knowledge-based, vision, 285
 Knowledge representation (knowledge based systems), 413–432
 KnowRob, 202–205, 425–427, 428
 Kuka LWR robot, 125–127, 129, 130, 136
- Language, 6, 49, 66, 125, 135, 165–166, 170–173, 200–201, 204–205, 213–215, 226, 277, 281–282, 285–287, 289, 311, 361, 384, 387, 395–412, 419–420, 433–447, 459
 Learning, 179–183. *See also* Reinforcement learning; Social learning
 from demonstration (LfD), 172, 328–329
 from play (Lp), 178–179
 cognitive capability, 197–198
 collective, 89–90
 imitation, 172–179
 One-Shot, 178–179
 Online, Open-Ended, Cumulative, 53
 social, 89–90
 Lexical, language analysis, 397–398
 LIDA cognitive architecture, 463–465, 468
 Lindenmayer systems, 80
 Logics, 420–421
 LSTM, 69, 166, 171, 176, 406–407. *See also* Recurrent neural networks
- Machine consciousness, 453–473. *See also* Consciousness
 Machine Ethics, 231, 239–242, 243
 Machine learning, 165–190. *See also* Deep learning
 Intrinsic motivation, 259–265
 robot language models, 404–407
 Majority rule, 91
 Manipulation, 6, 14, 48, 53, 63, 100, 113, 123–124, 127, 129, 168–169–171, 175, 179, 201, 315–336, 343, 351, 403, 413, 416
 EEG/EMG, 316, 318–320, 320–323
 in-hand object, 170
 MATLAB Robotics System Toolbox, 136
 Maturation, development, 51–52, 435
 Mental models, 105, 341, 460
 Metacognition, 196, 199–203, 205
 Micro-Macro Link, 78
 Microsoft Robotics Developer Studio, 132
 Minimal consciousness, 456
 Mirror neurons, 280, 363, 369, 435
 Mirror test, 468
 Model-agnostic meta-learning (MAML), 178
 Moral Agents, 240–241

- Morphological Computation, 7–8, 22, 49, 60–61, 106–107, 114
- Motion Learning, manipulation, 328–329
- MuJoCo simulator, 71, 132, 134, 137
- Multiagent system, Minsky, 460–461
- Multi-lateral latent Dirichlet allocation (MLDA), 404
- MultiNEAT, 94
- Multiple timescale recurrent neural networks (MTRNN), 166, 175–177, 401, 406
- Multirobot arm-picking, 181
- NAO robot, 123–124, 128–129, 136, 175–176, 382, 390, 406, 157
- Narrative-enabled episodic memories (NEEMS), 204
- Nature versus nurture, 51, 395–396
- Navigation, 6, 8, 20, 30–36, 82, 123, 126–127, 130, 200, 295–314, 343, 403
 - cognitive, 306–308
 - neuroscience/animal, 296–298
- Neural Darwinism, 20, 37
- Neuromorphic, 13, 23, 30–36, 459
- Neurobotic Platform (Human Brain Project), 13, 136
- Neurorobotics, 9, 12–13, 19–40, 49, 85
- NeuroSLAM, 305, 311
- Neurosnake robot simulator, 125
- Neurosymbolic Learning and Reasoning, 427
- NLP, robot language, 404–405
- Nonverbal communication, 404
- Number learning, 49, 402–403, 441–444
- Object-action complexes (OAC), 419
- Object recognition, 23, 27, 168–169, 274–275, 285
- ODE Open Dynamics Engine simulator, 125–126, 133, 134–136
- Off-line cognition, 217
- Off-loading, cognitive, 64–65, 69
- One-Shot Learning, 174, 178–179
- Ontogenetic learning, 47, 51–52, 69–71, 99, 105–107, 110–111
- Ontologies, 203–204, 423–425
- OpenAI Gym, 183
- OpenCV, 289
- OpenEASE, 429
- Open-ended learning, 47, 53, 251–270, 368, 390, 408
- Organismic Embodiment, 216
- Organismoid Embodiment, 216
- ORO, knowledge representation, 425
- Outdoor robot swarm, 86–87
- Panda robot, 124, 127, 129–130, 137
- Path Integration, navigation, 298–300
- Perception, 5–6, 12, 37, 49, 51, 61, 88–89, 96, 108–109, 123–124, 128, 137, 146–147, 193, 196–197, 201–203, 207–208, 233–234, 271–289, 315, 340–342, 364, 387, 423, 425–426, 438, 456–457, 462. *See also* Sensing, tactile; Vision
- Phonetic, language analysis level, 397–398
- Phylogenetic-Ontogenetic Interaction, 51–52, 67–68
- Physical/Sensorimotor Embodiment, 216
- Piezoelectric/Capacitive Stack, 152–154
- Pioneer robot, 124–125, 127, 130
- Place cell, 300, 301
- Platforms, robot, 123–144
- Polar map, vision, 286, 288
- PolyScheme, cognitive architecture, 200
- Popperian creatures, 465
- PR2 robot, 178, 202, 284
- Pragmatic, language analysis level, 397–398
- Pragmatic everyday activity manifolds (PEAMs), 205
- PRAXICON cognitive architecture, 283, 403
- Predicate logic, 420–421
- Prediction, 6, 36, 50, 159, 174–175, 200, 252, 257–260, 275, 285, 369–372, 419, 460
- Prediction-based intrinsic motivation, 252
- Predictive Coding, 273, 370–371, 372
- Predictive Learning, 172–179
- Principles, Cognitive robotics, 6–9
- Principles, Developmental robotics, 46–53
- Privacy and Surveillance, ethics, 236–237
- Probabilistic representation and reasoning, 423
- Programming by demonstration (PbD), 172
- Prospection, 196, 200
 - vision, 274–276
- Prosthetic hand, 146, 152, 382
- Q-learning, 180, 199, 316, 331. *See also* Deep reinforcement learning
- QRIO robot, 174–176
- Question Answering, 282, 418–423
- RatSLAM, 30, 37, 301–302, 311
- Reaching, 48, 69–71, 131, 136, 175, 274, 278–280, 315–316, 330, 343, 355, 367, 515, 417
- Reactive cognition, 8, 63–64, 207, 273, 275
- Reasoning, 3–4, 8, 12, 191, 199, 201–205, 272–273, 340, 413–432, 433–434, 459–460, 470. *See also* Knowledge representation
- Recurrent neural networks (RNNs), 166, 171, 174–175, 356, 439, 442. *See also* Deep learning; LSTM
- REEM robot, 445
- Reinforcement learning, 71, 179–183. *See also* Deep Reinforcement Learning
 - joint attention, 367
- Representation, sparse, 36
- Representational-redescription model, 52
- Responsibility for robots, 241
- Rewards, Sparse, 259–260
- Rights for robots, 241–242
- RNNPB (Recurrent neural networks with parametric bias), 142, 174–176. *See also* Deep learning
- RoboCup, 8, 129
- Robot Philosopher Test, 467
- Robot platforms review, 127–131. *See also* Humanoid robots
- Robot-Robot Interaction, 81
- Robot simulator review, 131–137
- Robovie, 124–127, 129
- RobWorkSim simulator, 125
- Roomba robot, 8
- ROSETTA, knowledge representation, 425
- ROS middleware, 127, 134, 138, 356
- Salamander robot simulator, 125
- Sawyer robot, 178
- Scalability, 77, 80–81, 112–113, 121, 405
- SciBot robot, 382
- S-CTRNN Neural network, 371–372

- Segmentation, vision, 287
- Selection of Skills, intrinsic motivation, 263–264
- Self-Consciousness, 459–462
- Self-Organization, 13, 47–49, 77–80, 92, 216, 222
- Self-organizing map (SOM), 400, 404
- Self-Other Recognition, 362–363, 365–366
- Semantic, language analysis level, 397–398
- Sensing, tactile, 146–148, 167–170
- Sensing-Actuation integration, 154–158
- Sensorimotor coordination, 61–63
- Sensory EgoSphere (SES), 205
- Service robots, 214, 251, 310, 425
- Sex robotics, ethics, 234
- Shakey robot, 10–11
- Sigma, cognitive architecture, 200
- SIGVerse simulator, 125, 138
- SimAgent Toolkit, 470
- SIMNOS robot simulator, 468
- Sims creatures, 60
- Simulator, review of robot, 125, 131–137
- Situated cognition, 49, 217, 396, 398
- Situation calculus, 461
- Skill Transfer, manipulation, 326–327
- Skin, 145–164
- SLAM, 127, 137, 295–296, 305, 308. *See also*
 - RatSLAM
 - cognitive map building, 300–306
- SNARC effect, 442
- Soar, cognitive architecture, 182, 194, 199, 207, 444–445
- Social cognition, 14, 80, 200, 226, 277–278, 361–378, 391
 - psychology/neuroscience, 362–365
 - unified computational theory, 370–372
 - vision, 277–281
- Social learning instinct, 49–50
- Social robotics, 126, 379–383. *See also* Human-robot interaction
- Soft materials, 100–101
- Soft robotics, 12, 13, 99–120, 145, 151, 19
- Soft sensing, bioinspired, 109
- Sparse rewards, 259–260
- Speech. *See* Language
- Speech and vision, 281, 283–286
- SpikeStream simulator, 468, 470
- Spike timing-dependent plasticity (STDP), 153
- Spiking neural networks, 9, 30–34
- Spiking wavefront propagation, 31–36
- Stages, Piaget, 52–53. *See also* Development, nonlinear stages
- Stigmergy, 79–80, 93
- Superintelligence, 242
- Superorganism, swarm, 80, 91–93
- Swarm cognition, 87–94
- Swarm intelligence, 13, 77, 80, 94
- Swarm robotics, 8, 12–13, 65–66, 77–98
- Symbol emergence, 408
- Symbol grounding, 170, 220, 397, 442
- Symbolic knowledge representation, 418–423.
 - See also* Knowledge representation
- Syntactic, language analysis level, 397–398
- Synthetic methodologies, 9–10
- Tactile sensors, types, 168
- Teaching by demonstration (TbD), 317, 325, 332
- Teleoperated robots, 352–353
- Teleoperation, manipulation, 317, 323–324
- Temporal difference learning, 199
- Tests for Robot Consciousness, 467–469
- Time-delay neural network (TDNN), 176
- Tortoise, Walter, 4, 9–11, 19
- Total Turing test, 467
- Touch (tactile), 145–159
- Transducers, 146
- Trustworthy AI, 232, 351
- Turing test, 464–468
- Turtlebot robot, 125
- Uncanny valley, 381–382
- Universal gripper, 100, 109
- USARSim, 132
- U-shaped learning, 53
- Value systems, 25–26, 36, 50, 195
- Vehicles, Braitenberg, 7, 9–10, 19–20
- Virtual reality, 138
- Vision, 271–294. *See also* Perception
 - knowledge-based, 285
 - principles, 274–287
- Vision and speech, 281, 283–286
- VizDoom game, 69
- V-REP (CoppeliaSim) simulator, 125, 136
- Walking, 30, 48, 51, 60–61, 67, 99, 108, 129, 162, 279
- Webots simulator, 125, 134–136
- Wiskerbot robot, 22
- Word combination, 401
- Words as Social Tools, 447
- XCR-1 robot, 465
- YARP middleware, 126–127, 134

Intelligent Robotics and Autonomous Agents

Edited by Ronald C. Arkin

Billard, Aude, Sina Mirrazavi, and Nadia Figueroa, *Learning for Adaptive and Reactive Robot Control*

Dorigo, Marco, and Marco Colombetti, *Robot Shaping: An Experiment in Behavior Engineering*

Arkin, Ronald C., *Behavior-Based Robotics*

Stone, Peter, *Layered Learning in Multiagent Systems: A Winning Approach to Robotic Soccer*

Wooldridge, Michael, *Reasoning about Rational Agents*

Murphy, Robin R., *Introduction to AI Robotics*

Mason, Matthew T., *Mechanics of Robotic Manipulation*

Kraus, Sarit, *Strategic Negotiation in Multiagent Environments*

Nolfi, Stefano, and Dario Floreano, *Evolutionary Robotics: The Biology, Intelligence, and Technology of Self-Organizing Machines*

Siegwart, Roland, and Illah R. Nourbakhsh, *Introduction to Autonomous Mobile Robots*

Breazeal, Cynthia L., *Designing Sociable Robots*

Bekey, George A., *Autonomous Robots: From Biological Inspiration to Implementation and Control*

Choset, Howie, Kevin M. Lynch, Seth Hutchinson, George Kantor, Wolfram Burgard, Lydia E. Kavraki, and Sebastian Thrun, *Principles of Robot Motion: Theory, Algorithms, and Implementations*

Thrun, Sebastian, Wolfram Burgard, and Dieter Fox, *Probabilistic Robotics*

Mataric, Maja J., *The Robotics Primer*

Wellman, Michael P., Amy Greenwald, and Peter Stone, *Autonomous Bidding Agents: Strategies and Lessons from the Trading Agent Competition*

Floreano, Dario, and Claudio Mattiussi, *Bio-Inspired Artificial Intelligence: Theories, Methods, and Technologies*

Sterling, Leon S., and Kuldar Taveter, *The Art of Agent-Oriented Modeling*

Stoy, Kasper, David Brandt, and David J. Christensen, *An Introduction to Self-Reconfigurable Robots*

Lin, Patrick, Keith Abney, and George A. Bekey, editors, *Robot Ethics: The Ethical and Social Implications of Robotics*

Weiss, Gerhard, editor, *Multiagent Systems*, second edition

Vargas, Patricia A., Ezequiel A. Di Paolo, Inman Harvey, and Phil Husbands, editors, *The Horizons of Evolutionary Robotics*

Murphy, Robin R., *Disaster Robotics*

Cangelosi, Angelo, and Matthew Schlesinger, *Developmental Robotics: From Babies to Robots*

Everett, H. R., *Unmanned Systems of World Wars I and II*

Sitti, Metin, *Mobile Microrobotics*

Murphy, Robin R., *Introduction to AI Robotics*, second edition

Gruppen, Roderic A., *The Developmental Organization of Dexterous Robot Behavior*

Boissier, Olivier, Rafael H. Bordini, Jomi F. Hübner, and Alessandro Ricci, *Multi-Agent Oriented Programming*

Cangelosi, Angelo, and Minoru Asada, *Cognitive Robotics*