

References:

- Allen, P.A., (2008). From landscapes into geological history. *Nature*, 451, p.274-276.
- Allen, P.A., Armitage, J.J., Carter, A., Duller, R.A., Michael, N.A., Sinclair, H.D., Whitchurch, A.L., Whittaker, A.C., (2013). The Qs problem: Sediment volumetric balance of proximal foreland basin systems. *Sedimentology* 60, p. 102–130.
- Alonso-Zarza, A. M., *et al.* (2002), Tertiary, in *The Geology of Spain*, edited by W. Gibbons and T. Moreno, pp. 293 – 334, Geol. Soc., London.
- Amidon, W.H., Burbank, D.W., and Gehrels, G.E., 2005a, Construction of detrital mineral populations: insights from mixing of U-Pb zircon ages in Himalayan rivers: *Basin Research*, 17, p. 463-485.
- Amidon, W.H., Burbank, D.W., and Gehrels, G.E., 2005b, U-Pb zircon ages as a sediment mixing tracer in the Nepal Himalaya: *Earth and Planetary Science Letters*, 235, p. 244-260.
- Armitage, J.J., Jones, T.D., Duller, R.A., Whittaker, A.C. and Allen, P.A., (2013). Temporal buffering of climate-driven sediment flux cycles by transient catchment response. *Earth and Planetary Science Letters*, 369, p. 200-210.
- Barberà, X., Marzo, M., Reguant, S., Serra-Kiel, J., Samsó, J.M., & Tosquella, J. (1996). Estratigrafia del Ilerdiense en la región de Tremp (cuena de Graus-Tremp, NE de España). *Geogaceta*, 20(1), p. 73-75.
- Bayliss, N. J., & Pickering, K. T. (2015b). Deep-marine structurally confined channelised sandy fans: Middle Eocene Morillo System, Ainsa Basin, Spanish Pyrenees. *Earth-Science Reviews*, 144, p. 82-106.
- Bayliss, N., & Pickering, K. T. (2015a). Transition from deep-marine lower-slope erosional channels to proximal basin-floor stacked channel–levee–overbank deposits, and syn-sedimentary growth structures, Middle Eocene Banastón System, Ainsa Basin, Spanish Pyrenees. *Earth-Science Reviews*, 144, p. 23-46.
- Beamud, E., Garcés, M., Muñoz, J. A., & Almar, Y. (2003). A new middle to late Eocene continental chronostratigraphy from NE Spain. *Earth and Planetary Science Letters*, 216(4), p. 501-514.
- Beamud, E., Muñoz, J. A., Fitzgerald, P. G., Baldwin, S. L., Garcés, M., Cabrera, L., & Metcalf, J. R. (2011). Magnetostratigraphy and detrital apatite fission track thermochronology in syntectonic conglomerates: constraints on the exhumation of the South-Central Pyrenees. *Basin Research*, 23(3), 309-331.
- Beaumont, C., Muñoz, J. A., Hamilton, J., & Fullsack, P. (2000). Factors controlling the Alpine evolution of the central Pyrenees inferred from a comparison of observations and geodynamical models. *Journal of Geophysical Research: Solid Earth* (1978–2012), 105(B4), p. 8121-8145.
- Bellpuig, J. M. (2010). Metodologies de reconstrucció i modelització 3D d'estructures geològiques: anticlinal de Sant Corneli - Bóixols (Pirineus centrals). PhD Thesis, Universitat de Barcelona.
- Bentham, P., & Burbank, D. W. (1996). Chronology of Eocene foreland basin evolution along the western oblique margin of the South-Central Pyrenees. Tertiary Basins of Spain. The Stratigraphic Record of Crustal Kinematics. *World and Regional Geology* 6, p. 144–152.
- Berástegu, X., Lasantos, M., Muñoz, J. A., Puigdefabregas, C., (1993). Tall Geològic del Pirineu Central 1:200 000. Servei Geològic de Catalunya.
- Bernet, M., van der Beek, P., Pik, R., Huyghe, P., Mugnier, J., Labrin, E., and Szulc, A., 2006, Miocene to Recent exhumation of the central Himalaya determined from combined detrital zircon fission-track and U/Pb analysis of Siwalik sediments, western Nepal: *Basin Research*, 18, p. 393-412.
- Bowen, G.J., Maibauer, B.J., Kraus, M.J., Röhl, U., Westerhold, T., Steimke, A., Gingerich, P.D., Wing, S.L., Clyde, W.C., 2014. Two massive, rapid releases of carbon during the onset of the Palaeocene–Eocene thermal maximum. *Nature Geoscience*, 8(1), p. 44-47.
- Burbank, D. W., Vergés, J., MUNOZ, J. A., & Bentham, P. (1992). Coeval hindward-and forward-imbricating thrusting in the south-central Pyrenees, Spain: Timing and rates of shortening and deposition. *Geological Society of America Bulletin*, 104(1), p. 3-17.
- Caja, M.A., Marfil, R., Garcia, D., Remacha, E., Morad, S., Mansurbeg, H., Amorosi, A., Martínez-Calvo, C. and Lahoz-Beltrá, R., (2010). Provenance of siliciclastic and hybrid turbiditic arenites of the Eocene Hecho Group, Spanish Pyrenees: implications for the tectonic evolution of a foreland basin. *Basin Research*, 22, p. 157-180.
- Capaldi, T.N., Horton, B.K., Mckenzie, N.R., Odlum, M.L., Stockli, D.F., in review, Detrital zircon provenance of retroarc orogenic systems: Modern rivers in the Andean foreland of western Argentina: *Earth Planetary Science Letters*.
- Capote, R., Muñoz, J. A., Simón, J. L., Liesa, C. L., & Arlegui, L. E. (2002). Alpine tectonics I: the Alpine system north of the Betic Cordillera, in *The Geology of Spain*, edited by W. Gibbons and T. Moreno, pp. 367 – 416, Geol. Soc., London.
- Castelltort, S., Honegger, L., Adatte, T., Clark, J.D., Puigdefàbregas, C., Spangenberg, J., Fildani, F., & Dykstra, M.L., (2017). Detecting eustatic and tectonic signals with carbon isotopes in deep-marine strata, Eocene Ainsa Basin, Spanish Pyrenees. *Geology*, G39068-1.
- Castelltort, S., Van Den Driessche, J., (2003). How plausible are high-frequency sediment supply-driven cycles in the stratigraphic record? *Sedimentary Geology* 157, p. 3–13.
- Choukroune, P. (1989). The ECORS Pyrenean deep seismic profile reflection data and the overall structure of an orogenic belt. *Tectonics*, 8(1), p. 23-39.
- Choukroune, P., Daignières, M., Déramond, J., Grasso, J. R., Hirn, A., Mattauer, M., & de Pedro, J. R. (1988). The ECORS deep reflection seismic survey across the Pyrenees. *Nature*, (331), p. 508-511.

- Cina, S.E., Yin, A., Grove, M., Dubey, C.S., Shukla, D.P., Lovera, O.M., Kelty, T.K., Gehrels, G.E., and Foster, D.A., 2009, Gangdese arc detritus within the eastern Himalayan Neogene foreland basin: Implications for the Neogene evolution of the Yalu–Brahmaputra River system: *Earth and Planetary Science Letters*, 285, p. 150-162.
- Clark, J.D., (1995). Detailed section across the Ainsa II Channel complex, south central Pyrenees, Spain. In *Atlas of Deep Water Environments*. Springer Netherlands. p. 139-144.
- Clark, J. D., & Pickering, K. T. (1996). *Submarine channels: Processes and Architecture*. Vallis Press, 231 pp.
- Clark, J. D., (1994). Architecture and processes in modern and ancient deep-marine channel complexes: Ph.D. thesis, University of Leicester, Leicester, United Kingdom, 144 p.
- Clark, J. D., Fildani, A., & Drinkwater, N. J. (2008). Deepwater Channel Bypass and Backfilling Processes from the Eocene Ainsa Basin, South-Central Pyrenees, Spain. AAPG Annual Convention, San Antonio, TX. Extended Abstract. Search and Discovery Article, 50094.
- Clark, J. D., D. Pyles, R. Bouroullec, R. Amerman, M. Hoffman, J. Moody, A. Moss, P. Setiawan, H. Silalahi, T. Heard, C. Guzowski, A. Fildani, N. Drinkwater, and M. Pycrz, (2010). Structural Controls on Deepwater Architecture and Facies in the Eocene Ainsa Basin, Spanish Pyrenees. AAPG Annual Convention, New Orleans, LA.
- Clerc, C., Lagabrielle, Y., Neumaier, M., Reynaud, J.Y. and de Saint Blanquat, M., (2012). Exhumation of subcontinental mantle rocks: evidence from ultramafic-bearing clastic deposits nearby the Lherz peridotite body, French Pyrenees. *Bulletin de la Société géologique de France*, 183, p.443-459.
- Costa, E., Garcés, M., López-Blanco, M., Beamud, E., Gómez-Paccard, M., & Larrasoña, J. C. (2010). Closing and continentalization of the South Pyrenean foreland basin (NE Spain): magnetochronological constraints. *Basin Research*, 22(6), p. 904-917.
- Covault, J. A., & Graham, S. A. (2010). Submarine fans at all sea-level stands: tectono-morphologic and climatic controls on terrigenous sediment delivery to the deep sea. *Geology*, 38(10), p. 939-942.
- Covault, J.A., Romans, B.W., Graham, S.A., Fildani, A. and Hilley, G.E., (2011). Terrestrial source to deep-sea sink sediment budgets at high and low sea levels: Insights from tectonically active Southern California. *Geology*, 39, p. 619-622.
- Cramer, B.S., Toggweiler, J.R., Wright, J.D., Katz, M.E., Miller, K.G., (2009). Ocean overturning since the Late Cretaceous: Inferences from a new benthic foraminiferal isotope compilation. *Paleoceanography* 24.
- Cross, T.A., and Lessinger, M.A., (1988). Sediment volume partitioning: Rationale for stratigraphic model evaluation and high-resolution stratigraphic correlation, in Gradstein, F., Sandvik, K., and Milton, N., eds., *Sequence Stratigraphy: Concepts and Applications: Norwegian Petroleum Society Special Publication 8*, p. 171–195.
- De Saint Blanquat, M., Bajolet, F., Grand'Homme, A., Proietti, A., Zanti, M., Boutin, A., Clerc, C., Lagabrielle, Y. and Labaume, P., (2016). Cretaceous mantle exhumation in the central Pyrenees: New constraints from the peridotites in eastern Ariège (North Pyrenean zone, France). *Comptes Rendus Géoscience*, 348, p. 268-278.
- Debroas, E.J., (1987). Modèle de bassin triangulaire à l'intersection de décrochements divergents pour le fossé albo-cénomaniens de la Ballongue (zone nord-pyrénéenne, France). *Bulletin de la Société géologique de France*, 3, p. 887-898.
- Debroas, E.J., (1990). Le Flysch noir albo-cénomaniens témoin de la structuration albienne à sénonienne de la zone nord-pyrénéenne en Bigorre (Hautes-Pyrénées, France). *Bulletin de la Société géologique de France*, 6, p. 273-285.
- Denèle, Y., Laumonier, B., Paquette, J. L., Olivier, P., Gleizes, G., & Barbey, P. (2014). Timing of granite emplacement, crustal flow and gneiss dome formation in the Variscan segment of the Pyrenees. Geological Society, London, Special Publications, 405(1), p. 265-287.
- Dickinson, W.R., 2008, Impact of differential zircon fertility of granitoid basement rocks in North America on age populations of detrital zircons and implications for granite petrogenesis: *Earth and Planetary Science Letters*, 275, p. 80-92.
- Dreyer, T., 1993. Quantified fluvial architecture in ephemeral stream deposits of the Esplugafreda Formation (Palaeocene), Tremp-Graus Basin, northern Spain. Alluvial Sedimentation. Special Publication 17 of the IAS., p. 337–362.
- Dreyer, T., Corregidor, J., Arbues, P. and Puigdefabregas, C., (1999). Architecture of the tectonically influenced Sobrarbe deltaic complex in the Ainsa Basin, northern Spain. *Sedimentary Geology*, 127, p. 127-169.
- Easterling, D.R., Evans, J.L., Groisman, P.Y., 2000. Observed variability and trends in extreme climate events: a brief review. *Bulletin of the American Meteorological Society* 81, 417–425.
- Einsele, G., Ricken, W. and Seilacher, A., (1991). *Cycles and events in stratigraphy*. Springer-Verlag, Berlin, 955 pp.
- Fildani, A., McKay, M.P., Stockli, D., Clark, J., Dykstra, M.L., Stockli, L., and Hessler, A.M., 2016, The ancestral Mississippi drainage archived in the late Wisconsin Mississippi deep-sea fan, *Geology*, 44, p. 479-482.
- Filleaudeau, P. Y., Mouthereau, F., & Pik, R. (2012). Thermo-tectonic evolution of the south-central Pyrenees from rifting to orogeny: insights from detrital zircon U/Pb and (U-Th)/He thermochronometry. *Basin Research*, 24(4), p. 401-417.
- Fitzgerald, P. G., Muñoz, J. A., Coney, P. J., & Baldwin, S. L. (1999). Asymmetric exhumation across the Pyrenean orogen: implications for the tectonic evolution of a collisional orogen. *Earth and Planetary Science Letters*, 173(3), p. 157-170.
- Ford, M., Hemmer, L., Vacherat, A., Gallagher, K. and Christophoul, F. (2016). Retro-wedge foreland basin evolution along the ECORS line, eastern Pyrenees, France. *Journal of the Geological Society*, 173, p. 419-437.
- Foreman, B.Z., 2013. Climate-driven generation of a fluvial sheet sand body at the Paleocene-Eocene boundary in north-west Wyoming (USA). *Basin Research*, 26(2), p. 225-241.

- Foreman, B.Z., Heller, P.L., Clementz, M.T., 2012. Fluvial response to abrupt global warming at the Palaeocene/Eocene boundary. *Nature* 491(7422), p. 92-95.
- Galloway, W.E., Whiteaker, T.L., and Ganey-Curry, P., 2011, History of Cenozoic North American drainage basin evolution, sediment yield, and accumulation in the Gulf of Mexico basin: *Geosphere*, 7, p. 938–973.
- Garzanti, E., Doglioni, C., Vezzoli, G., Andò, S., 2007, Orogenic belts and orogenic sediment provenance: *Journal of Geology*, 115, p. 315-334.
- Gibson, M., Sinclair, H.D., Lynn, G.J. and Stuart, F.M., (2007). Late-to post-orogenic exhumation of the Central Pyrenees revealed through combined thermochronological data and modelling. *Basin Research*, 19, p. 323-334.
- Gingerich, P.D., 2006. Environment and evolution through the Paleocene–Eocene thermal maximum. *Trends in Ecology & Evolution* 21(5), p. 246–253.
- Godard, V., Tucker, G.E., Burch Fisher, G., Burbank, D.W. and Bookhagen, B., (2013). Frequency-dependent landscape response to climatic forcing. *Geophysical Research Letters*, 40, p. 859-863.
- Gong, Z., Langereis, C.G. and Mullender, T.A.T., (2008). The rotation of Iberia during the Aptian and the opening of the Bay of Biscay. *Earth and Planetary Science Letters*, 273, p. 80-93.
- Gordon, G. S. (2011). Deposition of a Structurally Confined Submarine Fan in an Evolving Basin: The Guaso I Turbidite System, Ainsa Basin, Spain. In *2011 GSA Annual Meeting, Minneapolis*.
- Gradstein, F. M., Ogg, J. G., Schmitz, M., & Ogg, G. (Eds.). (2012). *The Geologic Time Scale 2012 2-Volume Set* (Vol. 2). Elsevier.
- Gupta, K.D. and Pickering, K.T., (2008). Petrography and temporal changes in petrofacies of deep-marine Ainsa–Jaca basin sandstone systems, Early and Middle Eocene, Spanish Pyrenees. *Sedimentology*, 55, p.1083-1114.
- Hadler-Jacobsen, F., Johannessen, E. P., Ashton, N., Henriksen, S., Johnson, S. D., & Kristensen, J. B. (2005). Submarine fan morphology and lithology distribution: a predictable function of sediment delivery, gross shelf-to-basin relief, slope gradient and basin topography. In *Geological Society, London, Petroleum Geology Conference series* (Vol. 6, p. 1121-1145). Geological Society of London.
- Haq, B. U., Hardenbol, J. & Vail, P. R. (1987). Chronology of fluctuating sea levels since the Triassic. *Science* 235(4793), p. 1156-1167.
- Hart, N.R., Stockli, D.F. and Hayman, N.W., (2016). Provenance evolution during progressive rifting and hyperextension using bedrock and detrital zircon U-Pb geochronology, Mauléon Basin, western Pyrenees. *Geosphere*, 12, p. 1166-1186.
- Helland-Hansen, W., Sømme, T.O., Martinsen, O.J., Lunt, I. and Thurmond, J., (2016). Deciphering Earth's Natural Hourglasses: Perspectives On Source-To-Sink Analysis. *Journal of Sedimentary Research*, 86, p. 1008-1033.
- Hessler, A.M., Lowe, D.R, 2017, Initial generation of sand across climate zones of the Mojave, Sierra Nevada, and Klamath Batholiths in California, USA. *Sedimentary Geology*, 318, p. 37-50.
- Heward, A. P. (1981). A review of wave-dominated clastic shoreline deposits. *Earth-Science Reviews*, 17(3), p. 223-276.
- Hoffman, M., (2009). Tectonostratigraphic analysis of a deepwater growth basin, Ainsa Basin, northern Spain: Master's thesis, Colorado School of Mines, Golden, Colorado, 203 p.
- Holl, J. E., & Anastasio, D. J. (1993). Paleomagnetically derived folding rates, southern Pyrenees, Spain. *Geology*, 21(3), p. 271-274.
- Honegger, L (2015). Sedimentary record of climate signals from source-to-sink: a field and stable isotope study of the early-middle Eocene fluvial to deep-marine successions in the South Pyrenean foreland basin, Tremp-Graus-Ainsa (Spain). Unpublished MSc Thesis, University of Geneva.
- Hubbard, S.M., Covault, J.A., Fildani, A. and Romans, B.W., 2014. Sediment transfer and deposition in slope channels: deciphering the record of enigmatic deep-sea processes from outcrop. *Geological Society of America Bulletin*, 126, p. 857-871.
- Jammes, S., Manatschal, G., Lavier, L. and Masini, E., (2009). Tectonosedimentary evolution related to extreme crustal thinning ahead of a propagating ocean: Example of the western Pyrenees. *Tectonics*, 28.
- Jerolmack, D.J. and Paola, C., (2010). Shredding of environmental signals by sediment transport. *Geophysical Research Letters*, 37.
- Jolivet, M., Labaume, P., Monié, P., Brunel, M., Arnaud, N. and Campani, M., (2007). Thermochronology constraints for the propagation sequence of the south Pyrenean basement thrust system (France-Spain). *Tectonics*, 26.
- Joseph, P., Hu, L.Y., Dubrule, O., Claude, D., Crumeyrolle, P., Lesueur, J.L. and Soudet, H.J., (1993). The Roda deltaic complex (Spain): From sedimentology to reservoir stochastic modelling. *COLLECTION COLLOQUES ET SEMINAIRES-INSTITUT FRANCAIS DU PETROLE*, 51, p. 97-97.
- Kominz, M.A., Browning, J.V., Miller, K.G., Sugarman, P.J., Mizintseva, S., Scotese, C.R., (2008). Late Cretaceous to Miocene sea-level estimates from the New Jersey and Delaware coastal plain coreholes: an error analysis. *Basin Research* 20, p. 211–226.
- Labaume, P., Mutti, E., & Seguret, M. (1987). Megaturbidites: a depositional model from the Eocene of the SW-Pyrenean Foreland Basin, Spain. *Geo-Marine Letters*, 7(2), p. 91-101.
- Lagabrielle, Y. and Bodinier, J.L., (2008). Submarine reworking of exhumed subcontinental mantle rocks: field evidence from the Lherz peridotites, French Pyrenees. *Terra Nova*, 20, p. 11-21.
- Lagabrielle, Y., Labaume, P. and de Saint Blanquat, M., (2010). Mantle exhumation, crustal denudation, and gravity tectonics during Cretaceous rifting in the Pyrenean realm (SW Europe): Insights from the geological setting of the Lherzolite bodies. *Tectonics*, 29.

- Leren, B.L., Howell, J., Enge, H. and Martinius, A.W., (2010). Controls on stratigraphic architecture in contemporaneous delta systems from the Eocene Roda Sandstone, Tremp-Graus Basin, northern Spain. *Sedimentary Geology*, 229, p. 9-40.
- López-Blanco, M., Marzo, M., & Muñoz, J. A. (2003). Low-amplitude, synsedimentary folding of a deltaic complex: Roda Sandstone (lower Eocene), South-Pyrenean Foreland Basin. *Basin Research*, 15(1), p. 73-96.
- Mackey, G.N., Horton, B.K., and Milliken, K.L., 2012, Provenance of the Paleocene–Eocene Wilcox Group, western Gulf of Mexico basin: Evidence for integrated drainage of the southern Laramide Rocky Mountains and Cordilleran arc: *Geological Society of America Bulletin*, 124, p. 1007–1024.
- Malusà, M.G., Resentini, A., and Garzanti, E., 2016, Hydraulic sorting and mineral fertility bias in detrital geochronology: *Gondwana Research*, 31, p. 1–19.
- Mansurbeg, H., Caja, M. A., Marfil, R., Morad, S., Remacha, E., Garcia, D., Martin-Crespo, T., El-Ghali, M. A. K., & Nystuen, J. P. (2009). Diagenetic evolution and porosity destruction of turbiditic hybrid arenites and siliciclastic sandstones of foreland basins: evidence from the Eocene Hecho Group, Pyrenees, Spain. *Journal of Sedimentary Research*, 79(9), p. 711-735.
- Margalef, A., Castiñeiras, P., Casas, J.M., Navidad, M., Liesa, M., Linnemann, U., Hofmann, M. and Gärtner, A., (2016). Detrital zircons from the Ordovician rocks of the Pyrenees: Geochronological constraints and provenance. *Tectonophysics*, 681, p. 124-134.
- Martín-Chivelet, J., *et al.* (2002), Cretaceous, in *The Geology of Spain*, edited by W. Gibbons and T. Moreno, p. 255 – 292, Geol. Soc., London.
- Martinius, A.W., (2012). Contrasting styles of siliciclastic tidal deposits in a developing thrust-sheet-top basins–The Lower Eocene of the Central Pyrenees (Spain). In *Principles of Tidal Sedimentology*, p. 473-506. Springer Netherlands.
- Martinius, A.W., (2017). Multiscale Gilbert-type delta lobe architecture and heterogeneities: The case of the Roda Sandstone Member. *AAPG Bulletin*, 101, p. 453-463.
- Martinsen, O. J., Sømme, T. O., Thurmond, J. B., Helland-Hansen, W., & Lunt, I. (2010). Source-to-sink systems on passive margins: theory and practice with an example from the Norwegian continental margin. In *Geological Society, London, Petroleum Geology Conference series*, 7, p. 913-920. Geological Society of London.
- Marzo, M., Nijman, W., & Puigdefàbregas, C. (1988). Architecture of the Castissent fluvial sheet sandstones, Eocene, south Pyrenees, Spain. *Sedimentology*, 35(5), p. 719-738.
- Mason, C.C., Fildani, A., Gerber, T., Blum, M.D., Clark, J.D., Dykstra, M., 2017, Climatic and anthropogenic influences on sediment mixing in the Mississippi source-to-sink system using detrital zircons: Late Pleistocene to recent: *Earth and Planetary Science Letters*, 466, p. 70-79.
- Matte, P. (1986). Tectonics and plate tectonics model for the Variscan belt of Europe. *Tectonophysics*, 126(2), p. 329-374.
- McHargue, T., Pyrcz, M.J., Sullivan, M.D., Clark, J.D., Fildani, A., Romans, B.W., Covault, J.A., Levy, M., Posamentier, H.W. and Drinkwater, N.J., 2011. Architecture of turbidite channel systems on the continental slope: patterns and predictions. *Marine and Petroleum Geology*, 28, p. 728-743.
- McInerney, F.A., Wing, S.L., 2011. The Paleocene-Eocene Thermal Maximum: A Perturbation of Carbon Cycle, Climate, and Biosphere with Implications for the Future. *Annual Review of Earth and Planetary Sciences*, 39, p. 489–516.
- Metcalfe, J. R., Fitzgerald, P. G., Baldwin, S. L., & Muñoz, J. A. (2009). Thermochronology of a convergent orogen: Constraints on the timing of thrust faulting and subsequent exhumation of the Maladeta Pluton in the Central Pyrenean Axial Zone. *Earth and Planetary Science Letters*, 287(3), p. 488-503.
- Métivier, F. and Gaudemer, Y., (1999). Stability of output fluxes of large rivers in South and East Asia during the last 2 million years: implications on floodplain processes. *Basin Research*, 11, p. 293-303.
- Michael, N.A., Whittaker, A.C., Allen, P.A., (2013). The Functioning of Sediment Routing Systems Using a Mass Balance Approach: Example from the Eocene of the Southern Pyrenees. *The Journal of Geology* 121, p. 581–606.
- Michael, N.A., Whittaker, A.C., Carter, A., Allen, P.A., (2014). Volumetric budget and grain-size fractionation of a geological sediment routing system: Eocene Escanilla Formation, south-central Pyrenees. *Geological Society of America Bulletin*. 126, p. 585-599.
- Miller, K. G., Kominz, M. A., Browning, J. V. & Wright, J. D. (2005). The Phanerozoic Record of Global Sea-Level Change. *Science* 310, p. 1293–1298.
- Moecher, D.P., and Samson, S.D., 2006, Differential zircon fertility of source terranes and natural bias in the detrital zircon record: Implications for sedimentary provenance analysis: *Earth and Planetary Science Letters*, 247, p. 252-266.
- Moody, J. D., Pyles, D. R., Clark, J., & Bouroulllec, R. (2012). Quantitative outcrop characterization of an analog to weakly confined submarine channel systems: Morillo 1 member, Ainsa Basin, Spain. *AAPG bulletin*, 96(10), p. 1813-1841.
- Morris, R. G., Sinclair, H. D., & Yelland, A. J. (1998). Exhumation of the Pyrenean orogen: implications for sediment discharge. *Basin Research*, 10(1), p. 69-85.
- Mouthereau, F., Filleaudeau, P.Y., Vacherat, A., Pik, R., Lacombe, O., Fellin, M.G., Castelltort, S., Christophoul, F. and Masini, E., (2014). Placing limits to shortening evolution in the Pyrenees: Role of margin architecture and implications for the Iberia/Europe convergence. *Tectonics*, 33, p. 2283-2314.
- Muñoz, J. A. (1992). Evolution of a continental collision belt: ECORS-Pyrenees crustal balanced cross-section. In *Thrust tectonics* (pp. 235-246). Springer Netherlands.

- Muñoz, J. A., Beamud, E., Fernández, O., Arbués, P., Dinarès-Turell, J., & Poblet, J. (2013). The Ainsa Fold and thrust oblique zone of the central Pyrenees: Kinematics of a curved contractional system from paleomagnetic and structural data. *Tectonics*, 32(5), p. 1142-1175.
- Mutti E., Luterbacher H., Ferrer J., Rosell J. (1972) Schema stratigrafico e lineamenti di facies del Paleogeno Marino della zona centrale sudpirenaica tra Tremp (Catalogna) e Pamplona (Navarra). *Memorie della Società Geologica Italiana* 11, p. 391–416.
- Mutti, E. (1977). Distinctive thin-bedded turbidite facies and related depositional environments in the Eocene Hecho Group (south-central Pyrenees, Spain). *Sedimentology*, 24(1), p. 107-131.
- Mutti, E., & Normark, W. R. (1987). Comparing examples of modern and ancient turbidite systems: problems and concepts. In *Marine clastic sedimentology* (pp. 1-38). Springer Netherlands.
- Mutti, E., Séguret, M., & Sgavetti, M. (1988). *Sedimentation and deformation in the Tertiary sequences of the Southern Pyrenees: Field Trip 7*. University of Parma.
- Nijman, W. (1998). Cyclicity and basin axis shift in a piggyback basin: towards modelling of the Eocene Tremp-Ager Basin, South Pyrenees, Spain. *Special Publication of the Geological Society of London*, 134, p. 135-162.
- Nijman, W. J., & Nio, S. D. (1975). The Eocene Montanana delta (Tremp-Graus Basin, Southern Pyrenees). *Sedimentary Evolution of the Paleogene South Pyrenean Basin, Excursion Guidebook*, 19.
- Nijman, W. and Puigdefàbregas, C., (1977). Coarse-Grained Point Bar Structure in a Molasse-Type Fluvial System, Eocene Castisent Sandstone Formation, South Pyrenean Basin. *CSPG Fluvial Sedimentology Memoir* 5, p. 487-510.
- Nio, S.D. and Yang, C.S., (1991). Sea-level fluctuations and the geometric variability of tide-dominated sandbodies. *Sedimentary Geology*, 70, p. 161-193.
- Olariu, M.I., Olariu, C., Steel, R.J., Dalrymple, R.W. and Martinus, A.W., (2012). Anatomy of a laterally migrating tidal bar in front of a delta system: Esdolomada Member, Roda Formation, Tremp-Graus Basin, Spain. *Sedimentology*, 59, p.356-378.
- Oms, O., Dinarès-Turell, J., & Remacha, E. (2003). Magnetic stratigraphy from deep clastic turbidites: an example from the Eocene Hecho group (southern Pyrenees). *Studia Geophysica et Geodaetica*, 47(2), p. 275-288.
- Ori, G. G., & Friend, P. F. (1984) Sedimentary basins formed and carried piggyback on active thrust sheets. *Geology* 12, p. 475-478.
- Paola, C., Heller, P.L., Angevine, C.L., (1992). The large-scale dynamics of grain-size variation in alluvial basins, 1: Theory. *Basin Research* 4, p. 73–90.
- Payros, A., Bernaola, G., Orue-Etxebarria, X., Dinarès-Turell, J., Tosquella, J., & Apellaniz, E. (2007). Reassessment of the Early–Middle Eocene biomagnetostratigraphy based on evidence from the Gorrondatxe section (Basque Country, western Pyrenees). *Lethaia*, 40(2), p. 183-195.
- Payros, A., Pujalte, V., & Orue-Etxebarria, X. (1999). The South Pyrenean Eocene carbonate megabreccias revisited: new interpretation based on evidence from the Pamplona Basin. *Sedimentary Geology*, 125(3), p. 165-194.
- Payros, A., Tosquella, J., Bernaola, G., Dinarès-Turell, J., Orue-Etxebarria, X., & Pujalte, V. (2009). Filling the North European Early/Middle Eocene (Ypresian/Lutetian) boundary gap: insights from the Pyrenean continental to deep-marine record. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 280(3), p. 313-332.
- Pepper, M., Gehrels, G., Pullen, A., Ibanez-Mejia, M., Ward, K.M., and Kapp, P., 2016, Magmatic history and crustal genesis of western South America: Constraints from U-Pb ages and Hf isotopes of detrital zircons in modern rivers: *Geosphere*, 12, p. 1532–1555.
- Perret, M. (2016). Petrography and clay mineralogy of sandstones from the Tremp-Graus and Ainsa Basins, South Pyrenean Foreland basin (Spain). MSc Thesis, Geneva University.
- Pickering, K. T., & Bayliss, N. J. (2009). Deconvolving tectono-climatic signals in deep-marine siliciclastics, Eocene Ainsa basin, Spanish Pyrenees: Seesaw tectonics versus eustasy. *Geology*, 37(3), p. 203-206.
- Pickering, K.T., Corregidor, J. and Clark, J.D., (2015). Architecture and stacking patterns of lower-slope and proximal basin-floor channelised submarine fans, Middle Eocene Ainsa System, Spanish Pyrenees: An integrated outcrop–subsurface study. *Earth-Science Reviews*, 144, p. 47-81.
- Poyatos-Moré, M. (2014). Physical stratigraphy and facies analysis of the castissent tecto-sedimentary unit. PhD Thesis, Universitat Autònoma de Barcelona.
- Puigdefàbregas, C., Muñoz, J. A., & Vergés, J. (1992). Thrusting and foreland basin evolution in the southern Pyrenees. In *Thrust tectonics*, p. 247-254. Springer Netherlands.
- Puigdefàbregas, C. and Souquet, P., (1986). Tecto-sedimentary cycles and depositional sequences of the Mesozoic and Tertiary from the Pyrenees. *Tectonophysics*, 129, p. 173-203.
- Pujalte, V., Payros, A., Orue-Etxebarria, X., Baceta, J.I., (1997). Secuencia evolutiva de los depósitos resedimentados eocenos de Punta Galea, Bizkaia: relevancia para determinación del sentido de transporte en láminas de slump. *Geogaceta* 22, p. 169–172.
- Pujalte, V., Robador, A., Payros, A., Samsó, J.M., 2016. A siliciclastic braid delta within a lower Paleogene carbonate platform (Ordesa-Monte Perdido National Park, southern Pyrenees, Spain): Record of the Paleocene–Eocene Thermal Maximum perturbation. *Palaeogeography, Palaeoclimatology, Palaeoecology* 459, p. 453–470.
- Pujalte, V., Schmitz, B., & Baceta, J. I. (2014). Sea-level changes across the Paleocene–Eocene interval in the Spanish Pyrenees, and their possible relationship with North Atlantic magmatism. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 393, p. 45-60.
- Remacha, E., & Fernández, L. P. (2003). High-resolution correlation patterns in the turbidite systems of the Hecho Group (South-Central Pyrenees, Spain). *Marine and Petroleum Geology*, 20(6), p. 711-726.

- Remacha, E., Fernández, L. P., & Maestro, E. (2005). The transition between sheet-like lobe and basin-plain turbidites in the Hecho basin (south-central Pyrenees, Spain). *Journal of Sedimentary Research*, 75(5), p. 798-819.
- Remacha, E., Oms, O. and Coello, J., (1995). The Rapián turbidite channel and its related eastern levee-overbank deposits, Eocene Hecho group, south-central Pyrenees, Spain. In *Atlas of Deep Water Environments*, p. 145-149). Springer Netherlands.
- Remacha, E., Gual, G., Bolano, F., Arcuri, M., Oms, O., Climent, F., Crumeyrolle, P., Fernandez, L.P., Vicente, J.C. & Suarez, J. (2003) Sand-rich turbidite systems of the Hecho Group from slope to the basin plain. Facies, stacking patterns, controlling factors and diagnostic features. Geological Field Trip n. 12, South-Central Pyrenees. AAPG International Conference and Exhibition. Barcelona, Spain.
- Roigé, M., Gómez-Gras, D., Remacha, E., Daza, R. and Boya, S., (2016). Tectonic control on sediment sources in the Jaca basin (Middle and Upper Eocene of the South-Central Pyrenees). *Comptes Rendus Geoscience*, 348, p. 236-245.
- Romans, B.W., Castelltort, S., Covault, J.A., Fildani, A., and Walsh, J.P., 2016, Environmental signal propagation in sedimentary systems across timescales: *Earth-Science Reviews*, 153, p. 7–29.
- Rosenbaum, G., Lister, G. S., & Duboz, C. (2002). Relative motions of Africa, Iberia and Europe during Alpine orogeny. *Tectonophysics*, 359(1), p. 117-129.
- Saylor, J.E., Knowles, J.N., Horton, B.K., Nie, J., and Mora, A., 2013, Mixing of source populations recorded in detrital zircon U-Pb age spectra from modern river sands: *Journal of Geology*, 121, p. 17-33.
- Schettino, A. and Turco, E., (2011). Tectonic history of the western Tethys since the Late Triassic. *Geological Society of America Bulletin*, 123, p. 89-105.
- Schmitz, B., & Pujalte, V. (2007). Abrupt increase in seasonal extreme precipitation at the Paleocene-Eocene boundary. *Geology*, 35(3), p. 215-218.
- Schmitz, B., Pujalte, V., 2003. Sea-level, humidity, and land-erosion records across the initial Eocene thermal maximum from a continental-marine transect in northern Spain. *Geology* 31, p. 689-692.
- Scotchman, J. I., Bown, P., Pickering, K. T., Bou Dagher-Fadel, M., Bayliss, N. J., & Robinson, S. A. (2015). A new age model for the middle Eocene deep-marine Ainsa Basin, Spanish Pyrenees. *Earth-Science Reviews*, 144, p. 10-22.
- Séguret, M. (1972). *Etude tectonique des nappes et séries décollées de la partie centrale du versant sud des Pyrénées: Caractere synsédimentaire, rôle de la compression et de la gravité*. Publications de l'Université des sciences et techniques du Languedoc (USTELA).
- Séguret, M., Labaume, P., & Madariaga, R. (1984). Eocene seismicity in the Pyrenees from megaturbidites of the South Pyrenean Basin (Spain). *Marine Geology*, 55(1), p. 117-131.
- Shackleton, J. R., Cooke, M. L., Vergés, J., & Simó, T. (2011). Temporal constraints on fracturing associated with fault-related folding at Sant Corneli anticline, Spanish Pyrenees. *Journal of Structural Geology*, 33(1), p. 5-19.
- Sickmann, Z.T., Paul, C.K., and Graham, S.A., 2016, Detrital-zircon mixing and partitioning in fluvial to deep marine systems, central California, USA: *Journal of Sedimentary Research*, 86, p. 1298-1307.
- Simó, A. (1986). Carbonate platform depositional sequences, Upper Cretaceous, south-central Pyrenees (Spain). *Tectonophysics*, 129(1), p. 205-231.
- Simó, A., Puigdefàbregas, C., & Gili, E. (1985). Transition from shelf to basin on an active slope, Upper Cretaceous, Tremp area, southern Pyrenees. In *International Association of Sedimentologists 6th European Regional Meeting excursion guidebook: Lleida, Spain, International Association of Sedimentologists*. p. 63-108.
- Simpson, G. and Castelltort, S., (2012). Model shows that rivers transmit high-frequency climate cycles to the sedimentary record. *Geology*, 40, p. 1131-1134.
- Sinclair, H. D., Gibson, M., Naylor, M., & Morris, R. G. (2005). Asymmetric growth of the Pyrenees revealed through measurement and modeling of orogenic fluxes. *American Journal of Science*, 305(5), p. 369-406.
- Sluijs, A., Brinkhuis, H., Crouch, E.M., John, C.M., Handley, L., Munsterman, D., Bohaty, S.M., Zachos, J.C., Reichart, G.-J., Schouten, S., Pancost, R.D., Damsté, J.S.S., Welters, N.L.D., Lotter, A.F., Dickens, G.R., 2008. Eustatic variations during the Paleocene-Eocene greenhouse world. *Paleoceanography*, 23.
- Soler, M. & Puigdefàbregas, C. (1970) Lineas generales de la geologia del Alt Aragon Occidental. *Pirineos*, 96, p. 5-20.
- Sømme, T. O., Helland-Hansen, W., Martinsen, O. J., & Thurmond, J. B. (2009). Relationships between morphological and sedimentological parameters in source-to-sink systems: a basis for predicting semi-quantitative characteristics in subsurface systems. *Basin Research*, 21(4), p. 361-387.
- Soto, R., Casas, A.M., Storti, F. and Faccenna, C., (2002). Role of lateral thickness variations on the development of oblique structures at the Western end of the South Pyrenean Central Unit. *Tectonophysics*, 350, p. 215-235.
- Sprague, A.R.G., Garfield, T.R., Goulding, F.J., Beaubouef, R.T., Sullivan, M.D., Rossen, C., Campion, K.M., Sickafoose, D.K., Abreu, V., Schellpeper, M.E., Jensen, G.N., Jennette, D.C., Pirmez, C., Dixon, B.T., Ying, D., Ardill, J., Mohrig, D.C., Porter, M.L., Farrell, M.E., Mellere, D., 2005. Integrated slope channel depositional models: the key to successful prediction of reservoir presence and quality in offshore West Africa. CIPM, cuarto E-Exitep 2005, February 20–23, 2005, Veracruz, Mexico, p. 1–13.
- Strong, N., Sheets, B., Hickson, T. and Paola, C. (2005). A mass-balance framework for quantifying downstream changes in fluvial architecture. *Fluvial sedimentology VII*, 35, p.243-253.
- Swenson, J.B., Muto, T., (2007). Response of coastal plain rivers to falling relative sea-level: allogenic controls on the aggradational phase. *Sedimentology* 54, p. 207–221.
- Teixell, A. (1996). The Ansó transect of the southern Pyrenees: basement and cover thrust geometries. *Journal of the Geological Society*, v. 153(2), p. 301-310.

- Thomson, K. D. (2016). Detrital zircon (U-Th)/(Pb-He) geo- and thermo-chronometric constraints on provenance and foreland basin evolution of the Ainsa Basin, south-central Pyrenees, Spain. Unpublished MSc. Thesis, University of Texas, Austin.
- Thomson, K. D., Stockli, D. F., Clark, J., Puigdefàbregas, C., & Fildani, A. (2017). Detrital zircon (U-Th)/(He-Pb) double dating constraints on provenance and foreland basin evolution of the Ainsa Basin, south-central Pyrenees, Spain. *Tectonics*, 36, p. 1352-1357.
- Tosquella, J., (1988), Estudi sedimentològic i bioestratigràfic de la Formació Gresos de Roda (Eocè, Conca de Tremp-Graus), M.Sc. thesis, Universitat de Barcelona, Barcelona, Spain, 183 p.
- Tugend, J., Manatschal, G. and Kusznir, N.J., (2015). Spatial and temporal evolution of hyperextended rift systems: Implication for the nature, kinematics, and timing of the Iberian-European plate boundary. *Geology*, 43, p.15-18.
- Vergés, J. and García-Senz, J., (2001). Mesozoic evolution and Cainozoic inversion of the Pyrenean rift. *Mémoires du Muséum national d'histoire naturelle*, 186, p. 187-212.
- Vergés, J., Fernández, M., & Martínez, A. (2002). The Pyrenean orogen: pre-, syn-, and post-collisional evolution. *Journal of the Virtual Explorer*, 8, p. 57-76.
- Vergés, J. and Fernández, M., (2012). Tethys–Atlantic interaction along the Iberia–Africa plate boundary: The Betic–Rif orogenic system. *Tectonophysics*, 579, p. 144-172.
- Vergés, J., Marzo, M., & Muñoz, J. A. (2002). Growth strata in foreland settings. *Sedimentary geology*, 146(1), p. 1-9.
- Vergés, J., Marzo, M., Santaèulària, T., Serra-Kiel, J., Burbank, D. W., Muñoz, J. A., & Giménez-Montsant, J. (1998). Quantified vertical motions and tectonic evolution of the SE Pyrenean foreland basin. *Geological Society, London, Special Publications*, 134(1), p. 107-134.
- Vergés, J., Millán, H., Roca, E., Muñoz, J. A., Marzo, M., Cirés, J., & Cloetingh, S. (1995). Eastern Pyrenees and related foreland basins: pre-, syn- and post-collisional crustal-scale cross-sections. *Marine and Petroleum geology*, 12(8), p. 903-915.
- Visser, R.L.M. and Meijer, P.T., (2012). Iberian plate kinematics and Alpine collision in the Pyrenees. *Earth-Science Reviews*, 114, p. 61-83.
- Wang, Y., Straub, K.M. and Hajek, E.A., (2011). Scale-dependent compensational stacking: An estimate of autogenic time scales in channelized sedimentary deposits. *Geology*, 39, p. 811-814.
- Whitchurch, A. L., Carter, A., Sinclair, H. D., Duller, R. A., Whittaker, A. C., & Allen, P. A. (2011). Sediment routing system evolution within a diachronously uplifting orogen: Insights from detrital zircon thermochronological analyses from the South-Central Pyrenees. *American Journal of Science*, 311(5), p. 442-482.
- Whittaker, A.C., Duller, R.A., Springett, J., Smithells, R.A., Whitchurch, A.L., Allen, P.A. (2011). Decoding downstream trends in stratigraphic grain size as a function of tectonic subsidence and sediment supply. *Geological Society of America Bulletin*, 123, p. 1363–1382.
- Wing, S.L., Currano, E.D., 2013. Plant response to a global greenhouse event 56 million years ago. *American Journal of Botany* 100, p. 1234–1254.
- Yelland, A. (1991). Thermo-tectonics of the Pyrenees and Provence from fission track studies. Unpublished PhD, thesis, Birkbeck College, University of London.
- Yelland, A. J. (1990). Fission track thermotectonics in the Pyrenean orogen. *International Journal of Radiation Applications and Instrumentation. Part D. Nuclear Tracks and Radiation Measurements*, 17(3), p. 293-299.
- Zachos, J., Pagani, M., Sloan, L., Thomas, E., Billups, K., (2001). Trends, Rhythms, and Aberrations in Global Climate 65 Ma to Present. *Science* 292, p. 686–693.
- Zhang, J.Y., Yin, A., Liu, W.C., Ding, L., and Xu, X.M., 2016, First geomorphological and sedimentological evidence for the combined tectonic and climate control on Quaternary Yarlung river diversion in the eastern Himalaya: *Lithosphere*, 8, p. 293-316.
- Zhang, J.Y., Yin, A., Liu, W.C., Wu, F.Y., Ding, L., and Grove, M., 2012, Coupled U-Pb dating and Hf isotopic analysis of detrital zircon of modern river sand from the Yalu River (Yarlung Tsangpo) drainage system in southern Tibet: Constraints on the transport processes and evolution of Himalayan rivers: *GSA Bulletin*, 124, p. 1449-1473.
- Ziegler, P. A., & Roure, F. (1999). Petroleum systems of Alpine-Mediterranean foldbelts and basins. *Geological Society, London, Special Publications*, 156(1), p. 517-540.