

Implementation and Evaluation of Integrating an Electronic Health Record With the ACGME Case Log System

Grace Xiao¹, BA
 Shameema Sikder, MD
 Fasika Woreta, MD, MPH
 Michael V. Boland², MD, PhD

ABSTRACT

Background It is essential to log resident-performed procedures to assess training programs and fulfill specialty requirements, but resident case numbers are often underreported. Current systems require inefficient data entry steps, and residents and fellows report that user interfaces and administrative burden contribute to logging inaccuracy.

Objective To determine the accuracy, feasibility, and acceptability of a single logging approach for resident case logging.

Methods In 2018, we implemented a case logging system integrated with the institutional electronic health record (EHR) and the Accreditation Council for Graduate Medical Education (ACGME) case log system to record procedures performed by ophthalmology residents. We compared the proportion of resident-performed cataract extractions in the EHR that were reported to ACGME for 3 periods: before the deployment of the new system (6 months), during the transition (6 months), and after the change (2 years). Resident satisfaction with the new system was evaluated using surveys.

Results An analysis of resident cataract surgeries showed that the percentage of resident cases logged increased from 85% prior to implementation to 91% after implementation. The integrated system became the preferred case logging method, with 100% of all logged cases being entered using the new platform. Surveys showed that the percentage of trainees who were moderately or very satisfied with the case log process increased from 55% before implementation to 100% after implementation.

Conclusions A resident case log system integrated with an EHR more accurately reflects resident operative volume and increases trainee satisfaction with the logging process.

Introduction

The Accreditation Council for Graduate Medical Education (ACGME) case log system is utilized as an objective assessment of the procedure volume of residents and is important for the accreditation of residency programs in several procedure-based specialties.¹ Although the ACGME guidelines state that all procedures performed by residents should be recorded in the ACGME case log system, numerous studies across specialties have shown that resident cases are underreported and have low accuracy.²⁻⁸

When comparing ACGME procedure case logs to institutional automated operative case report systems, one study found that only 72% of resident cases across 3 surgical specialties were captured in the ACGME case log, while another found that post-graduate year 1 general surgery residents underreported a mean of 50 cases each year.^{3,6} A study of ophthalmology resident case logging found that more than 20% of logged surgeries had inaccuracies, and

only 54% of glaucoma surgeries were logged.⁹ Resident case logs have been found to have low accuracy with regard to Current Procedural Terminology (CPT) codes and surgical role, even though a majority of residents believe that accurately logging cases is important to surgical training.^{2,7,9,10}

Responses from resident surveys in numerous specialties characterized the case log reporting process as burdensome and difficult to navigate, and noted that the system could become more streamlined by improving the user interface and reducing manual documentation burden.^{2,10,11} Past studies identified multiple factors that resulted in increased administrative time for residents, including the ambiguity in categorizing a surgery into multiple component procedures and determining resident role for a case.^{2,5} Other work has proposed automated procedure logs or clinical registries to reduce manual documentation,^{12,13} but these approaches have not addressed a key issue—linking a procedure to a trainee and then transmitting the data to the ACGME. The difficulty to determine from the electronic health record (EHR) which cases are performed by a resident surgeon also

DOI: <http://dx.doi.org/10.4300/JGME-D-22-00021.1>

Editor's Note: The online version of this article contains the survey used in the study.

makes it challenging to assess resident case log initiatives.

A more effective reporting system, integrated with existing institutional clinical information systems, might more accurately reflect resident operative volume for the many specialties that have resident case logging requirements. To determine whether an integrated case logging system improved accuracy and resident satisfaction, we created a system integrated with our EHR to transmit resident-logged cases automatically to the ACGME case log system each night.

Methods

This study was conducted at the Johns Hopkins Wilmer Eye Institute, an urban academic program. The new case logging system was introduced in 2018, and there were 15 ophthalmology residents in the program throughout the study. Data on resident case logs between July 2016 and June 2020 were extracted from the EHR to assess the efficacy of this new logging system.

Implementation of an Institutional Case Log System

To capture procedures performed by ophthalmology residents at the Johns Hopkins Wilmer Eye Institute, we designed and implemented a secure HIPAA-compliant web-based system that was integrated with our EHR (EpicCare, Epic Systems, Verona, WI). The system development took a single developer a few months, supervised by a departmental information technology (IT) manager. The system was launched by clicking on a link in the EHR. To make documentation more efficient, patient demographics and the name of the resident were automatically imported into the new case log record using the EHR's application programming interface. Residents could then choose the correct procedure, attending, location, and role (eg, assistant, surgeon) from menus built into the log system. Once the log entry was completed by the resident and validated by the system, it was saved in a secure HIPAA-compliant local database. No specialized IT resources were required outside existing institutional IT infrastructure.

Once per day, the local case log system uploads cases for that day to the ACGME system using available application programming interfaces. Cases were accepted if valid or, if the case did not satisfy ACGME requirements, an error was returned to the local system where the case could be edited and resubmitted. Once uploaded, trainees could review their logged cases both in the local system and in the

Objectives

To determine the accuracy, feasibility, and acceptability of a single logging approach for resident case logging.

Findings

A resident case log system integrated with an electronic health record (EHR) increased the percentage of logged resident cases and trainee satisfaction with the logging process.

Limitations

Study limitations include lack of validity evidence for surveys evaluating resident satisfaction and the challenge of expanding an integrated case log system across different EHR systems.

Bottom Line

A resident case log system integrated with an institutional EHR can meet the needs of regulatory bodies while reducing trainee burden, but additional steps are needed to make this type of case log system widely available.

ACGME system. Residents were trained on the use of the new system by in-person demonstrations. Tip sheets were also made available online for reference at any time. Residents were reminded to use the system via email and as part of resident meetings.

Determining the Proportion of Cases Logged With the Integrated System

Since our institution has a resident continuity clinic that reliably generates surgeries performed by residents, we could attribute cases managed in the resident continuity clinic to resident surgeons and thus selected those cases to serve as the measure of how the case log system was adopted. The resident continuity clinic provides residents the opportunity to care for their own group of patients throughout their training all while supervised by faculty in both the clinic and the operating room. We extracted cataract surgeries from our EHR between July 2016 and June 2020 where there was at least one visit with a resident in the resident continuity clinic before surgery, and where the initial postoperative visit was also with a resident in the EHR (FIGURE). These characteristics are known to be reliably performed by residents at our institution. We also exported the ACGME case log data for this same time window.

Each resident cataract case found in the EHR was matched to its corresponding case in the ACGME data based on date and attending surgeon. The proportion of extracapsular cataract extractions (CPT codes 66982 and 66984) in the EHR that were reported to the ACGME was compared between the periods before the deployment of the local system (6 months), during the transition (6 months), and after the change (2 years). The transition period was included to account for the time needed to train residents, to promote use of the system, and to allow




FIGURE
Identification and Analysis of Surgical Cases Performed by Resident Surgeons Using Data From the Electronic Health Record (EHR) and ACGME Case Log System

the senior residents to graduate, since their use of the ACGME site was already a habit, with less incentive to change their workflow late in their training. Residents retained the option of logging cases using the standard ACGME-provided web interface throughout the study.

We assessed the efficacy of the integrated system by comparing the adherence of resident logging of cataract surgeries before and after implementation. To measure utilization, we calculated the percentage of total resident-logged cases that were entered in the integrated system for direct upload to the ACGME (instead of cases manually entered in the ACGME platform). This analysis included all surgical procedures, including but not limited to cataract extractions. We used the same time ranges in the previous analysis to compare reported case numbers before the change (July 1, 2016–December 31, 2017), during the transition (January 1, 2018–June 30, 2018), and after the change (July 1, 2018–June 8, 2020). All analyses relied on proportions so the differences in the time allocated to each phase did not affect the analysis.

To evaluate resident satisfaction with the case log system, surveys were administered to all residents before and after implementation to evaluate the frequency and duration of resident use of the system, as well as satisfaction with its accuracy and value.

TABLE 1
Proportion of Cataract Extractions in the EHR Reported to ACGME Before and After New Reporting System

Time Period	No. of EHR Cases	No. of ACGME Cases	Percent Logged
Before implementation (July 1, 2016–December 31, 2017)	481	409	85
During transition (January 1, 2018–June 30, 2018)	73	64	88
After implementation (July 1, 2018–June 8, 2020)	329	300	91

Abbreviations: EHR, electronic health record; ACGME, Accreditation Council for Graduate Medical Education.

The authors developed the 6-item multiple-choice question survey (provided as online supplementary data) without testing. Two-sample proportion tests were used to compare responses to resident survey questions pre- and post-implementation of the new integrated system. Given the turnover of residents during the study period, the responses to the pre- and post-surveys were not linked to individuals. All statistical analyses were done with R 4.1.2 (The R Foundation).

This study was approved by the Johns Hopkins Medicine Institutional Review Board.

Results

We identified 883 cataract surgeries that could be attributed to residents in the EHR between July 2016 and June 2020. For the time period before the change, there were 409 matches (85%) with the ACGME case log out of 481 resident cataract surgeries identified in the EHR (TABLE 1). For the time period after the change, there were 300 matches (91%) with the case log out of 329 resident cataract surgeries recorded in the EHR.

We then compared the number of cases entered in our integrated case log system to the total number of surgical cases that were reported to the ACGME (both automated uploads using our system and manual entries using the ACGME web interface). The percentage of total logged cases that were entered using the new integrated system increased from essentially 0% (a few cases were logged during development) to 100% within 2 years (TABLE 2).

Survey responses from residents before (n=11, 73%) and after (n=14, 93%) the change showed that there was an increase in satisfaction with the new logging system and significant decrease in reported frequency of logging into the ACGME website (TABLE 3). Before the change, 64% reported logging into the ACGME website at least weekly, compared with 14% after the change (P=.013). The proportion of survey respondents who reported logging into the ACGME

TABLE 2

Number of Surgical Cases Recorded by ACGME Compared to Number of Cases Entered in Institutional Platform Before, During, and After Implementation

Time Period	No. of Cases Reported to ACGME	No. (%) of Cases Entered in Institutional Platform
Before implementation (July 1, 2016–December 31, 2017)	5166	41 (1)
During transition (January 1, 2018–June 30, 2018)	1644	630 (38)
After implementation (July 1, 2018–June 30, 2019)	2909	2848 (98)
(July 1, 2019–June 8, 2020)	2043	2043 (100)

Abbreviation: ACGME, Accreditation Council for Graduate Medical Education.

website at least monthly dropped from 73% to 29% ($P=.032$).

Resident reported total time on the procedure log over the course of the academic year did not change with the new system. Resident reported satisfaction was higher after the change, from 27% reporting very satisfied at baseline to 71% after the change ($P=.03$). Before the change, 55% reported that they were at least moderately satisfied as compared with 100% after the change ($P=.006$). The proportion of survey respondents who reported being moderately or very dissatisfied with the logging system dropped from

TABLE 3

Analysis of Survey Responses From Residents Before and After the New Reporting System

Survey Response	Before Change (June 2018); n (%); n=11	After Change (June 2019); n (%); n=14	P Value
Frequency			
At least weekly	7 (64)	2 (14)	.013 ^a
At least monthly	8 (73)	4 (29)	.032 ^a
Less frequent than quarterly	3 (27)	10 (71)	.032 ^a
Duration			
<30 min	0 (0)	2 (14)	.20
<60 min	4 (36)	6 (43)	.75
<90 min	7 (64)	8 (57)	.75
>90 min	4 (36)	6 (43)	.75
Satisfaction			
Very satisfied	3 (27)	10 (71)	.032 ^a
Moderately or very satisfied	6 (55)	14 (100)	.0057 ^b
Moderately or very dissatisfied	5 (46)	0 (0)	.0019 ^c
Accuracy			
Completely accurate	4 (36)	7 (50)	.51
Very or completely accurate	7 (64)	10 (71)	.68
At least moderately accurate	10 (91)	13 (93)	.86
Not accurate at all	1 (9)	1 (7)	.86
Value			
Essential	2 (18)	2 (14)	.80
Essential or very valuable	4 (36)	9 (64)	.17
At least moderately valuable	7 (64)	12 (86)	.21
At least slightly valuable	8 (73)	13 (93)	.18
Not valuable at all	2 (18)	1 (7)	.41

^a $P<.05$.

^b $P<.01$.

^c $P<.001$.

46% to 0% after the change ($P=.002$). Residents' perceptions of accuracy or value of the logging system did not change.

After an initial transition period when some senior residents preferred to continue with their use of the ACGME case log system, the only steps needed to have residents continue to use the integrated case log system was an annual session with new residents as part of their orientation to this and other information systems. The system was monitored and maintained with effort amounting to less than an hour per week from a departmental IT manager and programmer.

Discussion

Our results suggest that a resident case log system integrated with an EHR and with automated upload of logged cases to the ACGME more accurately reflects resident operative volume and is preferred by residents over having to access yet another information system to log cases.

This study was able to assess a newly implemented resident case log system integrated with the EHR by analyzing cases from the resident continuity care clinic at our institution. Other studies have approached the challenge of linking a given surgical case or procedure to a resident or fellow using EHRs by adding new distinct data fields that capture trainee involvement. For example, one approach was described in which the metadata needed to link a procedure were added to the documentation completed by cardiology fellows.¹² This type of approach could be expanded to record trainee involvement in a standardized way, but a concern to be addressed is the inclusion of non-clinical data (eg, the specific role of trainees involved in a case) to clinical notes.

Limitations of our study include the lack of validity evidence for the survey evaluating resident use and satisfaction with the new logging system. Since pretesting was not done on these questions, it is possible that respondents may not have interpreted the questions as intended. Another limitation of this study is the challenge in expanding this type of integrated case log across specialties with varying requirements and institutions with different EHR systems. Despite the generalizability of the system, the details of implementation would have to be customized for each EHR vendor since clinical information platforms differ from institution to institution.

Specific next steps to make a case log system like the one we implemented widely available include: (1) update the ACGME information technology infrastructure to make their programming interface available to many institutions; (2) initiate conversations with common EHR vendors regarding new data

elements needed to facilitate case logging; and (3) establish mechanisms by which institutions can share their solutions or collaborate with others on a single solution.

Conclusions

A resident case log system integrated with the institutional EHR increased the number of resident cases recorded, enhanced resident satisfaction, and provided a feasible approach to address the needs of regulatory bodies while reducing trainee administrative burden.

References

1. Accreditation Council for Graduate Medical Education. Case Log Information: Ophthalmology. Accessed December 14, 2021. https://www.acgme.org/globalassets/PFAssets/ProgramResources/OPH_CaseLogInfo.pdf?ver=2021-03-15-133325-270&ver=2021-03-15-133325-270.
2. Balla F, Garwe T, Motghare P, et al. Evaluating coding accuracy in general surgery residents' Accreditation Council for Graduate Medical Education procedural case logs. *J Surg Educ.* 2016;73(6):e59-e63. doi:10.1016/j.jsurg.2016.07.017
3. Collins C, Dudas L, Johnson M, et al. ACGME operative case log accuracy varies among surgical programs. *J Surg Educ.* 2020;77(6):e78-e85. doi:10.1016/j.jsurg.2020.08.045
4. Dermody SM, Gao W, McGinn JD, Malekzadeh S. Case-logging practices in otolaryngology residency training: national survey of residents and program directors. *Otolaryngol Head Neck Surg.* 2017;156(6):1072-1077. doi:10.1177/0194599817702622
5. McPheeters MJ, Talcott RD, Hubbard ME, Haines SJ, Hunt MA. Assessing the accuracy of neurological surgery resident case logs at a single institution. *Surg Neurol Int.* 2017;8:206. doi:10.4103/sni.sni_83_17
6. Naik ND, Abbott EF, Aho JM, et al. The ACGME case log system may not accurately represent operative experience among general surgery interns. *J Surg Educ.* 2017;74(6):e106-e110. doi:10.1016/j.jsurg.2017.09.032
7. Okike K, Berger PZ, Schoonover C, O Toole RV. Do orthopaedic resident and fellow case logs accurately reflect surgical case volume? *J Surg Educ.* 2018;75(4):1052-1057. doi:10.1016/j.jsurg.2017.12.002
8. Simpao A, Heitz JW, McNulty SE, Chekemian B, Brenn BR, Epstein RH. The design and implementation of an automated system for logging clinical experiences using an anesthesia information management system. *Anesth*



- Anal.* 2011;112(2):422-429. doi:10.1213/ANE.0b013e3182042e56
9. Qiu M, Boland MV, Woreta FA, Goshe JM. Deficiencies in ophthalmology residents' case logging of glaucoma surgery. *Ophthalmol Glaucoma*. 2020;3(3):218-220. doi:10.1016/j.ogla.2020.03.001
 10. Cadish LA, Fung V, Lane FL, Campbell EG. Surgical case logging habits and attitudes: a multispecialty survey of residents. *J Surg Educ*. 2016;73(3):474-481. doi:10.1016/j.jsurg.2015.09.007
 11. Gill DJ, Freeman WD, Thoresen P, Corboy JR. Residency training the neurology resident case log: a national survey of neurology residents. *Neurology*. 2007;68(21):e32-e33. doi:10.1212/01.wnl.0000262059.88365.6f
 12. Anyanwu EC, Mor-Avi V, Ward RP. Automated procedure logs for cardiology fellows: a new training paradigm in the era of electronic health records. *J Grad Med Educ*. 2021;13(1):103-107. doi:10.4300/JGME-D-20-00642.1
 13. Qin VL, Conti FF, Singh RP. Measuring outcomes in cataract surgery. *Curr Opin Ophthalmol*. 2018;29(1):100-104. doi:10.1097/ICU.0000000000000434

Grace Xiao, BA, is a Medical Student, Johns Hopkins University School of Medicine; **Shameema Sikder, MD**, is Associate Professor of Ophthalmology, Johns Hopkins University School of Medicine and Johns Hopkins Wilmer Eye Institute; **Fasika Woreta, MD, MPH**, is Ophthalmology Residency Program Director and Associate Professor of Ophthalmology, Johns Hopkins University School of Medicine and Johns Hopkins Wilmer Eye Institute; and **Michael V. Boland, MD, PhD**, is Medical Director of Practice Innovation and Associate Professor of Ophthalmology, Massachusetts Eye and Ear Infirmary and Harvard Medical School.

Funding: The authors report no external funding source for this study.

Conflict of interest: Dr Boland is a consultant for Carl Zeiss Meditec Inc, Allergan, and Topcon.

The authors would like to thank Kathy Hackett from the Johns Hopkins Wilmer Eye Institute and Tom Richter from the ACGME information technology group for their contributions to the development of this system, and Kerry Smith from the Johns Hopkins Wilmer Eye Institute for her help extracting EHR data for analysis.

Corresponding author: Michael V. Boland, MD, PhD, Massachusetts Eye and Ear, michael_boland@meei.harvard.edu, Twitter @DrDrBoland

Received January 5, 2022; revisions received February 23, 2022, and April 17, 2022; accepted May 9, 2022.