

Index*

A

- Abscess, 39
- Acantholytic squamous cell carcinoma, differentiation from angiosarcoma, 307
- Acinic cell carcinoma, 206
and microglandular adenosis, 210
- Actinomycosis, 41
- Adenocarcinoma, 222, 223
with chondroid/osseous differentiation, 223
with spindle cell differentiation, 222
- Adenocystic basal cell carcinoma, 183
- Adenohibernoma, 275
- Adenoid cystic carcinoma, 182, 183
clinical features, 183
differential diagnosis, 187; differentiation from tubulolobular carcinoma, 182
pathologic findings, 183
treatment and prognosis, 187
- Adenolipoma, 275
- Adenomas, 31
apocrine adenoma, 32
“ductal adenoma,” 33
lactating adenoma, 32
of nipple, *see* Nipple adenoma
pleomorphic adenoma, 32
tubular adenoma, 31
- Adenomyoepithelial adenosis, 28
- Adenomyoepithelioma, 250, 374
clinical features, 250
cytologic findings, 254
differential diagnosis, 255
gross findings, 251
male breast, 374
microscopic findings, 251
treatment and prognosis, 255
ultrastructural findings, 254
variants, 251
benign adenomyoepithelioma, 251
lobulated adenomyoepithelioma, 251
malignant myoepithelioma, 250, 252
spindle cell myoepithelioma, 250
tubular myoepithelioma, 250
- Adenomyoma, 277
- Adenosis, 25
adenomyoepithelial adenosis, 28
apocrine adenosis, 26
atypical apocrine adenosis, 28
microglandular adenosis, 28
sclerosing adenosis, 25
secretory adenosis, 28
tubular adenosis, 28
- Adenosis tumor, 25, 321
differentiation from fibroadenoma, 321
- Adenosquamous carcinoma, 178, 221, 349
differentiation from tubular carcinoma, 178;
from syringomatous tumor, 349
- Alveolar rhabdomyosarcoma, 311
- Alveolar soft part tumor, 311
- Amastia, 16
- American Joint Committee on Cancer, 123
- Anatomy, normal, 1
glandular tree, 3
lymph nodes, 14
nipple-areolar complex, 1
- Androgen receptors, 8, 24, 58, 135, 160, 228, 378
in apocrine carcinoma, 228
in apocrine cells, 24
in breast carcinoma, 135
in invasive lobular carcinoma, 160
in lobular intraepithelial neoplasia, 58
in male breast carcinoma, 378
- Angiolipoma, 274
- Angioma, 283, 306
differentiation from angiosarcoma, 306
macroscopic angioma, 283
microscopic angioma, 283
nonparenchymal hemangioma, 283
- Angiomatosis, 284
- Angiomyolipoma, 275
- Angiosarcoma, 302
of skin of arm after radical mastectomy, 308
postradiotherapy, 310
primary angiosarcoma of breast parenchyma, 303,
see also Primary angiosarcoma of breast parenchyma
- Apocrine adenoma, 32
- Apocrine adenosis, 26
- Apocrine carcinoma, 227

*In a series of numbers, those in boldface indicate the main discussion of the entity.

clinical features, 227
cytologic findings, 228
differential diagnosis, 229; differentiation from
lipid-rich carcinoma, 231
histogenesis, 227
immunophenotype and ploidy, 228
microscopic findings, 227
molecular findings, 229
ultrastructural findings, 229
Apocrine cell invasive lobular carcinoma, 164
Apocrine cells, normal, 10
Apocrine metaplasia, 24
AR gene, and male breast carcinoma, 375
Atelia, 16
Atypical intraductal hyperplasia, 67, 79, *see also*
Ductal intraepithelial neoplasia
Atypical lobular hyperplasia, 51, *see also* Lobular
intraepithelial neoplasia
Atypical myoepithelioma, 256
Atypical myoepitheliosis, 250
Atypical myofibroblastoma, 266

B

Basal cell carcinoma, nipple, 360
Basal-like breast carcinomas, 238
Benign lymphangioendothelioma, 284
Benign lymphangiomas of skin, 285
Benign nerve sheath tumors, 279
Benign stromal spindle cell tumors, 265
and pseudoangiomatous stromal hyperplasia, 273
differential diagnosis, 269; differentiation from
fibromatosis, 279
with adipocytic component (spindle cell lipoma),
267
with fibroblastic elements (solitary fibrous
tumor, hemangiopericytoma), 268
with myofibroblastic differentiation (myofibro-
blastoma), 265, *see also* Myofibroblastoma
Biphasic tumors, 315, 381
Blastomycosis, 41
Blunt duct adenosis, 23
Bowen carcinoma, differentiation from Paget's
carcinoma, 358
Bowenoid Paget's carcinoma, 353
BRCA1 gene, 140, 202, 376
and male breast carcinoma, 376
and medullary carcinoma, 202
BRCA2 gene, 202, 375
and male breast carcinoma, 375

and medullary carcinoma, 202
Breast carcinoma, 123
genetic portrait, 140
grading, 130
incidental carcinoma, 130
male breast, 374, *see also* Breast carcinoma, male
microinvasive, 117, *see also* Microinvasive car-
cinoma
occult carcinoma, 129
prognostic/predictive factors, 125
angiogenesis, 138
HER2/neu gene, 138
lymph node status, 126
prelymphatic status, 136
sentinal lymph node, 126
steroid hormone receptors, 132
tumor size, 128
vascular invasion, 135
TNM staging, 124
treatment, 141
variants, 149, *see also individual entities*
Breast carcinoma, male, 374
clinical features, 376
comparison with female breast carcinoma, 380
general features, 374
genetic predisposition, 375
gross and microscopic findings, 376
hormone receptors, 378
metastatic carcinomas, 380
pathogenesis, 374
prognosis, 379
treatment, 380
Burkitt lymphoma, 365

C

Calcifications, 43
Carcinoid tumor, 196
Carcinoma adenoides cysticum, 183
Carcinoma, breast, *see* Breast carcinoma
Carcinoma with osteoclast giant cells, 236
Carcinosarcoma, 225
Cat-scratch disease, 41
Cellular fibroadenoma, 320
Cellular periductal stromal tumor, 334
Chemotherapy, 142
Chondrolipoma, 274
Chondrosarcoma, pure extraskeletal, 311
Choriocarcinomatous breast carcinoma, 237
Clear cell (glycogen-rich) carcinoma, 234

Clear cell metaplasia, 24
 Clear cell sarcoma, 311
 Clear cells, normal, 12
 Collagenous spherulosis, 42, 187
 differentiation from adenoid cystic carcinoma, 187
 Colloid carcinoma, 187
 Complex sclerosing lesion, 36
 Cribriform carcinoma, differentiation from
 adenoid cystic carcinoma, 187
 Cribriform ductal carcinoma in situ, differentia-
 tion from collagenous/mucinous spherulosis
 and lobular intraepithelial neoplasia, 60
 Cryptococcosis, 41
 Cylindromatous carcinoma, 183
 Cytology, normal breast, 7
 glandular tree, 7

D

Development, normal, 5
 embryonic, 5
 fertile period, 7
 involution, 6
 menstrual cycle, 12
 pregnancy and lactation, 13
 Diabetic mastopathy, 40
 Diagnostic procedures, 397
 fine needle aspiration cytology, 397
 needle core biopsy, 400
 sectioning procedure, 404
 surgical procedures, 403
 synoptic report, ductal carcinoma in situ, 406
 synoptic report, excisional specimen, 405
 Diffuse large B-cell lymphoma, 264
 DNA microarray assay, 140
 Duct ectasia, 38, 374
 male breast, 374
 Ductal adenoma, 33
 Ductal carcinoma in situ, 34, 67, 79, 154, 176, 182
 see also Ductal intraepithelial neoplasia
 histologic variants, 83
 in hamartoma, 34
 in invasive duct carcinoma, not otherwise
 specified, 154
 in tubular carcinoma, 176
 in tubulolobular carcinoma, 182
 Ductal intraepithelial neoplasia (DIN), including
 intraductal hyperplasia (IDH), atypical intra-
 ductal hyperplasia (AIDH), and ductal carcin-
 oma in situ (DCIS), 36, 60, 67, 176, 199, 227,

250, 321, 323, 357, 377
 classification, 67
 clinical features, 73
 cytologic findings, 74
 diagnostic reproducibility, 92
 differential diagnosis, 91; differentiation from
 lobular intraepithelial neoplasia, 58, 91;
 from myoepitheliosis, 250
 distribution of lesion, 90
 epidemiology/risk factors, 72
 excisional biopsy, 90
 grading, 69
 gross and microscopic findings, 75
 AIDH/grade 1 DCIS/DIN, 79
 flat epithelial atypia/flat DIN1, 75
 grade 2 DCIS/DIN2, 82
 grade 3 DCIS/DIN3, 83
 IDH/low-risk DIN, 75
 heterogeneity, 90
 histologic variants, 83
 in apocrine carcinoma, 227
 in fibroadenoma, 323
 in infiltrative epitheliosis, 37
 in juvenile fibroadenoma, 321
 in lobular intraepithelial neoplasia, 60
 in male breast carcinoma, 377
 in Paget's carcinoma, 357
 in poorly differentiated (small cell) endocrine
 carcinoma, 199
 in radial scar, 36
 in tubular carcinoma, 176
 mammographic detection, 73
 markers/special studies, 91
 recurrence, 92
 route of lesion progression, 72
 treatment, 93
 Dysplastic nevus syndrome, nipple, 360

E

Ectopic breast tissue, 16
 Elastosis, in invasive duct carcinoma, not other-
 wise specified, 150
 Embryonic development, normal, 5
 Endocrine tumors, 195
 mixed exocrine-endocrine carcinoma, 200
 poorly differentiated endocrine carcinoma-small
 cell carcinoma, 199
 well-differentiated endocrine carcinoma, 196,
 see also Well-differentiated endocrine carcinoma

well-differentiated endocrine tumor, 196
Epithelial growth factor receptor/gene, 220
Epithelial hyperplasia, of collecting ducts, 341
Epithelial hyperplasia nipple adenoma, 343
 differentiation from Paget's disease, 344
Epitheliosis, nipple, 341, 343
Epstein-Barr virus, 1
Erosive adenomatosis, 341
Estrogen receptors, normal, 8, 24, 59, 110, 132,
 151, 160, 177, 228, 329, 378
 in apocrine carcinoma, 228
 in apocrine cells, 24
 in breast carcinoma, 132
 in invasive duct carcinoma, not otherwise
 specified, 151
 in invasive lobular carcinoma, 160
 in lobular intraepithelial neoplasia, 58
 in male breast carcinoma, 378
 in papillary carcinoma, 109
 in phyllodes tumor, 329
 in tubular carcinoma, 177
Excisional biopsy, 90
Extramedullary hematopoiesis, 367
Extramedullary myeloid metaplasia, 367
Extranodal marginal zone B-cell lymphoma of
 mucosa-associated tissue, 365
Extraosseous plasmacytoma, 367

F

Fibroadenoma, 233, 315
 associated invasive neoplasms, 322
 cellular fibroadenoma, 320
 clinical features, 315
 cytologic findings, 319
 differential diagnosis, 320; differentiation from
 secretory carcinoma, 233
 ductal and lobular neoplasia arising in, 322
 fibroadenoma phyllodes, 317
 general features, 315
 giant fibroadenoma, 315
 gross findings, 316
 immunohistochemical/ultrastructural findings, 320
 juvenile fibroadenoma, 321
 male breast, 381
 microscopic findings, 317
 molecular findings, 320
 myxoid fibroadenoma, 315
 treatment, 321
Fibroadenoma phyllodes, 317

Fibrocystic changes, 21, 374
 aspiration cytology, 21
 clinical features, 21
 gross findings, 21
 male breast, 374
 microscopic findings, 22
Fibromatosis, 277
 clinical features, 277
 differential diagnosis, 279
 gross findings, 278
 microscopic findings, 278
 prognosis, 279
Fibrosarcoma, 293
Fibrous mastopathy, 40
Fibrous tumor, and pseudoangiomatous stromal
 hyperplasia, 273
Filariasis, 41
Fine needle aspiration cytology, 21, 59, 74, 115,
 141, 264, 397
 breast carcinoma, 141
 ductal intraepithelial neoplasia, 74
 fibrocystic changes, 21
 lobular intraepithelial neoplasia, 59
 papillary lesions, 115
 proliferative breast disease, 74
 stromal changes, 264
 procedure, 397
Flat epithelial atypia, 75
Florid papillomatosis, 341
Focal lactational changes, 14
Follicular dendritic cell sarcoma, 368
Fungal mastitis, 41
 actinomycosis, 41
 blastomycosis, 41
 cryptococcosis, 41
 histoplasmosis, 41

G

Gelatinous carcinoma, 187
Giant fibroadenoma, 315
Grading breast carcinoma, 130
Granular cell tumors, 281
 differentiation from apocrine carcinoma, 229;
 from myoblastomatoid invasive carcinoma, 283
Gynecomastia, 371
 clinical features, 371
 cytologic findings, 373
 general features, 371
 gross and microscopic findings, 372

- immunohistochemical findings, 373
- molecular findings, 373
- treatment, 374
- Gynecomastoid hyperplasia, and juvenile fibroadenoma, 321

H

- Hamartoma, 33, 321
 - differentiation from fibroadenoma, 321
 - myoid hamartoma, 34
- Hemangioma, 283
- Hemangiopericytoma, 269
- HER2/neu* gene, 138
- Hibernoma, 275
- Histiocytoid invasive lobular carcinoma, 164
- Histoplasmosis, 41
- Hodgkin lymphoma, 367
- Holland brown tumor, 181
- Hormone receptors, *see* Estrogen receptors, Progesterone receptors, and Androgen receptors
- Human papilloma virus, 1

I

- Idiopathic granulomatous mastitis, 40
- Incidental breast carcinoma, 130
- Inclusions, 43
- Infiltrating carcinoma with productive fibrosis, 149
- Infiltrating comedocarcinoma, 154
- Infiltrating duct carcinoma, male breast, 377
- Infiltrating duct carcinoma with extensive in situ component, 154
- Infiltrative epitheliosis, 36, 37, 341
 - differentiation from radial scar, 38
- Inflammatory carcinoma, 155
 - clinical features, 156
 - histogenesis, 156
 - occult inflammatory carcinoma, 156
 - pathologic findings, 156
 - treatment, 156
- Intraductal adenoma, 102
- Intraductal carcinoma, papillary type, 109
- Intraductal hyperplasia, 67, 75, *see also* Ductal intraepithelial neoplasia
- Intraluminal crystalloids, 44
- Intranuclear helioid bodies, 45
- Invasive cribriform carcinoma, 181
 - classic type, 181
 - mixed type, 181

- Invasive duct carcinoma of no special type, 149
- Invasive duct carcinoma, not otherwise specified, 149
 - clinical features, 149
 - cytologic findings, 154
 - differentiation from invasive lobular carcinoma, 168
 - gross findings, 149
 - infiltrating comedocarcinoma, 154
 - infiltrating duct carcinoma, 154
 - microscopic findings, 149
 - myoepithelial-rich, 150
 - treatment and prognosis, 155
- Invasive lobular carcinoma, 156, 306
 - clinical features, 156
 - differentiation from invasive duct carcinoma, 166; from angiosarcoma, 306
 - gross findings, 157
 - microscopic findings, 157
 - cytologic variants, 162
 - apocrine cell variant, 164
 - histiocytoid variant, 164
 - myoepithelial cell variant, 167
 - pleomorphic variant, 162
 - signet ring cell variant, 166
 - histologic variants, 158
 - classic variant, 158
 - loose alveolar variant, 160
 - mixed variant, 161
 - tubulolobular variant, 161
- Invasive micropapillary carcinoma, 112
- Involution, breast, 6
- Isolated tumor cells, 123

J

- Juvenile adenoma, 321
 - associated gynecomastoid hyperplasia, 321
- Juvenile fibroadenoma, 321
 - juvenile fibroadenoma phyllodes, 322
- Juvenile hypertrophy, 42
- Juvenile papillomatosis, male breast, 374

L

- Lactating adenoma, 32
- Lactation, 13
 - lactational changes/hyperplasia, 14
 - nonpregnancy lactational changes, 25
- Leiomyoma, 276
- Leiomyosarcoma, 298

- Liesegang rings, 45
- Lipid-rich carcinoma, 230
- clinical and general features, 230
 - differential diagnosis, 231; differentiation from sebaceous carcinoma, 232
 - pathologic findings, 230
 - prognosis, 231
- Lipoma, 274, 306
- clinical features, 274
 - gross findings, 274
 - microscopic findings, 274
 - variants, 274
 - adenohibernoma, 275
 - adenolipoma, 275
 - angiolipoma, 274
 - angiomyolipoma, 275
 - chondrolipoma, 274
 - hibernoma, 275
 - myolipoma, 274
 - pleomorphic lipoma, 274
 - spindle cell-benign stromal spindle cell tumor-lipoma, 274; differentiation from angiosarcoma, 306
- Liposarcoma, 300
- Lobular carcinoma, male breast, 377
- Lobular carcinoma in situ, 51, *see also* Lobular intraepithelial neoplasia
- Lobular intraepithelial neoplasia, including atypical lobular hyperplasia and lobular carcinoma in situ, 53, 197, 251, 323
- associated lesions, 60
 - classification, 59
 - clinical features, 53
 - cytologic findings, 59
 - differential diagnosis, 60
 - grade and associated carcinoma, 58
 - grade and recurrence, 59
 - grading, 54
 - gross and microscopic findings, 54
 - hormone receptors and tumor markers, 59
 - in fibroadenoma, 323
 - in tubular carcinoma, 177
 - in tubulolobular carcinoma, 177
 - molecular findings, 60
 - prognostic features, 62
 - treatment, 63
 - ultrastructural findings, 59
- Lobulated myoepithelioma, 251
- Low-grade insular ductal carcinoma, 197
- Luminal cells, normal, 7
- Lymph nodes, axillary and breast, 14, 126
- anatomy, 14
 - cancer involvement, 126
 - histology, 15
 - intramammary, 16
 - sentinel node, 126
- Lymphocytic mastitis, 40
- Lymphoepithelioma-like carcinoma, 205
- Lymphoma, 363
- clinical features, 363
 - gross findings, 363
 - microscopic findings, 363
 - treatment, 367
 - variants, 364
 - Burkitt lymphoma, 365
 - diffuse large B-cell lymphoma, 364
 - extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue (MALT lymphoma), 364

M

- Male breast lesions, 371
- Malignant fibrohistiocytoma, 293
- Malignant fibrous histiocytoma, 293
- Malignant melanoma, nipple, 360
- differentiation from Paget's carcinoma, 358
- Malignant myoepithelioma, 250, 252, 256
- Malignant myofibroblastoma, 296
- Malignant peripheral nerve sheath tumor, 311
- Malignant stromal cell tumor, 291
- with fibroblastic differentiation, 293
 - differential diagnosis, 295
 - microscopic findings, 294
 - with myofibroblastic differentiation, 296
 - clinical features, 296
 - differential diagnosis, 297
 - microscopic findings, 296
 - treatment and prognosis, 298
- MALT lymphoma, 365
- Mammary hypoplasia, 16
- Mammary intraepithelial neoplasia, 94
- Mastectomy, 142, 308, 403
- and angiosarcoma, 308
 - and Stewart-Treves syndrome, 308
 - and tertiary neoplasms, 310
- Mastitis, 39
- acute mastitis, 39

- fungal and parasitic mastitis, 41
 - idiopathic granulomatous mastitis, 40
 - lymphocytic mastitis, 40
 - periductal mastitis, 38
 - plasma cell mastitis, 39
 - tuberculous mastitis, 40
- Matrix-producing carcinoma, differentiation from mucinous carcinoma, 195
- Medullary carcinoma, 200
 - atypical medullary carcinoma, 201
 - classification, 201
 - clinical features, 200
 - cytologic findings, 204
 - gross findings, 201
 - histogenesis, 204
 - microscopic findings, 202
 - nonmedullary infiltrating carcinoma, 201
 - treatment and prognosis, 204
 - typical medullary carcinoma, 201
- Melanotic carcinoma, 238
- Menstrual cycle, changes in normal breast, 12
- Merkel cell-like carcinoma, 200
- Mesenchymoma, male breast, 374
- Metaplastic carcinoma, 217
 - adenocarcinoma with chondroid/osseous differentiation, 223
 - adenocarcinoma with spindle cell differentiation, 222
 - adenosquamous carcinoma, 221
 - carcinosarcoma, 225
 - classification, 217
 - squamous carcinoma, 218
- Metaplastic changes, 23
 - apocrine differentiation (metaplasia), 24
 - clear cell metaplasia, 24
 - mucinous metaplasia, 25
 - nonpregnant lactational changes, 25
 - squamous metaplasia, 25
- Metastases to breast, 391
 - clinical features, 391
 - general features, 391
 - male breast, 380
 - specific types, 393
 - pathologic findings, 392
- Microcalcifications, 43
- Microglandular adenosis, 26, 28, 178, 210
 - and acinic cell carcinoma, 210
 - differentiation from tubular carcinoma, 178
- Microinvasive carcinoma, 117
 - clinical features, 117
 - differential diagnosis, 117
 - pathologic findings, 117
 - prognosis, 119
- Micropapillary intraductal carcinoma, 109
- Mixed exocrine-endocrine carcinoma, 200
- Mixed tumor, differentiation from adenomyoepithelioma, 255
- Mucinous carcinoma, 187
 - clinical features, 188
 - cytologic findings, 192
 - differential diagnosis, 194
 - gross findings, 188
 - histogenesis, 193
 - histologic types, 188
 - microscopic findings, 188
 - prognosis, 195
- Mucinous cystadenocarcinoma, differentiation from mucinous carcinoma, 194
- Mucinous metaplasia, 25
- Mucinous spherulosis, 42
- Mucocele-like tumors, 193
- Mucoid carcinoma, 187
- Multinucleated stromal giant cells, 263
- Mycobacterium tuberculosis*, 40
- Myeloid sarcoma, 367
- Myoepithelial carcinoma, 256
- Myoepithelial cell invasive lobular carcinoma, 167
- Myoepithelial cells, 8, 60, 249
 - hyperplastic, and differentiation from lobular intraepithelial neoplasia, 60
 - immunohistochemical profile, 249
- Myoepithelial lesions, 249, 258
 - carcinoma with myoepithelial features, 258
 - classification, 251
 - comparison with salivary gland lesions, 258
- Myoepithelial-rich invasive duct carcinoma, 150
- Myoepithelioma, 256
 - malignant myoepithelioma, 256
- Myoepitheliosis, 249
 - atypical myoepitheliosis, 250
- Myofibroblastoma, 265, 374
 - atypical myofibroblastoma, 266
 - clinical features, 265
 - gross findings, 266
 - male breast, 374
 - microscopic findings, 266
 - treatment and prognosis, 267
- Myofibrosarcoma, 296

Myoid hamartomas, 26, 34
 Myolipoma, 274
 Myxoid fibroadenoma, 315

N

National Surgical Adjuvant Breast Project, 54
 Needle core biopsy procedure, 113, 400
 Nerve sheath tumors, benign, 279
 Neurofibroma, 279
 Nevus, nipple, 360
 Nipple adenoma, **341**, 374
 clinical features, 341
 epithelial hyperplasia type (epitheliosis, papillomatosis), 343
 male breast, 374
 malignancy, 344
 sclerosing adenosis type, 341
 syringomatous adenoma, 346, *see also* Syringomatous adenoma, nipple
 treatment, 345
 Nipple duct adenoma, 341
 Nodular fasciitis, 264
 Nodular sclerosing adenosis, 25
 Nonmedullary infiltrating carcinoma, 201

O

Occult breast carcinoma, 129
 Occult inflammatory carcinoma, 156
 Oncocytic carcinoma, differentiation from apocrine carcinoma, 229
 Osteosarcoma, 301

P

Paget's carcinoma, nipple, 244, 247, **350**
 clinical features, 350
 differential diagnosis, 358; differentiation from nipple adenoma, 344, 347
 histogenesis, 356
 histologic variants, 351
 bowenoid Paget's carcinoma, 353
 classic Paget's carcinoma, 351
 pemphigus-like Paget's carcinoma, 353
 immunohistochemical findings, 354
 male breast, 377
 microscopic findings, 351
 treatment and prognosis, 359
 ultrastructural findings, 356
 underlying duct carcinomas, 357

Paget's disease, *see* Paget's carcinoma
 Pagetoid dyskeratosis, nipple, differentiation from Paget's carcinoma, 358
 Papillary adenoma, 341
 Papillary carcinoma, 106
 intraductal carcinoma, papillary type, 109
 invasive micropapillary carcinoma, 112
 micropapillary intraductal carcinoma, 109
 papillary carcinoma with transitional cell differentiation, 100
 papillary intraductal carcinoma, 106
 associated invasive ductal carcinomas, 110
 Papillary intraductal carcinoma, 106, *see also* Papillary carcinoma
 Papillary lesions, 101
 benign, 101
 carcinomas, 106
 classification, 101
 clinical significance, 103
 cytologic findings, 113
 molecular alterations, 113
 treatment, 114
 Papilloma, **101**, 374
 atypical papilloma, 102
 central papilloma, 101
 male breast, 374
 peripheral papilloma, 102
 sclerosing papilloma, 102
 Papillomatosis, **102**, 341, 343
 atypical papillomatosis, 102
 of nipple, 341, **343**
 Parasitic mastitis, 41
 cat-scratch disease, 41
 filariasis, 41
 PASH phenomenon, 272
 PECOMA, 235, 275
 Pemphigus-like Paget's carcinoma, 353
 Periductal mastitis, 38
 Periductal stromal hyperplasia, 334
 Periductal stromal sarcoma, 333
 cellular periductal tumor, 334
 Perineurioma, 280
 Phyllodes tumor, 292, 320, **323**
 clinical features, 325
 cytologic findings, 328
 differential diagnosis, 330; differentiation from fibroadenoma, 320; differentiation from sarcoma, 292
 general features, 324

gross findings, 325
 hormone receptors, 329
 immunohistochemical findings, 329
 male tumors, 333, 381
 microscopic findings, 325
 molecular findings, 329
 pediatric tumors, 333
 prognosis, 330, 332
 recurrence and metastases, 332
 treatment, 332
 ultrastructural findings, 329
 Plasma cell mastitis, 39
 Pleomorphic adenoma, 32
 Pleomorphic invasive lobular carcinoma, 171
 Pleomorphic lipoma, 274
 Polymastia, 16
 Poorly differentiated endocrine carcinoma, 199
 Postmenopausal breast, 6
 Postradiation sarcoma, 311
 Pregnancy, 13
 Pregnancy-like changes, 14
 hyperplasia, 14
 stromal changes, 263
 Prelymphatic system, 136
 Primary angiosarcoma of breast parenchyma, 303
 clinical features, 303
 differential diagnosis, 306
 gross findings, 303
 immunohistochemical findings, 305
 microscopic findings, 303
 treatment and prognosis, 307
 ultrastructural/cytogenetic findings, 306
 Progesterone receptors, 8, 24, 59, 132, 160, 177, 228, 378
 in apocrine carcinoma, 228
 in apocrine cells, 24
 in breast carcinoma, 132
 in invasive lobular carcinoma, 160
 in lobular intraepithelial neoplasia, 58
 in male breast carcinoma, 378
 in tubular carcinoma, 177
 Pseudoangiomatous stromal hyperplasia (PASH), 42, 269
 and benign stromal spindle cell tumors, 273
 and fibrous tumor, 273
 and juvenile hypertrophy, 42
 clinical features, 269
 differential diagnosis, 271
 histogenesis, 273

PASH phenomenon, 272
 pathologic findings, 270
 treatment and prognosis, 272
 Pseudogynecomastia, 280
 Pseudolymphoma, 367

R

Radial scar, 35, 38, 178
 clinical features, 35
 differentiation from invasive carcinoma, 36; from infiltrating epitheliosis, 38; from tubular carcinoma, 178
 pathologic findings, 35
 Radiation therapy, 141, 310, 311
 and angiosarcoma, 310
 and carcinoma, 141
 and other sarcomas, 311
 Rhabdomyosarcoma, 311
 alveolar rhabdomyosarcoma, 311
 Rosai-Dorfman disease, 368

S

Sarcoidosis, 42
 Sarcoma, 291, 311, 330
 clinical features, 292
 differentiation from sarcomatoid carcinoma, 292; from malignant phyllodes tumor, 292, 330
 gross findings, 292
 microscopic findings, 292
 patterns of metastases, 292
 postradiation sarcoma, 311
 staging, 293
 treatment and prognosis, 293
 types, 293
 Schwannoma, 281
 Scleroelastotic lesions, *see* Radial scars
 Sclerosing adenosis, 25, 60, 341, 374
 differentiation from microglandular adenosis, 26; from lobular intraepithelial neoplasia, 60
 male breast, 374
 nipple, 341
 Sclerosing papilloma, 33, 102
 Sclerosing papillomatosis, 341
 Sebaceous carcinoma, 231
 differential diagnosis, 232
 pathologic findings, 231
 Secretory adenosis, 28
 Secretory carcinoma, 232

differential diagnosis, 234
general and clinical features, 232
immunoprofile and special studies, 233
pathologic findings, 232
treatment and prognosis, 234

Sentinal lymph node, 126

Signet ring cell invasive lobular carcinoma, 166

Silicone bodies, 45

Silicone lymphadenitis, 45

Small cell endocrine carcinoma, 199

Solid cohesive carcinoma, 197

Solid papillary carcinoma, 194

Solitary fibrous tumor, 268

Spindle cell endocrine carcinoma, 198

Spindle cell lipoma, 267

Spindle cell-benign stromal spindle cell tumor-lipoma, 274

Spindle cell myoepithelioma, 250

Squamous carcinoma, 218, 358
clinical features, 218
cytologic findings, 220
differentiation from angiosarcoma, 307; from Paget's carcinoma, 358
microscopic findings, 218
prognosis, 221
special studies, 220

Squamous cell carcinoma with prominent myxoid stroma, differentiation from mucinous carcinoma, 195

Squamous metaplasia, 25

Stem cells, normal, 9

Stewart-Treves syndrome, 308
associated neoplasms, 310

Stromal cell changes simulating pregnancy, 263
benign, 263
malignant, 291

Syringomatous adenoma, nipple, 346
clinical features, 347
cytologic findings, 348
differential diagnosis, 349
gross and microscopic findings, 347
histogenesis, 349
treatment and prognosis, 350

T

Terminal duct lobular units, 4, 54, 72, 101, 249, 371
and ductal intraepithelial neoplasia, 72
and lobular intraepithelial neoplasia, 54
and myoepitheliosis, 249
in male breast, 371
in papillary lesions, 101

TNM staging of breast cancer, 124

Toker cells, 1

Toker cell hyperplasia, and Paget's carcinoma, 357

Transitional cell papillary carcinoma, 110

Tuberculous mastitis, 40

Tubular adenoma, 31, 255, 320
differentiation from tubular adenomyoepithelioma, 255; from fibroadenoma, 320

Tubular adenosis, 28

Tubular carcinoma, 173, 349
clinical features, 173
differential diagnosis, 178; differentiation from syringomatous tumor, 349
gross findings, 173
microscopic findings, 173
treatment and prognosis, 179

Tubular adenomyoepithelioma, 250

Tubulolobular carcinoma, 180
differentiation from adenoid cystic carcinoma, 182

Type A neuroendocrine carcinoma, 197

U

Union Internationale Contre le Cancer, 123

V

Vascular invasion, breast carcinoma, 135

Vascular lesions
benign, 283
malignant, 303

W

Well-differentiated endocrine carcinoma, 196
clinical features, 197
cytologic findings, 199
grading, 197
microscopic findings, 197
solid papillary carcinoma, 199
spindle cell endocrine carcinoma, 198