

# Evolving Modular Robots: Challenges and Opportunities

Andres Faiña

IT University of Copenhagen, 2300 Copenhagen, Denmark  
anfv@itu.dk

## Abstract

The body of robots and their controllers need to be adapted to the task that they carry out. While it is possible to design and optimize free-form morphologies, its physical implementation consumes too many resources. In contrast, modular robots provide a feasible approach to design robotic morphologies that can be deployed in minutes, making them a suitable tool to implement virtual creatures. In this article, we tackle the main challenges to consider when evolving modular robots and mention some opportunities that these systems can provide.

## Introduction

While robots are usually designed by engineers, some authors have proposed to use artificial evolution to design robots automatically (Sims, 1994; Eiben and Smith, 2015). However, it is not only necessary to design them and evaluate them in simulation. They also need to be tested in a physical setup to validate the solution and avoid the reality gap. In order to build the evolved robots, different approaches have been developed: 3D printing (Hale et al., 2019; Pollack and Lipson, 2000; Samuelsen and Glette, 2015), robots that can self-adjust the length of their limbs (Nygaard et al., 2019), soft robots (Hiller and Lipson, 2011) and modular robots (Stoy et al., 2010; Auerbach et al., 2014; Faiña et al., 2015; Moreno et al., 2017). However, it exists a trade-off between the morphological space that is available for evolution and the deployment time to build a robot, which is linked to the reusability of the robotic components (Moreno and Faina, 2020a).

Modular robots are robots built by connecting simple robotic devices, called modules, between them. Each module has standard interfaces for mechanical and electrical connections. Therefore, robots can be built in minutes by reusing available modules. While the morphological space gets reduced compared to free-form approaches, the different recombination of modules still provides a massive search space.

In this paper, we will review the main issues that one needs to address to evolve modular robots and deploy them

in hardware. In addition, we will point at different challenges and opportunities that lie ahead.

## Hardware Modules

If we want to produce real robots, we need to design and manufacture robotic modules. Several designs have been proposed (Stoy et al., 2010; Faiña et al., 2015), but most of them, especially self-reconfiguring modular robots, are very difficult to build or do not allow a fast assembling of the modules. Addressing this issue, Moreno et al. (2017) designed Emerge aiming for an easy-to-produce and fast-to-assemble module. It is mostly manufactured by off-the-shelf parts and each module can be assembled in less than half an hour. In addition, its magnetic connector allows us to build and recycle robots in seconds.

Until now, all the module designs have been designed by researchers using their knowledge. One open challenge is to automatically design the modules by evolution in order to find an optimal set of modules. In this line, preliminary works to assess different module designs have been carried out (Liu et al., 2017; Moreno and Faina, 2020b; Pastor et al., 2021).

## Controllers for Modular Robots

The most common controllers for modular robots are sinusoidal controllers (Faiña et al., 2013; Brodbeck et al., 2015), Central Pattern Generators (CPGs) (Kamimura et al., 2004) and Central Pattern Neural Networks (CPNNs) (Cheney et al., 2014; Buchanan et al., 2020). However, most of these controllers work on open loop. A new research line is the implementation of controllers that take sensory feedback into account (Moreno, 2020; Ferigo et al., 2021).

## Representation of Morphologies

An important aspect is the encoding of the morphology. Direct encodings provide a direct mapping from genotype to phenotype, which allows representing all possible combinations of the modules. Usually, a tree codification is used (Lipson and Pollack, 2000; Auerbach et al., 2014; Faiña

et al., 2013). In contrast, generative encodings reuse genotype material to compress the number of parameters in the genotype and the mapping from genotype to phenotype is based on a series of rules or program that produces the morphology. The most common generative encodings are L-systems (Hornby et al., 2001; Veenstra et al., 2017), CPNNs (Cheney et al., 2014; Buchanan et al., 2020) and cellular automata (Horibe et al., 2021). One advantage of generative encodings is that they tend to exploit their internal representation to produce symmetric robots, which usually improve results (van de Velde et al., 2019). As obtaining symmetric robots with direct encodings is difficult, some works have introduced symmetry by using different approaches. For example, Marbach and Ijspeert (2005) used a symmetric genotype to phenotype mapping which ‘mirrors’ the limbs along the spine, resulting in a symmetric structure for all the robots. And Faña et al. (2013) implemented a symmetry mutation operator, which selects a branch of a robot and creates its symmetrical branch.

While some papers found that generative encodings produce better results than direct encodings (Veenstra et al., 2017), other works did not find a statistical difference (Veenstra et al., 2019). Thus, more experiments are needed to shed light on what conditions generative encodings can provide an advantage.

### Evolution of Morphologies and Controllers

The fitness of a robot depends on its morphology and its controller. When evolving both at the same time, it seems that morphological changes affect the behaviour of the robots more than changes in its controller. This leads to a premature convergence of the morphology (Lipson et al., 2016). In order to overcome this, different approaches can be used. Faña et al. (2013) built an ad-hoc algorithm that cyclically iterates through a morphological mutation phase and a controller adaptation phase. Cheney et al. (2018) proposed to protect the morphological innovations. And recently, Nordmoen et al. (2021) and Medvet et al. (2021) have employed a quality diversity algorithm to increase the exploration of different morphologies.

### Evolution in Hardware

The behaviours of morphologies and controllers evolved in software are usually different from the ones observed when testing them in a physical setup. This problem is called reality gap and comes from bad modelled areas in the simulation, which are exploited by the evolutionary process.

The reality gap can be addressed by evolving directly in hardware or by combining hardware and software evaluations (Howison et al., 2021). As the number of evaluations is high, this requires a physical test bed to automatically assemble the robot, test it and disassemble the modules to reuse them. To the best of our knowledge, this has not been achieved yet. However, there are some works that cover




Figure 1: Evolved modular robot (Emerge) being assembled by an UR5 manipulator. The magnetic connector allows the manipulator to assemble and disassemble the modules in seconds. The four modules of the figure have been assembled in less than a minute.

some of these aspects and which use an external robotic arm to perform the assembly. Brodbeck et al. (2015) evolved modular robots which are joint by hot glue adhesive. While it has demonstrated evolution of modular robots in hardware, the robots were disassembled manually. Hale et al. (2019) demonstrated the assembly of robotic structures made of modules and custom 3D-printed structural elements. Finally, my co-authors and I have shown the ability to assemble and disassemble modular robots with an external manipulator in seconds (Moreno et al., 2018), see Figure 1. We did not evolve robots as the markers used for localizing the modules obstructed their connectors. The new version of the modules has addressed this issue and we are currently working towards evolving modular robots in hardware without human assistance.

### Morphological Development

In developmental psychology, it has been observed that morphological development, which occurs in parallel to cognitive development, provides an advantage for learning. However, the advantages of morphological development in robotics are still not clear, see (Naya-Varela et al., 2021) for a recent survey. This is caused by inconclusive results (Naya-Varela et al., 2020a,b), but also by the low number of experiments performed in robots, motivated by the difficulty of implementing morphological changes. In this sense, modular robots offer a great tool to study the effects of morphological development as they allow morphological changes by reconfiguring the modules. Thus, they could shed light on what conditions and how morphological development could be applied to learn faster.

### Acknowledgements

Many thanks to all my collaborators, especially to Rodrigo Moreno and Frank Veenstra.

## References

- Auerbach, J., Aydin, D., Maesani, A., Kornatowski, P., Cieslewski, T., Heitz, G., Fernando, P., Loshchilov, I., Daler, L., and Floreano, D. (2014). RoboGen: Robot Generation through Artificial Evolution. In *Proceedings of the Fourteenth International Conference on the Synthesis and Simulation of Living Systems, Artificial Life*, pages 136–137, New York, NY, USA. The MIT Press.
- Brodbeck, L., Hauser, S., and Iida, F. (2015). Morphological evolution of physical robots through model-free phenotype development. *PLoS ONE*, 10(6):1–17.
- Buchanan, E., Le Goff, L. K., Hart, E., Eiben, A. E., De Carlo, M., Li, W., Hale, M. F., Angus, M., Woolley, R., Winfield, A. F., et al. (2020). Evolution of diverse, manufacturable robot body plans. In *2020 IEEE Symposium Series on Computational Intelligence (SSCI)*, pages 2132–2139. IEEE.
- Cheney, N., Bongard, J., SunSpiral, V., and Lipson, H. (2018). Scalable co-optimization of morphology and control in embodied machines. *Journal of The Royal Society Interface*, 15(143):20170937.
- Cheney, N., MacCurdy, R., Clune, J., and Lipson, H. (2014). Unshackling evolution: evolving soft robots with multiple materials and a powerful generative encoding. *ACM SIGEVOlution*, 7(1):11–23.
- Eiben, A. E. and Smith, J. (2015). From evolutionary computation to the evolution of things. *Nature*, 521(7553):476–482.
- Faiña, A., Bellas, F., López-Peña, F., and Duro, R. J. (2013). EDHMoR: Evolutionary designer of heterogeneous modular robots. *Engineering Applications of Artificial Intelligence*, 26(10):2408–2423.
- Faiña, A., Bellas, F., Orjales, F., Souto, D., and Duro, R. J. (2015). An evolution friendly modular architecture to produce feasible robots. *Robotics and Autonomous Systems*, 63:195–205.
- Ferigo, A., Iacca, G., and Medvet, E. (2021). Beyond body shape and brain: Evolving the sensory apparatus of voxel-based soft robots. In *International Conference on the Applications of Evolutionary Computation (Part of EvoStar)*, page to appear. Springer.
- Hale, M. F., Buchanan, E., Winfield, A. F., Timmis, J., Hart, E., Eiben, A. E., Angus, M., Veenstra, F., Li, W., Woolley, R., De Carlo, M., and Tyrrell, A. M. (2019). The ARE Robot Fabricator: How to (Re)produce Robots that Can Evolve in the Real World. In *The 2019 Conference on Artificial Life*, pages 95–102, Cambridge, MA. MIT Press.
- Hiller, J. and Lipson, H. (2011). Automatic design and manufacture of soft robots. *IEEE Transactions on Robotics*, 28(2):457–466.
- Horibe, K., Walker, K., and Risi, S. (2021). Regenerating soft robots through neural cellular automata. In *Genetic Programming: 24th European Conference, EuroGP 2021, Held as Part of EvoStar 2021, Virtual Event, April 7–9, 2021, Proceedings*, page 36. Springer Nature.
- Hornby, G. S., Lipson, H., and Pollack, J. B. (2001). Evolution of generative design systems for modular physical robots. In *Proceedings 2001 ICRA. IEEE International Conference on Robotics and Automation (Cat. No. 01CH37164)*, volume 4, pages 4146–4151. IEEE.
- Howison, T., Hauser, S., Hughes, J., and Iida, F. (2021). Reality-assisted evolution of soft robots through large-scale physical experimentation: a review. *Artificial Life*, 26(4):484–506.
- Kamimura, A., Kurokawa, H., Yoshida, E., Tomita, K., Kokaji, S., and Murata, S. (2004). Distributed adaptive locomotion by a modular robotic system, m-tran ii. In *2004 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)(IEEE Cat. No. 04CH37566)*, volume 3, pages 2370–2377. IEEE.
- Lipson, H. and Pollack, J. B. (2000). Automatic design and manufacture of robotic lifeforms. *Nature*, 406(6799):974–978.
- Lipson, H., SunSpiral, V., Bongard, J., and Cheney, N. (2016). On the difficulty of co-optimizing morphology and control in evolved virtual creatures. In *Artificial Life Conference Proceedings 13*, pages 226–233. MIT Press.
- Liu, C., Liu, J., Moreno, R., Veenstra, F., and Faina, A. (2017). The impact of module morphologies on modular robots. In *2017 18th International Conference on Advanced Robotics (ICAR)*, pages 237–243. IEEE.
- Marbach, D. and Ijspeert, A. J. (2005). Online optimization of modular robot locomotion. In *IEEE International Conference Mechatronics and Automation, 2005*, volume 1, pages 248–253. IEEE.
- Medvet, E., Bartoli, A., Pigozzi, F., and Rochelli, M. (2021). Biodiversity in evolved voxel-based soft robots. In *Accepted in Proceedings of the Genetic and Evolutionary Computation Conference, GECCO '21*.
- Moreno, R. (2020). *A modular robot architecture capable of learning to move and be automatically reconfigured*. PhD thesis, Universidad Nacional de Colombia.
- Moreno, R. and Faina, A. (2020a). Reusability vs morphological space in physical robot evolution. In *Proceedings of the 2020 Genetic and Evolutionary Computation Conference Companion*, pages 1389–1391.
- Moreno, R. and Faina, A. (2020b). Using evolution to design modular robots: An empirical approach to select module designs. In *International Conference on the Applications of Evolutionary Computation (Part of EvoStar)*, pages 276–290. Springer.
- Moreno, R., Liu, C., Faina, A., Hernandez, H., and Gomez, J. (2017). The emerge modular robot, an open platform for quick testing of evolved robot morphologies. In *Proceedings of the Genetic and Evolutionary Computation Conference Companion, GECCO '17*, pages 71–72, New York, NY, USA. ACM.
- Moreno, R., Veenstra, F., Silvera, D., Franco, J., Gracia, O., Cordoba, E., Gomez, J., and Faina, A. (2018). Automated reconfiguration of modular robots using robot manipulators. In *2018 IEEE Symposium Series on Computational Intelligence (SSCI)*, pages 884–891.
- Naya-Varela, M., Faina, A., and Duro, R. (2021). Morphological development in robotic learning: A survey. *IEEE Transactions on Cognitive and Developmental Systems*.
- Naya-Varela, M., Faina, A., and Duro, R. J. (2020a). An experiment in morphological development for learning ann based controllers. In *2020 International Joint Conference on Neural Networks (IJCNN)*, pages 1–8. IEEE.

- Naya-Varela, M., Faina, A., and Duro, R. J. (2020b). Some experiments on the influence of problem hardness in morphological development based learning of neural controllers. In *International Conference on Hybrid Artificial Intelligence Systems*, pages 362–373. Springer.
- Nordmoen, J., Veenstra, F., Ellefsen, K. O., and Glette, K. (2021). Map-elites enables powerful stepping stones and diversity for modular robotics. *Frontiers in Robotics and AI*, to appear.
- Nygaard, T. F., Martin, C. P., Torresen, J., and Glette, K. (2019). Self-modifying morphology experiments with dyret: Dynamic robot for embodied testing. In *2019 International Conference on Robotics and Automation (ICRA)*, pages 9446–9452. IEEE.
- Pastor, R., Bobovský, Z., Huczala, D., and Grushko, S. (2021). Genetic optimization of a manipulator: Comparison between straight, rounded, and curved mechanism links. *Applied Sciences*, 11(6).
- Pollack, J. B. and Lipson, H. (2000). The golem project: Evolving hardware bodies and brains. In *Proceedings. The Second NASA/DoD Workshop on Evolvable Hardware*, pages 37–42. IEEE.
- Samuelsen, E. and Glette, K. (2015). Real-world reproduction of evolved robot morphologies: Automated categorization and evaluation. In Mora, A. M. and Squillero, G., editors, *Applications of Evolutionary Computation: 18th European Conference, EvoApplications 2015, Copenhagen, Denmark, April 8-10, 2015, Proceedings*, volume 9028, pages 771–782. Springer International Publishing.
- Sims, K. (1994). Evolving virtual creatures. In *Proceedings of the 21st annual conference on Computer graphics and interactive techniques - SIGGRAPH '94*, pages 15–22, New York, New York, USA. ACM Press.
- Stoy, K., Brandt, D., Christensen, D. J., and Brandt, D. (2010). *Self-reconfigurable robots: an introduction*. Mit Press Cambridge.
- van de Velde, T., Rossi, C., and Eiben, A. (2019). Body symmetry in morphologically evolving modular robots. In *International Conference on the Applications of Evolutionary Computation (Part of EvoStar)*, pages 583–598. Springer.
- Veenstra, F., Faina, A., Risi, S., and Stoy, K. (2017). Evolution and morphogenesis of simulated modular robots: a comparison between a direct and generative encoding. In *European Conference on the Applications of Evolutionary Computation*, pages 870–885. Springer.
- Veenstra, F., Hart, E., Buchanan, E., Li, W., De Carlo, M., and Eiben, A. E. (2019). Comparing encodings for performance and phenotypic exploration in evolving modular robots. In *Proceedings of the Genetic and Evolutionary Computation Conference Companion*, pages 127–128.