

Women's Health Curriculum for Internal Medicine Residents: Development, Implementation, and Evaluation

LAURA DAVISSON, MD, MPH
MICHELLE NUSS, MD
SCOTT COTTRELL, EdD

Abstract

Objective Women's health knowledge and skills are important for physicians, but training is often inadequate. The objective of this project was to develop, implement, and evaluate a women's health curriculum for an internal medicine residency program.

Methods After assessing institutional factors, we developed a curriculum for a multidisciplinary clinical rotation with a web-based tutorial. We recruited faculty from several specialties relevant to the care of women to precept for the rotation and/or to provide teaching materials for the tutorial.

Results The curriculum for the 1-month rotation covered most of the recommended women's health topics. Internal medicine residents worked in a variety of clinical settings and were assigned to a web-based tutorial and a pretest and posttest. A statistically significant increase was seen in participants' mean posttest (71.7%) versus

pretest (61.1%) scores (difference, 10.7%; 95% confidence interval [CI]: 4.7–16.6; $P = .0009$). No difference was seen in controls' mean posttest (56.5%) versus pretest (57.2%) scores (difference, -0.7% ; 95% CI: -12.1 – 10.7 ; $P = .9$). Mean rotation evaluation responses ranged from 7.09 to 7.45 on a 9-point scale. The majority (93%) of survey respondents agreed that the rotation increased their skills in caring for women, and all agreed the program was well organized and that it increased their awareness of women's health issues.

Conclusion A women's health curriculum using a web-based tutorial with a multidisciplinary clinical rotation can be successfully implemented in an internal medicine residency. The curriculum satisfied women's health training requirements, was associated with improvements in learning outcomes, and may be a model for women's health education.

Editor's Note: The online version of this article contains an appendix: Women's health recommended topics (optional topics excluded) and West Virginia University curriculum coverage.

Background

Women's health is a public health priority.¹ Women have unique health care needs, are affected by some diseases more frequently than men, and can present differently than men with the same condition.^{2,3} Provider lack of knowledge may contribute to disparities in the care of women.^{4–7} Many believe medical education in women's health is not

adequate, and several national organizations have called for increased training.^{8–15} Internal medicine physicians, specifically, may not be well prepared to care for women,^{16,17} and internal medicine residents have reported a lower satisfaction level with their women's health training compared with family medicine and obstetrics-gynecology residents.¹⁸ In early 2006, the Morgantown West Virginia University (WVU) internal medicine residency program did not have a formal curriculum for meeting gender-specific training requirements. The objective of this project was to develop, implement, and evaluate a women's health curriculum for an internal medicine residency program.

The residency program faced several barriers to providing women's health education. Specialists in women's health in the internal medicine department were limited; involving appropriate faculty would necessitate crossing specialty lines and might make lecture scheduling difficult. There also was no external funding for this project. However, the institution had recently been recognized as a National Center of Excellence in Women's Health, which helped to identify a multidisciplinary group of women's health faculty. The new center also provided a culture of support for women's health teaching, as education was a major focus area of the National Center of Excellence in

All authors are from West Virginia University School of Medicine. **Laura Davisson, MD, MPH**, is Assistant Professor and Clinic Director, Center of Excellence in Women's Health, in the Section of General Internal Medicine; **Michelle Nuss, MD**, is Associate Professor and Program Director of Internal Medicine in the Section of General Internal Medicine; and **Scott Cottrell, EdD**, is Assistant Professor, Department of Community Medicine, and Assistant, Dean-Eastern Division, West Virginia University School of Medicine.

Corresponding author: Laura Davisson, MD, MPH, PO Box 9160, RCBHSC, Department of Medicine, West Virginia University School of Medicine, Morgantown, WV 26506-9160, 304.293.1964, ldavisson@hsc.wvu.edu

Received October 12, 2009; revision received May 3, 2010; accepted June 5, 2010.

DOI: 10.4300/JGME-D-09-00069.1

TABLE 1 WOMEN'S HEALTH CURRICULUM EVALUATION

Evaluation Method	Outcomes	Components Evaluated	Question Type
Pre- and post-test	Knowledge	Clinical rotation Web-based tutorial	Multiple choice
Rotation evaluation	Satisfaction	Clinical rotation Web-based tutorial	1–9 Scale 1–5 Scale Short answer
Evaluation survey ^a	Demographics Satisfaction Skills Attitudes Processes	Clinical rotation Web-based tutorial	Likert scale Checklist Short answer

^a Survey was the only evaluation method designed to distinguish between the clinical rotation and the web-based tutorial.

Women's Health. Also, WVU had its own "Secure On-Line Environment" (SOLE) web-based educational portal for online teaching. During the planning process, an opportunity arose for obtaining a small amount of internal funding to strengthen the curriculum's evaluation.

Methods

Development of the Curriculum

The internist course director and the internal medicine program director planned the curriculum with help from a faculty member experienced in educational evaluations. This project included a web-based tutorial, as this method of training is increasingly being used in medical education.^{19–24} Including a web-based tutorial with a multidisciplinary clinical rotation would provide broad clinical experience and consistent didactic education with a limited time required from faculty. The SOLE portal could house the web-based tutorial at no added cost, and the inclusion of tests and surveys in the tutorial would simplify assessment of learning outcomes. Neither a multidisciplinary clinical rotation nor a web-based tutorial had been used previously in this residency program.

We contacted faculty representing multiple clinical specialties and who had an interest in women's health. We asked them to contribute teaching materials (new or already developed) to the web-based tutorial and/or to precept for the clinical rotation. The faculty included physicians from obstetrics-gynecology, reproductive medicine, general internal medicine, family medicine, urology, neurology, psychiatry, breast surgery, hematology/oncology, and a nurse practitioner from gynecology. The topics for the curriculum were chosen from a comprehensive set of women's health topics recommended by the Federated Council for Internal Medicine Task Force¹³ and the American Board of Internal Medicine.¹¹ A multifaceted evaluation was planned (TABLE 1). An incentive of \$35 was offered to participating residents and controls to encourage completion of the curriculum evaluation. The

WVU institutional review board exempted this project from review as it was categorized as program evaluation.

Results

Program Description

The curriculum was implemented in September 2006. This was a mandatory senior resident rotation with no call, and 1 to 2 residents participated monthly. A total of 24 residents completing the program during 16 months of data collection. The clinical rotation was shared with a geriatrics rotation to satisfy 2 training requirements in 1 month and to provide scheduling flexibility. The learning objectives, requirements, and evaluations of the 2 rotations were completely independent. Participants consisted of residents of both genders with a variety of future career plans such as primary care, hospital medicine, or fellowships. The chief resident assigned residents to half-days in various ambulatory settings, primarily in the core disciplines of internal medicine and gynecology. Other assignments included urogynecology, eating disorders, breast cancer oncology, and breast surgery clinic. Several half-days were also designated for independent study and could be used for completion of the tutorial. The curriculum covered most of the women's health topics recommended by Federated Council for Internal Medicine (76%) and American Board of Internal Medicine (85%).

We made the tutorial available through the SOLE portal, which could be accessed 24 hours per day. It contained 16 teaching modules in a variety of formats such as short written chapters, narrated PowerPoint (Microsoft Corp, Redmond, WA) lectures, and self-assessment quizzes (TABLE 2). After implementation, the web-based tutorial teaching modules were revised for publication in a national repository for medical teaching materials, where they can be widely accessed.²⁵ A pretest and identical posttest consisting of 46 board-style questions displayed in random order were administered through the web-based tutorial. The tests were composed of existing questions from several sources; new

TABLE 2
WOMEN'S HEALTH WEB-BASED TUTORIAL
TEACHING MODULES

Module Title	Format
Women's cancer screening	Reading
Women's disease prevention	Reading
Women's health trials	Reading
Polycystic ovarian syndrome	Reading
Vaginitis	Reading
Osteoporosis	Lecture (not narrated)
Female urologic disorders	Lecture (narrated)
Menopause	Lecture (narrated)
Breast disorders	Reading
Drug safety in pregnancy	Self-assessment quiz
Cardiovascular disease	Reading
Pap smears	Lecture (narrated)
Contraception	Lecture (narrated)
Menstrual disorders	Lecture (not narrated)
Differences and disparities	Self-assessment quiz
Eating disorders	Lecture (not narrated)

questions were written for areas in which major content was not addressed. Residents were instructed to take the pretest before completing the teaching modules and to take the posttest at the end of the rotation, approximately 1 month later. Scores were given immediately on completion of the tests. Residents could see the questions, their answers, and whether they were right, but were not given the correct answer when wrong. After the posttest, residents scoring 80% or better were given automatic feedback congratulating them on mastering the material. Those scoring lower were advised that they should review course content, although 70% was the assigned cut-off for the tutorial to record as "passing." Taking the tests was mandatory and was enforced by the course director withholding resident performance evaluations until completion. However, test scores were not part of these evaluations and a passing score was not required to earn credit for the rotation. Time spent on the teaching modules was at the residents' discretion, and assessment of module completion was self-reported.

Evaluation: pretest and posttest

Mean scores on pretests and posttests were compared with independent sample *t* tests using the JMP statistical software package (JMP-SAS Institute, Cary, NC). We analyzed data for 20 participating residents (3 of these completed the

pretest only), excluding 4 residents who did not take the tests or took the pretest after completing the tutorial. To reduce test familiarity as a potential threat to validity, control residents also took pretests and posttests on SOLE 1 month apart. The number of potential internal controls was limited by the fact that the rotation was required, so internal medicine residents from the WVU School of Medicine program in Charleston (which did not offer a dedicated women's health curriculum) were chosen. To maximize the number of controls (with a goal of 15 to 20), all 44 Charleston residents were offered participation. Although 10 agreed, only 6 completed the tests (1 of these completed the pretest only).

A statistically significant increase was seen in participating residents' mean posttest scores (71.7%, [SD 10.2%]) compared with pretest scores (61.1% [7.7%]) (difference, 10.7%; 95% confidence interval [CI]: 4.7–16.6; $P = .0009$). No difference was seen in control residents' mean posttest scores (56.5% [7.7%]) versus pretest scores (57.2% [8.8%]) (difference, -0.7% ; 95% CI: -12.1 – 10.7 ; $P = .9$). There was no statistically significant difference in mean participant and control pretest scores (difference, 3.8%; 95% CI: -3.8 – 11.5 ; $P = .3$). A significant difference was seen in mean participant and control posttest scores (difference, 15.2%; 95% CI: 4.9–25.6; $P = .006$). The Cohen's *d* for participating residents' post versus pretest score difference was 1.2, a large effect size. Of the 17 participating residents who took the posttest, 10 (59%) achieved at least the passing score of 70%, with 5 (29%) of those achieving the "mastery" score of 80%. In comparison, on the pretest, only 2 (10%) achieved a passing score and none achieved a mastery score. Question-specific statistics from the posttests were evaluated to identify areas of curriculum weakness. The questions were grouped into 10 topics. The topics with lower average scores were osteoporosis, screening/prevention, breast problems, pregnancy, and pap screening. The 6 questions that were answered correctly by less than 50% of participants included 2 osteoporosis questions, 2 pregnancy questions, and 2 pap screening questions.

TABLE 3
ROTATION EVALUATION RESULTS (N = 11)

Evaluation Satisfaction Measure	Mean	Scale	SD
Faculty/fellows	7.45	1–9	1.37
Curriculum and syllabus	7.36	1–9	1.36
Organization and structure	7.27	1–9	1.42
Overall experience	7.18	1–9	1.4
Formal teaching	7.09	1–9	1.38
Patient population	7.09	1–9	1.38
Rotation value	3.82	1–5	0.87

TABLE 4 RESIDENT ASSESSMENTS AFTER COMPLETING CURRICULUM (SURVEY DATA)

Category	Selections	Affirmative Response (%)
Curriculum components that enhanced learning (N = 14)	WEB: Reading materials	11 (79)
	CR: Primary care clinic experiences	11 (79)
	WEB: Self-assessment quizzes	10 (71)
	WEB: Flexibility in accessing curriculum	9 (64)
	WEB: Narrated PowerPoint lectures	8 (57)
	WEB: PowerPoint lectures not narrated	8 (57)
	CR: Observation of clinical encounters with preceptor	8 (57)
	CR: Case discussions with preceptor	8 (57)
	CR: Obstetrics/gynecology clinic experiences	7 (50)
	CR: Female urology clinic experiences	4 (29)
	CR: Eating disorders clinic experiences	3 (21)
	CR: Women's stroke clinic experiences	1 (7)
Topics confident discussing with patients (N = 13)	Cardiovascular disease in women	12 (92)
	Preventive health care for women	11 (85)
	Osteoporosis	10 (77)
	Initiation and management of contraception	7 (54)
	Preconception counseling	7 (54)
	Management of menopausal symptoms	6 (46)
	Management of breast complaints	5 (39)
	Recent contributions to women's health literature	4 (31)
	Female urologic disorders	3 (23)
Procedures confident performing (N = 13)	Pap smears	13 (100)
	Interpreting bone mineral density reports	12 (92)
	Performing a pelvic examination	11 (85)
	Performing a breast examination	8 (62)
	Prescribing contraception	6 (46)
	Preparing and reviewing vaginal wet mounts	4 (31)
Topics comfortable treating (N = 12)	Vaginal infections	11 (92)
	Cardiovascular disease in women	10 (83)
	Osteoporosis	10 (83)
	Menopausal symptoms	6 (50)
	Contraception side effects	5 (42)
	Polycystic ovarian syndrome	4 (33)
	Menstrual disorders	4 (33)
	Eating disorders	3 (25)
Female urologic disorders	2 (17)	

Abbreviations: CR, feature included in the clinical rotation; WEB, feature included in the web-based tutorial.

Evaluation: Rotation evaluation and survey

An evaluation survey was developed and incorporated into the tutorial to obtain more information than what the standard web-based rotation evaluations could provide. The survey was pretested and revised before implementation. The rotation evaluation and survey results were analyzed with univariate descriptive statistics and qualitative comments were compiled. Mean rotation evaluation responses ranged from 7.09 to 7.45 on a 9-point scale as shown in TABLE 3. The women's health rotation was also ranked in comparison with other rotations by using a ranking feature of the rotation evaluation program. Three ranking methods were conducted to increase validity. All methods placed the women's health rotation in the middle tertile. The majority (77%) of survey respondents reported completing all or almost all of the tutorial. All agreed that the curriculum was well organized, that it increased their awareness of women's health issues, and that the addition of the web-based tutorial to the clinical rotation was beneficial. The majority (93%) agreed that the curriculum increased their skills in caring for women. TABLE 4 shows participants' assessments of program components that enhanced learning. It also identifies topics that residents felt confident discussing with patients, conditions they felt comfortable treating, and procedures they felt confident performing after the rotation.

Discussion

Our novel women's health education program was associated with improvements in learning outcomes. Posttest scores significantly improved, and residents felt confident discussing and treating many conditions related to women's health after curriculum completion. The average ranking of the rotation was considered to be satisfactory because it was mandatory for residents who were not necessarily interested in women's health. Residents' survey responses were mostly positive. For example, the residents unanimously agreed with the survey items stating "the curriculum was well organized" and "the web-based tutorial was beneficial." Although there were fewer controls than planned, this rotation's evaluation contained several techniques that strengthen medical curriculum evaluations: controls were used, effect size was included, and multiple outcomes were assessed.^{26–30} The program may have other benefits that were not directly assessed, such as pretests and posttests stimulating self-directed learning or helping with board preparation. On the other hand, we identified topics in which many residents lacked confidence, which allowed for targeted program improvement.

The experience at our institution and our learning about curriculum needs and improvements may be useful for other programs looking to develop a women's health curriculum. More opportunities to prescribe contraception and to prepare and review vaginal wet mounts would be helpful as

less than half of residents were confident in those skills after completing the program. Those topics and several others with low posttest scores (osteoporosis, screening/prevention, pap screening) are basic areas of women's health. Although the multidisciplinary nature of the clinical rotation is a strength, a larger emphasis on primary care and gynecology may improve the learning of these core topics. The lower rankings of the specialty sites by residents may reflect a perception of less practical usefulness, and one half-day in each of those areas would probably be sufficient to provide exposure. The majority of nationally recommended women's health content areas were covered. However the curriculum could be strengthened by the addition of others, such as care of women during pregnancy, as this topic was covered only on the tutorial, and questions relating to pregnancy received low posttest scores. Supplemental face-to-face teaching could take the place of some of the tutorial's PowerPoint lectures because that teaching format was ranked relatively low.

This curriculum satisfied important women's health training requirements that can be difficult for programs to meet. The web-based tutorial provided standardized didactics at no added cost. Minimal time was required after initial program development, primarily the time needed for scheduling the rotation. The tutorial's tests and survey simplified learning outcome assessments. After successfully implementing this approach for training internal medicine residents, the educational program was adapted for use as a medical student elective.

In summary, the format of a multidisciplinary clinical rotation in conjunction with this or another web-based tutorial may be a useful model for women's health education.

References

- 1 Healthy People 2010. Available at: <http://www.healthypeople.gov>. Accessed September 4, 2007.
- 2 Brittle C, Bird CE. Literature review on effective sex- and gender-based systems/models of care. produced for the Office on Women's Health within the U.S. Department of Health and Human Services by Uncommon Insights, LLC. Available at: <http://purl.access.gpo.gov/GPO/LPS100484>. Accessed July 19, 2010.
- 3 Milner KA, Funk M, Richards S, Wilmes RM, Vaccarino V, Krumholz HM. Gender differences in symptom presentation associated with coronary heart disease. *Am J Cardiol*. 1999;84(4):396–399.
- 4 Schulman KA, Berlin JA, Harless W, et al. The effect of race and sex on physicians' recommendations for cardiac catheterization. *N Engl J Med*. 1999;340(8):618–626.
- 5 Vaccarino V, Krumholz HM, Yarzebski J, Gore JM, Goldberg RJ. Sex differences in 2-year mortality after hospital discharge for myocardial infarction. *Ann Intern Med*. 2001;134(3):173–181.
- 6 Ferrara A, Williamson DF, Karter AJ, Thompson TJ, Kim C. Sex differences in quality of health care related to ischemic heart disease prevention in patients with diabetes: the translating research into action for Diabetes (TRIAD) study, 2000–2001. *Diabetes Care*. 2004;27(12):2974–2976.
- 7 Feldstein AC, Nichols GA, Elmer PJ, Smith DH, Aickin M, Herson M. Older women with fractures: patients falling through the cracks of guideline-recommended osteoporosis screening and treatment. *J Bone Joint Surg Am*. 2003;85(12):2294–2302.
- 8 Council on Graduate Medical Education. Summary of fifth report: women and medicine. May 1998. Available at: www.cogme.gov/rpt5.htm. Accessed September 4, 2007.

- 9 US Department of Health and Human Services and National Institutes of Health. Women's health in the medical school curriculum: report of a survey and recommendations. Washington, DC: Government Printing Office; 1996.
- 10 Day SC, Cassel CK, Kimball HR. Training internists in women's health: recommendations for educators. American Board of Internal Medicine Committee on General Internal Medicine. *Am J Med.* 1996;100(4):375-379.
- 11 Cassel C, Blank L, Braunstein G, Burke W, Fryhofer SA, Pinn V. What internists need to know: core competencies in women's health. ABIM Subcommittee on Clinical Competence in Women's Health. *Am J Med.* 1997;102(6):507-512.
- 12 Accreditation Council for Graduate Medical Education program requirements for residency education in internal medicine. Effective July 1, 2003. Available at: http://www.acgme.org/acWebsite/RRC_140/140_prIndex.asp. Accessed September 4, 2007.
- 13 The Federation Council for Internal Medicine (FCIM) Task Force on Internal Medicine Residency Curriculum. Graduate Medical Education in Internal Medicine: A Resource Guide for Curriculum Development. Philadelphia, PA: FCIM, Inc; 1997:56.
- 14 Magrane D, Ephgrave K, Jacobs MB, Rusch R. Weaving women's health across clinical clerkships. *Acad Med.* 2000;75(11):1066-1070.
- 15 Staropoli CA, Moulton AW, Cyr MG. Primary care internal medicine training and women's health. *J Gen Intern Med.* 1997;12(2):129-131.
- 16 Spagnoletti CL, Rubio DM, McNeil MA. Internal medicine residents' preparedness to care for reproductive-age and pregnant women. *Teach Learn Med.* 2007;19(3):257-263.
- 17 Kwolek DS, Witzke D, Sloan DA. Assessing the need for faculty development in women's health among internal medicine and family practice teaching faculty. The Women's Health Education Working Group (WHEWG). *J Womens Health Gen Based Med.* 1999;8(9):1195-1201.
- 18 Emmons S, Sells CW, Eiff MP. A review of medical and allied health learners' satisfaction with their training in women's health. *Am J Obstet Gynecol.* 2002;186(6):1259-1267.
- 19 Davis J, Chrissyafidou E, Zamora J, Davies D, Khan K, Coomarasamy A. Computer-based teaching is as good as face to face lecture-based teaching of evidence based medicine: a randomised controlled trial. *BMC Med Educ.* 2007;7:23.
- 20 Schilling K, Wiecha J, Polineni D, Khalil S. An interactive web-based curriculum on evidence-based medicine: design and effectiveness. *Fam Med.* 2006;38(2):126-132.
- 21 Healy DG, Fleming FJ, Gilhooley D, et al. Electronic learning can facilitate student performance in undergraduate surgical education: a prospective observational study. *BMC Med Educ.* 2005;5:23.
- 22 Letterie GS. Medical education as a science: the quality of evidence for computer-assisted instruction. *Am J Obstet Gynecol.* 2003;188(3):849-853.
- 23 Chumley-Jones HS, Dobbie A, Alford CL. Web-based learning: sound educational method or hype? A review of the evaluation literature. *Acad Med.* 2002;77(10 suppl):S86-S93.
- 24 Zebrack JR, Mitchell JL, Davids SL, Simpson DE. Web-based curriculum: a practical and effective strategy for teaching women's health. *J Gen Intern Med.* 2005;20(1):68-74.
- 25 Davisson L, Nuss M, Bruno C, et al. Women's health tutorial. MedEdPORTAL; 2009. Available at: http://services.aamc.org/30/mededportal/servlet/dynamic/segment/mededportal/find_resources/26822?id=4028. Accessed June 5, 2009.
- 26 Durning SJ, Hemmer P, Pangaro LN. The structure of program evaluation: an approach for evaluating a course, clerkship, or components of a residency or fellowship training program. *Teach Learn Med.* 2007;19(3):308-318.
- 27 Baernstein A, Liss HK, Carney PA, Elmore JG. Trends in study methods used in undergraduate medical education research, 1969-2007. *JAMA.* 2007;298(9):1038-1045.
- 28 Reed DA, Cook DA, Beckman TJ, Levine RB, Kern DE, Wright SM. Association between funding and quality of published medical education research. *JAMA.* 2007;298(9):1002-1009.
- 29 Reed D, Price EG, Windish DM, et al. Challenges in systematic reviews of educational intervention studies. *Ann Intern Med.* 2005;142(12 pt 2):1080-1089.
- 30 Colliver JA. Call for greater emphasis on effect-size measures in published articles in *Teaching and Learning in Medicine.* *Teach Learn Med.* 2002;14(4):206-210.