

## An evaluation of the readability of drinking water quality reports: a national assessment

Siddhartha Roy, Katherine Phetxumphou, Andrea M. Dietrich, Paul A. Estabrooks, Wen You and Brenda M. Davy

### ABSTRACT

The United States Environmental Protection Agency mandates that community water systems (or water utilities) provide annual consumer confidence reports (CCRs) – water quality reports – to their consumers. These reports encapsulate information regarding sources of water, detected contaminants, regulatory compliance, and educational material. These reports have excellent potential for providing the public with accurate information on the safety of tap water, but there is a lack of research on the degree to which the information can be understood by a large proportion of the population. This study evaluated the readability of a nationally representative sample of 30 CCRs, released between 2011 and 2013. Readability (or ‘comprehension difficulty’) was evaluated using Flesch–Kincaid readability tests. The analysis revealed that CCRs were written at the 11th–14th grade level, which is well above the recommended 6th–7th grade level for public health communications. The CCR readability ease was found to be equivalent to that of the *Harvard Law Review* journal. These findings expose a wide chasm that exists between current water quality reports and their effectiveness toward being understandable to US residents. Suggestions for reorienting language and scientific information in CCRs to be easily comprehensible to the public are offered.

**Key words** | consumer confidence reports, health communication, readability, tap water, water quality

**Siddhartha Roy** (corresponding author)  
**Katherine Phetxumphou**  
**Andrea M. Dietrich**  
Department of Civil and Environmental  
Engineering,  
Virginia Tech,  
418 Durham Hall, 1145 Perry St.,  
Blacksburg,  
VA 24061,  
USA  
E-mail: [sidroy@vt.edu](mailto:sidroy@vt.edu)

**Paul A. Estabrooks**  
Department of Family and Community Medicine  
(and Department of Human Nutrition, Foods,  
and Exercise),  
Virginia Tech Carilion School of Medicine,  
VT Riverside, 1 Riverside Circle,  
Roanoke,  
VA 24016,  
USA

**Wen You**  
Department of Agricultural and Applied  
Economics,  
Virginia Tech,  
321A Hutcheson Hall, 250 Drillfield Drive,  
Blacksburg,  
VA 24061,  
USA

**Brenda M. Davy**  
Department of Human Nutrition, Foods, and  
Exercise,  
Virginia Tech,  
221 Wallace Hall, 295 West Campus Drive,  
Blacksburg,  
VA 24061,  
USA

### INTRODUCTION

The consumer confidence report (CCR) rule of 1998 ([Federal Register 1998](#)) requires all community water systems (i.e., water utilities) to provide annual water quality reports to their consumers. These reports contain information regarding water source, level of any detected contaminants, compliance with drinking water regulations, and relevant educational information. All water utilities and retailers that provide at least 15 service connections or regularly serve at least 25 residents year-round fall under the purview

of this rule ([US Environmental Protection Agency 1999](#)). Their overarching purpose is to ‘improve public health protection by providing educational material to allow consumers to make educated decisions regarding any potential health risks pertaining to the quality, treatment, and management of their drinking water supply’ ([US Environmental Protection Agency 2002](#)).

The need for providing water quality information to consumers has been repeatedly emphasized ([Odugbesan et al.](#)

1998; Roper Starch Worldwide 1999; Benson *et al.* 2002; Means *et al.* 2002; Meyer-Emerick 2004; Blette 2008); this communication should also be transparent (Pene & Levi 2011). Consumers want more information about their tap water (Roper Starch Worldwide 1999), and have expressed concerns about its quality (Means *et al.* 2002). The CCR acts as an agent toward improving the public's confidence in their tap water and prompting increased water consumption.

Tap water in the USA is readily available, regulated and monitored for safety, calorie-free, and low cost. Yet, on a given day, half of the US population over the age of 2 years consumes sugar-sweetened beverages (SSB), which represents a significant source of daily calories (Ogden *et al.* 2011; Huth *et al.* 2013). 'Drink water instead of sugary drinks' is one of the seven key selected messages for consumers in the Dietary Guidelines for Americans (US Department of Agriculture & US Department of Health and Human Services 2010). Unfortunately, SSB manufacturers are not required to publish a beverage quality report while perceptions of water safety based on difficult to read CCRs could represent a barrier to promoting water as an alternative to SSB. The perception that local tap water is unsafe varies by region, and is more common among young adults, those with lower income levels, and among racial/ethnic minorities (Onufrak *et al.* 2014). Americans have been consuming less tap water while consuming more bottled water and other beverages due to perceived health and safety concerns (Azoulay *et al.* 2001; Hu *et al.* 2011). Moreover, the bottled water industry has had a negative influence on perceptions about drinking water quality that has been difficult for water utilities to counteract (Meyer-Emerick 2004).

Efforts to build trust in public water utilities to overcome tap water 'avoidance' and reliance on bottled water are needed (Scherzer *et al.* 2010). The public has to be an 'informed partner' if the utility wishes to incorporate new treatment techniques to meet new regulations, undertake expansions of the plant capacity, effectively handle water contamination events, and raise water rates to meet all of the above (Glicker 1992). 'Persevering trust (or distrust), evocation of negative beliefs about risk from any discussions of 'contaminants', or personal experience' are some factors that may dominate CCR reception by the public (Johnson 2003).

One solution would be for health officials and community leaders to assure the public that tap water supplies are safe (Hu *et al.* 2011). Implications associated with poor communication can be serious: economic impacts on low-income homeowners, for instance, who may seek more costly sources of drinking water in search of true or perceived safety if they do not have confidence in the safety of their tap water (Blette 2008). For a random sample of New Jersey residents, Johnson (2003) found that reading water quality reports did not shift customers' evaluations of water quality and utility performance from the evaluations of those in the control group, who did not see a report. Water utilities should, thus, actively ensure their consumers receive and understand their CCRs in order to positively impact public perception.

Presenting information that is understandable and meaningful to scientists, engineers, administrators, and to the general public is a challenge for the water quality personnel (Mackenthun 1969). Some important considerations that should be addressed while developing CCRs include:

- (a) readability levels and health literacy of the public;
- (b) language complexity and use of technical jargon/risk information;
- (c) informational design and graphics;
- (d) clarity in addressing behavioral recommendations and multiple main messages;
- (e) public distrust of tap water based on media reports, prior contamination events, and public perceptions.

The United States Environmental Protection Agency (US EPA) encourages usage of its CCR iWriter software, available on the internet, for maintaining a standardized format for information delivery (US Environmental Protection Agency 2013). While this guarantees that consumers are receiving comparable information, it also limits the ability to educate diverse groups (Meyer-Emerick 2004) and does not include standards to improve the comprehension of CCR messaging. To our knowledge, the effectiveness of published CCRs and the mandated EPA language has not been evaluated. Thus, our objective was to assess the readability of CCRs to determine the degree to which the content is accessible to a broad cross-section of the population, and to compare results to those recommended for public health communications.

## MATERIALS AND METHODS

### Selection of CCRs

Three water utilities were selected for each of the 10 US EPA regions – one from each size category (Figure 1). Size categories for the utilities are based on the population size they serve: medium (3,301–10,000); large (10,001–100,000); and very large (100,000+). Their population size (and, thus, size category) were confirmed through the US Environmental Protection Agency's (2014b) and water utilities' websites and/or telephonic/email exchange with utility personnel. Consequently, a total of 30 water utilities materials were evaluated. The CCRs were selected from years 2011 to 2013 and obtained through the US Environmental Protection Agency's (2014b) and water utilities'

websites. The content of these reports ranged from two-page text blocks in Microsoft Word to illustrated 10+ page reports elaborating information such as source water to plant expansion plans.

### Assessing readability

Jordan (1998) specifically emphasized the importance of readability of CCRs. The Flesch–Kincaid readability (FKR) tests were used to evaluate readability of the CCRs. These tests are widely used in education, publishing, business, healthcare, the military, and industry for all forms of written communication (Kincaid et al. 1975) including print and online media. When Flesch originally released these formulae, Swanson & Fox (1953) estimated that using them could increase reading comprehension by up to 60%. The FKR tests comprise:



**Figure 1** | Map of US EPA regions and the states in which the selected CCRs are located – signified by the diamonds (adapted from US Environmental Protection Agency (2014a)).

- (a) Flesch reading ease (Equation (1), scaled 0–100; a higher score equates to better comprehension; and  
 (b) Flesch–Kincaid grade level (Equation (2) which gives a ‘grade level’ equivalent to the USA school grade system.

Flesch reading ease = 206.835

$$- 1.015 \frac{(\text{Total words})}{(\text{Total sentences})} - 84.6 \frac{(\text{Total syllables})}{(\text{Total words})} \quad (1)$$

$$\text{Flesch – Kincaid grade level} = 0.39 \frac{(\text{Total words})}{(\text{Total sentences})} + 11.8 \frac{(\text{Total syllables})}{(\text{Total words})} - 15.59 \quad (2)$$

The relationship between the reading ease, grade level, and examples of publication type is presented in Table 1. The FKR tests are reliable, widely used, and correlate well with comprehension measured using reading tests (Chall 1958; Klare 1963; DuBay 2007). With regard to recommendations, the National Institutes of Health (2013) advises that health communication materials be written at a ~6–7th grade level, and health literacy experts recommend that materials be targeted to the 5th–6th grade reading level (Conrath et al. 1996; Weiss & Coyne 1997). The average American reads at the 7th–8th grade level (National Center for Education Statistics & Kutner 2006). The State of the Union addresses of recent US presidents including Bill

Clinton, George W. Bush, and Barack Obama corroborate with these levels since they were written at 8th–10th grade levels as well (The Guardian 2013).

The CCRs for chosen utilities were available either as portable document format (PDF) or Microsoft Word (DOC) files. The PDF versions were converted to DOC file using select online tools: PDFOnline.com, Free-PDFConvert.com, and PDFBurger.com. Documents were inspected to ensure continuity of all paragraphs and text blocks were intact before running the FKR tests using the readability statistics function in Microsoft Word 2013.

## RESULTS AND DISCUSSION


The CCR reading ease ranged from 26.3 to 43.8 (median = 36.45), which is within the academic/scientific level (Figure 2). To provide context, the *Harvard Law Review* journal has a reading ease in the low 30s (Kunz & Osbourne 2010). Similarly, the CCR grade level ranged from 11.1 to 14.3 with a median value of 12.65 (Figure 3); this is substantially higher than the NIH’s recommended 6th–7th grade level for health materials (National Institutes of Health 2013).

An analysis of the reading ease and grade level medians at the utility size level revealed no differences from those of the overall sample size values. The reading ease and grade level of all three utility sizes (medium, large and very


**Table 1** | Analysis of readability of adult reading materials (modified from Flesch (1949))

Style	Flesch reading ease	Average words/sentence	Magazine type	Example	Estimated school grade completed
Very easy	90–100	8 or less	Comics		4th
Easy	80–90	11	Pulp fiction	<i>Harry Potter and the Sorcerer’s Stone</i> , chapter 2	5th
Fairly easy	70–80	14	Slick fiction		6th
Standard	60–70	17	Digests	<i>Reader’s Digest</i>	7th–8th
Fairly difficult	50–60	21	Quality	US Department of Defense documents/manuals; life insurance policies in the state of Florida (ease >45)	Some high school
Difficult	30–50	25	Academic	<i>Harvard Law Review</i> articles	High school/some college
Very difficult	0–30	29 or more	Scientific		College

Additional data from Ressler (1993), US Department of Defense (1995), DuBay (2007), Kunz & Osbourne (2010), State of Florida (2013), and the website ReadabilityFormulas.com.



**Figure 2** | Box plot showing the reading ease range of 30 CCRs.



**Figure 3** | Box plot showing the grade level range of 30 CCRs (the box on the left signifies NIH's 6th–7th grade level recommendation for health materials).

large) ranged from 35.5 to 36.8 and from 12.4 to 12.85, respectively. While CCRs from the large and very large categories were generally more detailed, illustrated and visually pleasing, their FKR results were comparable to that of medium-sized utilities.

Such high scores could partly be attributed to mandated US EPA language seen in several CCRs. Below is an example of a typical CCR paragraph under the category 'general information about your drinking water':

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk of infections. These people should seek advice about drinking water from their health care providers. For more information about contaminants and potential health effects, or to receive a copy of the U.S.

Environmental Protection Agency (EPA) and the US Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and microbiological contaminants call the EPA safe drinking water hotline at 1-800-426-4791.

With an average of 24.8 words per sentence, this paragraph has a low reading ease of 12.9 and a high grade level of 17.6. Unfortunately, when text exceeds one's reading level, consumers usually stop reading (DuBay 2007). A study (Johnson 2003) on a random sample of New Jersey residents getting CCRs found that many respondents had trouble identifying presence/absence of substance amounts or violations, despite their seeming obviousness (e.g., in a 'bottom line' summary on the front page of each report). This seemed to suggest they were not processing the information carefully, although their response patterns were not substantially different from the group responding as a whole. Jordan (1998) advised usage of familiar units, explaining action levels and health effects, and using fewer acronyms and more graphical representations. Using bullet points, fewer words per sentence, simplifying content and using the CDC's clear communication index (CDC 2014) may help to develop clearer and more comprehensible water quality reports for the public.

To illustrate, the above paragraph has been modified with the above recommendations and presented below. The text before the table has a new reading ease score of 52.5 and a grade level of 7.9:

All drinking water has at least small amounts of some contaminants. Even bottled water. This does not necessarily mean the water poses a health risk. Some people are more vulnerable to these contaminants than the general population. They usually have compromised immune systems like

- Cancer patients undergoing chemotherapy.
- People with organ transplants.
- Patients with immune system disorders like HIV/AIDS.
- Older people and infants can get infections easier.



They should seek advice about drinking water from their health care providers. Otherwise, use the phone numbers below:

---

**IMPORTANT PHONE NUMBERS**


---

Call us for: (555) 555-5555 (business hours)  
 • Concerns or questions about your water quality OR  
 • Emergencies (888) 888-8888 (emergency/after hours)

EPA's safe drinking water hotline for information on  
 • Water contaminants and potential health effects  
 • Guidelines to reduce infection risk by microbial contaminants (*Cryptosporidium* and others) – ask for a copy (800) 426-4791  
 • Lead in drinking water, testing methods, and steps to minimize exposure

---

Bishop (2003) highlights the need to communicate 'negative, unpleasant, or unwelcomed information' to consumers when utilities fail to meet regulations or encounter emergencies (contamination events like the West Virginia chemical spill in January 2014). This is important both during emergencies and in their aftermath in the annual CCR. Being open, ethical, and comprehensible when failing to comply with federal regulations is also essential (Bishop 2003). This should be done while ensuring the readability and understanding are directly addressed using clear, unambiguous statements (e.g., 'tap water not safe to drink' and 'do not drink tap water'). This has the potential to avoid many barriers in communicating risk, especially when CCRs present highly technical information with different possible health outcomes for different subgroups of the population (Berberich 1998). According to Nsiah-Kumi (2008), effective communication is audience-centered, and it is imperative that, in communicating public health messages to communities, we do not neglect vulnerable populations (which includes the linguistically vulnerable). In fact, low literacy is associated with poor health outcomes (Pignone & DeWalt 2006).

When technical information is not effectively rendered for the public, there can be undesirable effects. To illustrate,

Wegner & Girasek (2003) found the readability of instruction manuals for child safety seat installation in cars from several manufacturers to be very high; improper use of safety seats is the single strongest risk factor for infant/toddler deaths in traffic accidents (Johnston *et al.* 1994) and their correct use significantly reduces fatal injury and hospitalization (Kahane 1986). The knowledge gap between experts and the public is wide. So, a good place for water utilities to start is emphasis on identifying what people know at the outset, correcting misinformation, and, subsequently, providing accurate information (Löfstedt & Frewer 1998).

One limitation of the FKR test is that it ignores vocabulary. While readability measurements have some general ability to broadly predict text difficulty, they are not precise, final measures (Pikulski 2002). No mathematical formula can truly measure understanding (Stockmeyer 2009). Future studies on this topic could extend this investigation to evaluate CCRs for cultural appropriateness, the placement of primary messages, and the use of images to reinforce written content using tools such as the simple measure of gobbledygook or SMOG (Wang *et al.* 2009) and the CDC's clear communication index and risk communication knowledge (World Health Organization 2001). These qualitative and quantitative assessments should be conducted in consultation with seasoned language experts (Oakland & Lane 2004). In addition, there is a need for future research on the benefits of water utility engagement of local residents to act as 'informed partners' in decision-making as pointed out by Glicker (1992).

---

## CONCLUSIONS

Over 300 million residents receive water from a water utility mandated to provide a yearly CCR to its customers (US Environmental Protection Agency 2012) and, hence, the CCR has a large audience. To our knowledge, this is the first study to explicitly examine readability of water quality reports for the US population and it demonstrates that current CCRs are not meeting this standard for a large proportion of the population. Thus, a more holistic approach is required toward writing these reports, especially, as water utilities move toward electronic delivery

(email/online availability) of CCRs (Carpenter & Roberson 2013).

A potential cost-effective suggestion for developing more understandable CCRs is to modify standard US EPA literature in the CCR iWriter software in conjunction with communication and health experts to the NIH recommended 6th–7th grade level. This would involve reducing words per sentence while maintaining text organization and coherence, breaking away from technical jargon, simplifying vocabulary, increasing reliance on pictures/multimedia, usage of active voice, increasing bulleted/numbered lists, using whole numbers for contaminant levels, explaining contaminant violations and health effects, simplifying messages throughout the report, and providing the underlying scientific information with clarity ('water is safe to drink', for instance, should be backed with 'meets/exceeds all federal/state regulations but not necessarily safe for infants/immune-compromised population').

The CCR is potentially a powerful resource for meeting several of the public's health information needs in terms of tap water quality and authentic communication in terms of readability and clarity. The public will have confidence in the safety of the tap water only if the water supplier is trusted (Shovlin & Tanaka 1990). Since consumers use their senses and 'their personal opinions' to assess drinking water (Dietrich 2006), a readable CCR would play a noteworthy role in increasing this trust. Associated goals like increasing awareness of water conservation can also possibly be better achieved. Finally, by addressing the ease of comprehension and reading level of CCRs, water utilities have an excellent chance of influencing population health through informed decision-making on the degree to which tap water can be consumed safely.

## ACKNOWLEDGEMENTS

We acknowledge the support of the Virginia Tech Water INTERface Interdisciplinary Graduate Education Program (IGEP) and the Virginia Tech Institute for Critical Technology and Applied Science (ICTAS).

## REFERENCES

- Azoulay, A., Garzon, P. & Eisenberg, M. J. 2001 [Comparison of the mineral content of tap water and bottled waters](#). *J. Gen. Intern. Med.* **16** (3), 168–175.
- Benson, M., Walker, M. & Montecinos, C. 2002 Nevada's CWS managers assess the CCR. *J. Am. Water Works Ass.* **94** (3), 65–70.
- Berberich, C. 1998 Consumer confidence reports: challenges and opportunity. *J. Am. Water Works Ass.* **90** (1), 30–37.
- Bishop, B. 2003 Water utility communication practices: what contributes to success? *J. Am. Water Works Ass.* **95** (1), 42–51.
- Blette, V. 2008 [Drinking water public right-to-know requirements in the United States](#). *J. Water Health* **6** (S1), 43–51.
- Carpenter, A. D. & Roberson, J. A. 2013 [Electronic delivery of consumer confidence reports](#). *J. Am. Water Works Ass.* **105** (3), 127–136.
- CDC 2014 *The CDC Clear Communication Index*. Centers for Disease Control and Prevention, Atlanta, Georgia, USA. <http://www.cdc.gov/healthcommunication/ClearCommunicationIndex/> (last accessed on 10 June 2014).
- Chall, J. S. 1958 *Readability: An Appraisal of Research and Application*. Ohio State University Press, Columbus, OH (reprinted 1974: Bowker Publishing Company, Epping, Essex).
- Conrath, D. C., Doak, L. G. & Root, J. H. 1996 *Teaching Patients with Low Literacy Skills*, 2nd edn. JB Lippincott, Philadelphia, PA, USA.
- Dietrich, A. M. 2006 Aesthetic issues for drinking water. *J. Water Health* **4** (S1), 11–16.
- DuBay, W. H. 2007 *Smart Language: Readers, Readability, and the Grading of Text*. Impact Information, Costa Mesa, CA, USA.
- Federal Register 1998 *National Primary Drinking Water Regulations: Consumer Confidence Reports*. 63 FR 44512. Office of the Federal Register, Washington, DC, USA.
- Flesch, R. 1949 *The Art of Readable Writing*. Harper, New York, USA.
- Glicker, J. L. 1992 Convincing the public that drinking water is safe. *J. Am. Water Works Ass.* **84** (1), 46–51.
- Hu, Z., Morton, L. W. & Mahler, R. L. 2011 [Bottled water: United States consumers and their perceptions of water quality](#). *Int. J. Environ. Res. Public Health* **8** (2), 565–578.
- Huth, P. J., Fulgoni, V., Keast, D., Park, K. & Auestad, N. 2013 [Major food sources of calories, added sugars, and saturated fat and their contribution to essential nutrient intakes in the US diet: data from the National Health and Nutrition Examination Survey \(2003–2006\)](#). *Nutrition J.* **12** (1), 116–125.
- Johnson, B. B. 2003 [Do reports on drinking water quality affect customers' concerns? Experiments in report content](#). *Risk Analysis* **23** (5), 985–998.
- Johnston, C., Rivara, F. P. & Soderberg, R. 1994 Children in car crashes: analysis of data for injury and use of restraints. *Pediatrics* **93** (6), 960–965.
- Jordan, C. G. 1998 Water quality reports boost consumer confidence. *J. Am. Water Works Ass.* **90** (1), 40–43.

- Kahane, C. 1986 *An Evaluation of Child Passenger Safety: the Effectiveness and Benefits of Safety Seats*. National Highway Traffic Safety Administration, Washington, DC, USA.
- Kincaid, J. P., Fishburne Jr, R. P., Rogers, R. L. & Chissom, B. S. 1975 *Derivation of New Readability Formulas (Automated Readability Index, Fog Count and Flesch Reading Ease Formula) for Navy Enlisted Personnel*. Research Report from Naval Technical Command, Millington, TN, USA.
- Klare, G. R. 1963 *The Measurement of Readability*. Iowa State University Press, Ames, IA, USA.
- Kunz, M. B. & Osbourne, P. 2010 A preliminary examination of the readability of consumer pharmaceutical web pages. *J. Marketing Develop. Compet.* **5** (1), 33–41.
- Löfstedt, R. & Frewer, L. 1998 *The Earthscan Reader in Risk and Modern Society*. Earthscan Publications Ltd, London.
- Mackenthun, K. M. 1969 Writing a water quality report. *J. Water Pollut. Control Fed.* **41** (1), 82–88.
- Means, E. G., Brueck, T., Dixon, L., Miles, J. & Patrick, R. 2002 The risk of underestimating public perception. *J. Am. Water Works Ass.* **94** (8), 28–32.
- Meyer-Emerick, N. 2004 Are we answering the right questions? improving CCR communication. *J. Am. Water Works Ass.* **96** (8), 104–111.
- National Center for Education Statistics & Kutner, M. A. 2006 *The Health Literacy of America's Adults Results from the 2003 National Assessment of Adult Literacy*. US Department of Education National Center for Education Statistics, Washington, DC, USA.
- National Institutes of Health 2013 *How to Write Easy-to-Read Health Materials*. <https://www.nlm.nih.gov/medlineplus/etr.html> (accessed 12 August 2013).
- Nsiah-Kumi, P. A. 2008 *Communicating effectively with vulnerable populations during water contamination events*. *J. Water Health.* **6** (S1), 63–75.
- Oakland, T. & Lane, H. 2004 *Language, reading, and readability formulas: implications for developing and adapting tests*. *Int. J. Testing* **4**, 239–252.
- Odugbesan, L., Vaughan, A., Oswald, L. & Herlihy, J. 1998 BHC Company's First Annual Water Quality Report: Lesson learned. In *Proceedings from AWWA WQTC*. San Diego, CA, USA.
- Ogden, C. L., Kit, B. K., Carroll, M. D. & Park, S. 2011 *Consumption of sugar drinks in the United States, 2005–2008*. NCHS data brief, no 71. National Center for Health Statistics, Hyattsville, MD, USA.
- Onufrak, S. J., Park, S., Sharkey, J. R. & Sherry, B. 2014 *The relationship of perceptions of tap water safety with intake of sugar-sweetened beverages and plain water among US adults*. *Public Health Nutr.* **17** (1), 179–185.
- Pene, P. & Levi, Y. 2011 *Water for human consumption and the public health*. *Bull. Acad. Nat. Med. Paris* **195** (2), 403–429.
- Pignone, M. P. & DeWalt, D. A. 2006 *Literacy and health outcomes: is adherence the missing link? J. Gen. Intern. Med.* **21** (8), 896–897.
- Pikulski, J. J. 2002 *Readability*. Houghton Mifflin Company, Boston, MA, USA. <http://www.eduplace.com/state/author/pikulski.pdf> (last accessed on 10 June 2014).
- Ressler, S. 1993 *Perspectives on Electronic Publishing: Standards, Solutions and More*. Prentice-Hall, Upper Saddle River, NJ, USA.
- Roper Starch Worldwide 1999 *The National Report Card on Safe Drinking Water Knowledge, Attitudes, and Behaviors*. National Environmental Education & Training Foundation, Washington, DC, USA.
- Scherzer, T., Barker, J. C., Pollick, H. & Weintraub, J. A. 2010 *Water consumption beliefs and practices in a rural Latino community: implications for fluoridation*. *J. Public Health Dent.* **70** (4), 337–343.
- Shovlin, M. G. & Tanaka, S. S. 1990 Risk communication in Los Angeles: a case study. *J. Am. Water Works Ass.* **82** (11), 40–44.
- State of Florida 2013 *The 2013 Florida Statutes: Chapter 627 Insurance Rates and Contracts. Section 627.4145*. [http://www.leg.state.fl.us/Statutes/index.cfm?App\\_mode=Display\\_Statute&Search\\_String=&URL=0600-0699/0627/Sections/0627.4145.html](http://www.leg.state.fl.us/Statutes/index.cfm?App_mode=Display_Statute&Search_String=&URL=0600-0699/0627/Sections/0627.4145.html) (last accessed on 10 June 2014).
- Stockmeyer, N. O. 2009 Using Microsoft Word's readability program. *Michigan Bar J.* **88**, 46–47.
- Swanson, C. E. & Fox, H. G. 1953 *Validity of readability formulas*. *J. Appl. Psychol.* **37**, 114–118.
- The Guardian 2013 *The state of our union is...dumber: How the linguistic standard of the presidential address has declined*. <http://www.theguardian.com/world/interactive/2013/feb/12/state-of-the-union-reading-level> (last accessed on 10 June 2014).
- US Department of Agriculture & US Department of Health and Human Services 2010 *Dietary Guidelines for Americans*, 7th edn. US Government Printing Office, Washington, DC, USA.
- US Department of Defense 1995 *Standard Practice for Manuals, Technical: General Style and Format Requirements*. Department of Defense Publication No. MIL-STD-38784. Defense Acquisition University, Ft Belvoir, VA, USA. <https://acc.dau.mil/adl/en-US/159776/file/29704/MILSTD%2038784.pdf> (accessed 13 March 2015).
- US Environmental Protection Agency 1999 *The Consumer Confidence Report Rule: Annual Reporting Requirements for Drinking Water Suppliers*. <http://hdl.handle.net/2027/umn.31951d01860559a> (accessed 10 June 2014).
- US Environmental Protection Agency 2002 *CCR iWriter Website*. <http://www.ccwriter.com/default.aspx?ID=201> (accessed 10 June 2014).
- US Environmental Protection Agency 2012 *Public Drinking Water Systems: Facts and Figures*. <http://water.epa.gov/infrastructure/drinkingwater/pws/factoids.cfm> (accessed 10 June 2014).
- US Environmental Protection Agency 2013 *CCR iWriter*. <http://www.ccwriter.com/> (accessed 10 June 2014).



- US Environmental Protection Agency 2014a *Local Drinking Water Information*. <http://cfpub.epa.gov/safewater/ccr/index.cfm?action=CCResearch> (accessed 10 June 2014).
- US Environmental Protection Agency 2014b *Safe Drinking Water Information System (SDWIS)*. <http://www.epa.gov/enviro/facts/sdwis/search.html> (accessed 10 June 2014).
- Wang, L.-W., Miller, M. J., Schmitt, M. R. & Wen, F. K. 2009 *Assessing readability formula differences with written health information materials: application, results, and recommendations*. *Res. Social Admin. Pharmacy* **9** (5), 503–516.
- Wegner, M. V. & Girasek, D. C. 2003 *How readable are child safety seat installation instructions?* *Pediatrics* **111** (3), 588–591.
- Weiss, B. D. & Coyne, C. 1997 *Communicating with patients who cannot read*. *N. Engl. J. Med.* **337**, 272–274.
- World Health Organization 2001 Chapter 14: Risk communication. In: *Water Quality: Guidelines, Standards and Health* (S. Lang, L. Fewtrell & J. Bartram, eds). IWA Publishing, London, UK, pp. 317–332.

First received 13 August 2014; accepted in revised form 7 December 2014. Available online 23 January 2015