

INDEX*

- Abstract 1
 Actinoceratidae 70–72
 Age of Bad Cache Rapids Group 7, 24–25
 Age of Churchill River Group 25–26
 Age of Red Head Rapids Formation 19, 24
 Alcock, F. J. 3
Alumetoceras 25
 Angling River 18, 19
 Anthozoa 30–62
 Anticosti Island 21, 25
Antiplectoceras **96**
 shamattawaense (Parks) 18, 23, 26, **97–98**,
 104; **Pl. 31**
Apsidoceras **99**, 105
 boreale Foerste and Savage 19, **99**, 100; **Pl. 33**
 depressum Cooper 100
 elegans Troedsson 100
 magnificum (Billings) 100
 milleri sp. nov. 17, **99–100**; **Pls. 33, 34**
 Apsidoceratidae 98–106
 Arctic fauna 21
 Arctic Ordovician Faunal Province 21
 Ascoceratidae 81–83
Ascoceras boreale Parks 82
 Canadense Billings 83
 costulatum Whiteaves 81
Aulacera 30
 undulata Billings 16, 18, 19, **25**, 30, 73
 Aulaceridae 27–30
 Bad Cache Rapids 7, 9; **Pl. 2**
 Bad Cache Rapids Group 7–14, 16, 22, 23
 Age 7, 21, 23, 24–25, 26
 Contact relationships 7, 12, 23
 Formations 7–12, 12–14
 General statement 7
 Thickness 7
 Baillie, A. D. 21, 27, 50, 52, 53, 98
 Bassler, R. S. 31, 44, 45, 46, 48, 49, 50, 62
Beatricea 27
 clarki sp. nov. 18, 19, **27, 30**; **Pl. 4**
 nodulosa Billings 13, 18, 19, 24, 25, 27; **Pl. 4**
 undulata Billings 30
 Beaverfoot Formation 21
 Bell, Robert 3
Beloitoceras percurvatum Foerste 86
 Bighorn Formation 21
Bighornia 21, **39–40**
 bottei sp. nov. 14, 15, 16, 17, 18, 19, 23, **41–43**;
 Pls. 5, 9, 11, 12
 evolution 39–40
 parva Duncan 39
 patella (Wilson) 17, **40–41**; **Pl. 11**
 solearis (Ladd) 17, **41**; **Pl. 11**
 sp. Nelson 41
 Billings, E. 53
Billingsites 23, 24, 25, 81
 borealis (Parks) 15, 16, **82**; **Pl. 22**
 canadensis (Billings?) 15, 83
 costulatus (Whiteaves) 9, 10, 23, **81**; **Pl. 37**
 keatingi sp. nov. 15, **82–83**; **Pl. 22**
 landerensis Foerste 9, **81–82**; **Pl. 23**
 Birse Member 22, 23
 Bolton, T. E. 24
 Boreal fauna 21
 Buehler, E. J. 54, 62
 Bulman, O. M. B. 63
Calapoecia 19, 46, **48**
 anticostiensis Billings 9, 13, 14, 16, 17, 18, 24,
 48–49; **Pls. 8, 10**
 arctica Troedsson (?) 10, 11, 48, **49**
 canadensis Billings 48
 canadensis var. *anticostinensis* (Billings) 48
 canadensis var. *anticostiensis* forma *arctica*
 (Troedsson) 48
 canadensis var. *ungava* Cox 14, 16, 17, 18, 48,
 50; **Pl. 10**
 coxi Bassler 46, 47, 48
 huronensis Billings 48
 sp. 19, 24
 Cape Churchill 3
 Carrier, J. B. 85, 86, 89
 Cat Head Member 7, 16, 21, 23
Catenipora 21, 24, **54–55**
 aequabilis (Teichert) 9, 10, 11, 13, **57–58**; **Pl. 14**
 agglomeratiformis (Whitfield) 9, 10, 11,
 58–59; **Pl. 14**
 foerstei sp. nov. 14, 16, **59**; **Pl. 14**
 gracilis Hall 55
 gracilis var. *borealis* (Wilson) 55
 robusta (Wilson) 9, 10, 13, 14, 16, 17, 19, 24,
 56–57; **Pl. 14**
 rubra Sinclair and Bolton 9, 10, 14, 19, 24,
 55–56; **Pl. 14**
 sp. 18, **59–60**
 stearni sp. nov. 9, 10, **57**; **Pl. 14**
 terminology 54–55
 Caution Creek 7, 14, 23

* Figures in boldface type indicate detailed descriptions and/or discussions.

- Caution Creek Formation 7, 12, 14–16
 Age 25–26
 Contacts 12, 17, 25–26
 Correlation 25–26
 Distribution 14, 15
 Fauna listed 14, 15, 16
 Lithology 14, 15, 16
 Members 14, 15, 16
 Thickness 14, 15, 16
 Type section 14
- Cephalopoda 68–106
 Cephalopod fauna 25
- Charactoceras* 24, **100**
hercules (Billings) 15, 102
laddi Foerste 9, 10, **101**; Pl. **28**
manitobense sp. nov. **100–101**; Pls. **19, 30**
rotundum Troedsson 101
schucherti Foerste 101
warrenae sp. nov. 15, **101–102**; Pls. **29, 37**
- Charactocerina* 24, 25, 102
goodwini sp. nov. 15, **103**; Pls. **30, 32**
kirki Foerste 9, **102–103**
leithi sp. nov. 18, **103–104**; Pls. **35, 36**
- Chasm Creek 6, 14, 16; Pl. 2
 Chasm Creek Formation 6, 7, 16–19, 23, 24
 Age 25–26
 Contacts 17, 19
 Correlation 25–26
 Distribution 16, 17, 18, 19
 Fauna listed 17, 18, 19
 Lithology 17, 18, 19
 Members 17, 18
 Thickness 17, 19
 Type section 17
- Churchill River 3, 6, 7, 12, 14, 19, 21; Pl. 2
 Churchill River Group 7, 14–19, 21, 22, 23
 Age 25–26
 Contact relationships 7
 Formations 14–16, 16–19
 General statement 14
 Thickness 14
- Clinoceratidae 78–80
 Coelenterata 27–62
 Collinson, C. 21, 22, 34, 51, 59, 64, 66, 68, 71, 75, 78, 80, 86, 87, 89, 90, 100, 102, 104, 105
- Columnaria alveolata* Goldfuss 44
alveolata n. var. *stellaris* Wilson 44
halysitoides Raduguin 32
halysitoides Troedsson 31, 32
- Conodonts 6
 Correlation 21–26
 Bad Cache Rapids Group 23
 Churchill River Group 23
 Red Head Rapids Formation 24
- Cox, Ian 33, 34, 37, 38, 48, 49, 50, 73
- Cyathophyllum ellisense* Twenhofel 25
- Cyclendoceras* 68
belli sp. nov. 15, 16, **69**; Pls. **17, 18**
kindlei Foerste 10, **68–69**
popoagiense Miller 69
- Cyrtoceras laticurvatum* Whiteaves 21, 88
- Cyrtogomphoceras* **92**
alcocki sp. nov. 9, 10, **96**; Pl. **28**
baffinense Foerste 9, **94–95**
curvatum Troedsson 96
dowlingi (Foerste) 89
foerstei Miller and Furnish 10, **95–96**; Pl. **27**
intermedium (Whiteaves) 95
mutatum Foerste and Savage 9, 10, **93**; Pl. **35**
rotundum Miller 10, **93–94**, Pl. **23**
thompsoni Miller and Furnish 9, 10, **95**; Pl. **26**
turgidum Troedsson 9, 10, **92–93**; Pl. **29**
vicinum Foerste 92
whiteavesi (Miller) 93
- Cyrtogomphoceratidae 92–96
- Deiracorallium* nov. 21, **37**
giganteum sp. nov. 14, 16, 17, 23, **38–39**; Pl. **13**
manitobense sp. nov. 17, **37–38**; Pl. **13**
manitobense var. *churchillense* nov. **38**; Pl. **13**
- Dendrograptidae 63
- Desmograptus* 63
canadensis (Whiteaves) 16, **63**; Pl. **17**
- Diceromyonia* sp. 9, 10, 11, 12
storeya (Okulitch) 17, 23
- Dictyograptus cancellatus* Hopkinson 63
Dictyonema canadense (Whiteaves) 63
- Dieloceras* 25, 27
- Digenoceras* 21, 24, 25, **83, 85**
latum (Foerste) 9, 10, 23, **83–84**; Pl. **23**
mclearni sp. nov. 15, **84**, Pl. **21**
okulitchi sp. nov. 18, 19, **84–85**; Pls. **25, 30**
- Diphyphyllum?* *halysitoides* Wilson 31
- D. stokesi* (Edwards and Haime) 31
- Discoceras shamattawaense* Parks 97
- Distribution of species 28–29
- Dog Head Member 7, 21, 23
- Dowling, D. B. 21, 22
- Duncan, H. 22, 37, 39
- Eden, 7, 22, 23
- Edenian Stage 23, 24
- Ellis Bay Formation 25
- Endoceras annulatum* var. Whiteaves 68
crassisiphonatum Whiteaves 70
- Endoceratidae 68–70
- English Head Formation 25, 26
- Ephippiorthoceras* 25, 78
dowlingi Foerste and Savage 15, **78**
modestum Troedsson 78
whitewoodense Miller and Furnish 78

- Etheridge, R. 47, 62
 Ethington, R. 3, 6
Exomegoceras **85**
 wyomingense Miller and Carrier, 9, **85-86**;
 Pl. 31
 Explanation of plates 111-145
Favistella **44**
 alveolata (Goldfuss) 9, 11, 17, 44
 alveolata var. *stellaris* (Wilson) **44-45**; **Pl. 5**
Favosites 25, **53-54**
 alveolaris Lonsdale 51
 capax Billings 52
 forbesi Milne-Edwards and Haime 25, 54
 hisingeri Milne-Edwards and Haime 54
 intermedius Okulitch 53
 prolificus Billings 52
 wilsonae sp. nov. 14, 15, 25, **54**; **Pl. 7**
 Favositidae 51-54
 Flower, R. H. 22, 23, **77**, 80, 83, 86, 87, 90, 100
 Foerste, A. F. 21, 22, 25, 26, 69, 73, 75, 78, 82,
 83, 84, 89, 90, 93, 94, 95, 97, 98, 101, 103
 Fremont Formation 21
Fremontoceras 25, **98**, 101, 105
 gigantea Flower 98
 jewetti Flower 98
 loperi Foerste 17, 98
 F. sp., cf. *F. loperi* Foerste **98-99**
 Frobisher Bay outlier 21
 Fuller, J. G. C. M. 21
 Furnish, W. M. 3, 6, 89, 96
Fusispira 67
 gigantea Wilson 9, 10, 11, **67-68**; **Pls. 16, 17**
 Gamachian Stage 22, 24, 25
 Gastropoda 63-68
 Geological Survey of Canada 3
 Gods River 26
 Gonioceratidae 73-76
Goniotrochoceras 96
 twenhofeli Foerste 97
Gorbyoceras **77**
 geronicum (Foerste and Savage)¹/₂78
 giganteum sp. nov. 18, **77-78**; **Pls. 18, 25**
 Graptolithina 63
Grevingkia 33
 robusta (Whiteaves) 9, 10, 11, 12, 24, **33-34**;
 Pl. 8
 Gunn Member 23
 Gunton Member 17, 22, 23
 Haime, J. 31, 52
 Halliidae 43-44
Halysites 54, 62
 aequabilis Teichert 57
 agglomeratiformis Whitfield 58
 arcticus Wilson 57
 catenularia feildeni (Etheridge) 61
 catenulatus var. *Feildeni* Etheridge 61
 cylindricus Wilson 61
 gracilis var. *borealis* 55, 56
 feildeni (Etheridge) 61
 gracilis (Hall) 55
 irregularis Teichert 60
 labyrinthica (Goldfuss) 58
 rasmusseni Teichert 58
 robustus Wilson 56
 Halysitidae 54-62
 Hebetoceratidae 80-81
 Heliolitidae 50-51
 Hidden Creek 12, 14
 Hill, Dorothy 40
Holopea 64
 gigantea sp. nov. 9, 10, **64-65**; **Pl. 16**
 rotunda Ulrich and Scofield 65
Holophragma anticconvexa Okulitch 40
H. scheii Cox 40
Hormotoma 21, 65
 rotundivolvus Roy 65
 winnipegensis Whiteaves 9, 10, 23, **65-66**;
 Pl. 19
 Hume, G. S. 51, 62
Huronia 25, **72-73**
 arctica Troedsson 73
 occidentalis Foerste 73
 septata Parks 18, 19, 26, **73**, 104
 Huroniidae 72-73
Hypsipytycha anticostiensis (Billings) 15, 16, 17, 23
 janea Billings(?) 13
Inocaulis Canadensis Whiteaves 63
 Introduction 3-6
 General statement 3
 Previous work 3
 Kay, G. M. 22
Kinaschukoceras nov. **105**
 churchillense sp. nov. 18, **105-106**; **Fig. 5**;
 Pl. 37
 Kinnikinic Quartzite 39
 Kirk, E. 34
 Knife Delta 6, 7
 Knight, J. B. 64
Kochoceras 21, 24, 25, **70-71**
 bailliei sp. nov. 17, 18, **71**; **Pl. 21**
 cuneiforme Troedsson 71
 giganteum sp. nov. 18, **71-72**; **Pl. 19**
 grande Foerste 72
 sp. I 11, 72
 sp. II 19, 24, **72**
 spp. Miller and Youngquist 72
 troedssoni Roy 71
 Lake Winnipeg region 21-23
 Lambe, L. M. 31, 34, 50, 62
Lambeoceras 24, 25, **73**

- baffinense* Miller, Youngquist, and Collinson 9, 10, **75**
- kronlundi* Miller and Youngquist 11, **73–74**; **Pl. 32**
- landerense* Foerste 9, 10, **74–75**
- montrealense* Flower 76
- nudum* Troedsson 15, 16, **74**
- richmondensis* Foerste 76
- walkeri* sp. nov. 13, **75–76**; **Pl. 20**
- Lavaloceras* 25
- Leith, E. I. 21, 50, 60, 62, 65
- Lepidocyclus capax* (Conrad) 15, 16, 23, 25
- L. gigas* Wang(?) 15
- L. perlamellosus* (Whitefield) 15, 16, 17, 18, 25
- Limestone Rapids, Churchill River 14, 18
- Lindstromia solaris* Ladd 41
- L. whiteavesi* Foerste 40
- Liospira* 65
- parva* Wilson 15, 16, 23, **65**; **Pl. 16**
- Lithostrotion Stokesi* Milne-Edwards and Haimé 31
- Lococorallium* nov. 21, 23, 24, **34–35**
- evolution 23, 24, 34, 35
- goniophylloides* (Teichert) 13, 24, 33, 34, 35
- haysi* (Meek) 35
- haysi goniophylloides* (Teichert) 14, 15, 16, 17, 18, 19, 24, **35**; **Pl. 9**
- trilobatum* var. *major* nov. 34, **35–37**; **Pls. 5, 8, 10**
- Long Spruce Rapids, Nelson River 9
- Lower Limestone Rapids, Nelson River 7, 13
- Lyopora* **47**
- americana* Bassler 47
- churchillensis* sp. nov. 17, 18, 19, **47–48**; **Pl. 6**
- favosa* (McCoy) 47
- manitobensis* sp. nov. 14, 16, 17, 18, 19, **47**; **Pl. 5**
- nicholsoni* Raduguin 47
- ottawaensis* Bassler 47, 48
- Maclurea Manitobensis* Whiteaves 66
- Maclurina manitobensis* (Whiteaves) 66
- Macluritidae 66–67
- Maclurites* 21, 66
- altus* Wilson 9, 10, **67**; **Pl. 16**
- manitobensis* (Whiteaves) 9, 10, 11, 13, **66–67**
- triangularis* Teichert 67
- ungava* Wilson 9, 23, **67**
- Manipora* 24, 55, 60
- amicarum* Sinclair 9, 10, 14, 16, 17, 24, **60**; **Pl. 15**
- feildeni* Etheridge 9, 10, **61–62**; **Pl. 14**
- irregularis* (Teichert) 9, 10, 17, **60–61**; **Pl. 14**
- Maysville 7, 22, 23
- Maysvillian Stage 23, 24
- McInnes, W. 3
- Megamyonia ceres* (Billings) 15, 16
- M. breviscula* (Foerste) 17
- M. nitens* (Billings)(?) 13, 14, 15, 16, 17, 18, 19, 23
- M. raymondii* (Bradley)(?) 13, 14
- M. unicastata* (Meek and Worthen) 16
- Middle Ordovician 22, 23, 24, 25, 26
- Miller, A. K. 3, 11, 21, 22, 34, 51, 58, 59, 64, 66, 68, 71, 72, 75, 78, 80, 85, 86, 87, 89, 90, 94, 96, 98, 100, 102, 104, 105
- Milne-Edwards, H. M. 31, 52
- Mollusca 63–106
- Nartheoceras* 24, 25, **70**
- crassisiphonatum* (Whiteaves) 9, 10, 13, 16, 70
- inflatum* Troedsson 70
- simpsoni* (Billings) 70
- Nelson, S. J. 3, 21, 25, 54
- Nelson River, 3, 7, 9, 13, 14, 18; **Pl. 3**
- Nelson River Formation 3, 6
- Replacement by name Portage Chute Formation 5
- Neumatoceras* 86, 87
- churchillense* sp. nov. 9, **86**; **Pl. 36**
- contractum* (Foerste and Savage) 91
- gibberosum* Foerste 86
- sp. Foerste 86
- Nicholson, H. A. 47
- North Knife River 3, 6, 7, 10
- Nyctopora* **45**
- foerstei* Bassler(?) 11, **45**
- mackensiei* sp. nov. 11, 13, **45–46**; **Pl. 6**
- Okulitch, V. J. 21, 22, 27, 38, 49, 52, 53, 98
- Oncoceratidae 83–86
- Ordovician correlations 21–26
- Ordovician of Northern Hudson Bay Lowland 3, 6, 7, 21
- Distribution 3, 7
- Lithology 7
- Stratigraphic divisions 7, 21
- Thickness 7
- Ordovician of Southern Manitoba 3, 7, 21–23
- General statement 21–23
- Ordovician-Precambrian contact 7, 9, 10, 19
- Ordovician-Silurian boundary 7
- Orthoceras formosum* Billings 78
- O. lepidodendroides* Parks 69
- O. Winnipegense* Whiteaves 79
- Oxygonioceras*(?) *latum* Foerste 83
- Palaeofavosites* 21, **51**
- alveolaris* (Lonsdale)(?) 15, 16, 17, 18, 19, **51–52**; **Pl. 7**
- asper* (D'Orbigny) 52
- capax* Billings 14, 16, 17, 19, **52–53**; **Pl. 7**
- okulitchi* Stearn 17, 18, 23, **53**; **Pl. 7**
- prolificus* (Billings) 17, 18, **52**; **Pl. 7**

- Palaeophyllum* 24, **30–31**
halysitoides (Wilson) 9, 10, 11, **31–32**; **Pl. 5**
radugini n. nov. 14, 17, 18, **32**; **Pl. 6**
rugosum Billings 30, 31
stokesi (Milne-Edward and Haime) 9, 10, 17, **24**, **31**; **Pl. 6**
- Paractinoceras* 24, 25, 76
canadense (Whiteaves) 9, 23, 76–77
churchillense sp. nov. 18, **77**; **Pls. 20, 29**
- Parks, W. A. 3, 26, 27, 30, 98
- Parksoceras* **69**
lepidodendroides (Parks) 16; **69–70**; **Pl. 31**
- Penitentiary Member 23
- Phaulactis* 25, 43
stummi sp. nov. 18, 25, **43–44**; **Pl. 13**
- Plaestomys occidentalis* (Okulitch) 14, 15, 16, 17, 23
- Plasmopora* 50
lambei Schuchert 9, 10, 11, 13, **50–51**
pattersoni Roy 9, 10, **51**
- Plectoceratidae 96–98
- Pleurotomariidae 65–66
- Port Churchill 3, 6, 19, 24
- Port Nelson Formation 7
- Portage Chute, Churchill River 7
- Portage Chute Formation 5, 7–12, 13, 24
 Age 7
 Contacts 9, 10
 Correlation 23
 Distribution 7, 9, 10, 11
 Fauna listed 9, 10, 11
 Lithology 9
 Members 9
 Thickness 9, 10, 12
 Type section 9
- Porter, J. W. 21
- Precambrian-Ordovician contact 7, 9, 10, 19
- Previous work 3
- Probillingsites* **80**
belli Miller, Youngquist, and Collinson 80
harkeri sp. nov. 15, **80–81**; **Pl. 20**
lebanonensis Flower 81
- Protrochiscolithus* 50
hiaeri Troedsson 14, 16, 18, 19, **50**; **Pl. 7**
- Quepora* 55
- Radugin, K. V. 32, 47
- Rafinesquina lata* Whiteaves 13, 14
- R. lata* Whiteaves var. 13
- R. pronis* Roy 13
- Raymond, P. E. 27
- Receptaculites* 21, 27
 sp. 9, 10, 11, 12
- Red Head Rapids 14, 16, 18, 19
- Red Head Rapids Formation 7, 19
 Age 19, 24
 Contacts 19, 24
 Correlation 19, 24
 Distribution 19
 Fauna 19, 24
 Lithology 19, 24
 Members 19
 Thickness 19
- Red River Arctic Faunal Province 54
- Red River fauna 18, 22, 24, 25, 66
- Red River Formation 7, 21, 22, 23, 24, 25
- References cited 107–110
- Rhynchotrema kananaskia* Wilson(?) 13, 14
- Richmond, 7, 25
- Richmondian 21, 22, 24, 25
- Roy, S. K. 22, 34, 51, 59, 64, 65, 66
- Ruedemann, R. 63
- Sactoceras Canadense* Whiteaves 76
- Sactoceratidae 76–77
- Saffordophyllum* **46**
deckeri Bassler 46
franklini 46
hiaeri Bassler 46
portagechulense sp. nov. 9, 10, **46–47**; **Pl. 6**
tabulatum 46
undulatum Bassler 46
- Savage, T. E. 3, 6, 7, 13, 18, 22, 26, 69, 78, 82, 98
- Schuchert, C. 51
- Selkirk Member 21
 Replacement by name Dog Head Member 21
- Shamattawa 26
- Shamattawa Formation 6, 18, 26
 Age 6
 Correlation 6, 26
 Distribution 26
 Fauna 26
 Thickness 6, 26
 Type section 6, 26
- Silurian 3, 7, 19, 22, 24, 25
- Silurian-Precambrian contact 19
- Sinclair, G. W. 21, 22, 24, 25, 26, 55, 58, 65
- South Knife River 3, 6, 7, 10, 14, 15; **Pl. 3**
- Stauriidae 44–45
- Stearn, C. W. 21, 22, 51, 52, 53, 54, 98
- Stereoplasmoceratidae 77–78
- Stonewall Formation 7, 19, 21, 22, 24
- Stony Mountain Arctic Faunal Province 25, 54
- Stony Mountain Formation 3, 7, 21, 22, 23
- Stony Mountain Shale Member 23
- Stratigraphic divisions
 Bad Cache Rapids Group 7–14, 23, 24–25
 Caution Creek Formation 14–16
 Chasm Creek Formation 16–19
 Churchill River Group 14–19, 23, 25–26

- Port Nelson Formation 7
 Portage Chute Formation 7–12
 Red Head Rapids Formation 19, 24
 Surprise Creek Formation 12–14
 Stratigraphy 7–19
 General statement 7
Streptelasma
angulatum (Billings) 37, 38
articum Wilson 33
foerstei Troedsson 35
goniophylloides Teichert 35
haysii (Meek) 35
holtedahli Hill 40
patellum Wilson 40
prolongatum Wilson 38
robustum Whiteaves 33
robustum var. *amplum* Troedsson 35
rusticum var. *trilobatum* Whiteaves 35
 Streptelasmataceae 30–43
 Stromatoporoidea 27–30
Strophomena
arcuata Shaler 18
elongata James(?) 15
fluctuosa 16
fluctuosa Billings(?) 13, 15
hecuba Billings 16
hecuba Billings(?) 13
lenta Troedsson 14
planocorrugata Twenhofel 13, 15, 16, 23
 sp., cf. *S. amoena* Wang 13
 sp., cf. *S. concordensis* Foerste 13
 sp. nov. 15
 spp. 9
 spp. nov. 13
 Subulitidae 67–68
 Surprise Creek 7, 12, 14; Pl. 1
 Surprise Creek Formation 6, 7, 12–14, 16, 24
 Age 24
 Contacts 12, 13
 Correlation 7, 23
 Deposition 12
 Distribution 12, 13
 Fauna listed 13, 14
 Lithology 12, 13
 Members, 12, 13
 Thickness 12, 13
 Type section 12
 Sweet, W. C. 22
 Syringophyllidae 45–50
 Systematic paleontology 27–106
 Introductory remarks 27
 Teichert, C. 22, 51, 58, 59, 61, 66, 75, 87, 90
 Terrebonne Formation 25
Thaerodonta sp. 9, 10, 13, 17
 spp. 14
 Trentonian 24
Trochoceras insigne whiteaves 97
Trochonema 63
coxi Wilson 9, 10, 11, 13, 15, 16, 17, 18, 19,
63–64; Pl. 16
umbilicatum (Hall) 63
 Trochonematidae 63–65
 Troedsson, G. T. 32, 34, 37, 49, 50, 51, 59, 62,
 64, 66, 68, 70, 73, 74, 93
 Twenhofel, W. H. 22, 25, 37, 38, 53, 86, 97
 Type sections
 Chasm Creek Formation 16
 Caution Creek Formation 14
 Portage Chute Formation 7, 9
 Red Head Rapids Formation 19
 Surprise Creek Formation 12
 Tyrrell, J. B. 3, 26
 Upper Limestone Rapids, Nelson River 9
 Upper Ordovician 22, 24, 25, 26
 Van Tuyl, F. M. 3, 6, 7, 13, 18, 22, 26, 69, 78, 82, 98
 Vaureal Formation 25
Westonoceras 85, **86–87**
contractum Foerste and Savage 91
nelsonense Foerste 9, 10, 87
 Westonoceratidae 86–92
 Whiteaves, J. F. 22, 31, 33, 63, 65
Whiteavesites 21, **78–79**
procleri sp. nov. 13, **79–80; Pls. 22, 30**
winnipegensis (Whiteaves) 9, 10, 23, **79;**
Pl. 22
 Whitfield, R. P. 59
 Williams, M. Y. 3, 6
 Wilson, A. E. 32, 40, 44, 56, 58, 62, 64, 65, 66,
 67, 68
Wilsonoceras **104**
bihornense Miller ascr. Foerste 104
squawcreekense Miller 9, **104–105; Pl. 32**
 Winnipeg Formation 21, 22
Winnipegoceras 21, 24, 25, 85, **87–88**
callahani sp. nov. 18, **91–92; Pl. 24**
contractum (Foerste and Savage) 15, **91**
dowlingi Foerste 10, 23, **89–90; Pls. 26, 31**
laticurvatum (Whiteaves) 9, 10, 23, **88–89;**
Pls. 23, 27
nelsonense sp. nov. 10, **90–91; Pls. 24, 28, 32**
royi Miller, Youngquist, and Collinson 89
 Youngquist, W. 3, 11, 21, 22, 34, 51, 58, 59, 64,
 66, 68, 71, 72, 75, 78, 80, 86, 87, 89, 90,
 98, 100, 102, 104, 105
Zaphrentis Haysii Meek 35
Z. vaurealensis Twenhofel 35
Zygospira resupinata Wang 15