

## INDEX\*

- Acanthostega, **60**  
 Acree Mill Creek, **81**  
 Aedeonidae, **70**  
 Agitation of water, tolerance of cheilostomes for, **28–31**  
 Alabama River, **7, 12, 81**  
 Algae  
   association with cheilostomes, **28, 30, 35, 38, 42**  
   calcareous, **41, 42**  
 American Commission on Stratigraphic Nomenclature, **9**  
 American Museum of Natural History, **43**  
 Among-group selection, **37**  
*Amusium*, **8, 12**  
   *ocalanum*, **11**  
 Anasca, **45**  
 Antarctic, **49**  
*Antropora*, **42**  
 Ascophora, **62**  
 Associations, **22–27**  
   of cheilostome bryozoans, **1, 27, 32–35**  
*Asterocyclina-Spirotaea vernoni* zone, **10**  
 Atlantic Ocean, **60**  
*Aturia*, **12**  
   *alabamensis*, **11**  
 Avicularia, ecological significance, **30**  
 Avon Park Formation, **8, 50, 51, 59, 86**
- Bainbridge, **87**  
*Balanophyllia*, **10**  
 Bank fauna, **1, 35, 38–41**  
 Bank phase, **35, 38**  
 Barrier to dispersal, **1, 3, 35, 39**  
*Basilosaurus*, **12**  
   *cetoides*, **11, 35**  
 Bathymetric significance of cheilostomes, **31–34**  
*Batillaria*, **12**  
*Beisselina*, **67**  
 Bell, **83**  
 Bicelliariellidae, **59**  
 Biocoenoses, **22**  
 Biofacies **1, 1, 10, 11, 14, 15, 33, 34**  
 Biofacies **2, 1, 11, 12, 14, 15, 33, 34**  
 Biofacies **3, 1, 12, 14, 33**  
 Biofacies **4, 1, 12, 15, 18, 33**  
 Biostratigraphic nomenclature, **9**  
 Biotopes, **1, 33–36, 38**  
 Bipolar distribution, **31**  
 Brachiopods, **11**  
*Bugula*, **28**  
 Bumpnose Limestone, **8, 46, 48, 49, 59, 66, 69, 70, 81, 85, 87**  
 Bunker Hill, **65**  
 Butler, **87**  
 Byram Marl, **65**
- Calcareous sediments, **1, 3, 35, 40**  
 Calloporidae, **46**  
*Calpensia*, **49, 52**  
   *reversa*, Recent, Ceylon, **52**
- Calpensiidae, **49, 52**  
*Calyptrophorus*, **10**  
*Camerina-Operculina* zone, **9**  
 Cape Canaveral, **33**  
 Caribbean Sea, **49**  
*Cassidulus*, **12**  
 Castle Hayne Marl, North Carolina, **61**  
 Caverns State Park well, **85**  
 Cedar Keys, **86**  
*Cellaria tenella*, **59**  
 Cellariidae, **47**  
 Cellularina, **1, 59**  
 Central Gulf Coast region, **4, 40**  
 Cephalopods, **11, 12**  
 Cetaceans, **11, 12, 35**  
 Chassahowitzka Springs, **83**  
 Chattahoochee River, **84, 87**  
*Cheiloporina*, **70**  
   *bellensis*, **70, 108**  
   *grandis*, **70, 71**  
   *saillans*, **70**  
   *transversa*, **70**  
 Cheiloporinidae, **70**  
 Chipola River, **58, 85**  
 Choctawhatchee River, **83**  
 Cladogenesis, **40**  
 Claiborne Bluff, **81**  
*Claviliites*, **10**  
 Coastwise outcrop belt, **4, 35**  
 Cocoa Sand, **7, 8, 46, 49, 56, 59, 64, 81**  
 Coefficient of taxonomic resemblance, **14**  
 Coelostega, **46**  
 Coilostega, **46**  
*Colletostea*, **42**  
 Communities, **3, 22, 32, 38**  
   climax, **38**  
   seral, **38**  
*Conopeum*, **28, 31**  
 Consistency of substratum, tolerance of cheilostomes for, **28, 30, 31, 34**  
 Constancy, **23, 27**  
 Constituent particles, **3**  
 Continental shelf, **1, 40**  
 Continuous distribution, **17, 18**  
 Convergence, adaptive, **40**  
 Cook Mountain Marl, **45**  
 Cool-water cheilostomes, **28, 31, 49**  
 Coral-algal reefs, **28, 41, 42**  
 Corals, **10, 41, 42**  
   ahermatypic scleractinian, **10**  
   octocoral, **10**  
*Corbula*, **10**  
 Corrigan Reef, **86**  
*Cribrilina*, **28**  
 Cribriliidae, **60**  
 Cribrimorpha, **60**  
 "Cribrimorphs," **60**  
 Crustaceans, **8, 12, 35**  
 Crystal River Limestone, **8, 45–49, 52–54, 56–73, 81–87**  
 Crystal River Rock Company quarry, **3, 81**

\* Figures in boldface type indicate detailed discussion.

- Cummer Lime and Manufacturing Company quarries, 86
- Dendrophyllia*, 10
- Depauperate associations, 27
- Dibunostoma*, 3, 28, 49, 52  
*purii*, 53, 106  
*reversum*, 54
- Didymosella*, 3, 66  
*crassa*, 66  
*irregularis*, 66, 107
- Diplopholeos*, 48  
*jusiforme*, 48  
*sagittarium*, 48
- Disconformity, 7
- Disjunct distribution, 17, 18
- Dispersal centers, 3, 33, 40
- Dispersal of species, 1, 39, 40
- Divaricella*, 12
- Dolomitized sediments, 8, 14, 36, 41
- Dominance, 23
- Echinoids, 1, 8, 10, 12, 35, 41, 42
- Ecological influence, 37, 39
- Ecological requirements and tolerances of living cheilostomes, 1, 27-33
- Endemic species, 1, 14, 39
- English Channel, 49
- Eovosum*, 12
- Epistomiidae, 59
- Eschara*  
*bivariculata*, Miocene, Austria, 63  
*fragilis*, Eocene, France, 59
- Eupatagus*, 10, 12
- Europe  
southeastern, 28  
western, 1, 3
- Euryhaline cheilostomes, 28
- Eurythermal cheilostomes, 28, 31
- Exclusive species, 27
- Exochellidae, 66
- Fanning Springs, 85
- Farcimia tenella*, 59
- Farciminariidae, 59
- Faunal changes, 36-40  
related to environmental shifts, 38, 40  
related to evolution, 38, 40  
related to migration, 38-40
- Fayette Group, 5
- Fibularia*, 12
- Fidelity, 23, 27
- Fimbria*, 12
- Flabellum*, 10
- Flint River, 87
- Florida Bay, 40, 41
- Florida Geological Survey, 3, 43
- Florida Keys, 40, 41
- Florida Public Utilities Company well, 85
- Florida State Hospital well, 85
- Floridian plateau, 3, 35
- Floridina*, 28, 47, 48  
*antiqua*, 47, 48, 106  
*bifoliata*, 47, 48, 106  
distribution, 17  
*robusta*, 47
- Floridina antiqua* zone, 10, 12, 14, 45-49, 54, 56, 58-63, 65-67, 73, 81, 83-87
- Floridina-Smittipora* association, 27, 35
- Flustra foliacea*, Gulf of Naples, 42
- Foraminifers, 8, 9, 11, 12, 14, 42  
agglutinated, 10  
buliminid, 1, 12, 36  
lagenid, 1, 12, 36  
larger, 1, 8, 11, 30, 35, 36, 41  
miliolid, 8  
miogypsiniid, 30  
nummulitid, 8, 11, 30, 106  
orbitoidid, 8, 11  
smaller, 1, 8, 12, 30, 36, 40
- Fowlers Island, 86
- Fresh-water cheilostomes, 28
- Fusimitra*, 10
- "Gadsden limestone," 8
- Gastropods, 10, 12
- Gosport Formation, 7, 45
- Graphularia*, 10
- Great Bahama Bank, 1, 41, 42
- Gulf of Mexico, 34, 47-49, 60
- Gulf of Naples, 1, 42
- Gulf Oil Corporation no. 1 Brooks-Scanlon, Incorporated, well, 87
- Hincksina*, 28, 45  
*bilaminaria*, 45, 106  
distribution, 39  
evolution, 46  
*ocalensis*, 46
- Hincksiniidae, 45
- "*Hippopleurifera*," 63
- Hippolyryla*, 73
- Hippomenella*, 63  
*capitumortis*, 63  
*costulata*, 65  
*crassicollis*, 63, 65  
*incondita*, 63, 64  
*radicata*, 63, 64  
*rotula*, 63, 64
- Hippopleurifera*, 28, 63  
*costulata*, 64, 65, 107  
*crassicollis*, 64, 65, 66, 107  
*incondita*, 63, 64, 65, 66, 107  
*radicata*, 64, 65, 66, 107  
*rotula*, 63, 64-66, 107  
distribution, 39
- Hippoporina*, 28
- Holoporella*, 28
- Huff well, 84
- Indian Ocean, 49, 53, 60
- Inglis Limestone, 8, 9, 46, 51-54, 56, 57, 59, 60, 64, 66, 68, 71, 81-83, 86, 87
- Jackson, Alabama, 81
- Jackson, Mississippi, 47, 56, 65
- Jacksonian Stage, 1, 4, 5, 7, 9-12, 27, 41  
Arkansas, 4, 5  
Carolinas, 40, 49, 56, 65  
Louisiana, 4, 5, 40, 65

- Mississippi, 4, 5, 7, 12, 40, 47, 56, 65  
 Texas, 4, 5  
 Jacksonian time, 1, 33–36, 38–42  
 Jacksonville, 83  
 Jacobs' quarry, 84
- Kendrick quarry, 3, 86
- Laganum*, 10, 12  
 Lagoonal phase  
   Great Bahama Bank, 42  
   Ocala Bank, 35, 41  
 Lake Arbuckle, 87  
 Larval selection, 32  
*Lepidocyclina*, 11, 61  
*Lepidocyclina chaperi* zone, 10  
*Lepidocyclina-Pseudophragmina* zone, 10  
*Lepralia mucronelliformis*, 63  
 Light tolerance of cheilostomes, 28  
 Lisbon Formation, 45  
 Little Stave Creek, 3, 7, 81  
 Local distribution, 18  
*Lunularia distans*, 49  
*Lunulites*, 49  
   *bouei*, 49  
     distribution, 39, 40  
   *distans*, 49, 106  
     distribution, 17, 38, 39  
*Lunulites-Schizoporella* association, 27, 35  
*Lunulites-Steginoporella* association, 27, 34  
 Lunulitidae, 49
- Manatee Spring, 85  
 Marginal ridge  
   Great Bahama Bank, 42  
   Ocala Bank, 35  
 Marianna, 58  
 Marianna Lime Products Company quarry,  
 3, 85  
 Marianna Limestone, 65  
 Maritime climate, 33  
 Mayo well, 85  
 Measurements, notation of, 43  
 Mediterranean Sea, 43, 49, 60  
*Membranipora*, 28, 31  
 Membraniporacea, 45  
 Membraniporidae, 45  
*Membraniporida spissimuralis*, distribution, 39  
 Membraniporids, 28  
 Mesohaline cheilostomes, 28  
 Metahaline cheilostomes, 28  
*Metracolpota*, 60  
   *brevis*, Jacksonian, North Carolina, 61  
   *complanata*, Eocene, Belgium, 61  
   *cylindrica*, Jacksonian, North Carolina, 61  
   *grandis*, Jacksonian, North Carolina, 61  
   *incrustans*, 60, 107  
     distribution, 39  
   *robusta*, Jacksonian, North Carolina, 61  
*Metrarabdotos moniliferum*, 70  
 Micropora, 28, 48  
   *coriacea*, 31, 48  
   *erecta*, Eocene, France, 50  
   *magnipora*, Eocene, France, 50  
 Microporacea, 1, 46  
 Microporidae, 48  
*Microporina*, 49, 52  
 Migration, 1, 3, 37–39  
 Miocene  
   Australia, 49  
   Dominican Republic, 54  
   Europe, 28, 49, 73  
   Jamaica, 54  
 Miocene oysters, 40  
 Mississippi Embayment, 4  
*Mollia antiqua*, 47  
 Mollusks, 1, 8, 10–12, 35, 40, 42  
 Moodys Marl, 5, 7, 8–10, 47, 49, 54, 56, 64, 81,  
 85
- Necrocoenoses, 22  
 Neil well, 87  
*Nellia*, 59  
   *bifaciata*, 59, 60  
   *oculata*, 59  
   *oscitans*, 59, 60, 106  
     distribution, 39  
     evolution, 40  
   *tenella*, 59, 60, 106  
     bathymetric range, 31  
     distribution, 17, 38, 39  
     evolution, 40  
*Nellia-Stamenocella* association, 27, 35, 38  
*Nellia-Tubucellaria* association, 27, 35, 38  
 New Lebanon dolomite quarry, 86  
 Newberry quarry, 3, 81  
*Norodonia*, 28  
 North Creek Clay, 7, 8, 49, 56, 81  
*Nuculana*, 10  
*Nummulites vanderstoki-Hemicythere* zone, 10
- Ocala Bank, 1, 35, 38–42  
 Ocala Group, 5, 8–10, 47, 50, 53, 89  
 Ocala Road Base Materials Company pit, 81  
 Oligocene, 9, 10, 49, 65, 70  
 Oligohaline cheilostomes, 28  
*Oligopygus*, 12  
 Onychocella, 47, 48  
 Onychocellidae, 47, 48  
*Operculinoides*, 11  
*Operculinoides jacksonensis* zone, 9  
*Operculinoides moodybranchensis* zone, 9  
 Ostracods, 9  
*Otionella*, 45  
   *perforata*, 45  
     distribution, 39, 40  
   *tuberosa*, 45  
 Oysters, 40
- Pachuta Marl, 7, 8, 10, 46, 48, 49, 59, 65–67,  
 81  
 Pacific Ocean, 49, 52, 60, 72  
 Paleocene, Georgia, 49  
 Paleoecology, 3, 27  
 Pantropical cheilostomes, 28  
 Patrick well, 84  
 Pelecypods, 8, 10–12  
*Periarctus*, 10, 12  
*Periarctus lyelli* beds, 9  
*Periarctus lyelli floridana* zone, 9

- Periarctus lyelli* zone, 9, 12, 14, 45, 46, 49, 51,  
 52, 54, 56, 57, 60, 64, 66-69, 71, 74  
*Perigastrella lata*, Miocene, France, 73  
 Phylactelloporidae, 73  
 Phylogenesis, 40  
*Plagiosmittia*, 67  
   *incrustans*, 67, 108  
   *regularis*, 67, 108  
     distribution, 39  
*Plagiosmittia-Smittipora* association, 27, 35  
 Pleistocene  
   Australia, 49  
   California, 49  
   Europe, 49  
 Pleistocene reefs, Florida Keys, 41  
*Pleurolyra*, 3, 73  
   *lata*, 73  
   *saucatus*, 73  
   *willistonensis*, 73, 108  
*Pleuromucrum*, 73  
 Pliocene  
   Australia, 49  
   Europe, 49  
 Plymouth, 87  
*Pollaploecium gilbertense*, Recent, Pacific, 72  
 Polyhaline cheilostomes, 28  
*Porella cervicornis*, Gulf of Naples, 42  
*Poricellaria*, 3, 28, 49, 52, 53  
   *alata*, 52  
   *complicata*, 52  
   *vernoni*, 52, 106  
     distribution, 18, 39  
*Poropeltarion*, 3, 49, 53  
   *lebanonense*, 49, 50, 51, 106  
     evolution, 40  
   *newelli*, 50, 51, 106  
     evolution, 40  
 Pourtales Plateau, 41  
*Pseudoliva*, 10  
  
*Rectonychocella*, 48  
   *bilamellaria*, 48  
   *elliptica*, 48  
   *tenuis*, 48  
 Red Bluff, 87  
 Red Bluff Marl, 8, 10, 46, 49, 66, 69, 70, 81  
 Red Sea, 52, 60  
 Restricted distribution, 17, 18  
*Retepora*, 28, 42  
 "The Rocks," 83  
 Rock Springs, 87  
 Rock Springs Run, 87  
 Rutile Mining Company well, 83  
  
 St. Mary's River Oil Corporation no. 1 Hilliard  
   Turpentine Company well, 86  
 St. Stephens quarry, 3, 7, 81  
 Salinity tolerance of cheilostomes, 28, 33, 41  
 Sarmatic Sea, 28  
*Schismopora*, 28, 42  
*Schizaster*, 10, 12, 42  
*Schizomavella*, 42  
*Schizoporella*, 28, 62  
   *gunteri*, 62, 108  
     distribution, 39  
     evolution, 40  
   *linea*, 62  
   *marginata*, 62  
   *viminea*, 62  
     distribution, 39  
     evolution, 40  
 Schizoporellidae, 62  
 Schizoporellids, 28  
*Schizorthisecos interstitia*, distribution, 39, 40  
*Scrupocellaria*, 28, 42  
 Scrupocellariacea, 1, 59  
 Scrupocellariidae, 59  
 Secca di Benda Palummo, 42  
 Selective species, 27  
*Setosella*  
   *cellarioides*, Eocene, France, 50  
   *fragilis*, Eocene, France, 50  
 Shelf fauna, 1, 33, 38, 40  
 Shelf phase, 33, 38, 41  
 Shubuta Clay, 7  
 "Shubuta" Clay, 7, 8, 10, 46, 49, 66, 70, 81  
 Silicified sediments, 8  
*Smittia derwiesi*, Eocene, France, 67  
*Smittina*, 28  
   *jacksonica*, distribution, 39  
 Smittinidae, 67  
*Smittipora*, 28, 47, 48  
   *cellarioides*, Eocene, France, 58  
 Smokehouse Hole, 86  
*Spiroloculina newberryensis* zone, 10  
*Spondylus dumosus* zone, 10, 46, 48, 49, 59,  
 66, 70  
 Stages, 9  
*Stamenocella*, 46  
   *inferaviculifera*, 46, 106  
     distribution, 39  
*Stamenocella-Steginoporella* association, 27, 35  
*Stamenocella-Thalamoporella* association, 27,  
 35, 38  
 "Steganoporella" *incrustans*, 58  
   *jacksonica*, 54  
   *rectangularia*, 54  
 "Steganoporellacea," 46  
*Steginoporella*, 54, 56-58  
   *cellariiformis*, 54-56, 57, 58, 107  
     distribution, 18  
   *fragilis*, Eocene, Belgium, 58  
   *hexagonalis*, 54, 55, 56, 57, 58, 107  
   *incrustans*, 55-57, 58, 107  
   *jacksonica*, 54, 56-58, 107  
     distribution, 17, 18, 39  
   *rectangularia*, 56  
 Steginoporellacea, 47  
 Steginoporellidae, 54  
 Steinhatchee "quarry," 83  
 Steinhatchee River, 83  
 Stockholm, 48  
 Stokes Ferry, 81  
 Straits of Florida, 1, 36, 41, 42  
 Strake Petroleum Company no. 1 H. H. Bullard  
   well, 81  
 Succession, 36, 40, 42  
   allogenic, 38  
   autogenic, 38  
   phyletic, 40  
   seral, 38  
 Sumter County Rock Company quarry, 87  
 Sumterville, 87

- Sun Oil Company no. 1 P. C. Crapps *et al.*  
well, 85  
Suwannee River, 85  
Suwannee Strait, 1, 36, 39, 42
- Tallahassee, 3  
well no. 6, 85  
well no. 8, 85  
Tampa Bay, 33, 35  
Taylor County Rock Company quarry, 85  
Temperature tolerance of cheilostomes, 28, 31  
*Terebratulina*, 11  
Terminology of cheilostomes, 43  
Terrigenous detritus, 1, 4, 5, 34, 42  
*Tetraplaria*, 28, 71  
*obesa*, 71, 72, 73, 108  
*petila*, 71, 72, 73, 108  
distribution, 18, 39  
*tuberculata*, 71, 72, 73, 108  
distribution, 17  
The Texas Company no. 1 E. B. Bradley *et al.*  
core-hole, 85  
no. 1 Levy Hill core-hole, 85  
no. 1 Mrs. M. R. Hamilton core-hole, 85  
no. 1 M. T. Crutchfield core-hole, 85  
no. 2 P. W. Wester core-hole, 85  
*Textularia dibollensis* zone, 10  
*Textularia hockleyensis* zone, 10  
Texture of substratum, tolerance of cheilostomes  
for, 28, 30, 31, 34  
*Thalamoporella*, 3, 28, 53, 58, 59  
*biperforata*, Miocene Dominican Republic and  
Jamaica, 54  
*ocalana*, 58, 107  
distribution, 39  
*prima*, 58  
Thalamoporellidae, 58  
Thanatocoenoses, 22  
Time-stratigraphic units, 9  
*Tremolyrula*, 73  
*Trigonopora*, 70  
*helvetica*, 70  
*monilifera*, 70  
var. *vicksburgica*, 70  
*nysti*, 70  
*vicksburgica*, 70, 108  
Tripod Point, 86  
Tropical cheilostomes, 28  
Tropical submergence, 31  
*Tubucella monilifera*, distribution, 39  
*Tubucellaria*, 28, 42, 68  
*congesta*, 68, 69, 108  
distribution, 18, 39  
evolution, 40, 68  
*fallax*, 68, 69  
distribution, 17, 39  
*micelini*, Eocene, France, 68  
*nodifera*, 68, 69, 108  
distribution, 18, 39  
evolution, 40, 68  
*parviporosa*, 68, 69  
*vicksburgica*, 68, 69, 108  
*Tubucellaria nodifera* zone, 9, 12, 14, 46, 47,  
49, 52-54, 56-61, 64, 65, 67-73, 81-87  
Tubucellariidae, 68  
*Turbinolia*, 10
- Umbonula*, 63  
Umbonulidae, 63  
Unconformity, 7, 8  
U. S. Army, Avon Park Rifle and Bombing  
Range well, 87  
Corps of Engineers, Trans-Florida Canal,  
Route 7A, Hole 7, 86  
U. S. Government, Advanced Single Engine  
School well, 85  
Bainbridge Basic Flying School well, 87
- Velumella*, 48  
*levigata*, 48  
*plicata*, 48  
*Venericardia*, 10  
*Vermimaria*, 49, 52  
Vicksburgian Stage, 10  
*Vincularia abyssicola*, Gulf of Mexico, 48
- Wall quarry, 81  
Warm-temperate cheilostomes, 28  
Water Valley, 81  
*Watersipora*, 28, 42  
Wekiva Creek, 86  
Western Gulf Coast region, 4  
Williston Limestone, 8, 9, 46, 49, 51-54, 59,  
60, 64, 66-69, 71, 73, 74, 81, 83, 85-87  
Willow Sink, 86  
Within-group selection, 38  
Withlacoochee River, 81  
*Woodipora*, 48
- Yazoo Group, 5, 7
- Zoarial habitus, 15, 40  
cellariiform, 1, 15, 30, 31, 35, 38, 40, 42, 58  
eschariform, 1, 15, 30, 31, 36, 38, 40, 42, 46,  
56, 58  
lunulitiform, 1, 15, 31, 38, 40  
membraniporiform, 1, 15, 30, 31, 38, 40, 42,  
61  
Zones, 9  
Zooecial shapes, 43  
Zuber quarry, 3, 86

