

Index

First pages cited have direct discussions, definitions, locations, complete names of fossils, or criteria for recognition and identification. Pages with photographs are italicized. Some text references to information on constituent distribution adequately encompassed in Appendix C (p. 207–229) are omitted. Acknowledgments, Plates 1 and 2, Appendix B (except for a few notable items), and published references are not indexed.

- Abraded calcarenite facies, 86, 1–2, 80, 91–92, 116, 150, 152–155, 159, *179–180*.
- Abrasion of grains, 75, 86, 88, *180*, 228
- Acadian Highlands, 165–166
- Adirondack shoal (see Organic carbonate shoal)
- Age debate, 5
- Age-equivalent formations outside New York and Pennsylvania, 67–68, 165–168
- Algae, 69, 97, 137–139, 168 (see also Stromatolites)
- Ambocoelia*, 15, 34, 138, 218
- Ammonoids (see Cephalopods; *Pharciceras*)
- Anticline, 129, 1–2, 129 foldout, 133–134, 136, 141–146, 149–150, 154–156, 158, 167
- Apulia Member, 10–13, 15–16, 34
- Atrypa*, 13, 15–16, 20, 23, 50, 57, 62, 70, 85, 87, 99–100, 102, 109, *179, 184, 187*, 215
- Aulocystis*, 16, 109, 220
- Auloporids, 70, 13–16, 37, 50, 62, 78, 85, 91, 94, 99, 106, 109–110, 114, 158, *183, 187*, 220
- Backound beds, 47, 8, 32, 49–50, 53, 112, 158, *176*
thin section, *187*
- Backound calcilitite facies, 112, 1, 53, 80, *187*
- Barite, 75, 25–26, 29, 34, 59, 74, 87–88, 90, 116, 150, *175, 180*, 225
- Barren shaly calcilitite facies, 105, 1–2, 80, 108, 162, *184*
- Basal seminodular protrusions, 28, 22, *175* (see also “Rolls”)
- Beds as stratigraphic units, 16, 8, 128
- Bellona
sections around, 189, *xii, xiii*, 8, 31, 36, 40–41, 141, *172, 175–176*
thin sections, *180, 183*
- Bellona (coral) bed, 40, 8, 15, 38, 42, 49, 51, 53, 58, 70, 87–88, 101, 103, 125, 137, 158, 160–161, *172, 176*
thin section, *180*
- Blastoids, *183, 196*
- Bone, 59, 75, 90, 160, 200, 225
- Borings, 76, 33, *180, 183*
- Borodino
sections near, 190, 8, 14, 21, 33, 40–41, 45, *176*
thin sections, *184, 187* (see also Mound complex)

- Borodino mounds (see Mound complex)
- Brachiopod fragments, 71, 76, 84, 86, 218
- Brachiopod subfacies, 97, 80, 107, 144, 184
- Brachiopods, 70, 13, 15–16, 38–39, 62, 73, 76, 78, 85, 97, 102, 109, 113–114, 214–218 (see also specific genera)
- inarticulate, 45, 85, 106, 107
- other genera, 71, 20, 102, 218
- Bryozoans, 70, 13, 15, 20, 39, 62, 73, 88, 102, 109, 113–114, 184, 219 (see also *Fistuliporids*)
- Bucktail Ravine
- section at, 190, *xii*, *xiii*, 20, 172
- thin sections, 179, 183–184
- Burket Shale, 61
- Burrowed quartz sandstone facies, 84, 1–2, 80, 99–100, 126, 144–145, 149, 179
- Burrowing, 77, 24, 28–29, 33, 35, 37, 83–85, 95–97, 100–101, 105–108, 114, 175, 179–180, 183–184, 229
- Calcarenites, 25–30, 32–33, 40, 137, 152 (see also Abraded calcarenite facies; Shell lenses)
- in top of Moravia bed at Bellona, 41, 87, 160
- Calclutite (see Skeletal calclutite facies; Mound complex; Mud, carbonate)
- Calcite spar identification, 73
- Camarotoechia*, 53, 218
- Canandaigua Lake, sections near, 189, 7 (see Gage Gully; Reed Corners)
- Carpenter Falls
- section at, 190, 40, 172
- thin section, 184
- Carpenter Falls bed, 25, 8, 30, 32, 34, 45, 84, 87, 94, 96, 99, 111, 126–127, 144, 149–154, 157, 172, 175–176
- thin sections, 180, 183–184
- Carr Quarry, 190, 31
- Cascade Mills, section near, 189, 172
- Catskill Delta, 1–4, 121, 124, 129, 164–166
- Catskill facies, 58, 121, 135, 165, 167
- Cayuga Lake, sections near, 189, 8 (see Ovid; Ledyard Town Quarry; Taughannock Falls)
- Cephalopods, 13, 15, 59, 71, 118, 179, 223
- Chalcedony, 78
- Chamosite, 74, 89, 92, 180, 224 (see also Oöids)
- Chamosite oölite facies, 89, 1–2, 80, 132, 155–156, 180
- Chenango Valley, sections in, 191, 7–8, 36, 38, 42–43, 133 (see also West Brook)
- Chenango Valley High, 132, 129 fold-out, 2, 92, 133, 136, 154–156, 158–160, 162
- Chenango Valley Shoal (=Chenango Valley High, *q.v.*)
- Chert (see Chalcedony)
- Chonetes aurora*, 13, 20–21, 27, 35, 38, 56–57, 61–62, 70, 73, 82–83, 85, 87, 91, 100, 103–105, 107, 114, 127, 130, 145–146, 155, 179, 184, 214
- Chonetes aurora* zone, 10–11, 129 foldout
- Chonetids, other, 83, 106, 218
- Cladopora*, 70, 40, 42, 50, 109, 139, 160, 187, 222
- Classification, stratigraphic, 10–17
- Clastic trap, 135, 1–2, 129 foldout, 134, 142–143, 145, 149–150, 154–156, 158–160, 162, 166–168
- Collophane, 74, 180 (see also Phosphorite)
- Color of Tully Limestone, 94, 7, 14, 28, 33, 38, 40–41, 43, 47, 49, 106
- Conodonts, 75, 87–88, 90, 118, 152
- Contact
- Hamilton-Geneseo, 7, 58–60
- Hamilton-Tully, 9, 143, 20, 22, 27–28, 34–35, 56, 87, 127, 130, 145–146, 150, 172, 175
- Lower Tully–Upper Tully, 2, 13, 34–35, 37, 57, 154 (see also Intraformational unconformity)
- Tully-Geneseo, 9, 44, 87, 128, 172, 176

- Contacts between beds, 21–25, 27, 34–35, 37–44, 50–51, 53, 125–126, 128, 156, 172, 175–176
- Contemporaneous structures, other evidence, 133
- Cooper, G. A., personal commun., 56, 114, 129
- “Coral plantation,” 40
- Corals, 70, 13–16, 40, 73, 78, 114, 165, 168, 220–222 (see also groups, below, and specific genera)
- large, 70, 15, 40, 42, 51, 68, 88–89, 113, 159, 177, 180, 221 (see also *Depasophyllum*)
- slender tabulate, 70, 1, 40, 42, 50, 102, 109–110, 112–113, 158, 187, 222 (see also auloporids; *Cladopora*; *Striatopora*)
- small horn, 70, 13–15, 24, 37, 45, 62, 76, 91, 95, 102, 106, 114, 162, 183, 220 (see also *Metricophyllum*; *Nalivkinella*)
- Correlation, 121–128, 142
- Crinoids, 39, 198
- Cuyler bed, 20, 8, 19, 22, 30, 35, 57, 82, 99, 126, 130, 144–145, 148, 172, 175
- thin sections, 179
- Cyclic phases of Lower Tully deposition, 144
- Cyrtina*, 218
- Datum for cross section, 125, 40, 43, 56, 131
- Davis, W. E., Jr., personal commun., 152
- Dennison, J. M., personal commun., 65, 64 foldout
- Denseness of Tully Limestone, 93
- Depasophyllum*, 16, 53, 113, 187, 221
- Depositional environments of individual facies and subsfacies, 83, 85, 88, 91, 94, 96, 100, 103, 106, 110, 112–117, 142
- DeRuyter
- sections near, 190–191, 8, 129, 141, 175
- quarry northwest of, 31, 34, 172
- thin sections, 179–180
- DeRuyter bed, 19, 8, 21, 30, 34–35, 84, 99, 130, 144, 147, 172
- thin sections, 179–180
- Detrital equivalent
- eastern, 55, 10–11, 33, 38, 82, 84, 135, 167
- facies, 115, 64, 167
- subsurface, 64
- Diagenesis, 78
- Diastems (see Contacts)
- Disconformities (see Contacts)
- Discontinuity surfaces
- Lower Tully, 28, 152, 25–26, 30, 32, 87, 96, 99, 101, 123, 127, 137, 150, 175, 180, 227
- Upper Tully, 37, 40–42, 87, 95, 101, 158–160, 183, 227
- Diverse skeletal subsfacies, 101, 80, 107–108, 158, 183–184
- Dolomite, 73, 27, 34, 37, 42, 49, 51, 69, 71, 74, 89, 95, 97, 99, 109, 180, 226
- Douvillina*, 15, 218
- Eastern Midcontinent Sea, 165–166
- Echinocoelia*, 62, 56–57, 61, 107
- Echinoderms, 71, 13–15, 20, 28, 35, 37, 51, 59, 62, 75–76, 78, 83, 85–86, 96, 99, 106, 109, 113–114, 155, 158, 160, 162, 179–180, 183, 187, 212 (see also Blastoids; Crinoids)
- Ellison, R. L., personal commun., 64 foldout
- Elytha fimbriata*, 15, 102, 218
- Elytha fimbriata* zone, 15, 10–11, 38–40, 42, 51, 55, 62, 88, 101–104, 114, 116, 125–126, 131–132, 158–160, 179, 184
- Emanuella*, 13, 23–24, 27, 57, 62, 71, 85, 96, 99–100, 105, 107, 127, 184, 217
- Encrinite facies, 112, 1, 53, 80, 158–160, 187
- Encrinites, 45, 49–51, 53, 111–112, 176
- Equivalent, eastern detrital (see Detrital equivalent, eastern)
- Erieville
- section near, 191, 39, 91
- thin sections, 180, 184

- Erosion surface (see Widespread erosion surface)
- Fabius
sections near, 190, 34
thin sections, 179, 180 (see also DeRuyter)
- Fabius bed, 21, 8, 30, 34–35, 57, 82, 84, 99, 130, 144–145, 148, 172
thin sections, 179, 184
- Facies names, 1
determination of, 79
- Fault, down-to-the-east, 132, 1–2, 129 foldout, 134–136, 154, 156, 160, 162, 168
- Faunal assemblages
beds, 20–25, 27, 35, 39, 40, 42–43, 45, 49–51, 53, 57, 62, 193–205
facies, 82, 85, 87, 91, 95–96, 99–100, 102, 106, 109, 112–114, 117–118, 142
members, 13–16
- Faunal differences in skeletal calcilitite facies, 103
- Feldspar, 73
- Fillmore Glen bed, 43, 8, 14, 41–42, 53, 63, 94, 105, 128, 160, 162–163, 176
thin section, 184
- Fistuliporids, 70, 16, 42–43, 50–51, 101, 103, 107, 109–110, 159, 184, 187, 219
- Foraminifers, 69, 106–107
- Gage Gully
section at, 189, 7, 26, 28, 58–59, 150, 152
thin sections, 179, 184
- Gastropods, 71, 13–15, 39, 96, 114, 183, 213
- Genesee Group, 9–11, 39, 58, 129
foldout
- Genesee Shale, 9, 8, 11, 40–45, 53, 58–59, 61, 67, 105, 117, 128, 129 foldout, 139, 162, 164, 172, 176
facies, 117, 106, 116, 179
- Genundewa Limestone, 164
- Georgetown, section near, 191, 12, 39, 44
- Gilboa Formation, 58
- Glauconite, 74, 40, 42, 59, 87–88, 101, 116–117, 159–160, 225
- Gorham, section at, 189, 40, 58
- Grain abrasion (see Abrasion of grains)
- Grain fragmentation, 75
- Grain size
carbonate, 69–71, 73–74, 86; significance, 76, 138
quartz, 12, 14, 24, 27, 34, 76, 84, 87, 90, 94, 99, 105, 116–117; significance, 80, 135
- Grain sorting, 76, 79, 87–88
- Grain support of rock, 77, 86, 88, 112–113, 187, 229
- Hamilton Group, 9, 8, 10–11, 19–20, 27, 34–35, 56, 58, 61, 64–65, 67–68, 117, 129, 129 foldout, 141, 172, 175
facies, 114, 20, 73–74, 90, 117, 141, 167, 179
fauna, 20, 103, 114, 142
uppermost unit, 130–131, 57, 59, 129 foldout, 141, 147
- Harrell Shale, 61, 65
- Hasson, K., personal commun., 64
foldout
- Hoskins, D. M., personal commun., 64
foldout
- House, M. R., personal commun., 16, 223
- Huddle, J. W., personal commun., 59
- Hypothyridina*, 13, 20, 22–23, 27–28, 35, 57–58, 62, 67–68, 70, 85, 87, 91, 99–100, 107, 145, 155, 184, 216
- Hypothyridina* zone, 10–11, 27, 56, 127, 130–131
- Insoluble residues, 69, 79, 94, 108, 208
- Intraclasts, 72, 95–96, 101, 103, 107, 158, 176, 183, 187, 227 (see also Pebbles, mud)
- Intraformational unconformity, 2, 12, 29–32, 34, 45, 79, 87, 137, 154, 167, 172, 175–176, 179 (see also Widespread erosion surface)

- June's Ravine
 section at, 190, 12, 172
 thin sections, 179, 183–184
- Kashong Creek, exposures in, 189, 31,
 41, 172, 175–176
- Klapper, G., personal commun., 16,
 59, 223
- Knobbly bedding, 14, 36, 61, 94, 107,
 176
- “Knobbly zone,” 36–38, 126, 172
- Labrador Valley, sections in, 190, 38
 (see also Tinker Falls)
- Laminae (see Shaly to silty laminae,
 layers and partings)
- Laminated muddy siltstone facies, 80,
 1–2, 84–85, 99–100, 114, 126,
 137, 144–145, 149, 179
- Lamination, 82–83, 106, 117, 175,
 179, 183–184
- Laurens, section near, 129 foldout,
 191
- Laurens Member, 10–11, 56–57,
 129 foldout, 146
- Ledyard Town Quarry, 189, 26, 37
 thin sections, 180, 183
- Leicester Pyrite (marcasite), 7, 59, 26,
 58, 129 foldout, 152, 179 (see
 also Pyrite lenses)
- Leiorhynchus*, 56–57, 130, 142, 145,
 149
 zone, 10–11
- Leptostrophia*, 13, 15, 20, 57, 70, 82,
 85, 145, 179, 184, 214
- Leucoxene, 73, 135, 208
- Lithoclasts, 73, 31, 34, 87–88, 90–
 91, 155, 180, 224 (see also
 Pebbles)
- Lopholasma* (= *Metriophyllum*, q.v.)
- Lower encrinite, 49, 53, 176
 thin section, 187
- Lower Member, 12, 2, 8, 19, 34, 36,
 45, 62, 79, 97, 104, 111, 114,
 126, 129 foldout, 130, 131–132,
 136, 143, 147, 172, 175–176
- Lower mound, 49, 8, 51, 53, 108, 112,
 158–159, 176
 thin sections, 187
- Lower Tully (=Lower Member, q.v.)
- Lower Tully equivalent, 56, 10–11,
 129 foldout, 130–131, 143
- Macurda, D. B., personal commun., 196
- Marcasite, 74, 58, 77, 105, 117, 226
 (see also Pyrite)
- Maryland Tully, 63
- Meeker Hill bed, 23, 8, 24, 82, 99,
 126, 135, 144, 148–149, 172
 thin section, 184
- Members, new, defined, 12–13, 8
- Methods
 field, 7
 laboratory, 69, 72, 79
 of correlation, 121–128
- Metriophyllum*, 14, 43, 62, 67, 70, 83,
 160, 183, 220
 zone, 10–12, 43, 55–56
- Mica, 73, 82, 84, 118, 135, 209
- Microspar, 78
- Middle beds, 50, 8, 53, 70, 101, 108,
 112–113, 159, 176
 thin sections, 187
- Moravia
 sections near, 190, 8, 14, 20, 172,
 175–176
 thin sections, 180, 184
- Moravia bed, 41, 8, 44, 51, 87, 94,
 101, 105, 126, 128, 159–161,
 163, 172, 176
 thin sections, 183, 184
- Moscow Formation, 9, 11, 58
- Mottling, 29, 33, 37, 77, 106
- Mound calcilitite facies, 108, 1, 53,
 80, 187
- Mound complex, 45, 1, 14, 63, 101,
 108, 111, 134, 139, 152, 158–
 160, 162, 168, 176, 187
- Mucrospirifer*, 13, 21, 23, 57, 82, 85,
 114, 179, 215
- Mud, carbonate, 72, 93, 137, 210
 influx, 144, 149
 origin, 138
 source, 139, 1, 2, 134, 163
- Mud, noncarbonate, 72, 94, 105, 209
- Mudcracks, 29, 31–32, 37, 53, 96,
 109, 152, 153, 168, 227
- Nalivkinella*, 14, 38, 70, 220
 zone, 38, 172, 220

- New Lisbon, section at, 56–57, 129
 foldout, 130–131, 142, 191
- New Lisbon Member, 10–11, 56–57,
 129 foldout, 130, 142, 145
- Nodules
 calcilutite, 20–21, 99 (see also
 Basal seminodular protrusions;
 “Rolls”)
 phosphorite, 22, 27, 34, 75, 87–88,
 146, 150, 180, 225 (see also
 Phosphorite; Pebbles)
- Nomenclature, stratigraphic, 10
- Oliver, W. A., Jr., personal commun.,
 16, 223
- Oöids
 chamosite, 74, 89, 92, 14, 33–34,
 37, 87, 90–91, 133, 155–156,
 180, 224
 phosphorite, 74, 22, 27, 59, 87–88,
 99, 101, 116–117, 146, 150,
 152, 180, 224 (see also Phos-
 phorite)
 replaced, 74, 27, 34, 87, 89, 92, 99,
 179–180, 224
- Oölite, 33–36, 38, 55, 156 (see also
 Chamosite oölite facies)
- Opaque minerals, 74, 226 (see also
 Pyrite; Marcasite)
- Organic carbonate shoal, 139, 1, 134,
 143, 156, 162, 166–168
- Organic matter, 72, 94, 106, 117–118,
 162
- Ostracodes, 71, 13–15, 28, 184, 196
- Otisco Valley
 sections in, 190, 19–20
 thin section, 184 (see also Bucktail
 Ravine)
- Ovid
 section near, 189
 thin sections, 180
- Owasco Valley, sections in, 190 (see
 Moravia; Scipio Town Quarry)
- Partings (see Shaly to silty laminae,
 layers and partings)
- Pebbles
 mud (incl. calcilutite clasts), 29, 32,
 37, 39–40, 42, 51, 53, 109, 113,
 132, 158–159, 176, 179, 183,
 227 (see also Intraclasts)
- phosphorite, 1, 14, 33, 36, 74, 77,
 87–91, 155–156, 180, 224–225
 (see also Phosphorite; Lithoclasts;
 Nodules)
- sandstone and siltstone, 30, 33, 35,
 155, 180, 224 (see also Litho-
 clasts)
- Pelecypods, 13, 15, 20, 39, 71, 114,
 223
- Pellets, carbonate, 72 (see also
 Glauconite)
- Pennsylvania Tully, 61, 2, 135, 139–
 140
 facies, 107, 80, 92–94
- Perrytown, section 4c near, 191, 34,
 38–39, 55–56, 91, 129 foldout,
 133, 156
- Pharciceras*, 15, 61
- Phosphorite, 74–75, 89–91, 180,
 224–225 (see also Nodules;
 Oöids; Pebbles)
- Pittsfield, section near, 56, 129 foldout,
 191
- Productella*, 13, 20, 23, 57, 85, 216
- Pustulatia* (= *Vitulina*, q.v.)
- Pyrite, 74, 27–29, 58–59, 72, 77–78,
 97, 99, 116–117, 152, 160, 179,
 183–184, 226 (see also Marcasite)
- Pyrite lenses, 58, 26, 40, 143, 152,
 154, 160, 166, 179 (see also
 Leicester Pyrite)
- facies, 116
- Quartz, 78
 sand, 73, 84, 135–136, 179–180,
 208 (see also Grain size, quartz)
- Randall’s Quarry, 190, 33
- Recrystallization, 78, 180
- Reed Corners
 sections near, 189, 8, 30, 58
 thin sections, 179–180
- Replacement, 78, 180
- Rhipidomella*, 15, 218
- Rickard, L. V., personal commun., 63,
 118, 223
- “Rolls,” 28, 143, 175
- Sampling, 7–8
- Sand, unidentified skeletal, 72, 76, 84,
 86, 91, 96, 179–180, 210

- significance, 88, 137
- Sandstone (see Burrowed quartz sandstone facies)
- Schizophoria*, 13, 23, 35, 57, 70, 85, 87, 100, 184, 215
- Schuchertella*, 13, 27, 71, 85, 99–100, 127, 184, 217
- Scipio Town Quarry, 189, 42, 139
thin section, 184
- Scutellum*, 16, 109
- Seneca Lake, sections near, 189 (see Bellona; Cascade Mills)
- Shale facies, 114, 80, 179
- Shaly to silty laminae
layers and partings, 14, 22–23, 25, 27, 36, 41, 78, 94, 99–100, 172, 176, 183, 184
significance, 96, 100–101, 126, 152
- Sheds
sections near, 191, 31, 35, 42, 175
thin sections, 180
- Shell lenses, 21–22, 24, 27, 30, 41, 56, 59–60, 82–83, 85, 92, 95, 99, 109, 114–116, 150, 152, 154, 158, 160, 164, 179, 183–184
“Sherburne sand bar,” 139
- Sherburne Sandstone, 9, 43, 129 fold-out, 164
- Silica, 78
- Silt, carbonate, 72–73, 76–77, 87, 101, 137–138, 180, 184
- Siltstone (see Laminated muddy siltstone facies)
- Skaneateles Lake (Valley), sections around, 190 (see Borodino; Carpenter Falls; Randall’s Quarry)
- Skeletal calcilitute facies, 92, 1–2, 162, 183–184 (see also Brachiopod subfacies; Diverse skeletal subfacies; Small coral-stylioline subfacies)
- Skeletal material, 69, 137
- Small coral-stylioline subfacies, 94, 80, 101, 106–107, 153, 156, 160, 183
- Smyrna, sections near, 191, 42–43
- Smyrna bed, 33, 8, 14, 30, 37, 55, 57, 74, 87, 89, 91, 105, 127, 130, 132–133, 154–155, 157, 172, 175
thin sections, 180
- Spar, 73, 109, 180, 187, 226–228
- Sphalerite, 75, 27, 59, 116, 225
- Sponge spicules, 69, 49, 112, 187, 223
- Striatopora*, 70, 40, 42, 50, 53, 109, 187, 222
- Stromatactis, 73, 1, 49, 51, 108–109, 176, 187, 227
- Stromatolites, 31, 37, 96–97, 153, 168, 175, 183
- Stromatoporoids, 69, 68, 165, 168
- Styliolines, 71, 13–15, 20, 37, 45, 61–62, 76–77, 95, 99, 106, 108, 118, 162, 164, 183–184, 211
- Stylolites, 78, 77, 113, 184
- Subsurface Tully, 62
lithology, 63
evaluation of supposed “Tully,” 64
- Sweet, W., personal commun., 67
- Taghanic Stage, 10, 165
- Taughannock Falls
section near, 189, 26, 44, 172, 175
thin sections, 183
- Taughannock Falls bed, 35, 8, 30, 32, 38–39, 41, 50, 55, 82–83, 91, 94–95, 105, 126–127, 132, 156–158, 161, 172, 176
thin sections, 180, 183
- Teeter, J. W., personal commun., 196
- Tentaculites, 71, 13, 85, 99–100, 180, 213
- Thickness of Tully Limestone, 7, 61–62
- Thin skeletal fragments, 72, 76, 183, 211
- “Time lines” (see Correlation)
- Tinker Falls
section at, 190, 21–22, 31, 172, 175–176
sections near (thin sections), 179, 184
- Tinker Falls Member, 10–13
- Tioughnioga Valley, sections in, 190–191 (see DeRuyter; Fabius; Sheds)
- Tourmaline, 73
- Trilobites, 71, 13–16, 20, 37, 62, 76, 85–86, 96, 99, 106, 114, 162, 183, 212 (see also *Scutellum*)
- Tropidoleptus*, 15, 57, 218

- Tully
 sections near, 190, 7–8, 12, 21, 172
 thin sections, 179, 183–184 (see also Carr Quarry)
- Tully equivalents, 55, 67
- Tully Formation, 10, 12
- Tully Member (of Harrell Shale), 61
 “Tully oölite,” 33
 “Tully Pyrite,” 7, 58
- Tully Valley bed, 23, 8, 45, 84, 99, 144, 148–149, 172
- Type section, 190, 7, 12, 172
- Unadilla Formation, 8, 56, 58, 129
 foldout, 164
 lower tongue, 43, 12, 42, 83, 160
- Unnamed sandstone, 38, 8, 55–56, 83, 129 foldout, 132–133
 thin section, 179
- Upper beds, 53, 8, 112–113, 160, 176
 thin section, 187
- Upper encrinite, 51, 53, 176
- Upper Member, 13, 2, 8, 29, 31, 45, 62, 94, 104, 129 foldout, 131–133, 136, 154, 172, 175–176
- Upper mound, 51, 8, 53, 108, 160, 162, 176
 thin section, 187
- Upper Tully (=Upper Member, q.v.)
- Upper Tully equivalent, 55, 10–11, 129 foldout, 133
- Uses of Tully Limestone, xiii
- Vesper bed, 24, 8, 45, 82, 99, 126, 144, 149, 151, 172, 175
 thin section, 184
- Vitulina* zone (bed), 34, 56–58, 115, 129–130, 129 foldout, 131, 141
- Wells, J. W., personal commun., 46, 58, 202
- West Brook
 section at, 191, 7, 12, 33, 35, 39
 thin sections, 179–180
- West Brook (shale) bed, 28, 8, 15, 40, 42, 55, 101, 114, 125–126, 129
 foldout, 132, 135, 156, 158–159, 161, 172
 thin section, 179
- West Brook Member, 10–12, 16, 55
- West Virginia Tully, 61, 65, 139
- Western encrinites (=Lower encrinite plus Upper encrinite, q.v.)
- Widespread erosion surface, 29, 34, 37, 47, 96, 127, 153, 157, 168, 172, 175–176 (see also Intraformational unconformity)
- Wood, 59, 75, 118, 160, 225
- Woodward, H. P., personal commun., 133
- Worm tubes, spirorbid, 70, 184, 187