

Errata

Utzschneider KM, Prigeon RL, Faulenbach MV, Tong J, Carr DB, Boyko EJ, Leonetti DL, McNeely MJ, Fujimoto WY, Kahn SE. Oral disposition index predicts the development of future diabetes above and beyond fasting and 2-h glucose levels. *Diabetes Care* 2009;32:335–341

In the paragraph entitled “Hyperbolic relationship between insulin sensitivity and insulin responses in subjects with NGT” in the print version of the article listed above, the 95% CI (–0.97 to –0.66) for the relationship between $\ln(\text{incAUC}_{\text{ins}/\text{glu}})$ and $\ln(1/\text{fasting insulin})$ is incorrect. The correct 95% CI is –2.97 to –0.66. The online version reflects these changes.

Faglia E, Clerici G, Clerissi J, Gabrielli L, Losa S, Mantero M, Caminiti M, Curci V, Quarantiello A, Luppattelli T, Morabito A. Long-term prognosis of diabetic patients with critical limb ischemia: a population-based cohort study. *Diabetes Care* 2009;32:822–827

In the print version of the article listed above, the last name of T.L. is spelled incorrectly. The correct spelling is Lupattelli. The online version reflects these changes.

Kloos C, Hagen F, Lindloh C, Braun A, Leppert K, Müller N, Wolf G, Müller UA. Cognitive function is not associated with recurrent foot ulcers in patients with diabetes and neuropathy. *Diabetes Care* 2009;32:894–896

In the print version of the article listed above, the affiliation for A.B. is incorrect. The correct affiliation is as follows: Bethanien Hospital, Geriatrics Centre at the University of Heidelberg, and the Robert Bosch Foundation, Stuttgart, Germany. The online version reflects these changes.